WORCESTERSHIRE 1911 - 1920

ALVECHURCH	1911 - 1920
ALVECHURCH BORDESLEY HALL	1914 - 1920
ALVECHURCH FAIRFIELD	1911 - 1920
BARNT GREEN BLACKWELL	1914-16, 1918.
BARNT GREEN UPWOOD	1911 - 1920
BEWDLEY SPRING GROVE	1911 - 1912
BEWDLEY WINTERDYNE GDNS.	1911 - 1920
BLOCKLEY UPTON WOLD	1911 - 1920
BROMSGROVE TARDEBIGGE RES.	1911 - 1920.
BROMSGROVE BURCOT P.S.	1915 - 1916
BROMSGROVE LOWER BITTAL RES.	1911 - 1920
CLIFTON-ON-TEME	1911 - 1912
DROITWICH FRIAR ST DEPOT	1911 - 1920
DUDLEY BOROUGH CEMETERY	1912, 1915-18.
EVESHAM PORT ST.	1911 - 1914
EVESHAM ABBEY GATE	1915
EVESHAM. ROSSYVERA	1919 - 1920.
EVESHAM. BENGEWORTH	1911 - 1920.
EVESHAM GT HAMPTON	1911 - 1920.
HALESOWEN HASBURY COTT.	1918 - 1920
HALESOWEN FRANKLEY	1911 - 1920.
HILL CROOME	1914, 1916.
KEMPSEY THE LODGE	1914 - 1920.
KEMPSEY DRAYCOTT HSE	1911 - 1915
KIDDERMINSTER PARK HALL	1919 - 1920.
KIDDERMINSTER	1911 - 1920
KNIGHTWICK SANATORIUM	1911 - 1920.
MALVERN MADRESFIELD	1911 - 1920.
MALVERN CHURCH ST.	1911 - 1919.
MALVERN BRITISH CAMP RES	1911 - 1919
MALVERN	1911 - 1920
MALVERN CLARENCE RD.	1914 - 1920
MALVERN M.O.	1914 - 1920
MALVERN HAYES BANK.	1920
MALVERN HORNYOLD RD.	1911 - 1920
MALVERN DAVENHAM GDNS	1911 - 1914
MARTLEY REC	1911 - 1920
MOSELEY PROSPECT RD.	1911 - 1912
MOSELEY CHANTRY RD	1911 - 1912

NETHERTON	LODGE FARM RES.	1911 - 1920
NORTHFIELD		1911 - 1912
OMBERSLEY	HOLT LOCK	1911 - 1920
PEDMORE		1916 - 1920
PENDOCK		1918 - 1920
PERSHORE	THE POPLARS.	1911 - 1914
REDDITCH	HOLMWOOD GDNS.	1913
REDDITCH	HEWELL GDNS.	1911 - 1920
REDMARLEY	HAZELDEN	1913 - 1920
ROCHFORD	RECTOR	1911 - 1918
SHELSLEY	GRANGE	1914, 1916-18, 1920
SHIPSTON	ARMCOTE	1911 - 1920
SHIPSTON	TIDMINGTON HSE.	1911-13, 15-20
SHIPSTON	TALTON	1911 - 1919
SPARKHILL	BIRMINGHAM	1911 - 1913
STOCKTON - ON - TEME		1912 - 1920
STOURBRIDGE		1914 - 1920
STOURBRIDGE	LINCOMBE LOCK	1911 - 1920
STOURPORT	ARELEY HALL	1919.
TENBURY	HOMESTEAD	1911 - 1920
TENBURY	TEME ST.	1916 - 1919
TENBURY	ST MICHEALS OBS.	1913 - 1920.
UPTON - ON - SEVEN	THE EADES	1911 - 1920.
WORCESTER	BARBOURNE.	1913 - 1920,
WORCESTER	HINDLIP HALL	1916 - 1920
WORCESTER	HAWFORD LODGE.	1911 - 1917
WORCESTER	BROMWICH HSE	1911 - 1920
WORCESTER	BELMONT RD.	1911 - 1917
WORCESTER	ST JOHNS BOYS SCHOOL	1918 - 1920
WORCESTER	W W	1911 - 1920
WORCESTER	BOUGHTON PK.	1911.
WORCESTER	BEVERE LOCK.	1911 - 1920.
WORCESTER	DIGLIS LOCK	1911 - 1920

MALVERN

WORCESTER

1911 - 1920

FORM A2.
BRITISH RAINFALL.

4 - JAN 12

R

Kept at Malver ... in.

in the County of Wo ... nd 4 ft. — in.

... evel 520 ft.

by A. Mander ... Great Malvern G.W.Ry

... e ½ mile Direction E.

IMPORTANT NOT ... result entered to the previous day. If an Obs ... rule, he is earnestly requested to add the readi ... the space provided for it at the end of this ... rain, the selection and placing ... British Rainfall Organization are given in " ... Rainfall Observers," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	—	.06	.06	—	—	—	.11	—	—	.04	.01	1
2	—	—	—	.07	.10	—	.03	.08	—	.13	.05	.06	2
3	—	—	—	.01	.48	—	—	—	.01	.01	.02	.01	3
4	.02	—	.18	.04	—	—	—	.01	.06	.04	.22	.49	4
5	.06	—	.03	.01	—	—	—	.08	—	.03	.05	—	5
6	.40	—	.09	.08	—	—	—	—	—	—	.09	.73	6
7	—	—	—	—	—	—	—	—	—	—	.26	—	7
8	.11	—	.15	—	—	—	—	—	—	—	.09	.35	8
9	.13	—	.04	—	—	—	—	—	—	—	.33	.22	9
10	.01	.11	.40	—	—	—	—	—	—	—	.02	.66	10
11	.17	—	—	—	—	—	—	—	—	—	.69	.02	11
12	—	—	.59	—	—	—	—	—	.06	—	.09	—	12
13	—	—	—	—	—	—	—	—	.32	.01	.02	.43	13
14	—	—	.02	—	—	—	—	—	—	—	—	.97	14
15	—	.04	.02	—	—	—	—	—	—	—	.22	.16	15
16	—	—	.01	—	—	.09	—	—	—	.02	.12	.10	16
17	—	—	—	—	—	.10	—	—	—	—	.21	.44	17
18	—	.31	.04	.16	—	.13	—	—	—	.04	—	.36	18
19	.01	.01	—	.03	—	.24	—	—	.30	.34	.01	.12	19
20	.02	.05	.02	.02	—	—	—	—	.13	.01	—	.73	20
21	—	.17	.06	—	—	—	—	.57	.06	.39	—	.13	21
22	—	.01	.02	.04	—	.03	—	—	—	.19	—	.45	22
23	—	.19	.21	—	—	.62	—	—	.19	.05	—	.24	23
24	—	.06	—	.03	—	.51	—	.14	—	.08	—	.07	24
25	—	.22	.01	.07	—	.03	—	.06	.01	.02	—	.13	25
26	—	.14	—	.19	.34	.03	—	.06	—	.26	.18	.11	26
27	—	.16	.15	.16	—	—	—	.43	.24	—	.05	.12	27
28	—	.24	—	.18	—	—	—	—	—	—	.28	—	28
29	—		—	.17	—	.22	.20	.01	.25	.20	.01	—	29
30	—		.05	.07	.07	.07	.10	—	—	.29	.01	.01	30
31	—		—		.35		—	—		.07		.01	31
Total	0·96	1·71	2·15	1·39	1·34	2·07	0·33	1·55	1·63	2·18	3·06	7·13	TOTAL for year 25·50
No. of Rain Days	10	13	19	17	5	11	3	10	11	18	22	26	165

9,000, IX. '10.

R AINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
1 - JAN 1912

Kept at Malvern

in the County of Worcester

by A. Mander F.R.Met.Soc F.C.S.

Rain Gauge:
Pattern
Diameter of top 5 in.
Height of top above Ground 4 ft. – in.
" " " Sea Level 520 ft.

Time of Observation 9. am

Nearest Railway Station:
Name Great Malvern G.W.Ry
Distance ½ mile Direction E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	—	.06	.06	—	—	—	.11	—	—	.04	.01	1
2	—	—	—	.07	.10	—	.03	.08	—	.13	.05	.06	2
3	—	—	—	.01	.48	—	—	—	.01	.01	.02	.01	3
4	.02	—	.18	.04	—	—	—	.01	.06	.04	.22	.49	4
5	.06	—	.03	.01	—	—	—	.08	—	.03	.05	—	5
6	.40	—	.09	.08	—	—	—	—	—	—	.09	.73	6
7	—	—	—	—	—	—	—	—	—	—	.26	—	7
8	.11	—	.15	—	—	—	—	—	—	—	.09	.35	8
9	.13	—	.04	—	—	—	—	—	—	—	.33	.22	9
10	.01	.11	.40	—	—	—	—	—	—	—	.02	.66	10
11	.17	—	—	—	—	—	—	—	—	—	.69	.02	11
12	—	—	.59	—	—	—	—	—	.06	—	.09	—	12
13	—	—	—	—	—	—	—	—	.32	.01	.02	.43	13
14	—	—	.02	—	—	—	—	—	—	—	—	.97	14
15	—	.04	.02	—	—	—	—	—	—	—	.22	.16	15
16	—	—	.01	—	—	.09	—	—	—	.02	.12	.10	16
17	—	—	—	—	—	.10	—	—	—	—	.21	.44	17
18	—	.31	.04	.16	—	.13	—	—	—	.04	—	.36	18
19	.01	.01	—	.03	—	.24	—	—	.30	.34	.01	.12	19
20	.02	.05	.02	.02	—	—	—	—	.13	.01	—	.73	20
21	—	.17	.06	—	—	—	—	.57	.06	.39	—	.13	21
22	—	.01	.02	.04	—	.03	—	—	—	.19	—	.45	22
23	—	.19	.21	—	—	62	—	—	.19	.05	—	.24	23
24	—	.06	—	.03	—	.51	—	.14	—	.08	—	.07	24
25	—	.22	.01	.07	—	.03	—	.06	.01	.02	—	.13	25
26	—	.14	—	.19	.34	.03	—	.06	—	.26	.18	.11	26
27	—	.16	.15	.16	—	—	—	.43	.24	—	.05	.12	27
28	—	.24	—	.18	—	—	—	—	—	—	.28	—	28
29	—		—	.17	—	.22	.20	.01	.25	.20	.01	—	29
30	—		.05	.07	.07	.07	.10	—	—	.29	.01	.01	30
31	—		—		.35		—	—		.07		.01	31
Total	0.96	1.71	2.15	1.39	1.34	2.07	0.33	1.55	1.63	2.18	3.06	7.13	TOTAL for year 25.50
No. of Rain Days	10	13	19	17	5	11	3	10	11	18	22	26	165

9,000, IX. '10.

ka 7.6

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
1 JAN 1913

Kept at Malvern

in the County of Worcester

by A Mander F.C.S.

RAIN GAUGE	Pattern	
	Diameter of top	5 in.
	Height of top above Ground	4 ft. — in.
	,, ,, ,, Sea Level	520 ft.

Time of Observation 9. am

Nearest Railway Station: Name Gt Malvern; Distance ½ mile; Direction E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.15	—	—	.55	.16	.01	.01	.24	—	.06	1
2	—	.03	.27	.02	.01	.51	.28	—	—	—	—	—	2
3	.01	—	.02	—	—	.18	.04	1.06	.02	—	.02	.05	3
4	.24	—	.76	—	.20	.78	—	—	—	—	.20	—	4
5	.16	.11	.18	—	.06	.13	—	.27	.03	—	.01	.02	5
6	.19	.19	—	—	.03	.17	.10	1.01	.01	—	.01	.01	6
7	.01	.27	.05	—	.07	.46	—	.04	—	—	—	.03	7
8	.31	.14	.21	—	—	.03	.04	.19	.01	—	—	.02	8
9	.05	.01	.56	.04	—	.34	~~.19~~	.02	—	—	.01	.23	9
10	.06	.07	.01	.01	—	.05	~~.02~~	.30	—	—	.10	—	10
11	.08	.05	.01	—	—	.03	.02 ~~.30~~	.19	—	—	.03	.50	11
12	.02	.56	.12	.01	.08	.13	~~.19~~	—	—	—	—	.02	12
13	.01	—	—	—	—	—	—	.26	—	.01	—	.03	13
14	.11	—	.55	—	.03	—	~~.26~~	.14	—	.01	—	—	14
15	.28	.08	.06	.01	.39	.20	—	.04	—	—	—	.23	15
16	1.12	—	.09	—	.01	.01	~~14~~	.04	—	.11	.01	.01	16
17	1.35	—	.24	—	—	.03	~~.33~~	.15	—	—	.03	.34	17
18	.29	.01	.04	—	—	—	—	.53	—	.03	—	—	18
19	.15	.04	.01	—	.01	—	~~.49~~	.42	—	.02	.01	.04	19
20	.04	—	.22	—	—	—	.14	.44	—	.39	.02	—	20
21	—	.02	.19	—	1.17	—	.33 ~~.37~~	—	—	.36	—	—	21
22	.49	.10	.04	—	.63	.06	—	1.21	—	—	—	.09	22
23	.25	.24	.31	—	—	.05	.49	.37	—	—	.05	.18	23
24	.13	.01	—	—	—	.23	.12	.06	—	—	—	.15	24
25	—	—	—	—	—	.33	.07	1.01	—	—	.42	.45	25
26	—	.09	.01	—	—	—	—	.91	—	.73	.22	.25	26
27	—	.01	—	—	—	.39	.35	—	—	.82	—	.21	27
28	—	.13	—	—	—	—	.46	.66	.19	.32	.40	.42	28
29	—	.23	.03	—	—	.52	.53	.14	.66	.24	.01	.01	29
30	—		.03	—	—	.03	.32	—	—	.24	—	—	30
31	—		.07		.10		.56	.03		—		.08	31
Total	5.35	2.39	4.23	0.09	2.79	5.21	4.01	9.50	0.93	3.52	1.55	3.43	TOTAL for year
No. of Rain Days.	21	20	25	5	13	22	16	25	7	13	16	23	43.00 206

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
1 - JAN 1914

Kept at Malvern
in the County of Worcester
by A Mander

Lat. Long.
Time of Observation 9. 0 am
Nearest Railway Station Gt Malvern
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. in.
" " " " Sea Level 520 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.01	.01	.14	.04	.17	—	—	—	.94	—	.04	.01	1
2	.02	.15	.03	.15	—	—	.02	—	.08	.55	.05	—	2
3	.08	.01	.03	—	.80	—	—	—	—	.14	—	.06	3
4	1.21	—	—	—	.32	—	—	—	1.01	.93	.04	.15	4
5	.12	.03	—	—	.02	.17	.10	—	.03	.27	.18	.01	5
6	.04	.04	.21	—	.35	.15	.29	—	—	.42	.07	.45	6
7	—	.27	—	—	.26	.04	.06	—	—	.66	.24	.01	7
8	.01	.11	—	—	.14	.06	—	.02	—	.30	—	—	8
9	—	.33	.04	—	.14	.18	.06	.41	.40	—	.16	—	9
10	.11	—	—	.14	.08	—	.02	.09	—	.04	.10	—	10
11	.74	—	—	.31	.03	—	—	.10	—	.04	.98	—	11
12	—	—	—	—	.56	—	—	—	—	.01	.35	—	12
13	.02	—	.10	—	—	—	—	.01	.16	—	.38	—	13
14	.17	—	.55	.04	—	—	—	.08	.05	—	—	—	14
15	.14	.08	.58	.69	—	—	—	.01	.06	.12	.01	—	15
16	.20	—	.80	.06	—	—	—	.45	.01	—	—	—	16
17	.03	.02	.10	.05	—	.01	.17	—	.03	—	—	trace	17
18	.01	—	.37	.11	—	—	.08	—	.15	—	.01	—	18
19	.20	—	.16	—	.03	.02	.01	—	.21	—	—	—	19
20	.22	—	.21	.14	—	—	—	—	—	.06	.23	—	20
21	—	—	.30	.15	.11	—	.12	.04	—	—	.23	—	21
22	.59	—	.67	—	—	.08	—	.22	.43	—	—	—	22
23	—	—	.01	—	—	.07	—	.06	.03	—	.04	—	23
24	.03	—	—	.06	—	—	—	—	—	—	—	—	24
25	—	—	—	.11	—	—	—	—	.04	.01	.01	—	25
26	—	.02	—	.78	—	—	—	.44	.01	—	—	.22	26
27	.01	—	.07	.30	.03	—	—	—	—	.02	—	—	27
28	.35	—	.09	.32	.03	—	—	—	—	.34	—	.01	28
29	.01		.45	.50	—	—	—	.08	—	.19	—	—	29
30	.24		—	—	—	—	—	—	—	.74	.17	—	30
31	.02		.14		.03		—	.05		.02		—	31
Total	4.58	1.07	5.05	3.95	3.10	0.78	0.93	2.06	3.64	4.86	3.29	0.92	YEAR'S TOTAL 34.23
Rain Days.	24	11	20	17	16	9	10	14	16	18	18	8	181

and by [illegible] stats for auth - 1.IV.15

REGISTER OF RAINFALL IN 1914

W DL

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Kept at Malvern

in the County of Worcester.

by A. Mander. F.C.S.

Lat. 52° 8′ N Long. 2° 18′ W

Time of Observation 9. 0 am

Nearest Railway Station Gt. Malvern G.W.Ry.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. — in.

" " " " Sea Level 520 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·03	·01	·03	—	—	1·19	·26	—	—	·04	·07	1
2	—	—	—	—	·01	·02	·41	·13	—	—	·66	·41	2
3	—	—	—	·10	·27	—	·08	·06	—	—	·01	·05	3
4	·28	—	·01	·16	·04	—	·08	·16	—	—	·60	·47	4
5	·04	—	·05	·20	·17	—	·78	—	—	—	·14	—	5
6	·01	·08	—	—	·04	—	·02	—	—	—	·06	·11	6
7	·01	·21	·29	·20	~~·17~~ (·26)	·08	·13	·06	·01	—	—	·21	7
8	—	—	·09	·01	·04	·75	·02	·07	—	—	—	·06	8
9	·09	·01	·23	·30	·07	1·55	—	·11	·23	—	—	—	9
10	·05	·20	—	·41	·04	·03	—	—	·33	—	·01	—	10
11	—	·13	·24	·05	·17	·20	—	—	·01	—	·13	·64	11
12	—	·21	·20	—	—	—	·24	—	·25	—	·09	·17	12
13	—	·16	·32	—	—	—	·02	—	·19	·19	·11	·53	13
14	—	·15	·22	—	—	—	—	—	—	·29	·14	·01	14
15	·05	·02	·13	—	—	—	—	·14	·06	·02	·12	—	15
16	—	—	—	—	—	—	·05	—	·22	—	—	—	16
17	—	·22	·18	—	—	—	—	—	·07	—	—	·17	17
18	—	—	·01	—	—	·01	·18	—	—	·05	—	·36	18
19	—	—	·08	—	—	—	1·00	·01	—	—	·02	·08	19
20	—	·46	·03	—	—	·06	—	—	—	—	—	·29	20
21	—	·19	—	—	—	·48	—	·19	—	·14	—	·11	21
22	—	·03	·03	—	·23	—	·02	·08	—	·08	—	—	22
23	—	—	·14	—	·07	—	—	—	—	·16	·01	—	23
24	·01	·01	·28	—	—	—	·01	·05	—	·17	·04	—	24
25	·08	—	·28	—	—	—	·10	·20	—	·28	·02	·08	25
26	—	—	—	·02	—	—	—	·05	—	·05	·28	·35	26
27	·03	—	—	—	—	—	—	—	—	·01	·09	·14	27
28	—	·10	·15	—	·05	—	—	—	—	·02	·11	1·00	28
29	·01		·15	—	·10	—	—	—	—	·25	·14	—	29
30	—		·07	—	·01	·09	—	—	—	·07	·48	·56	30
31	·15		—		—		·23	—		·05		·02	31
Total	·81	2·21	3·19	1·48	1·57 ✓	3·27	4·56	1·57	1·37	1·83	3·30	5·89	YEAR'S TOTAL 31·05 31·05
Rain Days.	12	16	22	10	15	10	17	14	9	15	21	22	183

W. 7,500, XI. '12

ext y's

2488

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
1 JAN 1916

Kept at Malvern (Belle Vue House)

in the County of Worcester

by A. Mander.

Lat. 52°8'N. Long. 2°18'W

Time of Observation 9.0 am

Nearest Railway Station Malvern G.W. Ry

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. — in.

" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.17	.09	.04	—	.25	—	.06	.05	.04	.21	.04	.02	1
2	.12	.14	.15	.21	—	.20	—	1.67	—	.30	—	.12	2
3	1.04	.12	.02	.11	.19	—	.88	.54	—	.01	—	.25	3
4	.01	.02	—	.02	.06	—	.33	—	—	—	—	.81	4
5	—	.66	—	—	—	—	—	.10	—	.07	—	.58	5
6	.19	.03	—	.19	—	—	.47	—	—	—	—	.11	6
7	.08	.43	—	.01	—	—	.05	.08	—	—	—	.46	7
8	.23	.42	—	—	—	—	—	.02	—	—	.07	—	8
9	.19	.04	—	.11	—	—	—	—	—	—	.15	.40	9
10	.23	—	.09	.04	—	—	—	—	—	.02	—	.04	10
11	—	—	.10	.03	.04	—	—	—	—	—	1.18	.03	11
12	.10	—	—	.14	.55	—	—	.03	—	.07	.70	—	12
13	—	.31	—	—	.89	—	—	.88	—	—	—	.04	13
14	—	.03	—	—	—	—	—	.33	.08	.02	—	.42	14
15	.24	—	—	—	.10	—	—	.10	—	—	.07	.16	15
16	.05	.38	—	.02	.43	—	1.21	.02	—	—	—	.01	16
17	—	.30	—	—	1.13	—	—	.05	—	—	—	.02	17
18	.04	.47	.03	—	—	—	—	—	—	.01	—	—	18
19	—	.01	—	—	.10	—	.10	—	—	—	—	—	19
20	.14	—	—	.06	—	—	—	—	—	—	—	.12	20
21	.12	.01	—	—	—	—	.11	—	—	.13	—	.03	21
22	.11	.02	.36	.08	—	—	.45	—	.01	—	—	.25	22
23	—	.03	.07	—	—	.06	.25	—	—	1.13	—	.25	23
24	—	—	.11	.03	—	—	.37	—	.43	1.01	—	.15 .20	24
25	—	—	—	—	—	.47	.70	—	—	.07	—	.22 .45	25
26	—	.02	—	—	—	—	.47	—	—	—	—	.45 .06	26
27	—	.02	—	—	—	—	.14	—	—	.32	—	.06 —	27
28	—	.08	—	—	—	.18	—	.15	.16	—	—	— ~~.08~~	28
29	—		—	—	—	.22	.14	.04	—	—	.08	.08	29
30	—	X	—	.01	—	.02	—	—	—	.33	.08	.25	30
31	.02	X	—	X	—	X	.11	.01	X	.65	X	36	31
Total	3.08	3.63	0.97	1.06	3.74	1.15	5.84	4.07	0.72	4.35	2.37	5.79	YEAR'S TOTAL 36.77
Rain Days.	17	21	9	14	10	6	16	15	5	15	8	26	162

W. 8,000. X. 14.

end by mm stats

2422

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
2 JAN 1917

Kept at Malvern (Belle Vue House)

in the County of Worcester.

by Alfred Mander

Lat. 52° 8' N. Long. 2° 18' W.
Time of Observation 9 am G.M.T.
Nearest Railway Station Gt Malvern G.W.Ry.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. — in.
" " " " Sea Level 520 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.09	—	.04	—	.03	.08	.17	—	—	.19	.18	—	1
2	.46	.07	.27	—	.21	—	.03	—	.04	.79	.02	—	2
3	—	.81	—	—	.08	.01	.01	—	.02	.28	.15	—	3
4	.23	.22	—	.02	.46	.32	—	—	.03	—	.62	—	4
5	.02	.01	.04	—	.43	.01	.13	—	—	.10	.15	—	5
6	.03	.18	.07	—	.22	.08	.81	—	—	.16	.38	—	6
7	—	—	.09	—	.08	—	.21	—	—	.10	.21	.17	7
8	.02	—	.05	—	.25	.10	—	—	—	—	.02	.31	8
9	—	—	—	—	.25	.20	—	—	.02	.02	.02	—	9
10	—	.63	.10	.03	.01	.12	—	—	—	.05	—	.01	10
11	.01	.08	.09	.15	.04	.12	—	—	.03	—	—	.31	11
12	.05	.04	.04	.02	.30	—	.30	—	—	.03	—	—	12
13	—	.27	.19	—	—	—	—	.28	—	—	.01	—	13
14	—	.54	.06	—	.04	—	—	.02	—	.03	.01	.02	14
15	—	.24	.28	—	.22	—	.02	.37	—	.03	—	—	15
16	—	.02	—	.27	.10	—	.15	.60	—	.03	—	—	16
17	.11	.16	—	.06	—	—	.01	—	.41	.47	—	—	17
18	—	.04	.04	.01	—	—	—	.02	.11	.05	.62	.17	18
19	.03	—	.35	.09	—	—	—	.01	—	—	.21	—	19
20	.07	—	.59	(.07) .47	—	—	—	—	—	—	.03	.20	20
21	.01	—	.40	—	.12	—	.27	—	—	—	—	.28	21
22	—	—	—	.04	—	.03	—	—	—	.15	—	.65	22
23	.02	.35	—	.01	—	—	—	.14	—	.06	.01	.21	23
24	—	.16	.10	—	.65	.07	—	.05	—	.24	—	.12	24
25	—	.05	.18	—	—	.03	—	.23	—	.06	.21	—	25
26	.03	.08	.04	—	—	.08	—	.04	.03	.09	.07	—	26
27	.07	.09	.54	—	—	.07	—	.08	.36	.34	—	.02	27
28	—	.52	.12	—	—	.12	—	—	.12	.16	—	.14	28
29	—	.20	—	—	—	.27	—	1.30	—	.47	—	.05	29
30	—	╳	—	—	—	.01	—	—	—	.30	—	—	30
31	—	╳	—	╳	—	╳	—	.01	╳	.29	╳	.03	31
Total	1.25	4.66	3.68	1.24 ✓	3.49	1.72	2.11	3.15	1.17	4.49	2.92	2.71	YEAR'S TOTAL 32.59
Rain Days.	15	21	21	12 ✓	17	17	11	13	10	24	17	15	193 ✓

W. 8,000. X. 15.

2306

FORM A.
BRITISH RAINFALL.

2. JAN 1918

REGISTER OF RAINFALL IN 1917.

Kept at Malvern – Belle Vue House –

in the County of Worcester

by A. Mander, F.C.S.

Lat. Long.
Time of Observation 9.0 G.M.T.
Nearest Railway Station Great Malvern
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. — in.
" " " " Sea Level 520 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	.03	.08	.15	—	.19	—	1.04	.02	—	.11	—	1
2	—	—	—	.07	—	.12	—	.05	—	—	.11	—	2
3	.01	.02	—	.06	—	—	—	.05	—	.42	—	—	3
4	—	—	.25	—	—	—	—	.03	—	.21	—	—	4
5	.14	—	.20	.24	—	.02	—	—	.03	.20	.10	.01	5
6	—	—	.03	—	—	.45	—	—	—	.11	.21	—	6
7	.25	—	—	—	—	—	.37	.17	—	.28	—	.01	7
8	.48	—	.03	.09	—	.01	.52	.54	—	.39	.17	.16	8
9	—	—	.21	.05	.18	—	—	1.15	.16	.08	.05	—	9
10	.32	—	—	.12	.53	—	—	.20	—	—	.01	—	10
11	.06	—	.14	.15	—	—	—	.14	—	.10	.01	—	11
12	.04	—	—	.02	.27	—	—	.03	—	.19	—	—	12
13	—	—	.08	.01	—	—	—	.08	.07	.18	.01	—	13
14	.01	—	.18	.01	—	—	—	.07	—	.03	—	—	14
15	—	—	—	—	.12	—	.02	.05	—	.04	—	.15	15
16	.03	.08	—	.16	—	—	.11	—	—	.01	—	.37	16
17	—	.01	—	.10	.75	.15	.46	.20	.11	.08	—	—	17
18	—	.02	—	.01	.18	.05	.26	.01	1.36	—	—	—	18
19	.03	.40	.34	—	—	.25	—	—	.01	—	—	—	19
20	—	.19	.07	—	1.04	.28	.25	—	.01	—	.01	—	20
21	—	.02	.31	—	.07	.10	—	.04	—	.04	.03	—	21
22	—	—	—	—	—	.05	—	.08	.01	.09	—	—	22
23	—	.17	—	—	.12	.02	—	.19	—	.07	.01	.01	23
24	—	.01	.02	—	—	.11	—	.09	—	.19	.03	—	24
25	—	.03	.06	—	—	—	—	—	—	.04	.04	—	25
26	—	—	—	—	.08	.07	—	.39	.15	.01	.06	—	26
27	—	—	—	—	1.34	.17	.15	.91	—	—	.01	—	27
28	—	—	.15	—	—	.25	—	.14	—	—	—	.64	28
29	—	×	—	—	—	.41	.09	.02	—	.41	—	.29	29
30	—	×	—	—	—	—	.10	.40	—	.13	—	.01	30
31	—	×	.14	×	.03	×	—	.16	×	.03	×	—	31
Total	1.37	0.98	2.29	1.24	4.71	2.70	2.33	6.23	1.93	3.33	0.97	1.05	YEAR'S TOTAL 29.13
Rain Days.	10	11	16	14	12	17	10	25	10	23	16	9	173

W. 8,000, VIII. 16

[illegible]

REGISTER OF RAINFALL IN 1918.

FORM A.
BRITISH RAINFALL
1.

Kept at Malvern
in the County of Worcester
by Alfred Mander F.C.S.

Lat. Long.
Time of Observation 9.0 GMT
Nearest Railway Station Great Malvern
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. in.
" " " " Sea Level 520 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·01	—	·02	·07	—	—	·08	·01	·02	·65	—	1
2	—	·04	—	·09	—	—	—	·34	—	·01	—	·10	2
3	—	·04	·01	·02	·27	—	—	·04	·57	·01	·13	·01	3
4	—	·04	·01	·01	—	—	—	·01	·22	·14	·58	·44	4
5	—	—	·01	·02	·22	—	—	·02	·29	·11	—	·03	5
6	·02	·37	·02	·08	—	·07	—	—	·54	·18	—	·03	6
7	·02	·15	—	·01	·26	·01	—	—	·11	·04	·25	·01	7
8	—	·08	—	—	—	—	—	—	·14	(·03)	—	·04	8
9	·01	·16	—	·33	—	·20	·01	—	·27	·09	·01	·01	9
10	·07	—	—	·17	—	—	·19	—	·10	·10	—	·10	10
11	—	—	·02	·15	·07	—	·05	—	·09	·01	·03	·06	11
12	—	·01	·19	—	·13	—	·33	—	·02	—	—	—	12
13	—	—	—	·03	·01	—	·10	—	·10	·02	—	·07	13
14	·28	—	·08	—	—	—	·13	—	·52	·13	—	·05	14
15	·93	—	—	·18	·01	—	·28	—	·02	·01	·01	·34	15
16	·27	—	—	1·02	—	·05	—	·01	·28	·05	—	·05	16
17	·13	—	·01	·03	·06	·07	·10	—	·04	·07	—	·08	17
18	·39	~~·01~~	—	—	—	·66	·17	—	·72	·01	—	·45	18
19	·11	·01	·17	—	—	—	·14	—	—	·10	—	—	19
20	·19	·07	—	·65	—	·03	·01	—	·16	—	·01	·04	20
21	·12	—	—	·25	—	·03	·08	—	·45	·01	·01	·15	21
22	·01	—	—	—	·04	—	·14	—	·06	·01	—	·14	22
23	·05	—	—	—	·61	—	5 ·53	—	·01	—	·02	—	23
24	—	·12	—	—	—	—	·01	·02	·19	·01	·05	—	24
25	—	—	—	·01	—	·03	·18	·62	—	·02	·01	—	25
26	—	—	—	—	—	—	·35	—	—	·02	·08	·17	26
27	—	~~·02~~	·02	—	—	—	—	·19	·10	—	·06	·02	27
28	—	·17	·33	·04	—	·02	—	—	—	—	·07	·11	28
29	—		·06	—	—	—	—	—	1·01	·01	—	·03	29
30	—	X	·38	—	—	—	—	·04	—	·01	·05	·06	30
31	—	X	·17	X	—	X	—	·02	X	—	X	—	31
Total	2·60 ✓	1·27 ✓	1·48 ✓	3·11 ✓	1·75 ✓	1·17 ✓	2·80 ✓	1·39 ✓	6·02 ✓	1·32 ✓	2·02 ✓	2·59 ✓	YEAR'S TOTAL 27·52 ~~26·52~~
Rain Days.	14	13 ✓	14 ✓	18 ✓	11 ✓	10 ✓	17	11 ✓	24 ✓	25 ✓	16 ✓	24 ✓	197 ✓

W. 8,000, IX. 17.

2161

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL.

Kept at Malvern (Belle Vue House)
in the County of Worcester
by A. Mander F.C.S. Ph.C.

Lat. 52°8'N. Long. 2°18'W
Time of Observation 9.0 am G.M.T.
Nearest Railway Station Gt Malvern
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. — in.
" " " " Sea Level 520 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.35	—	.03	—	.07	.01	.14	—	.05	.17	—	.40	1
2	.12	—	—	—	.04	—	.41	—	.16	—	.09	.17	2
3	.73	—	.13	—	.02	.18	.02	—	.02	—	.15	.19	3
4	.16	.03	.39	—	—	—	.25	.04	.22	—	.02	.19	4
5	.02	.75	.11	—	.10	—	.03	—	.38	—	.01	.30	5
6	.02	.03	.10	—	.38	—	—	—	—	—	.05	.04	6
7	.23	—	.26	.13	.14	—	—	—	—	—	.09	.02	7
8	.28	—	.03	.05	—	.03	—	—	—	—	.01	—	8
9	.11	—	.04	.12	—	—	—	—	—	—	—	—	9
10	—	—	.61	—	—	—	—	—	—	.02	—	.24	10
11	.01	—	.66	—	.03	—	.63	—	—	.01	—	.02	11
12	—	—	.03	.01	—	.19	—	—	.07	.07	.02	.01	12
13	.09	—	—	.14	—	[illegible]	—	—	.16	.09	—	.04	13
14	.19	.03	—	.21	—	[illegible]	.08	—	.04	.01	—	.07	14
15	.31	.06	—	.07	.15	~~—~~	—	—	—	.03	—	.37	15
16	.15	1.20	—	—	—	.04	—	.21	—	—	.09	.01	16
17	—	.93	—	.04	.02	[illegible]	—	—	—	—	.06	.01	17
18	.05	—	.70	—	.14	—	.02	.18	—	—	.02	.04	18
19	.32	.32	1.19	—	—	.15	1.57	.46	.17	—	.08	.01	19
20	.40	.02	.50	—	—	.01	—	.12	—	—	.13	.07	20
21	.02	.45	.03	—	—	.02	.31	.02	.01	—	.01	.07	21
22	—	.03	—	—	—	~~.17~~	.02	—	.47	—	—	.15	22
23	—	—	—	—	—	.01	—	.01	—	.90	.02	—	23
24	—	—	—	.05	—	.03	—	—	—	.78	.11	.05	24
25	.08	—	—	.12	.10	.02	—	.23	—	.01	.01	.03	25
26	.03	—	.09	.17	—	.04	—	.11	—	—	—	.33	26
27	.26	—	.01	.77	—	—	—	.74	.11	—	.04	.09	27
28	.06	—	.17	—	—	.01	—	.45	—	—	.39	.34	28
29	.02	X	—	.09	—	—	—	.01	—	.32	.22	.22	29
30	—	X	—	.10	-	.16	—	.10	—	.03	.08	.37	30
31	—	X	.05	X	—	X	.02	—	X	.02	X	—	31
Total	4.01	3.85	5.13	2.07	1.19	0.89	3.50	2.68	1.86	2.46	1.70	3.85	YEAR'S TOTAL 33.19
Rain Days.	23	11	19	14	11	14	12	13	12	13	21	27	190

W. 8,000, IX. 17.

2080

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

8 JAN 1921

Kept at Belle Vue Pharmacy – Malvern

in the County of Worcester

by A. Mander F.C.S.

Lat. 52° 8' N. Long. 2° 18' W.

Time of Observation 9. 0 am G.M.T.

Nearest Railway Station Gt. Malvern

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. — in.

" " " " Sea Level 520 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·03	·28	·31	—	·26	—	—	·15	—	·26	1
2	·03		—	·16	—	—	·08	·06	—	·12	—	·13	2
3	·06	·02	—	·14	·08	·03	1·04	—	·06	·57	—	—	3
4	—	—	·01	·07	—	—	—	·23	·11	·26	—	—	4
5	—	—	·14	·12	·20	—	·34	·03	—	·35	—	—	5
6	—	—	·29	—	·07	—	·11	—	—	·22	—	·01	6
7	·01	—	·06	·19	—	—	·16	—	—	—	—	—	7
8	·20	·05	—	·58	·15	—	·68	—	—	·01	—	·02	8
9	·21	·02	—	·38	—	—	·12	·05	—	—	—	—	9
10	·57	·15	·06	·05	—	·24	·20	—	—	—	·07	—	10
11	·21	·01	·07	·36	·33	·17	·09	—	—	—	—	·02	11
12	·17	·02	·01	·25	—	·86	·06	—	—	—	·05	—	12
13	·01	·03	·36	·14	—	—	—	—	—	—	—	·02	13
14	·03	·02	·80	·48	—	·02	·02	·01	·55	·11	·18	—	14
15	·01	·13	·09	·54	—	·40	·01	—	·15	·03	·08	—	15
16	—	—	·01	·10	·07	·40	·21	—	·11	·62	·02	—	16
17	·01	—	—	—	·11	·05	—	—	·90	·25	—	·03	17
18	·18	—	—	·03	·06	—	—	·19	·46	—	—	—	18
19	·02	·43	—	·25	·01	·10	—	·02	·01	—	—	·01	19
20	·03	·05	—	·26	—	·23	—	—	—	—	—	·06	20
21	—	—	—	·03	—	—	·10	—	—	—	—	·02	21
22	·01	—	—	·10	—	—	·02	·07	—	—	—	·20	22
23	—	—	—	—	—	—	·40	·13	—	—	·01	·40	23
24	—	—	·20	·01	—	—	—	—	—	—	·02	·24	24
25	·01	·05	·07	·02	—	·02	·62	—	—	—	—	·01	25
26	·16	—	·25	—	—	—	—	—	—	·01	·14	·06	26
27	·30	·03	·16	·06	·03	·38	·01	—	—	·01	—	·78	27
28	1·02	—	·13	—	·46	—	·02	—	—	—	—	·01	28
29	·17	—	·11	—	·03	·01	·20	—	—	—	·13	·55	29
30	·07		·44	·18	—	·11	·12	—	29	—	·25	·11	30
31	·07		·04		·04		·01	—		·14		·02	31
TOTAL	3·50	1·01	3·33	4·78	1·89	3·02	4·88	0·69	2·64	2·85	0·95	2·96	YEAR'S TOTAL 32·56 ~~32·54~~
Days with ·01 in. or more	23	13	20	24	14	14	23	9	9	14	10	20	193
	12	7	10	20	11	10	17	5	8	10	7	10	113

(44,283). Wt. 2,958—218. 7500. 10/19. Gp. 132. A.&E.W.

WORCESTER,

ALVECHURCH

1911 – 1920

REG 19 11

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at Alvech

in the County of Worc

by David B. Sm

f top 5 in.
p above Ground 1 ft. in.
„ Sea Level 580 ft.
8.15 A.M.
ation { Name Barnt Green
Distance 1M Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01		·04					·08			·01	·01	1
2				·06	·09		·12	·05		·10	·03	·01	2
3	·02			·01	·74			·02		·03	·01		3
4	·02		·16	·12				·04	·14	·13	·10	·14	4
5	·04		·06					·04		·01	·02		5
6	·32		·06	·01				·02			·03	·32	6
7	·03		·01								·20		7
8	·16		·17								·02	·22	8
9	·05		·06								·48	·10	9
10	·03	·14	·40					·01			·01	·27	10
11	·20										·40	·03	11
12			·50								·19	·01	12
13			·04					·06	·12		·02	·36	13
14	·01	·06	·01								·01	·80	14
15		·03	·03								·13	·05	15
16						·09					·14	·03	16
17				·01		·15					·17	·18	17
18		·28				·19				·06	·01	·22	18
19						·34	·31	·02	·36	·18	·25	·08	19
20		·09		·02		·01		·32	·21	·11		·44	20
21	·01	·14						·30		·32		·10	21
22		·01				·03		·04		·09		·32	22
23		·07	·24		·01	·10			·29	·03		·15	23
24	·02	·07		·05		·45		·07	·01	·30		·08	24
25		·05		·06	·06	·09				·02		·08	25
26		·06		·22	·03	·02		·03		·22	·16	·09	26
27		·17	·13	·16	·50			·59	·21	·01	·08	·17	27
28		·18		·20							·09	·01	28
29				·06		·12	·22	·03	·35	·12	·01		29
30				·09		·04		·30	·03	·13		·01	30
31			·13		·27					·10		·01	31
Total	·92	2·27	4·31	5·38	6·58	8·21	8·86	10·88	12·60	14·56	17·13	21·42	TOTAL for year 21·42
		135	204	107	120	163	65	202	142	196	257	429	2142
No. of Rain Days.	13	26	41	54	61	73	76	93	102	119	143	~~170~~	169
00, X. '11.	13	13	15	[illegible]	4	12	3	17	9	14	23	27	169

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

REC 1911

Kept at Alvechurch

in the County of Worcester 3

by David B. Grubb.

Rain Gauge	Pattern	
	Diameter of top	5 in.
	Height of top above Ground	1 ft. in.
	" " " Sea Level	580 ft.

Time of Observation 8·15 A.M.

Nearest Railway Station Name Barnt Green
Distance 1 M Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01		·04					·08			·01	·01	1
2				·06	·09		·12	·05		·10	·03	·01	2
3	·02			·01	·24			·02		·03	·01		3
4	·02		·16	·12				·04	·14	·13	·10	·14	4
5	·04		·06					·04		·01	·02		5
6	·32		·06	·01				·02			·03	·32	6
7	·03		·01								·20		7
8	·16		·17								·02	·22	8
9	·05		·06								·48	·10	9
10	·03	·14	·40					·01			·01	·27	10
11	·20										·40	·03	11
12			·50								·19	·01	12
13			·04					·06	·12		·02	·36	13
14	·01	·06	·01								·01	·80	14
15		·03	·03								·13	·05	15
16						·09					·14	·03	16
17				·01		·15					·17	·18	17
18		·28				·19				·06	·01	·22	18
19						·34	·31	·02	·36	·18	·25	·08	19
20		·09		·02		·01		·32	·21	·11		·44	20
21	·01	·14						·30		·32		·10	21
22		·01				·03		·04		·09		·32	22
23		·07	·24		·01	·10			·29	·03		·15	23
24	·02	·07		·05		·45		·07	·01	·30		·08	24
25		·05		·06	·06	·09				·02		·08	25
26		·06		·22	·03	·02		·03		·22	·16	·09	26
27		·17	·13	·16	·50			·59	·21	·01	·08	·17	27
28		·18		·20							·09	·01	28
29				·06		·12	·22	·03	·35	·12	·01		29
30				·09		·04		·30	·03	·13		·01	30
31			·13		·27					·10		·01	31
Total	·92	2·27	4·31	5·38	6·58	8·21	8·86	10·88	12·60	14·56	17·13	21·42	TOTAL for year
		135	204	107	120	163	65	202	172	196	257	429	2142
No. of Rain Days.	13	26	41	54	61	73	76	93	102	119	143	~~170~~	169
00, X. '11.	13	13	15	[illegible]	[illegible]	12	3	17	9	14	23	27	169

Ex 3L

FORM A2.
BRITISH RAINFALL.

3 - JAN 1913

REGISTER OF RAINFALL IN 1912.

Kept at Alvechurch

in the County of Worcester. 3

by D. B. Grubb.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 580 ft.

Time of Observation 8.15 A.M.

Nearest Railway Station
Name Barnt Green
Distance 1 M. Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·09			·23	·03	·01	·03	·03		·17	1
2			·08			·18	·43	·01				·03	2
3	·05		·05		·12	·17	·18	·62	·08		·03	·10	3
4	·11		·58		·25	1·08		·83			·23		4
5	·09	·08	·39		·10	·06		·36	·02		·03		5
6	·30	·25	·01		·02	·18		·60	·02		·01	·11	6
7		·15			·08	·23		·11				·04	7
8	·19	·18	·36	·02		·34	·13	·22	·11			·06	8
9	·02	·11	·53	·01		·27	·01	·20				·41	9
10		·02	·02			·30		·15	·03		·32		10
11	·11	·06	·01			·12		·15			·18	·54	11
12		·28	·17		·15	·06					·03	·02	12
13	·03	·08					·02			·03	·02		13
14	·16		·55			·05		·16	·03			·02	14
15	·17	·08	·26		·33	·33		·01				·14	15
16	·70		·17		·06	·05		·16		·10	·02		16
17	1·05		·19			·16		·65			·09	·51	17
18	·34		·03					·14					18
19	~~·21~~	·05	·02		·03		·22	·52		·01	·05		19
20	·21	·02	·13		1·17		·10	·02		·26	·02		20
21		·03	·28		·74		·01	·57		·40			21
22	·27	·18				·40	·18	·31		·03		·14	22
23	·16	·16	·34		·01	·03	·23	·27			·09	·32	23
24	·08	·04	·03			·37	·01	·04				·21	24
25		·01				·63		·14			·24	·26	25
26		·08	·06				·18	1·17		·64	·28	·44	26
27						·37	·43			·80		·17	27
28		·10					·26	·70	·07	·21	·40	·50	28
29		·10	·04			·42	·24	·02	·39	·22	·07	·14	29
30			·01		·21	·05	·02	·01		·09			30
31	·04		·14		·36		·53	·09		·01		·13	31
Total	4·08	6·14 2.06	10·68 4.54	10·71 ·03	14·34 3.63	20·32 5.98	23·53 3.21	31·77 8.24	32·55 ·78	35·38 2.83	37·49 2.11	41·95 4.46	TOTAL for year 41.95
No. of Rain Days.	18	38 20	63 25	65 2	79 14	102 23	120 10	148 28	157 9	170 13	187 17	208 21	208

,000, X. '11.

Crd for auth 31·III·14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
3-JAN 1914

Kept at High Croft, Alvechurch
in the County of Worcester
by David B. Grubb

3

Lat. ______ Long. ______
Time of Observation 8·15 A.M.
Nearest Railway Station Barnt Green
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. ______ in.
" " " " Sea Level 580 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·05	·14	·04					·52		·02		1
2	·02	·11	·02	·13			·03			1·57	·11	·01	2
3	·05		·13		·89				·06	·27		·06	3
4	·87	·02			·22		·03		·01	·09	·05	·46	4
5	·12	·04	·01			·11	·13		·08	·36	·10		5
6	·03	·09	·12		·24		·84			·07		·18	6
7		·16			·20	·27	·05			·33	·12	·01	7
8		·05			·10	·09				·34	·01	·05	8
9		·35	·06		·12	·20	·05	·30	·16		·10		9
10	·08		·01	·15	·01	·44		·12		·01	·13		10
11	·79			·42				·19		·03	·59		11
12					·15			·01			·56		12
13	·04		·12					·03	·31		·25		13
14	·10		·60	·14				·15	·01	·20	·05		14
15	·10	·07	·46	·46				·01	·18		·03		15
16	·01		·72	·08				·01	·01				16
17	·04	·04	·12	·05			·15		·25				17
18			·44	·13	·11	·04	·05				·02		18
19	·12		·14	·03	·02				·21				19
20	·15		·18	·09			·04			·03	·19		20
21			·25	·08	·13		·09	·02			·36		21
22	·42		·53					·14	·52	·07			22
23	·01		·01					·09	·05	·07	·03		23
24	·15			·04		·20		·01					24
25	·01			·07									25
26		·08		·58	·02			·29	·04	·07		·29	26
27				·28	·03					·06		·03	27
28	·38		·15	·38	·04					·14		·08	28
29	·01		·71	·69	·01			·04		·10		·06	29
30	·25									·44	·22		30
31			·15					·05		·03			31
Total	3·76	1·06 4·82	4·77 9·59	3·84 13·43	2·29 15·77	1·35 ~~17·12~~	1·46 ~~18·58~~	1·46 ~~20·04~~	2·41 ~~22·45~~	4·28 ~~26·73~~	2·94 ~~29·67~~	1·23 ~~30·90~~	YEAR'S TOTAL 30·95 30·85
Rain Days.	22	33 11	54 21	72 18	87 15	94 7	104 10	119 15	133 14	152 19	170 16	180 10	180

Ex D.L

FORM A.
BRITISH RAINFALL.

6 - JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Alvechurch
in the County of Worcester 3
by David B. Grubb.

Lat. Long.
Time of Observation 8.15 AM.
Nearest Railway Station Barnt Green
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 580 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·02			·95	·29			·02	·04	1
2							·03	·22			·49	·40	2
3				·02	·15		·16	·34			·05	·02	3
4	·19		·15	·12	·11			·17			·65	·43	4
5	·04		·10	·15	·10	·07	·57				·13		5
6	·05	·05		·02	·10	·01					·26	·10	6
7	·01	·18	·34	·03	·16	·13	·22	·10				·19	7
8	·01	·02	·08		·16	·80	·13	·15				·12	8
9	·35		·10		·05	1·27		·07	·02				9
10	·13	·08	·05	·31	·10	·10			·22				10
11		·09	·36	·18	·11	·13					·28	·50	11
12		·08	·12	·20			·25		·40		·03	·30	12
13		·17	·26						·08	·26	·12	·56	13
14	·04	·07	·11				·06			·23	·12	·06	14
15	·03		·07				·04	·06	·08	·06	·06	·02	15
16			·16						·21			·03	16
17		·20	·13				·04		·17			·15	17
18		·02	~~·08~~				·30					·53	18
19			·03				·66		·08		·09	·08	19
20		·46	·03			·08	·05					·25	20
21		·26	·09			·09	·04			·11		·32	21
22		·06	·02		·27	·09		·18		·19			22
23		·02	·16		·26	·04	·07			·09			23
24			·07	·01				·07		·10	·08		24
25	·71		·08				·03	·33		·42	·08	·30	25
26	·07		·30				·06	·12		·10	·11	·32	26
27										·09	·02	·30	27
28	·01	·10	·16		·06					·30	·15	·55	28
29			·14		·13					·28	·08		29
30		×	·03	·01		·18				·04	·40	·63	30
31	·04	×		×	·05	×	·33		×	·02	×		31
Total	1·08	2·94 1·86	6·08 3·14	7·15 1·07	8·96 1·81	11·95 2·99	15·94 3·99	18·04 2·10	19·30 1·26	21·59 2·29	24·81 3·22	30·71 ✓ 5·90	YEAR'S TOTAL 30·71
Rain Days.	13	28 15	52 24	63 11	77 14	89 12	107 18	119 12	127 8	141 14	160 19	183 ✓ 23	183

W. 8,000. X. 14.

ext 98

2535

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
3. JAN 1916

Kept at Alvechurch

in the County of Worcester

by David B. Grubb

Lat. Long.

Time of Observation 8·15 AM

Nearest Railway Station Barnt Green

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 580 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·13	·12	·12		·26			·12	·19	·09	·03	·05	1
2	·05	·13	·25	·11		·13		·45	·08	·45			2
3	1·25	·06	·03	·14			1·32	·08				·15	3
4	03	·01			·02		·56	·01				·72	4
5	·01	·62					·02	·05				·38	5
6	·15	·10	·01	·26			·61	·01				·07	6
7	·10	·46		·06	·05	·78	·18	·07				·46	7
8	·15	·34		·02			·01	·03					8
9	·14	·20	·06	·22				·01			·20	·33	9
10	·30	·01		·03				·02			·08	·01	10
11				·03	·12		·05			·02	·68	·05	11
12	·09			·14	·39			·16		·08	1·24		12
13	·01	·48			·63			·05			·01	·01	13
14	·01	·01					·24	·28	·10			·41	14
15	·25			·02	·08		·07	·02			·18	·21	15
16	·11	·48			·34		1·40	·06				·02	16
17		·22			·38								17
18		·37	·20										18
19		·01			·08		·06						19
20	·23			·10				·02				·12	20
21	·20	·03					·20			·07		·05	21
22	·06		·18	·06			·36		·02			·10	22
23	·08	·15	·07			·03	·37		·02	·92		·36	23
24			·02	·06			·09		·23	·45		·22	24
25			·01			·60	·39					·40	25
26		·08					·35		·05			·32	26
27		·05	·02			·01	·10			·41		·09	27
28		·30					·04	·21	·11	·03			28
29						·06	·16	·02			·10	·08	29
30	·08	X				·40	·04			·17	·03	·02	30
31	·01	X		X		X	·07	·04	X	·22	X	·27	31
Total	3·44	4·23	·97	1·25	2·35	2·01	6·69	1·71	·80	2·91	2·55	4·90	YEAR'S TOTAL 33·81
Rain Days.	21	21	11	13	10	7	22	19	8	11	9	24	176

W. 8,000. X. 15.

2468

FORM A.
BRITISH RAINFALL.

3 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at High Croft, Alvechurch
in the County of Worcester
by David B. Grubb

Lat. Long.
Time of Observation 8·15 A.M.
Nearest Railway Station Barnt Green
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 580 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	~~Nov.~~ Dec.	~~Dec.~~ Nov.	Date.
1	·12		·04		·01	·16	·10			·05		·17	1
2	·30	·06	·10		·28	·07	·26		·14	·82		·01	2
3		·59			·07				·04	·26		·08	3
4	·26	·10		·06	·57	·38			·03	·02		·56	4
5	·03	·02			·24	·12				·05		·20	5
6	·01	·21	·10	·04	·18	·08	·40			·05		·42	6
7	·01		·19		·12		·64			·18	·20	·30	7
8	·02		·13		·27	·02					·19	·02	8
9			·03		·24	·17				·05	·05	·01	9
10		·31	·07	·11	·04	·07				·03	·34		10
11	·12	·09	·07	·15	·01	·24	·02		·11				11
12	·03	·11	·05	·02	·33		·20		·01	·06			12
13	·01	·20	·13	·06			·30	·22		·01			13
14		·48		·01	·04			·19		·18		·01	14
15		·35	·49	·06	·12		·10	1·13	·04	·08			15
16		·03	·08	·24	·06		·02	·20		·02			16
17	·11	·19		·08				·17	·53	·26			17
18	·01	·11	·04	·14				·03	·12	·03	·28	·62	18
19	·04	·01	·12	·17						·01		·32	19
20	·08		·33	·02				·02			·15	·13	20
21			·16		·06		·38				·26		21
22	·02			·01	·07	·05		·09		·09	·43		22
23	·02	·70		·02						·08	·23	·05	23
24		·40		·02						·28	·12		24
25								·34	·02	·07		·30	25
26	·04	·15	·07		·16	·11		·37	·26	·10		·03	26
27	·02	·14	·02			·05	·71	·07	·17	·23			27
28		·54	1·10		·01			~~·07~~		·11	·18		28
29		·11	·25			·30		·76		·43	·07		29
30		X				·02				·11	·20		30
31		X		X		X		·02	X	·18	X		31
Total	1·25	4·90	3·57	1·21	2·88	1·84	3·13	3·61	1·47	3·84	2·70	3·23	YEAR'S TOTAL 33·63
Rain Days.	18	21	20	16	19	14	11	13	11	27	13 ~~14~~	16	199

W. 8,000, VIII. 16

2354

FORM A.
BRITISH RAINFALL.

2 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at High Croft, Alvechurch.
in the County of Worcester
by David B. Grubb.

Lat. ✓ Long.
Time of Observation 7·45 A M
Nearest Railway Station Barnt Green
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 580 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·09	·05		·04		·78	·30		·06	·23	1
2			·02			·24		·02			·05	·06	2
3	·10	·13		·06		·02		·12		·25	·03		3
4	·03		·20					·13		·72			4
5	·37		·08	·27					·03	·15	·08		5
6	·02		·44			·66				·11	·10	·03	6
7	·36					·02				·15			7
8	·83			·25		·02	·20	·76		·35	·18	·18	8
9			·21	·10	·22			·34	·05	·05	·22		9
10	·57		·32	·05	·75			·14		·03			10
11	·17		·09	·34				·05	·04	·17	·03		11
12	·04		·01	·02	·19			·01		·14	·01		12
13			·02	·01	·03			·10	·09	·01			13
14			·18	·28				·80				·03	14
15	·05				·05		·06	·02		·01		·10	15
16	·04	·21		·14		·15	·04			·03			16
17				·10	·60	·60	·19	·29	·10	·12		·56	17
18	·02			·05	·14		·59	·04	·98	·02			18
19	·04	·31	·40		·03	·11	~~·57~~		·06		·02		19
20		·23	·03		·66	·15	·06	·19	·08		·05		20
21			·22	·01	·16	·16		·06		·02	·13		21
22			·02			·01		·14	·02	·24			22
23		·23			·15	·03		·29		·06			23
24			·01			·30	·08	·10		·20	·02	·06	24
25		·10	·14							·03			25
26								·42	·19	·02	·35		26
27					1·41	·05	·32	1·01		·02	·01		27
28		·03	·08			·06		20				·01	28
29			·02			·28	·09	·16		·60		·25	29
30		✗					·14	·34		·04		·01	30
31		✗	·06	✗		✗		·04	✗		✗		31
Total	2·64	1·24	2·64	1·73	4·39	2·90	1·69	6·55	1·94	3·54	1·34	1·52	YEAR'S TOTAL 32·12
Rain Days.	13	7	20	14	12	17	10	25	11	24	15	11	179

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
2. 1. 19

Kept at High Croft, Alvechurch
in the County of Worcester
by David B. Grubb

Lat. Long.
Time of Observation 7·30 A.M.
Nearest Railway Station Barnt Green
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 580 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·03		·10	·10					·02	·30		1
2		·06		·04				·34	·05	·04		·14	2
3		·01	·03	·01	·20			·14	·60	·01	·05	·02	3
4	·01	·04	·01					·05	·75	·02	·57	·35	4
5		·01		·02	·27			·11	·13	·16			5
6		·30		·20		·12		·01	·05	·01		·05	6
7	·02	·10		·09	·07	·03			·16	·12	·16	·02	7
8	·03	·10		·02					·20	·08		·01	8
9	·02	·36		·10		·33	·04		·32	·54			9
10	·08	·02		·05			·20		·15	·06		·12	10
11				·02	·12		·16		·23	·02		·10	11
12	·02	·04	·10		·15		·07			·01			12
13					·06				·20	·07		·06	13
14	·32					·01	·12		·25	·31		·12	14
15	·80			·29			·34		·07			·38	15
16	·14			·66		·27			·22			·11	16
17	·32				·68	·06	·18		·08	·05		·09	17
18	·40					·25	·30		·41	·01		·26	18
19	·07	·09	·12	·04			·07		·01	·06		·10	19
20	·17	·10		·73		·08			·14			·21	20
21	·17			·60		·03	·12		·25			·08	21
22	·04				·10	·01	·11		·02	·07		·35	22
23	·01				·86	·01	·09		·10		·06	·05	23
24		·15					·19		·04		·18		24
25						·05	·10	·50		·01	·05		25
26							·28	·10	·02	·05	·13	·10	26
27		·06				·01	·01	·32	·26		·16	·12	27
28		·30	·29			·01					·27	·10	28
29			·06						·75				29
30		×	·51						·03		·16	·11	30
31		×	·44	×		×		·10	×		×		31
Total	2·63	1·77	1·56	2·97	2·61	1·27	2·38	1·67	5·49	1·72	2·09	3·05	YEAR'S TOTAL 29·21
Rain Days.	17	16	8	15	10	14	16	9	26	20	11	23	185

W. 8,000, IX. 17.

2212

JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at High Croft, Alvechurch
in the County of Worcester
by David B. Grubb

Lat. .... Long. ....
Time of Observation 8.15 AM
Nearest Railway Station Barnt Green
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. ... in.
" " " " Sea Level 580 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·36	·04	·08		·05	·12	·40			·24	·06	·39	1
2	·18				·05		·25		·23	·04	·09	·03	2
3	·60		·10		·06	·02	·25		·12		·12	·09	3
4	·06		·30			·12	·13	·08	·20		·04	·09	4
5		·33		·01			·01		·34			·23	5
6	·02		·10	·07	·66						·03	·04	6
7	·26		·25	·15	·05								7
8	·17		·07	·18		·06							8
9	·03		·01	·08							·01		9
10			·56								·05	·18	10
11			·51		·04		·29						11
12	·04		·28	·06		·34			·03	·14	·04	·04	12
13	·12			·10			·03		·05	·24		·02	13
14	·41			·15			·06		·45	·05			14
15	·18	·13	·10	·33						·05	·02	·27	15
16	·23	·84		·07				·27			·14		16
17		·67		·01	·03	·04	·01		Snow		·12	·02	17
18		·03	·52				·06	·20			·02	·20	18
19	·13	·31	1·07			·10	·93	·23	·11		·01		19
20	·51	·10	·35			·07	·10	·25	·15		·25	·14	20
21	·01	·38	·11				·40	·03	·01		·01	·18	21
22		·28					·04		·34			·43	22
23						·14				·96	11	·10	23
24	·02			·03						·76		·09	24
25	·16			·08	·20	·17		·34				·03	25
26			·15	·15		·01		·10	·07		·01	·37	26
27	·21		·02	·54		·02			·01		·12		27
28	·08							·90				·27	28
29	·07			·06		·07		·10		·47	·29	·17	29
30		╳		·18		·25		·22		·04	·04	·40	30
31		╳	·08	╳		╳	·05		╳	·01	╳	·04	31
TOTAL	3·85	3·11	4·66	2·25	1·14	1·53	3·01	2·72	2·11	3·00	1·58	3·82	YEAR'S TOTAL 32·78
Days with ·01 in. or more	21	~~9~~ 10	18	17	8	14	15	11	13	11	20	23	180

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

W [illegible]

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

-8 JAN 1921

Kept at High Coft Alvechurch
in the County of Worcestr
by D. B. Shuble

Lat. .... Long. ....
Time of Observation 8.15 A.M.
Nearest Railway Station Barnt Green
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. ...... in.
" " " " Sea Level 580 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·16	·40		·32		·06	·11	·01	·15	1
2				·06			·35		·10	·20		·13	2
3	·10	·05		·09	·07		·71		·15	·32			3
4				·14				·36	·04	·32			4
5			·06	·01	·16		·29	·12	·09	·51		·01	5
6			·34		·08		·21			·90			6
7				·17	·01		·15						7
8	·20	·08		·59	·15		1·23						8
9	·30	·01		·51			·13	·16					9
10	·45	·12	·13	·03			·21				·15		10
11	·18		·04	·24	·41	·25	·09						11
12	·10		·03	·17	·02	·77	·05			·05	·05	·10	12
13	·03	·05	·22	·19				1·00	·01		·03	·02	13
14	·01		1·13	·16		·10	·03		·24	·02	·18		14
15		·10	·10	·41		·04			·06	·02	·05		15
16			·11	·18	·08	·13	·20		·06	·43			16
17	·02				·12			·03	1·20	·08			17
18	·21			·03	·10		·09	·25	·35			·05	18
19		·61		·45	·02	·10	·01		·06				19
20				·36	·12							·03	20
21				·03			·27	·04		·04		·05	21
22	·05			·12			·03	·05	·02				22
23							·30	·12				·31	23
24	·01		·20	·05			~~·33~~	·02				·13	24
25	~~·19~~	·02	·02	·07	·01		·98	·09				·01	25
26	·19		·20	·03			·25				·04	·03	26
27	·09		·05	·12	·05	·25					·03	·52	27
28	·76	·01	·06	·05	·36		·04				[illegible]	·10	28
29	·08		·25		·16		·08				·14	·44	29
30		✕		·08	·08	·10	·09		·31		·21	·20	30
31	·09	✕		✕		✕			✕	·48	✕	·05	31
TOTAL	2·87	1·05	2·94	4·50	2·40	1·74	6·11	2·24	2·75	3·48	0·89	2·33	YEAR'S TOTAL 33·30
Days with ·01 in. or more	17	9	15	26	18	8	23	11	14	13	10	17	181 ✓
Days with ·04 in. or more	13	6	13	21	14	8	20	9	12	11	7	12	146

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

cwd for v

REG 2435

ALVECHURCH,
BORDESLEY HALL

191~~4~~1-20

FORM A.
BRITISH RAINFALL.

18 JAN 1915

Kept at Alvechu

in the County of Worc

by A. H. Wiggi

in.

Ground 4 ft. in.

Sea Level ft.

IMPORTANT NOT … he result entered to the previous day. If an O … rsal rule, he is earnestly requested to add the rea … year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·~~16~~03	·07			·02	·05	·38			·02	·42	1
2							·97	·36				·05	2
3						·02	·03	·20		·02	·50	·32	3
4		~~·02~~	·05	·02	·14		·23	·06			·09	·02	4
5	·20	·~~45~~	·10	·13	·05		·04	·13			·60	·39	5
6		·~~24~~	·06	·20	·15	·03	·51				·21		6
7	·06	·07 ~~·19~~			·10	·02					·29	·11	7
8		·12	·32	·03	·18	·20	·06	·04				·32	8
9			·16	·02	·21	·72	·07	·23				·10	9
10	·30	~~·05~~	·12	·26	·04	1·38		·05	·03				10
11	·10	·08	·08	·20	·11	·08			·16				11
12		·07	·33	·25	·18	·12	·27		·02		·29	·58	12
13		·09	·12						·41			·27	13
14		·13	·23				·02		·07	·28	·12	·54	14
15		·03	·11				·04			·42	·12	·10	15
16	·05		·06						·04	·06		·05	16
17			·14				·03		·21		·07	·04	17
18		·18 ~~02~~	·08				·02		·11			·18	18
19			·03				·29					·51	19
20			·04				·62		·05		·10	·10	20
21		·46	·02			·10	·08					·18	21
22		·36	·07			·09	·03	·05		·10		·26	22
23		·03	·05		·18		·04	·15		·11			23
24			·16		·22	·03				·07			24
25					·03			·07		·10	·06		25
26	·12	~~·03~~	·11					·31		·44	·08	·20	26
27		·02	·22				·04	·05		·10	·09	·33	27
28	·07		·11							·11	·08	·20	28
29			·16		·02					·26		·98	29
30		✕	·10		·11					·32	·10		30
31		✕	·02	✕	·03	✕			✕	·05	✕	·69	31
	·03	·07	–	–	·02	·05	·38	–	–	·02	·42	(–)	YEAR'S TOTAL
Total	~~·90~~ ·93	~~1·69~~ 1·76	~~3·12~~ 3·05	~~1·11~~ 1·11	~~1·75~~ 1·77	~~2·81~~ 2·84	~~3·44~~ 3·77	~~2·08~~ 1·70	~~1·10~~ 1·10	~~2·44~~ 2·46	~~2·82~~ 3·22	~~6·94~~ 6·52	30·18
Rain Days.	~~7~~ 8	13	~~29~~ 26	8	~~15~~ 16	12	19	~~13~~ 12	9	~~14~~ 15	16	~~24~~ 23	177

W. 8,000. X. 14.

cont for v

REG

FORM A.
BRITISH RAINFALL.
18 JAN 1915

Kept at Alvechurch

in the County of Worcester 3

by A. H. Wiggin

Lat. Long.

Time of Observation 8 a.m.

Nearest Railway Station Alvechurch

Diameter of Rain Gauge in.

Height of top of Gauge above Ground 4 ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
(–)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·~~16~~03	·07			·02	·05	·38			·02	·42	1
2							·97	·36				·05	2
3						·02	·03	·20		·02	·50	·32	3
4		~~·02~~	·05	·02	·14		·23	·06			·09	·02	4
5	·20	~~·45~~	·10	·13	·05		·04	·13			·60	·39	5
6		~~·24~~	·06	·20	·15	·03	·51				·21		6
7	·06	·07 ~~·19~~			·10	·02					·29	·11	7
8		·12	·32	·03	·18	·20	·06	·04				·32	8
9			·16	·02	·21	·72	·07	·23				·10	9
10	·30	~~·05~~	·12	·26	·04	1.38		·05	·03				10
11	·10	·08	·08	·20	·11	·08			·16				11
12		·07	·33	·25	·18	·12	·27		·02		·29	·58	12
13		·09	·12						·41			·27	13
14		·13	·23				·02		·07	·28	·12	·54	14
15		·03	·11				·04			·42	·12	·10	15
16	·05		·06						·04	·06		·05	16
17			·14				·03		·21		·07	·04	17
18		·18 ~~·02~~	·08				·02		·11			·18	18
19			·03				·29					·51	19
20			·04				·62		·05		·10	·10	20
21		·46	·02			·10	·08					·18	21
22		·36	·07			·09	·03	·05		·10		·26	22
23		·03	·05		·18		·04	·15		·11			23
24			·16		·22	·03				·07			24
25					·03			·07		·10	·06		25
26	·12	~~·05~~	·11					·31		·44	·08	·20	26
27		·02	·22				·04	·05		·10	·09	·33	27
28	·07	-	·11							·11	·08	·20	28
29			·16		·02					·26		·98	29
30			·10		·11					·32	·10		30
31			·02		·03					·05		·69	31
	·03	·07	–	–	·02	·05	·38	–	–	·02	·42	(–)	YEAR'S TOTAL
Total	~~·90~~	~~1·69~~	~~3·12~~	~~1·11~~	~~1·75~~	~~2·81~~	~~3·44~~	~~2·08~~	~~1·10~~	~~2·44~~	~~2·82~~	~~6·94~~	30·18 ✓
Rain Days.	·93 ~~7~~8	1·71 ✓ 13	3·05 ~~29~~26	1·11 ✓ 8	1·77 ~~15~~16	2·84 12	3·77 ✓ 19	1·70 ~~13~~12	1·19 9	2·46 ~~14~~15	3·22 16	6·52 ~~24~~23	177 ✓

W. 8,000. X. 14.

Smale 2474

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL. 26 JAN 1916

Ent

Kept at Bordesley Hill. Alvechurch

in the County of Worcester 3

by A. H. Wiggin

Lat. Long.

Time of Observation 8 a.m.

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15	·14	·13		·30			·12	·65	·08	·04	·07	1
2	·16	·15	·23	·05		·12		·63	·03	·47		·06	2
3	·95	·06	·03	·14			1·21	·11				·18	3
4					·03		·85	·04				·66	4
5	·02	·56					·04	·07				·40	5
6	·16	·18		·16			·64	·07				·10	6
7	·07	·52		·05		·06	·25	·09				·35	7
8	·10	·21		·02			·01	·02			·03		8
9	·14	·22		·17							·14	·35	9
10	·30			·03				·09			·09		10
11			·03	·04	·11		·05				·83		11
12	·09			·13	·31			·18		·04	1·50	·06	12
13		·43			·84			·04			·14	·04	13
14							·15	·11	·07	·02		·39	14
15	·30				·08		·05	·06				·12	15
16	·08	·44			·23		1·15						16
17		·23			·45		·03						17
18		·37	·14										18
19		·02			·10		·07						19
20	·23			·08								·11	20
21	·14	·02					·17			·06		·05	21
22	·13		·15	·05			·25		·02			·09	22
23	·08	·15	·09		~~·05~~	·05	·61		·03	·97		·25	23
24			·03	·07			·12		·26	·54		·30	24
25					~~·58~~	·58	·55		·02	·07		·45	25
26		·04					·36		·03			·30	26
27		·03			~~·26~~	·26	·20			·47		·10	27
28		·30					·03	·20	·10	·02			28
29					~~·15~~	·15	·10	·06			·04	·06	29
30	·06				~~·24~~	·24	·03			·17	·05	·04	30
31	·02						·11	·03		·26		·18	31
Total	3.18	4.07	·83	·99	~~3.73~~ 2.45	1.46	7.03	1·92	1.21	3.17	2.86	4.71	YEAR'S TOTAL 33·88
Rain Days.	18	18	8	12	9	7	23	16	9	12	9	23	164

W. 8,000. X. 15.

2467

FORM A.
BRITISH RAINFALL.
9 MAR 1917

REGISTER OF RAINFALL IN 1916

Kept at Alvechurch
in the County of Worcester
by A. H Wiggin

Lat. Long.
Time of Observation 8 am
Nearest Railway Station Alvechurch
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05		·03			·11	·11			·03	·17		1
2	·24	·03	·13		·36	·05	·25		·13	·80			2
3		·55							·06	·22	·09		3
4	·19	·07		·07	·65	·18			·03	·14	·48		4
5	·02				·26	·11				·06	·26		5
6		·16		·07	·22	·08	·38			·06	·38		6
7			·30		·06		·46			·08	·18	·22	7
8	·02				·24					·02	·04	·17	8
9			·04		·31	·27						·13	9
10		·25	·07	·15	·03	·26	·03		·02				10
11	·08	·19	·05	·10		·24	·02		·08			·18	11
12		·11	·04	·03	·33		·12	·02		·05			12
13		·20	·11	·04			·26	·16		·02			13
14		·47		·03	·02			·21		·13			14
15		·37	·45	·04	·06		·10	·70	·04	·06			15
16		·09	·13	·25	·16		·02	·13					16
17	·11	·18	·03	·05				·06	·49	·32			17
18		·06		·19				·02	·12	·07	·54		18
19			·08	·22					·05	·03	·38	·21	19
20	·05		·35	·02							·15	·11	20
21			·20		·09							·27	21
22			·02		·13	·06	·23			·09		·26	22
23	·02	·50						·11		·05	·05	·41	23
24		·75		·04				·12		·20		·17	24
25		·01	·02		·10			·26	·03	·14	·32		25
26	·04	·20				·10		·33	·47	·07	·03		26
27	·03	·05	·95				1·44	·06	·17	·29			27
28		·40	·33			·16				·14		·13	28
29		·12				·31		·82		·25		·05	29
30						·03				·16			30
31					·02					·12		·14	31
Total	~~1·03~~ ·85	4·76	3·33	1·30	3·04	1·86 1·96	3·42	3·00	1·69 1·69	3·60	3·07	2·45	YEAR'S TOTAL 32·47 32·47
Rain Days.	11	20	20	14	16	13	12	13	12	25	13	13	182

W. 8,000, VIII. 16

2353

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL

Kept at Alvechurch

in the County of Worcester

by A. H. Wiggin

Lat. ______ Long. ______
Time of Observation 9 a.m.
Nearest Railway Station Alvechurch
Diameter of Funnel of Rain Gauge ______ in.
Height of top of Gauge above Ground ______ ft. ______ in.
" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·07	·08		·10		·89	·37		·04	·26	1
2						·19		·04	·01	·02	·05	·06	2
3	·05	·10		·09		·02		·15		·04	·04		3
4		·04	·20	·04				·20		·91			4
5	·32		·10	·19					·02	·13	·05		5
6	·82					·75				·06	·06		6
7	·40		·50			·04				·11		·04	7
8	·75			·10			·25	·57		·41	,15	·21	8
9			·25	·17	·21			·42	·02	·07	·22		9
10	·45		·34	·03	·58			·17					10
11	·16		·10	·31				·10	·02	·12	·02		11
12					·21					·19			12
13					·08			·19	·07				13
14			·22	·17				·34				·02	14
15					·05		·10	·02		·03		·11	15
16		·06		·17		·60	·02			·03		·45	16
17				·08	·69	·31		·21	·09	·09			17
18				·04	·16		·46	·10	1·07	·02			18
19		·30	·16		·07	·06			·09		·02		19
20		·23	·21		·65	·19	·09	·07	·10		·03		20
21			(·10)	·02	·09	·15		·05		·02			21
22			·07			·02		·09		·27			22
23		·18			·11	·05		·24		·07			23
24						·56	·02	·12		·19	·04		24
25		·08	·14			·02				·02	·03		25
26						·02		·38	·20	·04	·28		26
27					1·33	·05	·26	·96		·05			27
28			·06			·09	·	·15					28
29					·07	·41	·10	·14		·35		·22	29
30		X					·12	·34		·03			30
31		X	·14	X		X		·04	X	·02	X		31
Total	2·95	·99	2·46	1·49	4·30	3·63	1·42	6·18	2·06	3·29	1,03	1·37	YEAR'S TOTAL 30 37
Rain Days.	7	7	15	13	13	18	9	24	11	24	13	8	162

W. 8,000, IX. 17.

Sample

Cor. by sum. stats.

51

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

26 5 19

Kept at Alvechurch

in the County of Worcester

by A. H. Wiggin.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.02	.26	.11	.10				.02	.02	.30		1
2		.04		.13				.39	.04	.04		.10	2
3			.03		.18			.13	.34		.07	.02	3
4		.05	.02					.04	.82	.02	.55	.08	4
5				.02	.29			.10	.15	.08	.02	.22	5
6	.01	.27	.02	.22		.06			.06			.05	6
7		.10		.06	.10	.08			.18	.13	.13	.03	7
8		.11		.02					.17	.09		.04	8
9		.30		.09		.28	.06		.41	.56	.02	.05	9
10	.06			.06			.26		.18	.06		.13	10
11		.01		.02	.25		.23		.27	.03		.10	11
12		.03	.10		.18		.10		.08				12
13		.02			.13		.03		.17	.07		.05	13
14	.28						.13		.26	.29		.11	14
15	.55			.30		.06	.42		.04			.41	15
16	.13			.69		.27	.02	.02	.20			.10	16
17	.26				.59	.03	.09		.06	.05		.07	17
18	.35					.26	.16		.40			.26	18
19	.07	.06		.04			.08		.02	.07		.12	19
20	.17	.09		.74		.07	.20		.14	.02	.03	.15	20
21	.14			.47		.03	.08		.29			.10	21
22	.03				.42		.10		.03	.03		.31	22
23	.02				.68		.16		.21		.02	.03	23
24		.16				.03	.19		.03		.10		24
25						.02	.07	.53	.02	.03	.04		25
26							.29	.08	.03	.04	.16	.07	26
27						.02		.37	.21		.14	.06	27
28			.25					.03			.17	.09	28
29									.87		.02	.02	29
30		X	.54					.07	.04		.13	.06	30
31		X	.33	X		X		.05	X		X	.35	31
Total	2.07	1.26	1.55	2.97	2.92	1.21	2.67	1.81	5.74	1.63	1.90	3.18	YEAR'S TOTAL ~~28.88~~
Rain Days	12	13	8	14	10	12	18	11	29	17	15	27	186

28.91

W, 6,500, VII 18. w w c

2211

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Bordesley Hall. Alvechurch

in the County of Worcester

by G. H. Wiggin

Lat. Long.

Time of Observation 8 a.m.

Nearest Railway Station Alvechurch

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground 4 ft. in.

" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·05		·02	·26	·47			·20	·05	·37	1
2	·19		·02		·04		·28		·25		·08	·10	2
3	·67		·06		·06	·03	·25		·14		·15	·11	3
4	·08		·32			·11	·09	·07	·31	·06	·03	·07	4
5		·32							·29			·32	5
6	·04		·04		·70							·08	6
7	·25		·29	·02	·06								7
8	·12		·06	·11		·04							8
9	·04		·03	·17	·04								9
10			·52	·06						·03		·20	10
11	·03		·52				·33			·03			11
12	·08		·19	·02		·25			·03	·05		·02	12
13	·13			·09			·03		·13	·29		·03	13
14	·45			·15			·04		·39	·05		·02	14
15	·23	·04		·38						·07	·01	·27	15
16	·18	·92		·03				·58			·12		16
17		·42	·03		·06	·04					·06		17
18			·52				·04	·20	·03			·17	18
19	·13	·32	1·17			·05	1·08	·15	·10				19
20	·60	·05				·07	·15	·28	·17		·16	·06	20
21	·03	·40	·06			·02	·32	·02	·02		·08	·19	21
22		·29					·09		·36			·38	22
23						·12		·06		·82		·14	23
24				·02						·87		·08	24
25	·14			·09	·17	·15		·28			·08	·04	25
26			·07	·16		·04		·06	·05			·35	26
27	·27		·03	·50		·02		·03	·03		·04	·06	27
28	·03		·04					·82			·09	·30	28
29	·02			·05		·04		·09		·54	·12	·18	29
30		X		·11		·26		·12		·05	·05	·44	30
31		X		X		X	·04		X		X	·03	31
TOTAL	3·71	2·76	4·02	1·96	1·15	1·50	3·21	2·76	2·30	3·06	1·12	4·01	YEAR'S TOTAL 31·56
Days with ·01 in. or more	20	8	18	15	8	15	13	13	14	12	14	24	174

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

427

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

8 MAR 1921

Kept at Alvechurch

in the County of Worcester

by A. H. Wiggin

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Alvechurch

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground 4 ft. in.

„ „ „ „ Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·16	·46		·32		·05	·17		·12	1
2				·08	·03		·34	·03	·11	·25		·15	2
3	·03	·07		·09	·08		1·07	·03	·13	·31			3
4				·12				·30	·03	·29			4
5			·12	·03	·12		·29	·14	·05	·48			5
6			·25		·06		·17	·02		·67			6
7			·05	·18	·03		·10						7
8	·17	·06		·60	·13		·82						8
9	·31			·45			·08	(·19)					9
10	·39	·08	·08	·04			·15				·09		10
11	·10		·03	·13	·52	·12	·05					·04	11
12	·08	·02	·03	·33		·78	·04	·81				·05	12
13	·03	·03	·22	·15					·02		·06	·02	13
14			·96	·16		·13	·05		·14		·11		14
15		·10	·23	·46		·02			·05	·07	·06		15
16				·18	·16	·15	·14		·10	·43			16
17					·10		·04		·94	·07		·02	17
18	·18			·10	·14		·12	·28	·51				18
19	·06	·40		·38		·08		·06	·02			·02	19
20		·14		·39		·25						·02	20
21				·06			·17	·05	·02	·03		·07	21
22	·03			·16			·04	·05	·03				22
23							·30	·10				·36	23
24			·18	·05				·02				·09	24
25		·09	·04	·04			1·05	·02					25
26	·18		·16	·03			·32					·05	26
27	·10		·03	·10	·02	·27	·04				·02	·48	27
28	·83		·05	·04	·18							·14	28
29	·13		·36		·75		·06				·13	·48	29
30	·02			·10	·05	·15	·07		·32	·50	·25	·20	30
31	·07											·08	31
Total	2·71	·99	2·79	4·61	2·83	1·95	5·83	2·10	2·52 ~~44~~	3·27	·72	2·39	Year's Total 32·71
Days with ·01 in. or more	16	9	15	26	15	9	23	14	14	11	7	17	176
Days with ·04 in. or more	12	7	12	24	12	8	23	9	10	10	6	13	146

REC 2436 —

ALVECHURCH, FAIRFIELD

1911 – 20

FORM A2.
BRITISH RAINFALL.
-9 JUL 1912

Kept at Fairfield, ALVECHURCH, FAIRFIELD … in.
…und 3 ft. 8 in.
in the County of Wor… Level 400 ft.
by D. McNicol… …ne Alvechurch
…tance 1 Direction S.W.

IMPORTANT NOTE … e result entered to the previous day. If an Obs… al rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
(–) estd.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	–	·21	·14	·04	·04	·06	–			·12		1
2	–	–	·04	–	–		–	·05			·07		2
3	–	–	–	·07	·16		·11	·08	[illegible]	·15	·07		3
4	–	–	~~·45~~	–	·30			–			–	·06	4
5	–	–	·18	–	–			·04	·16	·16	·18	·21	5
6	·08	–	·06	·06	–			·06		·07	·02		6
7	·42	–	·06	–	–			·01			·06	·38	7
8	·03	–	–	–	–			–			·22	·06	8
9	·20	–	·21	–	–			–			·03	·40	9
10	·08	–	–	–	–			–			·52	·06	10
11	·03	·16	·58	–	–			–			·04	·62	11
12	·24	–	–	–	·			–			·48	·03	12
13	–	–	·52	–	–			·19	·03		·30	·	13
14	–	–	·05	–	–			–	·11		·02	·41	14
15	–	·07	–	–	–			–			–	·95	15
16	–	·04	·02	–	–			–			·22	·10	16
17	–	–	–	–	–	1·14		–			·13	·09	17
18	–	–	·02	–	–	·20		–			·20	·35	18
19	–	·32	·02	–	–	·25		–			–	·38	19
20	–	–	–	–	–	·38	36	·02	·44	·24	·25	·07	20
21	·02	·11	–	–	–	–	·17	·17	·15	·10		·53	21
22	–	·19	·03	·04	–	·03	[illegible]	·33		·40	[illegible]	·07	22
23	–	–	–	–	–	–		·05		·13	·03	·40	23
24	–	·11	·23	–	–	·11			·37	·03		·18	24
25	–	–	–	·05	–	·65				·25		·12	25
26	–	·07	–	·07	·07	·07				·30		·09	26
27	–	·05		·32	·04	–				·30	·19	·14	27
28	–	·25	·17	·22	1·04	–		·61	·23	·52	·09	·20	28
29	–		–	·21	–	–		·03	–	–	·11		29
30	–		–	·66	–	·14	·12	–	·39	·22	–		30
31	–		–		–		–	1·04		·18	·	·04	31
		·21	·14	·04	·04	·06				·12			
Total	~~1·13~~	1·37	2·40	1·24	1·64	1·81	·65	2·68	1·88	2·99	3·29	~~6·04~~ 5·94	TOTAL for year
No. of Rain Days.	~~9~~ 8	10	15	10	6	10	~~4~~ 3	13	8	~~14~~ 15	~~21~~ 20	24	~~27·02~~ 143
W. 8,000, X, '11.	1·10	1·58	2·33	1·14	1·64	1·83	·59	2·68	1·88	3·11	3·17	5·94	26·99

REC

·12

FORM A2.
BRITISH RAINFALL.
9 JUL 1912

Kept at Fairfield, Alvechurch.
in the County of Worcester 3
by D. McMichael.

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground ~~3~~ ft. 8 in.
" " " Sea Level 400 ft.
Time of Observation 7·45
Nearest Railway Station Name Alvechurch
Distance 1 Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–) estd.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	–	·21	·14	·04	·04	·06	–			·12		1
2	–	–	·04	–	–		–	·05			·01		2
3	–	–	–	·07	·15		·11	·08		·15	·07		3
4	–	–	~~·45~~	–	·30			–			–	·06	4
5	–	–	·18	–	–			·04	·16	·16	·18	·21	5
6	·08	–	·06	·06	–			·06		·01	·02		6
7	·42	–	·06	–	–			·01			·06	·38	7
8	·03	–	–	–	–			–			·22	·06	8
9	·20	–	·21	–	–			–			·03	·40	9
10	·08	–	–	–	–			–			·52	·06	10
11	·03	·16	·58	–	–			–			·04	·62	11
12	·24	–	–	–	·			–			·48	·03	12
13	–	–	·52	–	–			·19	·03		·30	·	13
14	–	–	·05	–	–			–	·11		·02	·41	14
15	–	·07	–	–	–			–			–	·95	15
16	–	·04	·02	–	–			–			·22	·10	16
17	–	–	–	–	–	1·14		–			·13	·09	17
18	–	–	·02	–	–	·20		–			·20	·35	18
19	–	·32	·02	–	–	·25		–			–	·38	19
20	–	–	–	–	–	·38	·36	·02	·44	·24	·25	·07	20
21	·02	·11	–	–	–	–	[illegible]	·17	·15	·10		·53	21
22	–	·19	·03	·04	–	·03	[illegible]	·33		·40	[illegible]	·07	22
23	–	–	–	–	–	–		·05		·13	·03	·40	23
24	–	·11	·23	–	–	·11			·37	·03		·18	24
25	–	–	–	·05	–	·65				·25		·12	25
26	–	·07	–	·07	·07	·07				·30		·09	26
27	–	·05	–	·32	·04	–				·30	·19	·14	27
28	–	·25	·17	·22	1·04	–		·61	·23	·52	·09	·20	28
29	–		–	·21	–	–		·03	–	–	·11		29
30	–		–	·66	–	·14	·12	–	·39	·22	–		30
31	–		–		–		–	1·04		·18	·	·04	31
		·21	·14	·04	·04	·06				·12			
Total	~~1·13~~	1·37	2·[illegible]	1·24	1·64	1·81	·65	2·68	1·88	2·99	3·29	~~6·04~~ 5·94	TOTAL for year ~~27·02~~
No. of Rain Days.	~~9~~ 8	10	15	10	6	10	~~4~~ 3	13	8	~~14~~ 15	~~21~~ 20	24	143
	1·10	1·58	2·33	1·14	1·64	1·83	·59	2·68	1·88	3·11	3·17	5·94	26·99

W. 8,000, X, '11.

✓

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

22 JAN 1913

Kept at Fairfield, Alvechurch

in the County of Worcester 3

by Douglas McMichael

Lat. Long.

Time of Observation 8 a.m

Nearest Railway Station Alvechurch

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·08	—	—	·21	·04	—	—·02	·03	—	·22	1
2	—	—	·10	—	—	·21	·50	—	—		—	—	2
3	·07	—	·05	—	·14	·19	·19	·75	·08		·03	·13	3
4	·13	—	·71	—	·23	1·12	—	1·19	—		·32	—	4
5	·09	—	·44	—	·06	·05	—	·43	—			—	5
6	·39	·37	·02	—	·02	·24	—	·66	·02			·14	6
7	—	·15	—	—	·10	·34	—	·15	—		·02	·04	7
8	·39	·19	·35	·03	—	·17	·06	·25	·12			·06	8
9	·02	·09	·55	·03	—	·27	—	·20	—			·39	9
10	—	—	—	—	—	·23	—	·30	·04		·37	—	10
11	·16	·07	—	—	—	·11	—	·21			·13	·55	11
12	·03	·31	·23	—	·18	·07	—	—			·04	—	12
13	·01	·06	—	—	—	—	—	—		·01	·02	·02	13
14	·16	—	·56	—	—	·07	—	·15				—	14
15	·23	·06	·24	—	·30	·41	—	·01				·15	15
16	·69	—	·22	—	·06	·09	—	·14		·11		—	16
17	·99	—	·23	—	—	·19	—	·66			·09	·55	17
18	·20	—	·03	—	—	—	—	·21			·04		18
19	·74	·06	·05	—	·03	—	·24	·63		·05			19
20	·04	—	·18	—	—	·02	·21	·02		·28			20
21	—	·05	·28	—	·95	—	·01	·58		·41			21
22	—	·20	—	—	·65	·24	·17	·29				·12	22
23	·47	·19	·36	—	—	·06	·20	·34	—		·12	·34	23
24	·11	—	·02	—	·03	·34	—	·02				·23	24
25	—	·01	—	—	—	·55	—	·13			·28	·36	25
26	—	·08	·05	—	—	—	·19	1·19		·70	·27	·42	26
27	—	—	—	—	—	·31	·47	—		·93	·42	·17	27
28	—	·10	—	—	—	·10	·27	·72	·06	·25		·56	28
29	—	·13	·03	—	—	·38	·37	·03	·42	·23		·12	29
30	—	—	·02	—	·07	·04	·59	·01	—	·09		·12	30
31	—		·12		·24			·10		·01			31
Total	4·92	2·12 ~~1·99~~	4·92	·06	3·06	6·01	3·57	9·37	·76	3·10	2·05	4·69	YEAR'S TOTAL 44·57
Rain Days.	18	16	23	2	14	25	14	26	7	12	13	19	189

W. 7,500, XI. ·12

Cod by High Croft 21·III·14

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

6 - JAN 1914

Kept at Alvechurch

in the County of Worcester

by Douglas McMichael

3

Lat. Long.

Time of Observation 7·45 a.m.

Nearest Railway Station Alvechurch

Diameter of Rain Gauge eight in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·04	·16	·03	·				·46		·04		1
2	·02	·12		·09					·03	·90	·10		2
3	·05		·19		·78				·04	·19		·06	3
4	·90	·02			·30		·03			·08	·06	·52	4
5	·13	·03				·06	·11		·04	·37	·13	·02	5
6	·02	·07	·11		·21	·24	·84			·05		·17	6
7		·13			·19	·03	·11			·39	·10		7
8		·05			·11	·31				·28	·05		8
9		·37	·08		·12	·42	·02	·27	·15		·11	·05	9
10	·04			·13				·11		·03	·15		10
11	·85			·43				·27		·07	·63		11
12					·13						·49		12
13	·05		·12	·02				·03	·25		·24		13
14	·12		·54	·05				·17		·20	·09		14
15	·06	·08	·53	·38					·14		·03		15
16	·01			·14				·02					16
17	·06	·03	·63	·04		·02	·11		·26				17
18			~~·63~~ ·22	·08	1·09						·04	·03	18
19	·15		·19	·02			·08		·17				19
20	·13		·23	·11						·04	·17		20
21	·		·25	·06	·12		·07	·15			·31		21
22	·54		·55	·					·57				22
23						·15		·07	·09		·04		23
24	·15			·05									24
25				·07					·04				25
26		·07		·61				·28	~~·30~~	·08	~~27~~		26
27				·37						·04			27
28	·45			·31						·29			28
29			·14	·62	·05			·04		·05			29
30	·29		·60					·04		·38	·19		30
31			·13							·06		·40	31
Total	4·02	1·01	4·67	3·61	2·10	1·23	1·37	1·45	2·24	3·50	2·97	1·25	YEAR'S TOTAL 24·42
Rain Days.	18	11	16	19	10	7	8	11	12	17	18	7	155

W. 7,500, XI. ·12

Exe DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
9 - JAN 1915

Kept at Fairfield, Alvechurch

in the County of Worcester 3

by Douglas McMichael

Lat. Long.

Time of Observation 8 a.m

Nearest Railway Station Alvechurch

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 14

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							·92	·27			·02	·03	1
2								·25			·48	·39	2
3			·06		·19		·22	·27		·07	·07		3
4	·20		·11	·16	·12		·04	·19			·61	·45	4
5	·03		·08	·18	·12	·05	·49				·14		5
6	·07	·06			·11						·19	·11	6
7		·16	·32	·04	·17	·19	·08	·04				·17	7
8			·15		·18	·75	·08	·23			·01	·10	8
9	·35		·11	·32	·04	1·33		·06					9
10	·13	·11		·24	·11	·08			·22				10
11		·09	·38	·16	·12	·14					·26	·58	11
12		·11	·12				·23		·37		·02	·24	12
13		·15	·23				·02		·07	·25	·14	·48	13
14		·08	·10							·30	·12	·08	14
15			·08				·05		·07	·05	·07	·03	15
16	·06		·18				·03		·21				16
17		·23	·11						·15			·20	17
18							·22					·49	18
19			·07				·44		·09		·12	·10	19
20		·53				·11	·03					·20	20
21		·28	·05			·07		·05		·13		·30	21
22		·05	·03		·19	·02	·06	·21		·16			22
23		·03	·17		·21	·09	·04			·06			23
24			·05		·05			·05		·09	·08		24
25	·13		·10					·31		·41	·07	·21	25
26			·23				·06	·08		·11	·12	·29	26
27	·06									·09		·20	27
28		·12	·15		·03					·22	·13	·31	28
29			·11		·10					·31	·10	·98	29
30		✕	·03		·02	·14				·04	·43	·	30
31	·06	✕		✕	·02	✕	·36		✕	·03	✕	·69	31
Total	1·09	2·00	3·02	1·10	1·78	2·97	3·37	2·01	1·16	2·32	3·18	6·63	YEAR'S TOTAL 30·63
Rain Days.	9 ~~8~~	13	23	6	16	11	17	12	7	15	19	22	~~169~~ 170

W. 8,000. X. 14.

2536

FORM A.
BRITISH RAINFALL.

13 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Alvechurch

in the County of Worcester

by Douglas McMichael

Lat. Long.

Time of Observation 7.45 a m

Nearest Railway Station Alvechurch

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·14

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·14	·13	·12		·26			·14	·23	·10	·05	·07	1
2	·09	·13	·24	·13		·13		·59	·43	·43		·06	2
3	·95	·06	·05	·13			1·00	·03				·16	3
4	·04				·04		·92	·02				·68	4
5	·15	·58						·06				·38	5
6	·06	·13		·29			·62					·12	6
7	·11	·53		·07		·25	·16	·08				·42	7
8	·12	·38		·02	·03			·05			·06	·32	8
9	·15	·25		·16							·20		9
10	·34		·05	·04				·05			·13		10
11				·05	·12		·05				·82		11
12	·08			·13	·35			·34			1·21		12
13		·45			·81			·03					13
14		·01					·20	·17	·07	·08		·49	14
15	·28			·05	·09		·07	·03			·17	·25	15
16	·11	·39			·23		1·32	·08					16
17		·24			·38								17
18		·43											18
19		·02	·19		·09		·07						19
20	·26			·08								·12	20
21	·13						·18			·06		·06	21
22	·15	·03	·18	·06			·16		·03			·10	22
23	·11		·08			·06	·46			·82		·23	23
24		·13		·08			·09		·29	·57		·26	24
25						·50	·45					·45	25
26		·08					·33		·05			·37	26
27		·06				·12	·13			·45		·06	27
28		·34					·04	·14	·13	·05			28
29						·15	·18	·03			·11	·07	29
30	·09	╳				·25	·06			·18	·04	·04	30
31	·03	╳		╳		╳	·08		╳	·23	╳	·25	31
Total	3·39	4·37	·91	1·29	2·40	1·46	6·57	1·86	·80	2·97	2·79	4·96	YEAR'S TOTAL 33·77
Rain Days.	19	19	7	13	10	7	20	15	6	10	9	21	156

W. 8,000. X. 15.

end of vault ~~H~~ 83 2469

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.
10 JAN 1917

Kept at Fairfield, Alvechurch

in the County of Worcester

by Douglas McMichael

Lat. 52° 21' Long. 1° 57'

Time of Observation 7.45 a m

Nearest Railway Station Alvechurch

Diameter of Funnel of Rain Gauge 8" till apl 8 / 5" since in. X

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·14		·05			·20	·13			·05	·18		1
2	·04	·06			·29	·07	·29		·15	·78	·16		2
3	·	·57		·10					·12	·25	·09		3
4	·29	·10			·60	·37			·02	·09	·42		4
5	·02				~~·24~~	·19				·05	·29		5
6		·20		·08	·21	·13	·42			·09	·39		6
7	·03		·11		·08		·74			·20	·24	·22	7
8	·03		·16		·27					·	·03	·15	8
9	·				·31	·22				·05		·02	9
10	~~·10~~	·28	·12	·19	·02	·21				·03			10
11	·10	·28	·06	·14	·34	·24			·12			·15	11
12		·12	·05	·06			·25			·06			12
13		·19	·13	·07			·16	·25					13
14		·60						·20		·28			14
15		·28	·46	·10	·04		·12	·95		·09			15
16	·03	·09	·06	·24	·12			·18	·05				16
17	·15	·12		·08	·12			·06	·53	·28			17
18	·04	·12	·03	·21				·03	·13	·07	·50		18
19	·07		·10	·18					·02		·35	·15	19
20			·30	·02							·10	·30	20
21					·08		·27					·23	21
22			·20		·10	·06				·10		·40	22
23	·04		·03	·02				·10		·06	·09	·39	23
24				·02				·14		·20		·17	24
25		(1½) Snow Estimated 1½ in. Feb	·08		·12			·26	·04		·38		25
26	·05					·12		·49	·40	·18			26
27	·02		Snow Estimated 1 in			·19	1·46	·08	·17	·25			27
28								·70		·10		·18	28
29		(1.60)								·36		·08	29
30		X				·31				·16			30
31		X		X		X		·03	X	·17	X	·18	31
Total	1·02	4·61	2·94	1·57	2·94	2·31	3·84	3·47	1·75	3·95	3·22	2·62	YEAR'S TOTAL 34·38 34·18
Rain Days.	14	(19)	14	14	15	12	9	13	11	23	13	13	~~167~~ (172)

W. 8,000, VIII. 16 X My 8" gauge was replaced by a 5" on April 8th

2353

7. JAN 1918
FORM BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Fairfield, Alvechurch
in the County of Worcester
by Douglas McMichael

Lat. 52° 2' Long. 1°.57'
Time of Observation 8 a.m
Nearest Railway Station Alvechurch
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.05		.11	.11		.06		.76	.38		.05	.21	1
2						.38		.03			.03	.04	2
3	.09		.21	.09		.02		.15		.31	.05		3
4		.13	.09					.14		.69			4
5		.04		.28					.03	.13	.09		5
6	.38		.30			.72				.10	.13		6
7	.03	.06				.02				.15			7
8	.40			.15			.20	.60		.41	.22	.24	8
9	.75		.25	.05	.20			.39	.06	.02	.29		9
10	.45		.30	.21	.59			.15					10
11	.16		.08	.31				.09	.05	.25	.02		11
12					.19			.02		.18	.02		12
13			.02	.02	.12			.13	.08			.07	13
14			.17	.30				.84					14
15					.06		.19			.05		.11	15
16		.06		.20		.26	.03			.02		.52	16
17				.09	.56	.35	.19	.31	.11	.12			17
18				.03	.10		.54	.04	.98	.02	.02		18
19		.30	.24		.05	.06	.08	[illegible]	.05		.02		19
20			.06		.57	.24		.08	.09		.05		20
21			.20		.09	.22		.03		.03	.09		21
22					.02	.02		.10	.02	.25			22
23		.20			.11	.04		.21		.07			23
24						.46	.03	.11		.24	.03	.04	24
25		.03	.19										25
26						.06		.35	.21		.41		26
27					1.22	.06	.31	.98					27
28			.11			.25		.23					28
29					.04		.09	.13		.69		.25	29
30		✕					.11	.34		.05			30
31		✕	.07	✕		✕		.05	✕		✕		31
Total	2.31	.82	2.40	1.84	3.86	3.22	1.77	6.28	2.06	3.78	1.52	1.48	YEAR'S TOTAL 31.34
Rain Days.	8	7	15	12	14	16	10	24	11	19	15	8	159

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL
7.1.19

Kept at Fairfield, Alvechurch
in the County of Worcester
by D. McMichael

Lat. 52° 2' Long. 1° 57
Time of Observation 8 a.m
Nearest Railway Station Alvechurch
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.14	.10						.29		1
2		.04	.05	.16				.22				.13	2
3		.01	.15		.17			.17	.43	.07	.03	.02	3
4		.04	.03					.04	.80	.04	.65		4
5				.06	.25			.14	.14	.18		.30	5
6		.32		.23		.06			.05	.16		.04	6
7		.10		.07	.07	.10			.16		.19		7
8	.05	.12		.03					.22	.10		.03	8
9	.03	.37		.10		.30	.05		.38	.57			9
10	.08			.02			.18		.13	.05		.10	10
11	.08				.10		.22		.22			.06	11
12		.04	.12		.19		.04		.05	.04			12
13		.02			.08		.03		.17	.07		.07	13
14	.33					.02	.10		.14	.27		.14	14
15	.65			.30	.02	.03	.46		.12			.39	15
16	.20			.59		.18		.01	.24			.14	16
17	.23					.08	.08		.13	.07		.09	17
18	.42				.54	.24	.37		.39	.06		.28	18
19	.05	.07	.13				.07					.13	19
20	.22	.10		.40		.06	.03		.20			.17	20
21	.10			.48		.03	.05		.28			.09	21
22	.02				.45	.03	.15		.02	.09			22
23					.84		.08		.05			.35	23
24		.15				.03	.11						24
25						.02	.20	.57			.13		25
26							.28	.06	.02	.03	.17	.14	26
27		.07						.41	.27		.15	.13	27
28			.31								.20	.11	28
29									.83			.02	29
30		×	.51					.06	.03		.16	.10	30
31		×	.50	×		×		.07	×		×		31
Total	2.46	1.45	1.80	2.58	2.81	1.18	2.50	1.69	5.46	1.81	1.97	3.03	YEAR'S TOTAL 28.74
Rain Days.	13	13	8	12	11	13	17	10	24	14	9	22	166

W. 6,500. VII. 18. W W C

22-13

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919

Kept at Fairfield, Alvechurch

in the County of Worcester

by D McMichael

Lat. 52°21' Long. 1°57

Time of Observation 7.45 am

Nearest Railway Station Alvechurch

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 400 ft.

20

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. none

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·42		·10		·05	·27	·42			·24	·04	·40	1
2					·06		·27		·25	·05	·08	·06	2
3	·21		·07		·07		·26		·14		·15	·10	3
4	·56		·27			·14	·10	·07	·29		·02	·09	4
5	·07	·32					·02		·36			·23	5
6	·10		·09		·05							·05	6
7	·27		·28	·14	·05						·04		7
8	·13		·06	·11		·06							8
9	·03		·04	·22						·04			9
10			·53	·11							·02	·22	10
11			·48		·05		·29						11
12	·04		·18	·05		·36				·12		·03	12
13	·13			·12					·12	·22		·02	13
14	·45			·20			·08		·40	·03			14
15	·25	·05	·09	·32								·28	15
16	·20	·92		·05				·27			·18		16
17		·42	~~·16~~		·07	·04					·14	·03	17
18			·18				·05	·21				·21	18
19	·15	·32	1·15			·06	·90	·21			·03		19
20	·50	·05	·75			·07	·18	·25	·15			·10	20
21	·02	·39					·37		·24			·25	21
22		·29					·05		·02		·26	·48	22
23						·14		·05	·36	·82		·13	23
24										·82	·13	·11	24
25	·14			·09	·12	·14		·34					25
26			·20	·11		·02		·08	·09				26
27				·38							·09	·35	27
28	·31			·11				·74				·33	28
29				·08		·07		·12		·43	·20	·16	29
30		╳		·22		·26		·15			·25	·44	30
31		╳		╳		╳	·06		╳		╳		31
TOTAL	3·98	2·76	4·46	2·31	1·12	1·63	3·08	2·49	2·42	2·77	1·63	4·07	YEAR'S TOTAL 32·72
Days with ·01 in. or more	18	8	15	15	8	12	13	11	11	9	14	21	155

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

6 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Fairfield, Alvechurch
in the County of Worcester
by D W Michael

Lat. 52° 21 Long. 1° 57
Time of Observation 7.45 a.m
Nearest Railway Station Alvechurch M.R
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·46

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·43		·41	·02	·06	·13		·15	1
2				·07	·04		·28		·18	·22		·17	2
3	·14			·08	·07		·77		·15	·32			3
4				·02				·34	·04	·30			4
5			·11		·17		·24	·17	·08	·37			5
6			·31		·10		·34	·02		·59			6
7				·18	·03		·14						7
8	·20	·08		·60	·15		·62			·01			8
9	·31	·02		·45			·14	·17					9
10	·45	·13	·10	·02			·20				·12		10
11	·17		·03	·15	·48	·20	·07						11
12	·11			·31		·65	·06					·12	12
13	·04	·05	·30	·24	·02			·92			·01	·04	13
14	·01		·49	·17		·15	·06		·25		·06		14
15		·12	·49	·66	·11	·06			·06		·13		15
16			·01	·21		·22	·15		·10	·42	·11		16
17	·02				·14		·04		1·15	·08			17
18	·13			·13	·13		·09	·25	·43				18
19	·05	·21		·47		·08		·03	·05				19
20		·24		·37		·28						·01	20
21				·06			·25	·04				·08	21
22	·06			·15			·06	·05					22
23							·37	·13				·33	23
24			·20	·06				·02				·14	24
25		·07	·04	·09			1·00	·03				·01	25
26	·20		·23	·03			·43					·04	26
27	·11		·04	·13	·03	·25	·06				·02	·43	27
28	·71		·07	·06	·33		·08				·02	·11	28
29	·14		·33		·29		·05				·16	·44	29
30		╳		·09	·13	·10			·32		·23	·20	30
31	·14	╳	·18	╳		╳			╳	·46	╳	·09	31
TOTAL	2·99	·92	2·93	4·80	2·65	1·99	5·91	2·21	2·86	2·90	·86	2·36	YEAR'S TOTAL 33·58
Days with ·01 in. or more	17	8	15	24	16	9	20	18	12	10	9	15	171
Days with ·04 in. or more	15 ~~14~~	7	13 ~~12~~	21	13	9	20	9	12	9	6	13	~~148~~ 9

150

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

[illegible] for W D 2.11.15

REGISTE

WORCESTER
BARNT GREEN
BLACKWELL.
"INGLESIDE"
1914–1916, 1918

FORM A.
BRITISH RAINFALL.
8 JAN 1915

Kept at Ingleside . Bl
AM
Blackwell
in the County of Worcesters
8 inches
ve Ground 2 ft. 10 in.
by Mr. W. H. Wy
Sea Level 625 ft.

IMPORTANT NOTE.—Rai the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
(–)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·05	·08	—	—	—	·12	¼ ·04 (·29)	—	—	·02	·30	1
2	—	—	—	·02	—	—	1·07	¼ ·19 (·44)	—	—	·07	·02	2
3	—	—	—	—	·07	·03	·05	·14	—	·03	·5~~0~~	·29	3
4	—	—	·02	·02	·10	—	·14	—	—	—	·03	—	4
5	·15	—	·07	·12	·05	—	·04	·15	—	—	·57	·40	5
6	·02	—	·05	·10	—	·03	¼ ·08 (·33)	—	—	—	·12	—	6
7	·02	·03	—	—	·05	·03	—	—	—	—	·20	·10	7
8	—	·15	¼ ·6 (·31)	·07	·12	·19	½ ·21 (·71)	·13	—	—	—	·20	8
9	—	—	·02	·02	·13	¾ (·75)	·02	·09	—	—	—	·09	9
10	¼ ·6 (·31)	·01	·12	¼ (·25)	·05	·20	—	·04	·04	—	—	—	10
11	·10	·04	·02	¼ (·25)	·10	·04	—	—	·22	—	—	—	11
12	—	·06	¼ ·5 (·30)	·02	·18	·07	·09	—	—	—	·22	·40	12
13	—	·05	·14	—	—	—	¼ ·10 (·35)	—	¼ ·02	—	·03	·16	13
14	—	·14	·74	—	—	—	·05	—	·05	·15	·04	·46	14
15	·01	·05	·07	—	—	—	·04	—	—	·18	·05	·07	15
16	—	—	·07	—	—	—	—	·02	·52	·05	·04	·01	16
17	—	—	·10	—	—	—	·04	—	·23	—	—	·03	17
18	·01	·17	·73	—	—	—	·07	—	·14	—	—	·15	18
19	—	—	·01	—	—	—	¼ (·25)	—	—	—	—	·42	19
20	—	—	·02	—	—	—	½ ·20 (·70)	—	·03	—	·06	·06	20
21	—	¼ ·16 (·41)	·07½ (·08)	—	—	·05	·03	—	—	—	—	·30	21
22	—	¼ (·25)	·04	—	—	·07	·08	—	—	·13	—	·23	22
23	—	·07	·07	—	¼ ·07 (·26)	·12	·03	·14	—	·17	—	—	23
24	—	·02	·14½ (·14)	—	·17	·06	·07	·01	—	·08	—	—	24
25	—	·02	·07	·01	—	—	·06	·03	—	·07	·02	—	25
26	·08	—	·09	—	—	—	·01	¼ (·25)	—	¼ ·14 (·39)	·01	·16	26
27	—	·07	·18	—	—	—	·03	·14	—	·09	·10	·30	27
28	·06	—	·07	—	—	—	—	—	—	·08	·10	·18	28
29	—		·16	—	·04	—	—	—	—	¼ (·25)	·11	·75	29
30	—		·09	—	·14	—	—	—	—	·19	·06	—	30
31	— ·05	·08	·02	—	—	·12	— ·29	—	—	·02 ~~·02~~	·30	30 (–)	31
Total	¾ ·7 (·76) ·81	1¼ ·25 (1·50) 1·53	2·29 (2·59) 2·51	¾ ·7 (·82) ·82	1¼ ·18 (1·43) 1·43	1½ ·14 (1·64) 1·76	4·23 4·40	1¾ ·12 (1·87) 1·58	1·00 1·00	1¾ ·13 (5·88) 1·90	2·29 2·57	5¼ ·13 (5·38) 5·08	YEAR'S TOTAL 25·~~40~~ 39 25·39
Rain Days.	~~9~~ 10	16	~~28~~ 27	10	13	~~12~~ 13	23	~~13~~ 12	8	~~14~~ 15	19	~~23~~ 22	18

cwd fr auth t fr W D 2.11.15

REGISTE

FORM A.
BRITISH RAINFALL.

8 - JAN 1915

Kept at Ingleside . Blackwell
in the County of Worcestershire
by Mr. W. H. Wynn.

Time of Observation 9 AM
Nearest Railway Station Blackwell
Diameter of Rain Gauge 8 inches
Height of top of Gauge above Ground 2 ft. 10 in.
" " " " Sea Level 625 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·05	·08	—	—	—	·12	¼·04 (·29)	—	—	·02	·30	1
2	—	—	—	·02	—	—	1·01	¼·17 (·44)	—	—	·07	·02	2
3	—	—	—	—	·01	·03	·05	·04	—	·03	50	·29	3
4	—	—	·02	·02	·10	—	·14	—	—	—	·03	—	4
5	·15	—	·07	·12	·05	—	·04	·15	—	—	·57	·40	5
6	·02	—	·05	·10	—	·03	¼·08 (·33)	—	—	—	·12	—	6
7	·02	·03	—	—	·05	·03	—	—	—	—	·20	·10	7
8	—	·15	¼·6 (·31)	·01	·12	·19	½·21 (·71)	·13	—	—	—	·20	8
9	—	—	·02	·02	·13	¾ (·75)	·02	·09	—	—	—	·09	9
10	¼·6 (·31)	·01	·12	¼ (·25)	·05	·20	—	·04	·04	—	—	—	10
11	·10	·07	·02	¼ (·25)	·10	·04	—	—	·22	—	—	—	11
12	—	·06	¼·5 (·30)	·02	·18	·07	·09	—	—	—	·22	·40	12
13	—	·05	·14	—	—	—	¼·10 (·35)	—	¼·02	—	·03	·16	13
14	—	·14	·17	—	—	—	·05	—	·05	·15	·04	·46	14
15	·01	·05	·07	—	—	—	·04	—	—	·18	·05	·07	15
16	—	—	·07	—	—	—	—	·02	·02	·05	·04	·01	16
17	—	—	·10	—	—	—	·04	—	·23	—	—	·03	17
18	·01	·17	·13	—	—	—	·07	—	·14	—	—	·15	18
19	—	—	·01	—	—	—	¼ (·25)	—	—	—	—	·42	19
20	—	—	·02	—	—	—	½·20 (·70)	—	·03	—	·06	·06	20
21	—	¼·16 (·41)	·07 ½ (·08)	—	—	·05	·03	—	—	—	—	·30	21
22	—	¼ (·25)	·04	—	—	·07	·08	—	—	·13	—	·23	22
23	—	·01	·07	—	¼·01 (·26)	·12	·03	·14	—	·17	—	—	23
24	—	·02	·14 ½ (·14)	—	·17	·06	·07	·01	—	·08	—	—	24
25	—	·02	·07	·01	—	—	·06	·03	—	·07	·02	—	25
26	·08	—	·09	—	—	—	·01	¼ (·25)	—	¼·14 (·39)	·01	·16	26
27	—	·01	·18	—	—	—	·03	·14	—	·09	·10	·30	27
28	·06	—	·01	—	—	—	—	—	—	·08	·10	·18	28
29	—		·16	—	·04	—	—	—	—	¼ (·25)	·11	·75	29
30	—		·09	—	·14	—	—	—	—	·19	·06	—	30
31	—		·02	—	—		—	—		·02		30	31
	·05	·08		—	—	·12	·29	—	—	~~·02~~	·30	(–)	
Total	¾·1 (·76)	1¼·25 (1·50)	2·29 (2·59)	¾·7 (·82)	1¼·18 (1·43)	1½·14 (1·64)	4·23	1¾·12 (1·87)	1·00	1¾·13 (1·88)	2·29	5¼·13 (5·38)	YEAR'S TOTAL 25·~~10~~ 31 25·39
Rain Days.	·81 ~~9~~ 10	1·53 16	2·51 ~~28~~ 27	·82 10	1·43 13	1·76 ~~12~~ 13	4·40 23	1·58 ~~13~~ 12	1·00 8	1·90 ~~14~~ 15	2·57 19	5·08 ~~23~~ 22	186

W.7,000, XI. 13

[illegible] W.D. (see copy) 27.11.16

FORM A.
BRITISH RAINFALL.
3 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Ingleside. Blackwell
in the County of Worcestershire
by Mr W. H. Wynn.

Lat. .... Long. ....
Time of Observation 9 AM
Nearest Railway Station Blackwell
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. 10 in.
" " " " Sea Level 625 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	X	·01	·23	X	X	X	¼·15	02	·01	X	·18	·05	1
2	·13	·11	·06	X	·24	X	X	·16	·07	·10	X	·03	2
3	·10	·11	·24	·10	X	·08	X	—	X	¼·14	X	·06	3
4	1·04 1·04	·04	X	·10	·01	X	½·07	·13	X	X	X	·14	4
5	·02	·01	X	X	X	X	¼·16	X	X	X	X	½·19	5
6	·02	1·20	X	X	X	X	X	·06	X	X	X	¼·14	6
7	·14	·02	X	·25	X	¾·2	¼·18	X	X	X	X	·03	7
8	·08	·41	X	·01	·03	X	·10	·07	X	X	X	¼·17	8
9	·11	¼·3	X	·01	X	X	·01	·03	X	X	·04	X	9
10	·14	·19	X	·14	X	X	X	·01	X	X	·06	¼·03	10
11	2.6 ¼·01	X	·06	·02	X	X	X	X	X	·02	·03	·05	11
12	X	X	X	·03	·12	X	·05	X	X	X	½·04	·01	12
13	·07	X	X	·13	·18	X	X	·03	X	·07	¾	X	13
14	X	¼·15	X	X	¼·17	X	X	·01	X	X	X	·02	14
15	·01	X	X	X	X	X	¼	¼ ·25	·02	·01	X	¼·17	15
16	·23	X	X	·01	·09	X	·11	·04	X	X	·15	·13	16
17	·03	½	X	X	¼·2	X	1¾·05	·01	X	X	X	·03	17
18	X	·15	X	X	¼·2	X	X	X	X	X	X	·01	18
19	X	¼·5	·04	X	X	X	X	X	X	X	X	X	19
20	X	X	X	X	·06	X	·06	X	X	X	X	X	20
21	·20	X	X	·08	·01	X	X	X	X	X	X	·10	21
22	·14	·02	X	X	X	X	·18	X	X	·06	X	·06	22
23	·06	X	·15	·10	X	X	¼·05	X	X	X	X	·09	23
24	·06	·05	·06	X	X	X	¼·01	X	·01	¾·13	X	¼·02	24
25	X	X	X	·04	X	X	·05	X	25 ¼	¼·18	X	·19	25
26	X	X	X	X	X	½·14	½·07	X	·01	X	X	¼·09	26
27	X	·05	X	X	X	X	¼·13	X	·03	X	X	¼·07	27
28	X	·05	X	X	X	X	·12	X	X	¼·14	X	·02	28
29	X		X	X	·04	X	·02	·06	·09	·03	X	X	29
30	X		X	X	·04	¼·05	·18	·01	X	X	X	·07	30
31	·05		X		X		·01	X		·16		·04	31
Total	2·89 2¾·14	3·90 3¾·15	·84 ¾ 9	1·02	1·71 1½·21	1·79 1¾·04	6·36 6¼·11	·89 3¼·14	·49 ¼·24	2·54 2½·04	1·85 1¾·10	4·26 4¼·01	28·54 YEAR'S TOTAL 30¾·04
Rain Days.	~~20~~ 19	18	7	13	12	4	21	14	8	11	7	26	160

W. 8,000. X. 14.

copy. cor? for W.D. 27.iii.16

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
1. APR. 1916

Kept at Ingleside, Blackwell
in the County of Worcestershire
by W. H. Wynn

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Blackwell
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. 10 in.
" " " " Sea Level 625 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·13	·11	·06		·24			·16	·07	·10		·03	1
2	·10	·11	·24	·10		·08				·39		·06	2
3	1·04	·04		·10	·01		·67	·13				·14	3
4	·02	·01					·41					·69	4
5	·02	1·20						·06				·39	5
6	·14	·02		·25		·77	·43					·03	6
7	·08	·41		·01	·03		·10	·07				·42	7
8	·11	·28		·01			·01	·03			·04		8
9	·14	·19		·14				·01			·16	·28	9
10	·26		·06	·02						·02	·03	·05	10
11				·03	·12		·05				·54	·01	11
12	·07			·13	·18			·03		·07	·75		12
13		·40			·42			·01				·02	13
14	·01						·25	·25	·02	·01		·42	14
15	·23			·01	·09		·11	·04			·15	·13	15
16	·03	·50			·27		1·80	·01				·03	16
17		·15			·27							·01	17
18		·30	·04										18
19					·06		·06						19
20	·20			·08	·01							·10	20
21	·14	·02					·18			·06		·06	21
22	·06		·15	·10			·30					·09	22
23	·06	·05	·06				·26		·01	·88		·27	23
24				·04			·05		·25	·43		·19	24
25						·64	·57		·01			·34	25
26		·05					·38		·03			·32	26
27		·05					·12			·39		·02	27
28		·23					·02	·06	·09	·03			28
29		×			·01	·30	·18	·01				·07	29
30	·05	×				·40	·01			·16	·05	·04	30
31	·01	×		×		×	·02	·01	×	·18	×	(·25)	31
Total	2·90	4·12	·61	1·02	1·71	2·19	5·98	·88	·48	2·72	1·72	(4·46)	YEAR'S TOTAL 28·79
Rain Days.	20	18	6	13	12	5	21	14	7	12	7	26	161

W. 8,000. X. 15.

2448

FORM A.
BRITISH RAINFALL.

4 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Ingleside. Blackwell
in the County of Worcestershire
by Frederick C Cox. Gardener

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Blackwell
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. 10 in.
" " " " Sea Level 625 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·18

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·23	X	·08	X	X	X	·01	X	·01	X	·10	X	1
2	·04	X	·03	X	X	·10	·12	X	X	·02	·19	X	2
3	·26	·01	·10	X	·09	X	·23	X	·09	·43	X	X	3
4	X	·57	·01	X	X	X	X	X	·01	·28	·08	X	4
5	·22	·06	X	·03	·50	·28	X	X	X	·01	·35	X	5
6	X	X	X	X	·18	·07	X	X	X	·01	·28	X	6
7	X	~~14~~	·05	·01	·18	·05	·50	X	X	·06	·52	X	7
8	X	X	·06	X	·20	X	·07	X	X	·05	·21	·08	8
9	·04	X	·02	X	·26	X	X	X	X	X	·01	·09	9
10	X	X	X	X	·13	·08	X	X	X	·02	·01	·01	10
11	X	·30	·06	·02	·04	·02	·01	X	X	X	X	X	11
12	·11	·09	·06	·08	·01	·11	X	X	X	X	X	·10	12
13	·01	·10	·02	X	·27	X	·14	X	·02	·02	X	X	13
14	X	·14	·10	·03	X	X	·19	·12	X	X	X	·02	14
15	X	·38	X	X	·03	X	X	·05	X	·10	X	X	15
16	X	·29	·42	·01	·22	X	·03	1·16	X	·02	X	X	16
17	·01	X	·05	·25	·03	X	·03	·21	X	X	X	X	17
18	·09	·18	X	·05	X	X	X	·02	X	·16	X	X	18
19	X	·06	X	·08	X	X	X	X	·41	·01	·09	X	19
20	·03	X	·08	·21	X	X	X	·01	·07	X	·26	X	20
21	·05	X	·26	·01	X	X	X	X	X	X	·09	·05	21
22	X	X	·12	·02	·05	X	·09	X	X	X	X	·12	22
23	X	X	X	X	·03	·01	X	X	X	·01	·01	·26	23
24	·01	·33	X	X	X	X	X	·05	X	·02	·02	·11	24
25	X	·18	X	X	·06	X	X	·13	X	·21	X	·12	25
26	X	X	·07	X	·05	·01	X	·19	X	·02	·13	X	26
27	·01	X	·01	X	X	·03	X	·15	·45	·05	·01	X	27
28	·01	·06	·39	X	X	·01	X	X	·12	·10	X	X	28
29	X	·18	X	X	X	X	X	X	·01	·04	X	·14	29
30	X	X	X	X	X	·16	X	·56	X	·41	X	·07	30
31	X	X	X	X	X	X	X	X	X	1·08	X	X	31
Total	~~1·12~~ ·89	~~3·10~~ ·08 3·18	~~2·24~~ 1·91	~~·5~~ ·80	~~2·8~~ 2·33	~~·18~~ ·01 ·94	~~1·44~~ 1·41	~~2·15~~ ·01 2·66	~~·14~~ ·88	~~2·48~~ 2·53	~~2·49~~ 2·26	~~1·17~~ ·18 1·35	YEAR'S TOTAL 20¾·23 21·14
Rain Days.	~~11~~ 13	~~16~~ 17	~~19~~ 18	12	17	~~12~~ 13	~~11~~ 10	~~11~~ 12	~~9~~ 8	~~22~~ 23	~~16~~ 15	~~12~~ 13	141

W. 8,000. X. 15.

conf WD Exd. E.F.F.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL
2·1·19

Kept at Ingleside. Blackwell
in the County of Worcestershire
by Mr W. H. Wynn.

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Blackwell
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. 10 in.
" " " " Sea Level 625 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ×

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·05	·20					·01			·06	1
2				·06	·05				·01		·19		2
3		·02		·01				·25		·01		·07	3
4		·02	01		·13			·14	·18		·01	01	4
5		·01						·02	·62	·01	·45	·16	5
6				·01	·21			·05	·06	·06			6
7		15		·10		·02				·01		·01	7
8		·05		·05	·06	·04			·08	·03	·03		8
9		·03		·01					·15	·03		·01	9
10		·10		·03		·12			·26	·30		'	10
11	02			·04			·04		·11	·03		·02	11
12					·03		·04		·13			·02	12
13		·02	·06	·01	·09		·05		·03			·01	13
14					·09		·01		·13				14
15	01					·01	·05		·18	·06		·01	15
16	·40			·22		·01	·23		·04			·18	16
17	·11			·36		·16			·24			·03	17
18	·02				·52	·06	·13		·07			·04	18
19	·02					·25	·21		·31			·13	19
20	·01	·02	·07	·02			·03		·01			·04	20
21	·06	·02		·08		·05	·01		·08	·01		·08	21
22	·09			·38			·05		·26			·02	22
23	·03				·03		·06		·02			·12	23
24	·01				·57	·01	·10		·02			·02	24
25		·04					·15		·01		·04		25
26				·01			·09	·45		·01	·01		26
27							·23	·06	·01		·02	·03	27
28		·02				·01		·26	·09		·04	·04	28
29			·11			·01					·12	·03	29
30		×							·32			·01	30
31		× ·05	·24 ·30	×		×		·02 ·01	×		× ·06	·01	31
Total	3/4 ·03 ·78	1/2 ·50	1/2 ·04 ·54	1 1/2 ·09 1·59	1 1/2 ·22 1·72	3/4 ·75	1 1/2 1·50	1 1/4 1·25	3 1/4 ·20 3·45	3/4 ·01 ·76	3/4 ·76 ·97	1·76	YEAR'S TOTAL ~~14·91~~ 14 3/4 ·16
Rain Days.	·78 11	·55 12 3	·89 6	1·39 16 5	1·72 10	·75 12	1·50 16	1·26 8 9	3·44 26 5	·76 11	·97 10	1·10 24 3	14·91 161

W. 8,000, IX. 17.

DL
J

384

FORM A2.
BRITISH RAINFALL.

26 JAN 1912

BARNT GREEN
UPWOOD
WORCESTER
1911-1920

Kept at Upwood
in the County of Wo
by Miss M. F

in.
round ft. 9 in.
Level 650 ft.
ne
ance Direction

IMPORTANT NO e result entered to the previous day. If an al rule, he is earnestly requested to add the re in the space provided for it at the end of t of rain, the selection and plac Rainfall Organization are given i ication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·02					·06			·01	·01	1
2				·05	·11		·05	·06		·10	·05	·02	2
3					·28			·01	·03	·1	·02	·01	3
4	·02		·14	·03				·04	·11	·07	·08	·16	4
5	·03		·05					·04					5
6	·28		·03					·01			·02	·38	6
7	·02										·27		7
8	·16		·16								·01	·34	8
9	·05		·02								·65	·08	9
10	·01	14	·33									·27	10
11	·14										·33	·02	11
12			·44						·02		·17		12
13			·01					·12	·06		·01	·42	13
14		03									·11	·96	14
15		·03	·01							·01		·05	15
16						·10					·16	·05	16
17			·01			·14					·16	·16	17
18		·22	·01			·21				·08		·21	18
19						·44	·13	·01	·37	·35	·12	·12	19
20		·08		·03				·16	·10			·47	20
21	·01	·13	01					·37		·31		·06	21
22			01			·02				·07		·34	22
23		·06	·18		·01	·21			·39	·04		·16	23
24	·01	·07		·05		·44		·09		·30		·09	24
25		·03		·04	·06	·02				·01		·05	25
26		·08		·23	·01	·01		·03		·22	·20	·10	26
27		·18	·12	·10	·37			·60	·18		·05	·14	27
28		·19		·15							·16	·01	28
29				·04		·13	·28	·01	·37	·15			29
30			·01	·09		·03				·08		·01	30
31			·09		·26			·28		·07		·01	31
Total	·73	1·24	1·65	·81	1·10	1·75	·46	1·89 1·89	1·63	1·87 1·87	2·58	4·70	TOTAL for year 20·41
No. of Rain Days	10	12	18	10	7	11	3	15	9	15	18	27	155

9,000, IX. '10.

DL

384

FORM A2.
BRITISH RAINFALL.

26 JAN 1912

Kept at Upwood, Barnt Green

in the County of Worcestershire 2

by Miss M. Gibbins

RAIN GAUGE
Diameter of top 5 in.
Height of top above Ground ft. 9 in.
" " " Sea Level 650 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·02					·06			·01	·01	1
2				·05	·11		·05	·06		·10	·05	·02	2
3					·28			·01	·03	·c	·02	·01	3
4	·02		·14	·03				·04	·11	·07	·08	·16	4
5	·03		·05					·04					5
6	·28		·03					·01			·02	·38	6
7	·02										·27		7
8	·16		·16								·01	·34	8
9	·05		·02								·65	·08	9
10	·01	·14	·33									·27	10
11	·14										·33	·02	11
12			·44						·02		·17		12
13			·01					·12	·06		·01	·42	13
14		·03									·11	·96	14
15		·03	·01							·01		·05	15
16						·10					·16	·05	16
17			·01			·14					·16	·16	17
18		·22	·01			·21				·08		·21	18
19						·44	·13	·01	·37	·35	·12	·12	19
20		·08		·03				·16	·10			·47	20
21	·01	·13	·01					·37		·31		·06	21
22			·01			·02				·07		·34	22
23		·06	·18		·01	·21			·39	·04		·16	23
24	·01	·07		·05		·44		·09		·30		·09	24
25		·03		·04	·06	·02				·01		·05	25
26		·08		·23	·01	·01		·03		·22	·20	·10	26
27		·18	·12	·10	·37			·60	·18		·05	·14	27
28		·19		·15							·16	·01	28
29				·04		·13	·28	·01	·37	·15			29
30			·01	·09		·03				·08		·01	30
31			·09		·26			·28		·07		·01	31
Total	·73	1·24	1·65	·81	1·10	1·75	·46	1·89 1·89	1·63	1·87 1·87	2·58	4·70	TOTAL for year 20·41
No. of Rain Days	10	12	18	10	7	11	3	15	9	15	18	27	155

9,000, IX. '10.

82 Ex 80. 383

FORM A2.
BRITISH RAINFALL.
25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Upwood Barnt Green

in the County of Worcs. 2

by Martha Gibbins

RAIN GAUGE { Pattern .... Diameter of top .... in. Height of top above Ground .... ft. .... in. ,, ,, ,, Sea Level .... ft.

Time of Observation ....

Nearest Railway Station { Name .... Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·05			·16	·02		·02	·01		·11	1
2			·06			·17	·36	·02				·02	2
3	·03		·02		·05	·13	·20	·56	·04		·02	·09	3
4	·10		·45		·22	·93		·27			·23		4
5	·11	·04	·37		·10	·03		·26	·01		·03		5
6	·29	·17	·01		·02	·16		·27	·02			·20	6
7		·16				·23		·12				·02	7
8	·26	·14	·25	·02	·10	·12	·16	·17	·11			·05	8
9	·03	·02	·55	·01		·48	·01	·17				·34	9
10	·01		·01			·27		·14	·02		·26		10
11	·10	·06				·15		·18			·12	·45	11
12	·02	·28	·15			·04					·02		12
13	·01	·07			·12						·01	·01	13
14	·15		·51			·06		·15	·01				14
15	·11	·06	·19		·33	·28						·08	15
16	·60		·14		·05	·08		·12		·08			16
17	·79		·22			·15		·54			·08	·39	17
18	·12		·03					·09		·03	·03		18
19	·13	·03			·02	·01	·18	·41			·01		19
20	·01		·11				·08	·03		·26	·01		20
21		·02	·26		}			·49		·39			21
22	·17	·15			1·68)	·25	·16	·27				·14	22
23	·12	·10	·31			·02	·15	·20			·06	·28	23
24	·07	·01	·01			·28		·04				·15	24
25						·77		·17			·16	·28	25
26		·06	·03				·14	1·07		·50	·22	·28	26
27						·31	·29			·65		·15	27
28		·06				·02	·22	·53	·06	·23	·39	·36	28
29		·02				·31	·20	·02	·39	·18	·04	·10	29
30			·03		·17	·09	·02			·07			30
31	·02		·18		·22		·41	·08		·02		·08	31
Total	3·25	1·45	3·94	·03	3·08	5·50	2·60	6·37	·68	2·42	1·69	3·58	TOTAL for year 34·59
No. of Rain Days.	21	17	22	2	13	25	15	25	9	11	16	20	196

W. 8,000, X. '11.

DL ✓

394

FORM A.
BRITISH RAINFALL.
28 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at *Upwood, Barnt Green* Ent D.W.

in the County of *Worcestershire*

by *Miss M. Gibbins*

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·10	·03					·45		·02		1
2	·01	·11		·15			·03		·02	1·29	·08		2
3	·04		·12		·81				·04	·25		·05	3
4	·75				·24		·01		·01	·14	·03	·34	4
5	·09	·05				·10	·15		·05	·36	·08		5
6	·01	·07	·07		·22	·24	·98			·11		·17	6
7		·11			·26	·03	·05			·31	·11	·01	7
8		·03			·10	·19		·15		·21			8
9		·32	·05	·04	·08	·39	·03	·17	·12		·10		9
10	·04			·15				·11		·01	·12		10
11	·78			·29				·13		·03	·57		11
12					·12						·46		12
13	·05		·10					·03	·24		·27		13
14	·08		·49	·05				·16		·18	·04		14
15	·07	·07	·37	·41				·01	·29		·02		15
16			·45	·03					·01				16
17	·05		·06	·03		·04	·14		·26				17
18			·11	·06	·08		·06				·01		18
19	·08		·06	·02	·01	·01	·02		·15				19
20	·13		·13	·07					·01		·16		20
21			·22	·07	·09		·09	·02			·28	·01	21
22	·40		·53			·11		·10	·50	·03			22
23	·01		·02			·09		·05	·03		·02	·01	23
24	·13			·04				·01		·01	·01		24
25				·06					·02			·01	25
26		·07		·44	·04			·28	·01	·04		·20	26
27			·01	·21	·04					·03	·01	·01	27
28	·32		·12	·29	·05					·15		·04	28
29			·60	·61				·02		·16		·02	29
30	·19									·41	·16		30
31	·01		·15					·07					31
Total	3·24	·83	3·76	3·05	2·14	1·20	1·56	1·31	2·21	3·72	2·55	·87	YEAR'S TOTAL 2644
Rain Days.	19	8	19	19	13	9	10	14	16	17	19	11	174

W. 7,500, XI. ·12

37S

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

28 JAN 1915

Kept at Upwood, Barnt Green
in the County of Worcestershire 2
by Miss M. Gibbins

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·02		·01	1·32	·30			·01	·02	1
2							·05	·18		·04	·52	·33	2
3			·02	·02	·15		·16	·04			·03	·01	3
4	·17		·10	·11	·06		·05	·18			·74	·43	4
5	·02		·05	·10	·07	·03	·32				·12		5
6	·03	·03	·32		·08	·03					·21	·08	6
7		·14	·02		·11	·09	·70	·07			·01	·21	7
8			·10	·01	·15	·86		·10				·10	8
9	·28		·03	·30	·04	1·28		·06	·01				9
10	·13	·07	·28	·24	·10	·06			·21				10
11		·05	·13	·10	·17	·07						·51	11
12		·06	·18	·01			·40		·37		·02	·20	12
13		·14	·07				·05		·05	·15	·11	·49	13
14	·01	·06	·05				·04			·20	·10	·08	14
15	·01		·09				·01	·04	·08	·06	·05	·01	15
16			·12				·02		·22			·03	16
17	·01	·17					·01		·09			·15	17
18			·02				·23		·01			·45	18
19		·01	·04				·75		·06		·08	·07	19
20		·38	·05			·06	·05					·30	20
21		·21	·01			·06	·14	·01		·11		·24	21
22		·01	·08		·27	·12	·03	·15		·17			22
23		·02	·08		·21	·02	·01			·08			23
24			·09	·01			·02	·05		·09	·06		24
25	·08		·33					·30		·36	·06	·14	25
26							·04	·34		·08	·10	·24	26
27	·06		·13							·07	·02	·17	27
28	·01	·06	·09		·05					·25	·15	·91	28
29			·01		·16					·26	·05		29
30						·11				·03	·30	·60	30
31	·04				·02		·28			·01			31
Total	·85	1·41	2·49	·92	1·64	2·80	4·68	1·82	1·10	1·96	2·74	5·77	YEAR'S TOTAL 28·16
Rain Days.	12 11	14	25	10	14	13	21	13	9	15	19	23	188

W.7,000, XI. 13

82

2517

368

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Upwood, Barnt Green
in the County of Worcestershire
by M Gibbins

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.11	.13	.07		.25	–		.11	.13	.09	.02	.05	1
2	.04	.12	.22	.10		.13		.46	.05	.38		.07	2
3	.94	.03	.01	.12	.02		1.03	.10				.13	3
4	.02						1.04					.64	4
5	.01	.65						.05				.32	5
6	.14	.10		22			.68	.02				.05	6
7	.08	.40		.02	.02	.79	.10	.06				.44	7
8	.10	.26						.04			.04		8
9	.12	.17		.15				.01			.18	.32	9
10	.23		.05	.02						.01	.03	.03	10
11				.05	.12		.04				.74	.03	11
12	.07			.14	.54			.06		.07	1.08		12
13		.51			.74			.03				.03	13
14	.23						.29	.33	.07	.01		.41	14
15				.01	.07		.05	.02			.15	.19	15
16	.09	.40			.30		1.57	.03				.02	16
17		.17			.35								17
18		.31	.10										18
19					.06		.06						19
20	.20			.07								.10	20
21	.15	.02					.16			.04		.06	21
22	.06		.19	.07			.26		.02			.10	22
23	.10	.12	.05			03	.25			.82		.28	23
24			.01	.03			.05		.25	.57		.22	24
25						.69	.52					.36	25
26		.06					.36		.04			.30	26
27		.06					.13			.41		.06	27
28		.22					.01	.16	.10	.04			28
29						.26	.33	.02			.07	.06	29
30	.06	X				.29	.03			.16	.02	.02	30
31		X		X		X	.08	.02	X	.20	X	.27	31
Total	2.75	3.73	.70	1.00	2.47	2.19	7.04	1.52	.66	2.80	2.33	4.56	YEAR'S TOTAL 31.75
Rain Days.	18	17	8	12	10	6	20	16	7	12	9	25	160

W. 8,000. X. 14.

Dl

Eng 88

2449
~~331~~

FORM A.
BRITISH RAINFALL.
30 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Upwood, Barnt Green

in the County of Worcestershire

by M. Gibbins

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	·01	·03		·01	·14	·11			}	·16		1
2	·28	·02	·16		·27	·02	·30		·10	·77 }	·01		2
3		·49			·01				·01	·27	·07		3
4	·20	·05		·08	·51	·29			·03	·01	·41		4
5	·01				·23	·11				·04	·19		5
6		·16	·06	·04	·20	·08	·52			·05	·53		6
7	·01		·07		·18	·02	·12			·15	·32	·21	7
8	·02		·03		·27						·01	·22	8
9			·02		·19	·30				·04		·03	9
10		·29	·03	·08	·05	·02				·03			10
11	·09	·15	·05	·16	·01	·23	·02		·10			·17	11
12	·01	·10	·03	·01	·31		·21	·01		·05			12
13		·19	·13	·05			·18	·26				·01	13
14		·27			·04			·22		·13	·01		14
15		·30	·51	·03	·15		·09	1·11	·04	·07			15
16			·05	·28	·05		·03	·17					16
17	·08	·18		·06			·01	·03	·53	·23			17
18		·09	·03	·11				·02	·13	·03	·35	·19	18
19	·02	·01	·12	·16						·01	·29		19
20	·06		·39	·01				·01			·11	·11	20
21			·12	·07	·06		·26					·20	21
22					·05	·06				·06		·38	22
23		·12		·01				·09		·07	·04	·18	23
24		·19			·04			·15		·24		·16	24
25		·01	·10		·12			·20	·01	·05	·26		25
26	·05	·09						·21	·40	·08	·02		26
27	·02	·11	·13			}	·23	·05		·23			27
28		·15	·05			·13 }				·08		·15	28
29		·10				·25		·66		·36		·07	29
30		X				·03				·11			30
31		X		X		X		·01	X	·18	X	·16	31
Total	·90	3·08	2·11	1·15	2·75	1·68	2·08	3·20	1·35	3·34	2·78	2·24	YEAR'S TOTAL 26·66
Rain Days.	13	21	19	14	19	14	12	15	9	25	15	14	190

W. 8,000. X. 15.

2335
~~315~~

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Upwood, Barnt Green
in the County of Worcestershire
by M. Gibbins

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·08	·05		·04		·61	·26		·08	·12	1
2			·01			·15		·01			·03	·03	2
3	·07	·09		·08		·01		·07		·27	·02	·01	3
4	·01	·04	·16					·09		·64			4
5	·33		·07	·22					·02	·12	·08		5
6	·01		·27			·63				·11	·10		6
7	·32									·14		·01	7
8	·15			·14		·01	·20	·80		·34	·18	·19	8
9			·16	·06	·19			·33	·03	·05	·20		9
10	·34		·21	·06	·59			·12	·01				10
11	·08		·07	·23				·05	·02	·14	·01		11
12	·01				·18			·04		·11	·01		12
13	·01		·03	·01				·08	·07				13
14	·01		·14	·21				1·09				·01	14
15					·03		·03	·01		·04		·07	15
16	·01	·10		·14		·10	·10	·30		·01	·01	·41	16
17			·01	·08	·51	·83	·32	·07	·14	·10			17
18		·02		·04	·12		·37		1·05	·01			18
19	·03	·28	·31		·01	·14			·02		·01		19
20	·03	·17	·04		·64	·15	·07	·11	·06		·07		20
21		·01	·07		·10	·18		·06		·02	·08		21
22			·01			·01		·25	·01	·23			22
23					·15	·26		·19		·05			23
24		·22					·10	·07		·19	·01	·03	24
25		·07	·11							·01			25
26								·43	·15	·01	·30		26
27					1·44	·06	·35	·80		·01	·01		27
28		·02	·05			·03		·17				·01	28
29						·24	·05	·13		·50		·20	29
30		X					·11	·26		·04	·03		30
31	·02	X	·03	X		X		·04	X	·01	X		31
Total	1·43	1·02	1·83	1·32	3·96	2·84	1·70	6·18	1·84	3·15	1·23	1·09	YEAR'S TOTAL 27·59
	15	10	18	12	11	15	10	25	12	23	17	11	179

0, VIII. 16

·85

8L

~~298~~ 37

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

30 · 1 · 19

Kept at Upwood, Barnt Green

in the County of Worcestershire

by M. Gibbins

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·02	·01	·09	·13					·02	·34		1
2		·06		·02				·31	·02	·02		·12	2
3			·01		·17			·14	·38	·01	·04	·01	3
4		·04	·01					·04	·59	·04	·54	·30	4
5				·01	·26			·09	·11	·14		·01	5
6	·02	·27	·01	·15		·08			·02	·10		·04	6
7		·07		·06	·06	·05			·07	·05	·15		7
8	·01	·08		·01					·16	·11		·03	8
9		·34		·09		·29	·03		·34	·51		·01	9
10	·06	·01		·05			·17		·13	·07		·08	10
11	·01		·01	·01	·03		·08		·22			·07	11
12	·01	·04	·09		·19		·10		·02				12
13				·01	·12		·02		·14	·09		·05	13
14	·25	·01				·01	·07		·21	·27		·10	14
15	·45			·30		·02	·25		·04			·34	15
16	·13			·53		·27	·09		·24			·10	16
17	·31				·51	·07		·01	·09	·06		·12	17
18	·36					·26	·16		·34			·24	18
19	·05	·06	·14	·03			·07			·05		·14	19
20	·14	·07		·50		·06	·01		·13		·01	·13	20
21	·14			·39		·02	·09		·25			·07	21
22	·02				·08	·01	·13		·01	·02		·32	22
23	·01				·68	·01	·07		·05		·02	·01	23
24		·11					·12		·02		·15	·02	24
25				·03		·03	·12	·56		·01	·04		25
26							·17	·08	·02	·03	·09	·05	26
27		·05				·02		·34	·27		·17	·14	27
28		·12	·27			·04					·23	·08	28
29	·01		·02						·70	·01		·01	29
30		X	·45					·02	·01		·11	·09	30
31		X	·45	X		X		·04	X		X		31
Total	1·99	1·35	1·47	2·28	2·23	1·24	1·75	1·63	4·58	1·61	1·89	2·68	YEAR'S TOTAL 24·70
Rain Days.	17	15	11	16	10	15	17	10	26	18	12	26	193

W. 8,000, IX. 17.

8L

2189
~~277~~

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL

Kept at Upwood, Barnt Green
in the County of Worcestershire
by M. Gibbins

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·38		·03		·06	·28	·38		·02	·24	·02	·33	1
2	·15	·01	·01		·01		·14		·14	·01	·08	·01	2
3	·43		·03		·06	·03	·26		·11		·14	·06	3
4	·03		·24			·09	·12	·06	·15		·03	·06	4
5		·31						·01	·29			·12	5
6	·01		·11	·01	·64							·02	6
7	·27		·21	·11	·02						·04		7
8	·17		·06	·11		·05							8
9	·04		·02	·18							·01		9
10			·54	·02						·02	·01	·10	10
11	·01		·52		·04		·26			·02		·01	11
12	·03		·09	·04		·28			·02	·07	·02	·02	12
13	·14			·16			·03		·15	·19			13
14	·37			·13			·02		·35	·05		·02	14
15	·25	·09	·03	·22						·05		·23	15
16	·11	·69		·02				·26			·12		16
17		·25		·01	·05	·03					·10	·01	17
18		·30	·46				·03	·15	·01			·17	18
19	·16		·87			·13	·81	·22	·18				19
20	·37	·07	·20			·02	·09	·21	·07		·16	·07	20
21	·01	·32	·04				·34	·02	·01		·01	·16	21
22		·30					·01		·30			·34	22
23						·11		·03		·98		·06	23
24				·01	·02	·01				·62	·13	·05	24
25	·15			·08	·16	·18		·41				·04	25
26			·12	·05		·02		·01	·04			·25	26
27	·24		·01	·40		·01		·07			·07	·04	27
28	·03	·01	·01					1·03			·07	·22	28
29	·04			·07		·05		·03		·36	·13	·15	29
30	·01	✕		·20		·21		·20		·03	·03	·33	30
31		✕	·11	✕		✕	·03		✕		✕	·02	31
Total	3·40	2·35	3·71	1·82	1·06	1·50	2·52	2·71	1·84	2·64	1·17	2·89	YEAR'S TOTAL 27·61
Rain Days.	22	10	20	17	9	15	13	14	14	12	17	25	188

27 61
64

W. 6,500, VII. 18. W W C

2/3524

RM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Upwood, Barnt Green

in the County of Worcestershire

by M. Gibbins

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·15	·34		·26	·02	07	·10		·12	1
2			·01	·06	·01		·39		·10	·18		·07	2
3	·07	·03		·10	·03		·74		·15	·32		·01	3
4				·01				·3.1	·03	·30			4
5			·04		·12		·27	·0.8	·06	·59			5
6			·36		·08		·13	·02		·82		·01	6
7			·04	·16			·14						7
8	·12	·05		·57	·13		·69			·01			8
9	·29			·43			·06	·13					9
10	·41	·08	·06	·03			·18				·12		10
11	·21		·02	·27	·41	·23	·06	·02					11
12	·10		·02	·19	·01	69	·01	·81		·01	·06	·10	12
13	·03	·01	·19	·18							·01		13
14			·66	·14		·10	·03		·24	·01	·13		14
15		·07	·22	·31		·05	·01		·05	·01	·04		15
16				·16	·09	·12	·18		·05	·45			16
17	·01				·10				1·22	·09		·03	17
18	·14				·07		·12	·22	·38				18
19	·02	·37		·31		·06			·05				19
20	·01	·01		·33		·23	·01					·01	20
21				·01				·02		·02		·04	21
22	·03			·11		·01	·03	·08	·01				22
23				·01			·21	·11			·02	·25	23
24			·14	·04				·02				·10	24
25		·01	·02	·05			·85	·03					25
26	·15		·18	·01			·17				·01	·03	26
27	·08		·03	·08	09	·25				·01	·02	·55	27
28	·59		·05	·02	·25		·03					·12	28
29	·07		·21		·19		·05				·10	·35	29
30		X		·08	·06	·10	·08		·29		·18	·18	30
31	·11	X		X		X			X	·52	X	·02	31
TOTAL	2·44	·63	2·25	3·81	1·98	1·84	4·70	1·87	2·70	3·44	·69	1·991	YEAR'S TOTAL 28.34 -181
Days with ·01 in. or more	17	8	16	25	15	10	23	13	13	15	10	16	~~179~~
04	12	4	11	19	12	9	17	7	11	9	6	10	124

(44,[illegible]) Wt.21958—218. 7500. 10/19. Gp.132. A.&E.W.

Exhibit: WORC~~ESTER~~

BEWDLEY

"SPRING GROVE"

1911-1912

New 3879

FORM A2. BRITISH RAINFALL.

JAN 1912

REGISTE ... h Association

Kept at Spring Grove, B ... in.s

in the County of Worcester ... Ground ft. 6 in.

... ea Level 150 ft.

by T. W. Binyon ... am

... ame Bewdley G.W.Ry

... istance 1 m. Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·040	—	·01	—	—	·11	—		·03	—	1
2	·025	—	—	·02	·08	—	·12	·13	—	·070	·09	·06	2
3	—	—	—	—	·04	—	—	·01	·03	·03	·02 ~~·090~~	·03	3
4	NM	—	·170	—	—	·09	—	·07	·08	·02	·20	·39	4
5	·155	—	·020	NM	—	—	—	·13	—	·02	·02	—	5
6	·180	—	·070	—	—	—	—	·02	—	—	·03	·28	6
7	NM	—	—	—	—	—	—	—	—	—	·24	—	7
8	·090	—	240	—	—	—	—	—	—	—	·14	·37	8
9	·035	—	·015	NM	—	—	—	—	—	—	·74	·11	9
10	·020	·085	·305	—	—	—	—	—	·03	—	—	·41	10
11	130	—	—	—	—	NM	—	—	—	—	·31	·04	11
12	—	—	·375	—	—	—	—	—	·13	—	·14	·02	12
13	—	—	—	—	NM	—	—	—	·06	—	·02	·42	13
14	—	·060	·023	—	—	—	NM	—	—	—	—	·75	14
15	—	·030	·060	—	—	NM	—	—	—	—	·08	·16	15
16	NM	—	·015	NM	—	·07	—	—	—	—	·07	·05	16
17	—	—	—	—	—	·57	—	—	—	—	·12	·56	17
18	—	·360	—	·07	·04	·12	—	—	—	·03	—	·34	18
19	—	NM	—	·13	—	·56	·04	·20	·30	·27	·09	·30	19
20	·010	·085	—	·03	—	—	—	·20	·11	·09	—	·39	20
21	010	·125	·080	·02	—	NM	—	·66	—	·25	—	·02	21
22	—	—	·040	·02	—	·04	—	—	—	·20	—	·33	22
23	010	·150	·035	—	—	·14	·01	—	·22	·12	—	·20	23
24	—	·080	—	·04	—	·37	—	·13	—	·08	—	·20	24
25	—	·075	·025	·01	—	·01	—	·03	NM	—	—	·09	25
26	—	·175	—	·02	·08	·01	·01	·10	—	·20	·19	·08	26
27	—	·125	·160	·02	—	—	—	·29	·15	—	·07	·16	27
28	—	·215	—	·02	—	—	—	—	—	—	·10	·02	28
29	—	—	—	·03	—	·11	·12	·02	·26	·20	·01	·01	29
30	—	—	·020	·01	·020	·040	—	·03		·19	·02	·01	30
31			·035	·0	·10		—	—		·10		·01	31
Total	·665	1.565	1.728	·440	·370	2·130	·300	2·130	1·370	1·870	2·730	5·810	TOTAL for year 21·108
No. of Rain Days	10 NM.3	12 NM.1	18	13 NM.3	7 NM.1	12 NM.3	5 NM.1	15	10 NM 1	~~14~~	~~24~~	28	
9,000, IX. '10.	11	12	18	13	7	15	5	15	10	15	21	28	169

New 3879

FORM A2.

BRITISH RAINFALL.
JAN 1917

REGISTE[illegible] IN 19

Kept at Spring Grove, Bewdley

in the County of Worcester 2

by T. W. Binyon (Mr)

RAIN GAUGE
Pattern British Association
Diameter of top 5 ins
Height of top above Ground ft. 6 in.
" " " Sea Level 150 ft.

Time of Observation 9 am

Nearest Railway Station
Name Bewdley GWRy
Distance 1 m. Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·040	—	·01	—	—	·11	—		·03	—	1
2	·025	—	—	·02	·08	—	·12	·13	—	·070	·09~~35~~	·06	2
3	—	—	—	—	·04	—	—	·01	·03	·03	·02 ~~·090~~	·03	3
4	NM	—	·170	—	—	·09	—	·07	·08	·02	·20	·39	4
5	·155	—	·020	NM	—	—	—	·13	—	·02	·02	—	5
6	·180	—	·070	—	—	—	—	·02	—	—	·03	·28	6
7	NM	—	—	—	—	—	—	—	—	—	·24	—	7
8	·090	—	240	—	—	—	—	—	—	—	·14	·37	8
9	·035	—	·015	NM	—	—	—	—	—	—	·74	·11	9
10	·020	·085	·305	—	—	—	—	—	·03	—	—	·41	10
11	130	—	—	—	—	NM	—	—	—	—	·31	·04	11
12	—	—	·375	—	—	—	—	—	·13	—	·14	·02	12
13	—	—	—	—	NM	—	—	—	·06	—	·02	·42	13
14	—	·060	·023	—	—	—	NM	—	—	—	—	·75	14
15	—	·030	·060	—	—	NM	—	—	—	—	·08	·16	15
16	NM	—	·015	NM	—	·07	—	—	—	—	·07	·05	16
17	—	—	—	—	—	·57	—	—	—	—	·12	·56	17
18	—	·360	—	·07	·04	·12	—	—	—	·03	—	·34	18
19	—	NM	—	·13	—	·56	·04	·20	·30	·27	·09	·30	19
20	·010	·085	—	·03	—	—	—	·20	·11	·09	—	·39	20
21	010	·125	·080	·02	—	NM	—	·66	—	·25	—	·02	21
22	—	—	·040	·02	—	·04	—	—	—	·20	—	·33	22
23	010	·150	·035	—	—	·14	·01	—	·22	·12	—	·20	23
24	—	·080	—	·04	—	·37	—	·13	—	·08	—	·20	24
25	—	·075	·025	·01	—	·01	—	·03	NM	—	—	·09	25
26	—	·175	—	·02	·08	·01	·01	·10	—	·20	·19	·08	26
27	—	·125	·160	·02	—	—	—	·29	·15	—	·07	·16	27
28	—	·215	—	·02	—	—	—	—	—	—	·10	·02	28
29	—	—	—	·03	—	·11	·12	·02	·26	·20	·01	·01	29
30	—	—	·020	·01	·020	·040	—	·03		·19	·02	·01	30
31			·035	~~·0~~	·10		—	—		·10		·01	31
Total	·665	1·565	1·728	·440	·370	2·130	·300	2·130	1·370	1·870	2·730	5·810	TOTAL for year 21·108
No. of Rain Days	10 NM.3	12 NM.1	18	13 NM.3	7 NM.1	12 NM.3	5 NM.1	15	10 NM.1	~~14~~	2~~4~~	28	
9,000, IX. '10.	11	12	18	13	7	12	5	15	10	15	21	28	159

7 Jan 17

~~W~~ DL

cod for anth 7.11.13

FORM A2. BRITISH RAINFALL. 6 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Spring Grove, Wribbenhall
in the County of Worcester Bewdley
by T. W. Binyon.

RAIN GAUGE
Pattern British Association
Diameter of top 5 in.
Height of top above Ground — ft. 7 in.
" " " Sea Level 150 ft.

Time of Observation 9 a m

Nearest Railway Station
Name Bewdley - G.W.Ry
Distance 1 mile Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·07	—	~~NM~~	·27	·08	—	·03	NM	—	·09	1
2	—	snow = ·02	·18	—	·03	·22	·19	—	—	—	—	·02	2
3	—	—	·07	—	·14	·11	·08	·73	·04	—	·01	·07	3
4	·080	—	·57	—	·31	·96	—	·02	—	—	·21	—	4
5	·260	snow = ·13	·22	—	·08	·25	—	·44	NM	—	·01	·01	5
6	·160	·13	·02	—		·38	—	·33	—	—	—	·03	6
7	—	·22	·03	—	·06	·22	·02	·19	—	—	—	·02	7
8	·350	·18	·19	—	—	·22	·03	·47	·02	—	—	·02	8
9	·040	·02	·59	·09	—	·31	—	·25	—	—	—	·31	9
10	·035	·04	NM	·03	—	·15	NM	·05	—	—	·36	·01	10
11	·115	·03	—	—	—	·08	—	·07	—	—	·22	·39	11
12	·020	·17	·11	NM	·08	·01	NM	—	—	—	—	·01	12
13	—	·03	~~·46~~	—	—	—	—	~~NM~~	—	NM	—	·03	13
14	·070	—	·46 ~~·49~~	—	·03	·04	—	·14	·02	·01	—	—	14
15	·110	·06	·09	—	·48	·23	—	·03	—	—	—	·06	15
16	with snow ·875	—	·09	—	·10	·09	—	·08	—	·07	—	NM	16
17	with snow 1·130	—	·06	—	—	·03	—	·37	—	—	·10	·48	17
18	~~with snow~~ 380	—	·02	—	—	—	—	·07	—	—	·01	—	18
19	·140	·04	·01	—	·01	NM	·20	·33	—	·02	—	·02	19
20	·030	—	·17	—	—	—	·07	·03	—	·21	·02	—	20
21	—	·02	·21	—	·88	—	—	·38	—	·49	—	—	21
22	·220	·11	—	—	1·00	·06	·21	29	—	—	—	·16	22
23	·060	·01	·33	—	—	·02	·62	·16	—	—	·03	·01	23
24	·120	·01	·03	—	—	·16	·08	·12	—	—	—	·23	24
25	—	—	—	—	—	·22	—	·68	—	—	·25	·42	25
26	—	·11	·04	—	—	—	·08	·70	—	·71	·26	·34	26
27	—	·04	—	—	—	·48	·32	—	—	·80	—	·21	27
28	—	·05	—	—	—	·16	·31	·56	·13	·24	·54	·28	28
29	—	·03	·04	—	—	·27	·08	—	·63	·06	·02	·04	29
30	·010		·03	—	·02	·07	·05	·02	—	·16	—	—	30
31	—		·09		·17		·43	·04		·04		·02	31
Total	4·205 ?	1·45	3·72	·12	~~3·29~~ 3.39	5·01	2·85	6·55	·87	2·81	2·04	3·28	TOTAL for Year 36·29
No. of Rain Days.	19	20	24 NM·1.	2 NM1.	14 NM 1	24 NM 1	16 NM 2	25 NM.1.	6 NM·1.	11 NM.2.	13	24 N.M.	36·29 198

W. 8,000, X. '11.

DL

BEWDLEY
WINTERDYNE GDNS
WORCESTER

1911 - 1920

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

Kept at Winter

in the County of Wo

by J. S. D. for

.........in.

Ground.........ft.........in.

Sea Level.........ft.

ame.........

istance......... Direction.........

IMPORTANT N the result entered to the previous day. If an rsal rule, he is earnestly requested to add the r in the space provided for it at the end of nt of rain, the selection and pl sh Rainfall Organization are giver application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.04				.01	.10			.03		1
2				.02	.05		.05	.13		.08	.08	.05	2
3	.01				.34				07	.01	03	.03	3
4			.14			0.3		.05	.04	.01	.25	.35	4
5	.10		.02					.10		.01	.01		5
6	.20		.07								.01	.24	6
7	.01										.21		7
8	.06		.16								.15	.37	8
9	.05										.62	.06	9
10		.09	.25									.40	10
11	.12										.31	.03	11
12			.38						.15		.11		12
13									.05		.01	.41	13
14		.05	.01									.78	14
15		.01	.05								.08	.13	15
16			.03			.06					.06	.13	16
17					.05	.50					.11	.45	17
18		.29		.04		.08				.05		.30	18
19				.08		.49	03		.28	.49	.07	.10	19
20		.08		.01				.15	.10	.01		.58	20
21	.01	.11	.07					.83		.18		.08	21
22			.03	.01		.04				.16		.35	22
23		.10	.33			.15			.20	.11		.20	23
24		.06		.03		.34				.14		.13	24
25		.06	.01	.08				.13				.08	25
26		.17		.19	.11			.08		.20	.16	.09	26
27		.11	.14	.18				.28	.10		.07	.11	27
28		.20		.19							.09	.03	28
29				.02		.10	.13	.04	.26	.19	.02		29
30			.01	.02	.03	.03		.05		.14			30
31			.05		.14					.10			31
Total	.56	1.33	1.79	.87	.72	1.82	.22	1.94	1.25	1.88	2.48	5.48	TOTAL for year 20.34
No. of Rain Days	8	12	17	12	6	10	4	11	9	15	20	24	148

9,000, IX. '10.

DL

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

Kept at Winterdyne, Bewdley
in the County of Worcestershire
by J. S. D. for Miss Sturt

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation ....

Nearest Railway Station
Name ....
Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·04				·01	·10			·03		1
2				·02	·05		·05	·13		·08	·08	·05	2
3	·01				·34				·07	·01	·03	·03	3
4			·14			·03		·05	·04	·01	·25	·35	4
5	·10		·02					·10		·01	·01		5
6	·20		·07								·01	·24	6
7	·01										·21		7
8	·06		·16								·15	·37	8
9	·05										·62	·06	9
10		·09	·25									·40	10
11	·12										·31	·03	11
12			·38						·15		·11		12
13									·05		·01	·41	13
14		·05	·01									·78	14
15		·01	·05								·08	·13	15
16			·03			·06					·06	·13	16
17					·05	·50					·11	·45	17
18		·29		·04		·08				·05		·30	18
19				·08		·49	·03		·28	·49	·07	·10	19
20		·08		·01				·15	·10	·01		·58	20
21	·01	·11	·07					·83		·18		·08	21
22			·03	·01		·04				·16		·35	22
23		·10	·33			·15			·20	·11		·20	23
24		·06		·03		·34				·14		·13	24
25		·06	·01	·08				·13				·08	25
26		·17		·19	·11			·08		·20	·16	·09	26
27		·11	·14	·18				·28	·10		·07	·11	27
28		·20		·19							·09	·03	28
29				·02		·10	·13	·04	·26	·19	·02		29
30			·01	·02	·03	·03		·05		·14			30
31			·05		·14					·10			31
Total	·56	1·33	1·79	·87	·72	1·82	·22	1·94	1·25	1·88	2·48	5·48	TOTAL for year 20·34
No. of Rain Days	8	12	17	12	6	10	4	11	9	15	20	24	148

9,000, IX. '10.

88 5 379

FORM A2.
BRITISH RAINFALL.
25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Winterdyne, Bewdley
in the County of Worcestershire
by Miss K. M. Sturt

RAIN GAUGE	Pattern	
	Diameter of top	in.
	Height of top above Ground	ft. in.
	” ” ” Sea Level	ft.
Time of Observation		
Nearest Railway Station	Name	
	Distance	Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·04			·23	·09	·01	·02			·08	1
2		01	·19		·02	·26	·22					·02	2
3			·05		·20	·11	·07	·67	·06			·04	3
4	·06		·54		·23	·95		·05			·18		4
5	·21	·13	·26		·11	21		·43			·01		5
6	·21	·14	·02		·01	·20		·32				·03	6
7		·21			·03	·24		·18					7
8	·31	·18	·20	·05		·21	·01	·47				·01	8
9	·04	02	·67			·29		·22				·30	9
10	·06	·01		·02		13		·05			·23		10
11	·06	·06				·04		·09			·20	·40	11
12	·02	·16	·09		·08	·05						·01	12
13		·02						·04		·01			13
14	·05		·42			·05		·15				·01	14
15	·12	·04	·06		·51	·25		·01				·05	15
16	·69		·07		·15	·15		·06		·10		·01	16
17	·85		·08			·02		·34			08	·44	17
18	·14		·02					·07					18
19	·12	·02			·01		·17	·34		·01		·01	19
20	·03	·01	·13				·06	·03		·20			20
21		·01	·20		·84			·34		·48			21
22	·24	·09			·87	·10	·19	·22			·01	·16	22
23	·10		·34				·36	·14			·01	·01	23
24	·15		·03			·19	·10	·17				·40	24
25						·21		·71			·29	·31	25
26		·08	·04				·11	·75		·71	·28	·37	26
27		·02				·49	·33			·80		·20	27
28		·03				·12	·19	·53	·13	·24	·49	·29	28
29		·01	·04			·21	·15		·61	·06		·06	29
30			·02		·03	·08	·03			·30	·01		30
31			·08		·12		·42	·04		·02		·01	31
Total	3·46	1·25	3·59	·07	3·21	4·79	2·50	6·43	·82	2·93	1·79	3·22	TOTAL for year 3406
No. of Rain Days.	18	19	22	2	14 12	23	15	26	4	11	11	22	187

W. 8,000, X. '11.

DL 1·4·14 Cod by Spring Grove 31·III·14 5 391

FORM A. BRITISH RAINFALL.

28 JAN 1914

REGISTER OF RAINFALL IN 1913

WDM

Kept at Winterdyne, Bewdley

in the County of Worcestershire

by Miss K. M. Sturt

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·05	·10	·02	·04				·42		·02		1
2	·02	·07	·01	·10	-				·01	·53	·07		2
3	·88	·02	·06		·61				·01	·74			3
4	·15	·02			·24					·33	·03	·06	4
5	·02	·04			·03	·24	·11		·01	·55	·01	·49	5
6		·02	·14		·33	·05	·63			·09	—	·24	6
7	·02	·15			·11	·14	·04			·49	·25	·02	7
8		·05			·16	·23		·11		·45			8
9		·36	·04	·02	·18	·37	·06	·14	·10 ·01		·07		9
10	·16			·18	·07			·05		·03	·09		10
11	·56			·30	·05			·01		·06	·66		11
12		·01			·03						·52		12
13			·15		-				·12		·29		13
14	·13		·67	·09	-		·08	·09		·09			14
15	·07	·02	·61	·59	-			·01	·12		·07		15
16	·02		·47	·04	-				·04				16
17	·02		·02	·15	-	·01	·15		·08		·02		17
18	·01		·16	·06	·11		·06		·01				18
19	·09		·03	·01	-	·01			·10				19
20	·18		·19	·11	-				·02	·03	·14		20
21			·16	·07	·02		·14	·03			·16		21
22	·46		·66		-	·13		·30	·45				22
23			·03		-				·05		·05		23
24	·10				-			·04					24
25				·11	-				·05				25
26		·08		·45	-			·23	·01	·01		·17	26
27	·01	·01	·04	·20	-					·04			27
28	·23		·19	·31	·11					·31		·02	28
29	·01		·58	·46	-			·06		·14			29
30	·24				·					·69	·15		30
31	·03		·22		·			·03		·04			31
													YEAR'S TOTAL
Total	3·42	·90	4·53	3·27	2·09	1·18	1·27	1·10	1·60 ✓	4·62	2·60	1·00	27·58
Rain Days.	22	13	20	18	14	8	8	12	16	17	16	6	170

W. 7,500, XI. ·12

375

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Bewdley Winterdyne
in the County of Worcestershire
by Miss K. M. Sturt

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						.01	1.24				.02	.05	1
2							.26	.09			.38	.33	2
3				.07	.14		.10	.24				.04	3
4	.13		.04	.14	.02		.06	.05			.57	.63	4
5	.06			.10	.03		.60	.04			.17		5
6	.08	.04	.05		.09	.12	.12				.02	.08	6
7	.01	.09	.33	.05	.08	.31	.17					.11	7
8				.01	.07	.60			.09			.17	8
9	.20	.01	.07	.24	.04	1.04			.03		.01		9
10		.04	.04	.18	.03	.02		.15	.22				10
11		.09	.23		.04	.06			.01		.25	.36	11
12		.23	.17				.51	.02	.30		.04	.23	12
13		.11	.16				.04		.01	.13	.12	.41	13
14		.06	.09				.01			.11	.14	.04	14
15	.05		.10					.01	.08	.05	.02		15
16			.03						.07				16
17		.09	.10						.02			.15	17
18			.03				.11		.01			.44	18
19							.95				.06	.07	19
20		.26	.05			.08						.24	20
21		.32				.02	.18	.04		.13		.11	21
22					.16	.03	.01	.13		.10			22
23		.04	.07		.06		.01			.11			23
24			.04					.10		.09	.05		24
25	.09		.03					.30		.28	.03	.18	25
26			.04				.04	.15		.06	.19	.23	26
27	.03									.09	.24	.37	27
28		.03	.13		.02					.02	.17	.80	28
29			.12		.06					.12	.11		29
30			.01							.02	.48	.43	30
31	.08				.03		.20			.02		.02	31
Total	.73	1.41	1.95	.79	.87	2.29	4.61	1.32	.84	1.33	3.07	5.49	YEAR'S TOTAL 2470
Rain Days.	9	13	21	7	14	10	17	12	10	14	19	22	168

W.7,000, XI. 13

81

5

2505
365

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Winterdyne, Bewdley

in the County of Worcestershire

by K. M. Sturt

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.24	.09	.04		.31		.14	.04	.17	.17		.03	1
2	.09	.08	.20	.29		.09		.93		.18		.06	2
3	.85	.06	.01	.05			.53	.36				.17	3
4	.03	.01			.07		.37	.04				.78	4
5	.02	.45		.02		.12		.03				.46	5
6	.07	.04		.18			.93					.05	6
7	.09	.34		.10	.75		.11	.07				.27	7
8	.13	.35		.06			.04	.01			.08		8
9	.18	.14		.08							.18	.45	9
10	.26		.06	.02						.02		.01	10
11	.01			.03	.09		.02				.95	.03	11
12	.05			.15	.38			.03		.03	1.28		12
13		.41			.71			.17	.02			.03	13
14	.03						.10	.40	.06			.31	14
15	.27			.05	.09		.03	.18		.01	.10	.13	15
16	.06	.40			.56		2.19	.04				.01	16
17		.24			.63								17
18		.35	.01								.01		18
19					.11		.14						19
20	.08			.06								.06	20
21	.13			.02			.11			.01		.02	21
22	.03		.25	.21			.13					.08	22
23	.01	.02	.03			.01	.05			.94		.21	23
24			.03	.02		.02	.12		.39	.41		.18	24
25						.48				.02	.02	.16	25
26							.33					.33	26
27							.30			.33		.08	27
28		.53						.15	.07	.01			28
29							.13	.01			.05	.05	29
30	.04	X		.02		.24	.11			.24	.04	.04	30
31		X		X		X	.06	.04	X	.14	X	.47	31
Total	2.67	3.51	.63	1.36	3.70	.96	5.94	2.50	.71	2.51	2.71	4.47	YEAR'S TOTAL 31.67
Rain Days.	20	15	8	16	10	6	20	15	5	13	9	25	162

W. 8,000. X. 14.

81

2438
~~328~~

5

30

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

Kept at Winterdyne, Bewdley
in the County of Worcestershire
by K. M. Sturt

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10	·01	·02		·01	·08	·12			·11	·30		1
2	·32	·02	·14		·11		·32		·09	·73	·15		2
3		·57			·03		·02			·16	·07		3
4	·13	·17		·08	·44	·23	·04			·04	·49		4
5	·01	·05	·03		·23	·06	·03			·05	·19		5
6	·02	·09	·07			·07	·45			·12	·38		6
7			·03		·22		·05			·13	·31	·20	7
8	·02		·04		·11					·04	·01	·22	8
9					·24	·21					·01		9
10		·36	·04	·03	·02	·02			·02	·03		·02	10
11		·11	·02	·06								·16	11
12	·03		·03	·01	·19		·14			·03	·01	·01	12
13		·22	·23	·03			·06	·25				·03	13
14		·45		·01	·05			·08					14
15		·41	·22	·04	·11		·04	·28		·07			15
16		·02	·01	·19	·03		·09	·30		·02			16
17	·06	·15		·01		·07	·01		·41	·20			17
18		·04	·04	·03				·01	·19	·03	·34	·22	18
19	·01		·28	·23				·02	·02		·25		19
20	·08		·56								·06	·17	20
21			·21	·13	·09		·31				·01	·22	21
22		·01			·01	·03				·12		·39	22
23		·28	·02					·08		·04	·03	·12	23
24		·22	·03		·23			·13		·22		·18	24
25		·02			·01	·01		·07		·08	·18		25
26	·03		·12			·06		·03	·10	·28	·04		26
27	·02	·16	·65					·10	·16	·32			27
28		·19	·04		·03				·01	·08	·01	·11	28
29		·11				·18		·39		·29		·07	29
30		X				·03		·01		·07			30
31		X		X		X			X	·30	X	·01	31
Total	·83	3·66	2·83	·85	2·16	1·05	1·68	1·75	1·00	3·56	2·84	2·13	YEAR'S TOTAL 24·34
Rain Days.	12	21	21	12	18	12	13	13	8	24	18	15	187

W. 8,000. X. 15.

DL 5 2322 ~~312~~

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Winterdyne, Bewdley
in the County of Worcestershire
by K. M. Sturt

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·09	·07		·08		·81	·11		·03	·03	1
2				·02		·10		·02			·06	·01	2
3		·05		·26				·06		·18			3
4		·02	·21					·07		·32			4
5	·12		·13	·13					·01	·10	·05		5
6	·01		·20			·22				·05	·16		6
7	·33							·09		·03			7
8	·34		·01	·09			·22	·22		·37	·11	·05	8
9			·15	·02	·14			·40	·06	·09	·28		9
10	·36		·27	·07	·07			·15	·04	·03			10
11	·09		·19	·08	·03			·03		·15	·03		11
12	·05			·02	·30			·01		·12			12
13			·03	·03				·04	·03				13
14	·03		·18	·15				·26		·02		·02	14
15	·02				·11		·64	·56				·07	15
16	·01	·08	·01	·13								·27	16
17	·02			·03	·39	·58	·39	·17	·23	·06			17
18	·01	·06		·01	·03		·24	·11	·87	·07			18
19	·03	·34	·46			·38			·01				19
20		·19			·61	·28	·13		·17		·02		20
21	·01	·02	·22		·01	·02		·06			·02		21
22	·01		·03			·06		·15	·03	·08			22
23		·14			·10	·02		·05		·04			23
24		·01				·35	·03	·01		·22	·07		24
25		·07	·06							·04	·08		25
26					·07	·04		·42	·12	·06	·06		26
27					1·27	·19	·71	·54				·01	27
28			·04			·01		·04				·02	28
29			·03			·06	·01	·03		·34		·18	29
30		X						·21		·04	·04		30
31		X	·05	X		X		·03	X		X	·02	31
Total	1·44	·98	2·36	1·11	3·13	2·39	2·37	4·54	1·68	2·41	1·01	·68	YEAR'S TOTAL 24·10
Rain Days.	15	10	18	14	12	14	8	25	11	20	13	10	170

W. 8,000, VIII. 16

90

82

REGISTER OF RAINFALL IN 1918

5

295

FORM A.
BRITISH RAINFALL.
30. 1. 19

Kept at Winterdyne Bewdley

in the County of Worcestershire

by K. M. Sturt

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·03		·02	·08			·36		·03	·45		1
2		·03		·01				·18		·02	·05	·10	2
3		·01	—		·33			·14	·49		·11		3
4		·04						·03	·90	·13	·44	·31	4
5		·01			·35	·01		·05	·16	·04		·01	5
6		·30	·01	·11		·40			·05	·12		·03	6
7		·06		·01	·16	·01			·16	·04	·18		7
8		·13							·13	·09		·02	8
9		·48		·11		·13	·18		·33	·10			9
10	·11	·01		·09			·35		·08	·04		·07	10
11					·04		·35		·13		·03	·06	11
12		·01	·12	·01	·08		·05		·02			·01	12
13			·01		·02		·03		·14	·03			13
14	·29	·01					·12		·25	·12		·13	14
15	·75			·27	·01		·21		·02			·16	15
16	·11			·54		·07			·41			·05	16
17	·32				·03	·07	·25		·32	·07		·04	17
18	·36	·01	·01			·37	·22		1·07			·20	18
19	·06	·05	·19			·02	·02		·06	·03		·07	19
20	·10			·48		·05	·05		·17			·13	20
21	·06			·36	·14		·07		·36			·07	21
22					1·06		·09	·01	·02	·02		·35	22
23	·01				·38		·05		·18		·03		23
24		·16			·01	·09	·22	·05	·02		·14		24
25		—					·06	·78			·02		25
26						·01	·49		·02		·07	·07	26
27		·01						·18	·20		·07	·02	27
28		·16	·17								·11	·05	28
29			·13						·81			·05	29
30		×	·36						·02		·08	·11	30
31		×	·30	×		×		·02	×		×		31
													YEAR'S TOTAL
Total	2·17	1·51	1·30	2·01	2·69	1·23	2·81	1·80	6·52	·88	1·78	2·11	26·81
Rain Days.	10	17	9	11	13	11	17	10	26	14	13	22	173

W. 8 000, IX. 17.

Copy 2179

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1919

Sx. Hob

Kept at Wintesdyne, Bewdley
in the County of Worcester
by J. Davies for K. M. Sturt

Lat. abt 52.23 N. Long. abt 2.18 W.
Time of Observation 9 A.M.
Nearest Railway Station Bewdley (3/4 mile)
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level abt 190 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·28	·01	·01	·02	·06	·10			·01	·11	·02	·38	1
2	·11		·08				·35		·01	·03	·11	·02	2
3	·24		·07		·03	·12	·10		·03		·12	·05	3
4	·03	·02	·26			·01	·30	·06	·23			·12	4
5		·28	·03		·16				·19			·32	5
6	·03	·01	·12		·14							·13	6
7	·29		·13	·05	·03						·06		7
8	·26		·07	·02		·04					·01		8
9	·05			·11									9
10			·56		~~·02~~						·01^{5}	·13	10
11			1·25		·02		·33			·01		·01	11
12	·02		·18	·11		·01			·06	·06	·02^{5}	·03	12
13	·04			·12					·14	·12		·01	13
14	·18			·13			·04		·40	·20		·02	14
15	·40	·10		·09	·15					·04		·29	15
16	·10	·82						·15			·09	·01	16
17		·35			·07		·09				·10		17
18			·62				·02	·21			·01	·09	18
19	·23	·27	·86				1·05	·39	·09		·01		19
20	·33	·02	·18				·02	·08			·08	·06	20
21		·38	·02				·22		·05		·01	·14	21
22		·08							·30			·15	22
23						·01				·69	·12	·05	23
24				·06						·48		·08	24
25	·04			·07	·15			·54				·03	25
26	·13^{5}		·10	·09			·30	·02	·03			·28	26
27	·07		·06	·42				·61					27
28	·02		·03	·01				·68				·30	28
29				·12				·01		·49	·12^{5}	·15	29
30		X		·13				·01		·01	·18	·18	30
31		X	·09	X		X			X	·02	X		31
Total	2.85	2·34	4·72	1·55	·81	·29	2·82	2·76	1·54	2·26	1.07	3.03	YEAR'S TOTAL 26.04
Rain Days.	19	11	19	15	9	6	11	11	12	12	16	24	165
Monthly	3.25	2.50	5.29	1.76	·82	·90	3·10	3.02	1.78	2.45	1.33	3.46	29.66

500, VII. 18. W W C

349

5

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Bewdley, Winterdyne
in the County of Worcestershire
by Miss K. M. Sturt

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·18	·23		·09		·01	·04		·25	1
2				·04			·05		·04	·05		·08	2
3	·14	·04		·02			·70		·10	·40			3
4			·03	·08			·04	·31	·01	·24			4
5			·06		·06		·37	·02	·04	·58			5
6			·09		·07		·08			·23			6
7			·02	·06			·11						7
8	·18	·05		·55	·14		·18	·03					8
9	·33		·05	·31			·02	·06					9
10	·37	·11		·19		·12	·06				·03		10
11	·06		·06	·21	·34	·42	·05						11
12	·16		·10	·23	·01	·54	·02	·07			·08	·09	12
13	·06		·14	·21								·01	13
14	·02	·03	·67	·18		·21	·03		·20	·03	·13		14
15		·10	·07	·44		·17			·01		·07		15
16				·06	·14	·03	·13			·53	·03		16
17	·02			·47	·08				·44	·08			17
18	·25			·02	·04		·01	·15	·37				18
19	·03	·56		·10		·07							19
20	·02	·19		·23		·10			·05			·04	20
21				·01			·27	·01		·03		·03	21
22	·04			·09			·01	·07				·04	22
23	·02		·01				·12	·02				·32	23
24			·11									·11	24
25			·10	·01	·09		·53						25
26	·12	·02	·16				·09				·09	·04	26
27	·10	·01	·05	·06	·18	·18						·44	27
28	·84		·13		·28	·06						·08	28
29	·07		·25		·10	·07	·04				·08	·35	29
30	·01		·01	·11	·05	·11			·28		·14	·12	30
31	·07				·01			·01		·49		·01	31
Total	2·91	1·11	2·11	3·86	1·82	2·08	3·00	·75	1·55	2·70	·65	2·01	Year's Total 24·55
Days with ·01 in. or more	20	9	18	23	15	12	21	10	11	11	8	15	173
	14	6	4	19	13	11	16	5	8	9	6	12	133

(44,283). Wt. 21,958—218. 7500. 10/19. Gp.132. A.&E.W.

DL

329

FORM A2.
BRITISH RAINFALL.

20 JAN 1912

RE

BLOCKLEY
UPTON WOLD
WORCESTERSHIRE
1911 – 1920

Kept at Blockley,

in the County of Worces

by E. W. Arkel

5 in.

Ground 1 ft. in.

Sea Level 800 ft.

Name

Distance Direction

IMPORTANT NOT the result entered to the previous day. If an Ob ersal rule, he is earnestly requested to add the rea r in the space provided for it at the end of thi ent of rain, the selection and placi tish Rainfall Organization are given in pplication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04		·06	·03							·05	·05	1
2	·04		·04	·09	·28				·02	·25	·15	·15	2
3					·32			·22	·01		·04	·01	3
4	·04		·23	·02					·03	·12	·35	·38	4
5	·03		·02					·14					5
6	·28		·03								·05	1·00	6
7	·01									·12	·30		7
8	·18		·11								·04	·32	8
9	·16		·06								·06	·33	9
10	·02	·12	·35								·03	·44	10
11	·35										·53		11
12			·59						·10		·25		12
13					·11				·47	·05	·02	·36	13
14												·70	14
15		·03	·08							·03	·15	·07	15
16						·02				·02	·32	·24	16
17						·11					·09	·37	17
18		·27	·03	·08		·07		·10		·08		·30	18
19				·02		·45		·23	·13	·17	·13	08 ~~68~~	19
20	·02	·06	·03	·02					·06	·02		·81	20
21	·01	·09	·01							·42		·16	21
22		·02	·06			·30		·04		·08		·54	22
23		·13	·37			·30			·28	·03		·25	23
24		·06				·05		·07		·54		·22	24
25		·10	·03	·04	·12	·50			·03			·08	25
26		·09		·22		·02		·02		·21	·30	·16	26
27		·28	·20	·06				·43	·36			·24	27
28		·24		·13			·02	·08			·07		28
29		X	·01	·11		·35	·03		·23	·28			29
30		X	·04	·10	·15	·10		·17	·03	·17	·01	·01	30
31		X		X		X			X	·03	X		31
Total	1·18	1·49	2·35	·92	98 ~~·92~~	2·27	·05	1·50	1·75	2·62	2·94	7·27	TOTAL for year 25·32
No. of Rain Days	12	12	19	12	5	11	2	10	12	17	19	24	155

9,000, IX. '10.

98/

RE

FORM A2.
BRITISH RAINFALL.
20 JAN 1912

2/29

Kept at Blockley, Upton Wold

in the County of Worcestershire ~~4~~ 3

by E. W. Arkell

RAIN GAUGE	Diameter of top	5 in.
	Height of top above Ground	1 ft. in.
	„ „ „ Sea Level	800 ft.

Time of Observation

Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04		·06	·03							·05	·05	1
2	·04		·04	·09	·28				·02	·25	·15	·15	2
3					·32			·22	·01		·04	·01	3
4	·04		·23	·02					·03	·12	·35	·38	4
5	·03		·02					·14					5
6	·28		·03								·05	1·00	6
7	·01									·12	·30		7
8	·18		·11								·04	·32	8
9	·16		·06								·06	·33	9
10	·02	·12	·35								·03	·44	10
11	·35										·53		11
12			·59						·10		·25		12
13					·11				·47	·05	·02	·36	13
14												·70	14
15		·03	·08							·03	·15	·07	15
16						·02				·02	·32	·24	16
17						·11					·09	·37	17
18		·27	·03	·08		·07		·10		·08		·30	18
19				·02		·45		·23	·13	·17	·13	08 ·~~68~~	19
20	·02	·06	·03	·02					·06	·02		·81	20
21	·01	·09	·01							·42		·16	21
22		·02	·06			·30		·04		·08		·54	22
23		·13	·37			·30			·28	·03		·25	23
24		·06				·05		·07		·54		·22	24
25		·10	·03	·04	·12	·50			·03			·08	25
26		·09		·22		·02		·02		·21	·30	·16	26
27		·28	·20	·06				·43	·36			·24	27
28		·24		·13			·02	·08			·07		28
29		X	·01	·11		·35	·03		·23	·28			29
30		X	·04	·10	·15	·10		·17	·03	·17	·01	·01	30
31		X		X		X			X	·03	X		31
Total	1·18	1·49	2·35	·92	98 ·9[illegible]	2·27	·05	1·50	1·75	2·62	2·94	7·27	TOTAL for year 25·32
No. of Rain Days	12	12	19	12	5	11	2	10	12	17	19	24	155

9,000, IX. '10.

DL

FORM A2. BRITISH RAINFALL.

2/30

25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Blockley, Upton Wold

in the County of Worcestershire 3

by E. W. Arkell

RAIN GAUGE
Pattern
Diameter of top ____ in.
Height of top above Ground ____ ft. ____ in.
" " " Sea Level ____ ft.

Time of Observation

Nearest Railway Station
Name
Distance ____ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.12			.17	.19	.03	.06	.12		.07	1
2			.20	.03	.02	.17	.78	.09				.04	2
3	.07		.07		.01	.12	.21	.64	.03		.03	.13	3
4	.17		.90		.20	1.23		.10			.21		4
5	18		.22		.11	.18		.61	.02		.01	.10	5
6	.30	.28			.01		.15	1.16			.01	.04	6
7		.10	.02		.07	.57	.17	.37				.08	7
8	.35	.20	.42	.03		.04	.13	.09	.12			.10	8
9	.01	.09	.25	.06		.25	.01	.12				.26	9
10		.08				.22		.50			.26		10
11	.14	.06				.13		.12			.07	.55	11
12	.07	.51	.20		.05		.01				.02		12
13		.20					.02	.14			.01	.01	13
14	.16		.46		.03			.12		.04			14
15	.24	.08	.04		.40	.22		.04				.23	15
16	.30		.16		.11	.07		.09		.07	.07		16
17	1.56		.16			.08		.30			.01	.40	17
18	.40		.25					.40		.03		.02	18
19	.06	.08	.05		.03		.19	.36					19
20	.05		.63		.03	.03	.35	.12		.28	.05		20
21		.04	.34		.74		.02	.41		.41			21
22	.78	.11			1.20	.07	.69	.13		.03		.02	22
23	.16	.51	.34			.32	.54	.27		.03	.09	.39	23
24	.15					.31	.25	.08	.01			.12	24
25			.01			.73		.50			.33	.46	25
26		.04					.10	.87		.49	.35	.20	26
27						.10	.30			.77		.24	27
28		.12				.24	.25	.78	.14	.30	.33	.54	28
29		.09	.02			.11	.25	.02	.57	.15	.08	.04	29
30	.02	X				.15	.09	.04	.10	.20			30
31		X	.09	X	.22	X	.67	.10	X	.10	X	.08	31
Total	5.17	2.59	4.95	.12	3.23	5.51	5.37	8.60	1.05	3.02	1.93	4.12	TOTAL for year 45.66
No. of Rain Days	19	16	21	3	15	22	21	29	8	14	16	22	206

9,000, IX. '10.

82 ✓

BRITISH RAINFALL FORM A.
28 JAN 1914

2/30

REGISTER OF RAINFALL IN 1913

Kept at Blockley, Upton Wold
in the County of Worcestershire 3
by E. W. Arkell

Lat.   Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 800 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1		·10	·13	·16					1·31		·10		1
2		·17	·01				·03		·21	2·00	·09		2
3	·14		·11		·90					·06		·10	3
4	1·07		·01		·34		·02			·29	·05	·18	4
5	·01	·01	·03			·05	·07		·02	·29	·05	·01	5
6	·04	·01	·10		·24	·12	·94			·41		·28	6
7		·30			·19	·05	·13			·14	·15		7
8		·02			·28	·03				·18			8
9		·18		·02	·04	·14		·14	·24		·04	·10	9
10	·10			·11	·04			·14			·30		10
11	85			·32	·01					·08	·70		11
12					·18						·70		12
13	·03		·03		·03			·03	·30		·34		13
14	·20		·44	·03			·07	·27		·18			14
15	·08	·09	·43	·42			·19	·01	·12		·03		15
16	·05		·20	·10					·04		·01		16
17	·09	·05	·89	·07		·04	·14		·05			·03	17
18	·06		·20	·15	·03		·09		·32		·01		18
19	·29		·13		·01	·01	·04		·16				19
20	·25		·20	·09			·01			·20	·14		20
21			·10	·13	·15		·08			·01	·34		21
22	·45		·35		·01	·05		·20	·39				22
23								·09	·01		·01	·05	23
24	·02			·04				·02			·01		24
25		·03		·19					·01	·03			25
26		·04	·01	·55				·14		·10		·26	26
27		·01	·06	·28	·09					·01			27
28	·35		·16	38						·37		·06	28
29	·03		·60	·56	·01					·05		·04	29
30	·25			·09						·32	·17		30
31			·05		·13			·02					31
Total	4·36	1·01	4·24	3·69	2·68	·49	1·81	1·06	3·18	4·72	3·24	1·11	YEAR'S TOTAL 31·59
Rain Days.	19	12	21	18	17	8	12	10	13	17	18	10	175

W. 7,500, XI. 12

Dl

2/30

FORM A.
BRITISH RAINFALL.

23 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Upton Wold

in the County of Worcestershire 3

by E. W. Arkell

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 800 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·02	·03	·10			·20	·25			·05	·06	1
2			·03			·05	·25	·36			·89	·51	2
3			·08	·07	·21		·31				·03	·01	3
4	·28		·04	·17	·04		·04	·07			·53	·48	4
5			·03	·17	·07	·04	·52	·01			·29		5
6	·05	·07		·03	·06	·12		·04			·08	·17	6
7	·01	·36	·26	·05	·20	·04	·19	·09	·01			·04	7
8		·01	·28	·07	·09	1·23	·01	·16				·17	8
9	·18		·34	·40	·03	1·41		·09	·18				9
10	·05	·28	·04	·10	·04	·05			·36				10
11		·12	·34	·08	·18	·48					·22	·43	11
12		·08	·15			·01	·63		·34		·06	·30	12
13		·22	·34						·20	·06	·06	·44	13
14		·16	·12				·07	·01		·49	·13	·08	14
15	·04	·05	·11						·06	·01	·12	·04	15
16	·02		·03				·05		·10			·03	16
17		·25	·11						·07			·30	17
18			·01			·49	·10					·48	18
19			·05				1·10		·05		·11	·08	19
20		·24	·31			·09						·17	20
21		·36	·06			·03		·01		·14		·27	21
22			·16	·03	·25			·05		·12			22
23		·04	·14		·21		·03			·09		·02	23
24			·17		·24		·02			·22	·10		24
25	·14		·09				·15	·32		·30	·02	·15	25
26			·15				·11			·06	·20	·47	26
27	·08		·03							·02	·05	·09	27
28		·16	·08		·06					·02	·12	1·77	28
29			·08		·02					·38	·37		29
30			·07			·02				·14	·43	·60	30
31	·03				·03		·30			·02			31
Total	·88	2·42	3·73	1·27	1·73	4·06	4·08	1·46	1·37	2·07	3·86	7·16	YEAR'S TOTAL 34·09
Rain Days.	10	15	29	11	15	13	17	12	9	14	19	24	188

W.7,000, XI. 13

88.

2523

2/30

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Upton Wold

in the County of Worcestershire

by E. W. Arkell

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·28	13	·03		·15			·16	·09	·18	·01	·10	1
2	·18	·21	·19	·03		·06		·98		·42		·06	2
3	1·09	·03	·08	·20	·03		·06	·20				·22	3
4	·11				·03		·45	·09				·50	4
5	·01	60			·04		·01	·08				·32	5
6	·25	·14		·16			·40					·14	6
7	·09	·56		·01	·08	·18	·22	·06				·25	7
8	·16	·26		·05			·07	·02					8
9	·10	·01		·13							·25	·42	9
10	·21		·03	·04									10
11	·02	06		·14	·01		04				·89	·01	11
12		·02		·37	·50					·04	·68		12
13	·01	·64			1·05			·02				·07	13
14		·04					·02	·11	·07	·02		·43	14
15	·21				·09			·06		·05	·07	·23	15
16	·03	63					·54	·12		·02		·04	16
17		·23			·70		·01	·03				·01	17
18		·36	·13								·04		18
19		·03	·03		·04		·15			·01			19
20	·33			·11			·03					·16	20
21	·18	·15					·07			·07		·08	21
22	·21	·03	·27	·04			·12		01			·16	22
23		·21	·04				·07		·05	68		·42	23
24			·11	·05		·04	·15		·36	·30		·20	24
25			·01	·01		1·04	·07			·05	·01	·42	25
26		·03					·09					·45	26
27		·07					·13			·50		·08	27
28		·10	·02			·04	·01	·11	·26				28
29		✕	·03				·20	·09			·10	·03	29
30	·08	✕				·88	·10			·12	·29	·15	30
31		✕		✕		✕	·02	·04	✕	·72	✕	·23	31
Total	3·55	4·54	·97	1·34	2·72	2·24	3·03	2·17	·84	3·18	2·34	5·18	YEAR'S TOTAL 32·10
Rain Days.	18	22	12	13	11	6	23	15	6	14	9	25	174

W. 8,000. X. 14.

DL. 319B

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Alvely
in the County of Worcs
by H. Arkell

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1											·18		1
2											·18		2
3												·02	3
4													4
5											·94		5
6											·37		6
7											·03	·32	7
8												·31	8
9											·02	·07	9
10													10
11													11
12													12
13													13
14											·03	·36	14
15													15
16													16
17													17
18													18
19													19
20											1·28	·80	20
21													21
22											·01		22
23										·13			23
24										·20	·05		24
25										·04	·29	·92	25
26										·47	·06		26
27										·37			27
28											·03	·23	28
29										·38			29
30		X											30
31		X		X		X			X	·44	X	·07	31
Total										~~2·03~~	3·47	3·10	YEAR'S TOTAL
Rain Days.										unp	13	...	

W. 8,000. X. 15.

8L

2057
2/30

FORM A.
BRITISH RAINFALL.
30. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Upton Wold

in the County of Worcestershire

by E. W. Arkell

Lat. ________ Long. ________

Time of Observation ________

Nearest Railway Station ________

Diameter of Funnel of Rain Gauge ________ in.

Height of top of Gauge above Ground ________ ft. ________ in.

" " " " Sea Level ________ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ________

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.15		.02		.09	.04	.25			.07	.26		1
2	.35	.02	.15		.30	.02			.02	.69	.06		2
3		.80				.01			.06	.50	.11		3
4	.42	.05			.41	.20			.08	.03	.54		4
5	.03				.22	.15	.23			.04	.34		5
6	.06	.26	.15	.06	.28	.05	.50			.10	.72		6
7	.02	.03	.20		.05	.07	.29			.27	.40	.15	7
8	.02		.05		.11							.28	8
9			.03		.20	.29				.03	.01	.02	9
10		.37	.05	.08	.01	.07	.05		.09	.14	.01		10
11	.06	.10	.14	.08	.06	.23			.02			.47	11
12	.05	.03	.03	.03	.43		.26	.03		.09			12
13		.30	.22	.04			.10	.12					13
14		.25	.01		.03			.02		.09			14
15		.34	.72	.02	.20		.04	.46	.03	.03			15
16	.04	.05	.17	.28	.07		.07	.67					16
17	.14	.20		.11			.03	.16	.45	.54			17
18		.09	.03	.09				.05	.15	.05	.33	.19	18
19	.04		.08	.49				.03	.13		.55		19
20	.15		.45	.03							.06	.30	20
21			.66		.09		.13					.79	21
22			.01		.04	.02				.09		.74	22
23	.03	.50						.07		.09	.10	.23	23
24		.20	.01	.01	.12	.15		.03		.30		.20	24
25		.21	.25					.41	.59		.25		25
26		.22	.08			.25			.11	.20	.01		26
27	.05	.24	1.00			.07	.05	.02	.08	.40			27
28		.60	.25			.09			.17	.09	.01	.18	28
29		.15				.24		1.93		.45		.11	29
30		X			.22	.12				.20		.01	30
31		X		X		X		.02	X	.19	X	.07	31
Total	1.61	5.01	4.76	1.32	2.93	2.07	2.00	4.02	1.98	4.68	3.76	3.74	YEAR'S TOTAL 37.88
Rain Days.	15	21	23	12	18	17	12	14	13	23	16	14	198

W. 8,000. X. 15.

81 ✓

REGISTER OF RAINFALL IN 1917

Exd

2/30

FORM A.
BRITISH RAINFALL.

Kept at Upton Wold, Blockley
in the County of Worcestershire
by E. W. Arkell

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·06	·07		·05		1·08	·14		·14	·05	1
2	·02					·22		·07		·04	·07		2
3				·10				·30		·29	·01		3
4		·24	·25					·30		·51		·01	4
5	·30		·09	·23				·01	·08	·22	·10		5
6	·01		·25			·17				·12	·15		6
7	·31					·02	·37	·17		·18	·03		7
8	·60			·19			·75	·15	·03	·44	·12	·15	8
9	·02		·15	·05	·28			·33	·07	·07	·20	·02	9
10	·13		·23	·15	·30			·15	·04		·01		10
11	·38	·02	18 ~~18~~	·33				·21	·56	·20	·01		11
12	·06		·05	·05	·07			·05		·18			12
13	·09		·07	·02		·01		·24	·04		·01		13
14			·04	·10						·02		·03	14
15							·03	·08		·07		·19	15
16	·09	·10		·17			·20			·10		·97	16
17	·03			·10	·67		·35	·07	·15	·10			17
18		·04		·01	·05		·20		1·05	·03			18
19		·29	·08			·11		·01	·02				19
20		·18	·17		·45	·01	·04	·01	·02		·02		20
21		·01	·16			·20					·09		21
22			·06			·16		·05		·12	·03	·05	22
23		·18			·08	·01		·25		·03		·04	23
24		·07				·08		·16		·15	·03		24
25		·18	·17					·03	·02	·01			25
26			·02			·03		·70	·18		·30		26
27					1·50	·03	·01	·71			·02		27
28		·03	·20			·54		·13				·06	28
29		✕				·38	·17	·04		·51		·36	29
30	·08	✕					·50	·34		·02		·01	30
31		✕	·09	✕		✕	·02	·09	✕	·03	✕	·06	31
Total	2·12	1·34	2·32	1·57	3·40	2·02	2·64	5·73	2·40	3·44	1·34	2·00	YEAR'S TOTAL 30·32
Rain Days.	13	11	18	13	8	15	11	26	13	22	17	13	180

W. 8,000, VIII. 16

184

81

41
2/30

FORM A.
BRITISH RAINFALL.

23 . 1 . 19

REGISTER OF RAINFALL IN 1918

Kept at Upton Wold, Blockley
in the County of Worcestershire
by E. W. Arkell

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·01	·06	·04			·04		·06	·42		1
2		·09		·01				·23	·07	·03	·05	·06	2
3		·08	·05	·13	·14			·05	·34	~~·04~~ 02	·07	·03	3
4		·09	·04					·04	·13	·01	·88	·10	4
5		·03	·01	·02	·33			·05	·41	·03		·02	5
6	·03	·19		·10					·02	·09		·04	6
7	·06	·18		·08	·24	·06			·06	·12	·29	·04	7
8		·07				·02			·10	·14	·01	·14	8
9	·03	·09		·13		·37	·10		·53	·37		·16	9
10	·08			·10			·18		·21	·22		·15	10
11				·05			·02		·08	·18	·09	·07	11
12		·04	·18		·24		·32		·04			·01	12
13		·04		·03			·07		·18	·08		·20	13
14	·24		·04		·02	·08	·20		·44	·19		·09	14
15	1·50			·76	·02	·04	·19		·06			·35	15
16	·20			·89		·23	·01		·20			·06	16
17	·16			·13	·02		·25	·03	·03	·04		·06	17
18	·54					·32	·33		·52	·01		·69	18
19	·03	·06	·24	·07			·06		·02	·08		·03	19
20	·03	·08		·78		·05	·58		·09	·09		·10	20
21	·08			·32		·03	·04		·38	·06		·09	21
22	·14				·25		·17		·08	·17		·25	22
23	·06				·56	·02	·07		·06		·04		23
24		·20				·02	·07		·05		·10	·02	24
25							·18	·31		·05	·05		25
26							·38		·03	·04	·12	·22	26
27		·03					·04	·39	·05		·15	·12	27
28		·30	·49	·02		·03					·24	·03	28
29		X	·05						1·40		·08	·02	29
30		X	·30					·04	·06	·02	·12	·11	30
31		X	·32	X		X		·08	X	·04	X		31
Total	3·18	1·57	1·73	3·68	1·86	1·27	3·26	1·26	5·64	2·06	2·71	3·26	YEAR'S TOTAL. 31·48
Rain Days.	14	15	11	17	10	12	19	10	27	23	15	27	200

W. 8,000, VIII. 16

88 2199

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Upton Wold, Blockley
in the County of Worcestershire
by E. W. Arkell

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.32	.02	.09	.04	.12		.26			.20	.04	.50	1
2	.12		.01		.10		.11	.03	.25	.03	.19	.05	2
3	1.21		.15		.05	.07	.06		.14		.17	.18	3
4	.13	.05	.48			.15	.09	.07	.30		.06	.13	4
5		.35	.42						.32		.01	.16	5
6	.06		.09		.39					.02		.11	6
7	.12		.35	.01	.07						.10		7
8	.27		.04	.45									8
9	.11		.03	.15							.03		9
10	.04		.37	.05						.03	.02	.17	10
11	.03		.48	.03	.03		.34						11
12			.15	.07		.20			.04	.14	.03	.07	12
13	.13			.28					.08	.20		.06	13
14	.48	.02		.24			.14		.04	.05		.06	14
15	.27	.01	.04	.23							.07	.41	15
16	.15	1.15						.01			.10		16
17	.06	.77		.03							.19		17
18			.25					.20			.03	.10	18
19	.17	.22	.90			.08	1.44	.52	.06		.03		19
20	.45	.04	.85			.04	.08	.24	.09		.06	.04	20
21		.49	.19			04	.38	.01			.02	.09	21
22		.30				.02		.01	.33			.30	22
23						.14		.15	.04	.43	.07	.04	23
24				.03		.02				.80	.09	.05	24
25	.15			.10	.05	.04		.30				.08	25
26	.04		.28	.25		.02	.06	.05	.11			.30	26
27	.35			.88			.02	.52				.11	27
28	.03		.22					.54			.20	.30	28
29	.06			.04		.02		.05		.17	.10	.28	29
30			.03	.27		.32		.08		.08	.17	.34	30
31							.02			.01		.08	31
Total	4.75	3.42	5.42	3.15	.81	1.16	3.00	2.78	1.80	2.16	1.78	4.01	YEAR'S TOTAL 34.24
Rain Days.	22	11	20	17	7	13	12	15	12	12	21	24	186

W. 8,000, IX. 17.

Sh No 2180

RM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Blockley, Upton Wold

in the County of Worcestershire

by E. W. Arkell

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·36	·35		·22			·18		·30	1
2			·05	·08			·14	·06	08	·08		·14	2
3	·12	·05		·20	·06	·06	1·80	·01	·12	·41			3
4			·05	·36			·03	·36	·04	·28			4
5			·18	·03	·17		·54	·11	·06	1·49		·02	5
6			·45		·15		·14			·07			6
7			·03	·17			·19						7
8	·14	·15		·57	·06		·75						8
9	·21		·01	·75			·04	·02					9
10	·42	·13	·13	·05	·37	·11	·11				·06		10
11		·05	·05	·20	·01	·15	·09					·03	11
12	·20	·02		·31		·86	·01	·49			·04		12
13	·09		·28	·06					·04				13
14	·04		1·14	·37		·24	·01		·38	·06	·24		14
15		·07	·15	·44	·01	·09			·02	·01			15
16				·06		·22	·10		·50	·24			16
17					·12	·02			·38	·12		·08	17
18	·29			·03	·05		·03	·26	·80			·03	18
19	·14	·12		·29		·16	·02	·06				·02	19
20	·02	·45		·31		·28			·01			·03	20
21								·04	·04			·09	21
22				·15		·02	·34	·17				·11	22
23							·01	·29				·37	23
24	·02		·23	·02		·01	·81	·03			·04	·12	24
25		·07	·13	·02				·02					25
26	·26		·32	·04	·72	·08					·03	·22	26
27	·57	·08	·06	·23		·40	·03				·03	·37	27
28	·60		·05	·03	·35		·06						28
29	·25	·01	·10		·08	·11	·05				·14	·66	29
30	·02		·04	·12		·10	·99		·25		·18	·21	30
31	·16									·80		·09	31
TOTAL	3·55	1·20	3·45	5·25	2·50	2·91	5·61	1·92	2·72	3·74	·76	2·89	YEAR'S TOTAL 36·50
Days with ·01 in. or more	17	11	18	25	13	16	23	13	13	11	8	17	185
	14	9	10	20	11	13	16	9	11	10	6	12	148

(44.283). Wt. 20,958—218. 7500. 10/19. Gp.132. A.&E.W.

RE 1.

BROMS~~GROVE~~
TARDEBIGGE RES

WORCESTER

1911 - 1920

FORM A2.
BRITISH RAINFALL.
27 JAN 1912

Kept at Tardeb in.

Ground 3 ft. 0 in.

in the County of Wo Sea Level 433 ft. 2406

am

by J. H. Harris Name Bromsgrove

Distance 2½ Direction N E

IMPORTANT NOT the result entered to the previous day. If an Ob ersal rule, he is earnestly requested to add the reac ar in the space provided for it at the end of thi ent of rain, the selection and placin tish Rainfall Organization are given in application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	0.03	—	—	—	—	0.06	—	—	—	—	1
2	—	—	—	0.05	0.10	—	0.06	0.08	—	0.18	0.07	—	2
3	—	—	—	—	0.29	—	—	—	—	—	—	0.01	3
4	0.03	—	0.17	Snow 0.07	—	—	—	0.03	0.17	0.13	0.15	0.21	4
5	0.07	—	0.05	—	—	—	—	0.02	—	—	—	—	5
6	0.27	—	0.08	—	—	—	—	0.04	—	—	0.07	0.31	6
7	0.02	—	—	—	—	—	—	—	—	—	0.17	—	7
8	0.09	—	0.17	—	—	—	—	—	—	—	—	0.35	8
9	0.12	—	—	—	—	—	—	—	—	—	0.71	0.16	9
10	—	0.17	0.48	—	—	—	—	—	—	—	—	0.29	10
11	S+R 0.20	—	—	—	—	—	—	0.01	—	—	0.39	—	11
12	—	—	0.53	—	—	—	—	—	0.03	—	0.16	0.43	12
13	—	—	—	—	—	—	—	0.02	0.13	—	0.02	—	13
14	—	0.03	Snow 0.01	—	—	—	0.01	—	—	—	—	0.90	14
15	—	0.03	S+R 0.02	—	—	—	—	—	—	0.03	0.15	—	15
16	—	—	0.01	—	—	0.11	—	—	—	—	0.15	0.10	16
17	—	—	0.06	—	—	0.23	—	—	—	—	0.20	0.26	17
18	—	0.29	—	0.01	—	0.12	0.02	—	—	0.09	—	0.30	18
19	—	—	—	—	—	0.23	—	—	0.35	0.52	0.19	0.10	19
20	0.02	0.10	—	0.03	—	—	—	0.21	0.15	0.01	—	0.57	20
21	—	0.17	0.02	—	—	—	—	0.50	—	0.44	—	0.02	21
22	—	—	—	0.01	—	0.02	—	—	—	0.07	—	0.44	22
23	—	0.09	0.30	—	—	0.56	—	—	0.37	0.06	—	0.16	23
24	—	0.08	—	—	—	0.45	—	0.10	0.01	0.23	—	0.11	24
25	0.02	—	Snow 0.01	0.13	0.07	0.04	—	—	—	0.01	—	0.09	25
26	—	0.15	—	0.25	0.05	0.01	—	—	—	0.29	S+R 0.21	0.10	26
27	—	0.19	0.14	0.11	0.05	—	—	0.60	0.16	—	S+R 0.03	0.21	27
28	—	0.20	—	0.20	—	—	—	—	—	—	0.10	—	28
29	—		—	0.07	—	0.14	0.23	0.01	0.31	0.17	0.02	0.02	29
30	—		0.01	0.03	—	0.03	—	—	—	0.12	—	0.01	30
31	—		0.07		0.25		—	—		0.15		0.02	31
Total	0.84	1.50	2.16	0.96	0.81	1.94	0.32	1.68	1.68	2.50	2.79	5.17	TOTAL for year 22.35
No. of Rain Days	9 Days	11 Days	17 Days	11 Days	6 Days	11 Days	4 Days	12 Days	9 Days	15 Days	16 Days	23 Days	144

9,000, IX. '10.

RI 1.

FORM A2.
BRITISH RAINFALL.
27 JAN 1912

2406

Kept at Tardebigge

in the County of Worcester 2

by J Harrison

RAIN GAUGE	Diameter of top 5 in.
	Height of top above Ground 3 ft. 0 in.
	" " " Sea Level 433 ft.

Time of Observation 9 am

Nearest Railway Station: Name Bromsgrove; Distance 2½ Direction NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	0·03	—	—	—	—	0·06	—	—	—	—	1
2	—	—	—	0·05	0·10	—	0·06	0·08	—	0·18	0·07	—	2
3	—	—	—	—	0·29	—	—	—	—	—	—	0·01	3
4	0·03	—	0·17	Snow 0·07	—	—	—	0·03	0·17	0·13	0·15	0·21	4
5	0·07	—	0·05	—	—	—	—	0·02	—	—	—	—	5
6	0·27	—	0·08	—	—	—	—	0·04	—	—	0·07	0·31	6
7	0·02	—	—	—	—	—	—	—	—	—	0·17	—	7
8	0·09	—	0·17	—	—	—	—	—	—	—	—	0·35	8
9	0·12	—	—	—	—	—	—	—	—	—	0·71	0·16	9
10	—	0·17	0·48	—	—	—	—	—	—	—	—	0·29	10
11	S+R 0·20	—	—	—	—	—	—	0·01	—	—	0·39	—	11
12	—	—	0·53	—	—	—	—	—	0·03	—	0·16	0·43	12
13	—	—	—	—	—	—	—	0·02	0·13	—	0·02	—	13
14	—	0·03	Snow 0·01	—	—	—	0·01	—	—	—	—	0·90	14
15	—	0·03	S+R 0·02	—	—	—	—	—	—	0·03	0·15	—	15
16	—	—	0·01	—	—	0·11	—	—	—	—	0·15	0·10	16
17	—	—	0·06	—	—	0·23	—	—	—	—	0·20	0·26	17
18	—	0·29	—	0·01	—	0·12	0·02	—	—	0·09	—	0·30	18
19	—	—	—	—	—	0·23	—	—	0·35	0·52	0·19	0·10	19
20	0·02	0·10	—	0·03	—	—	—	0·21	0·15	0·01	—	0·57	20
21	—	0·17	0·02	—	—	—	—	0·50	—	0·44	—	0·02	21
22	—	—	—	0·01	—	0·02	—	—	—	0·07	—	0·44	22
23	—	0·09	0·30	—	—	0·56	—	—	0·37	0·06	—	0·16	23
24	—	0·08	—	—	—	0·45	—	0·10	0·01	0·23	—	0·11	24
25	0·02	—	Snow 0·01	0·13	0·07	0·04	—	—	—	0·01	—	0·09	25
26	—	0·15	—	0·25	0·05	0·01	—	—	—	0·29	S+R 0·21	0·10	26
27	—	0·19	0·14	0·11	0·05	—	—	0·60	0·16	—	S+R 0·03	0·21	27
28	—	0·20	—	0·20	—	—	—	—	—	—	0·10	—	28
29	—		—	0·07	—	0·14	0·23	0·01	0·31	0·17	0·02	0·02	29
30	—		0·01	0·03	—	0·03	—	—	—	0·12	—	0·01	30
31	—		0·07		0·25		—	—		0·15		0·02	31
Total	0·84	1·50	2·16	0·96	0·81	1·94	0·32	1·68	1·68	2·50	2·79	5·17	TOTAL for year 22·35
No. of Rain Days	9 Days	11 Days	17 Days	11 Days	6 Days	11 Days	4 Days	12 Days	9 Days	15 Days	16 Days	23 Days	144

9,000, IX. '10.

Exp 580

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
18 JAN 1913

Kept at Tardebigge.

in the County of Worcester 2

by J. H. Harrison

Lat. 52-19 Long. 2.1W

Nearest Railway Station Bromsgrove

Time of Observation 9 am

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 6 in.

" " " Sea Level 455 ft.

2406

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	0.05	—	0.01	0.20	0.01	—	0.02	—	—	R & Snow 0.14	1
2	—	Snow 0.01	0.07	—	—	0.17	0.33	0.01	—	—	—	—	2
3	0.01	—	0.08	—	0.09	0.14	0.18	0.65	0.04	—	—	0.12	3
4	0.10	—	0.55	—	0.21	1.09	—	0.46	—	—	0.25	—	4
5	0.22	Snow 0.14	0.28	—	0.09	0.02	—	0.40	—	—	0.02	—	5
6	0.25	0.12	0.02	—	0.01	0.09	—	0.45	0.02	—	—	0.14	6
7	—	0.14	0.02	—	0.10	0.35	—	0.23	0.01	—	—	0.03	7
8	0.60	0.16	0.30	0.02	—	0.15	0.08	0.56	0.05	—	—	0.05	8
9	0.06	0.02	0.50	0.02	—	0.34	0.01	0.21	—	—	—	0.37	9
10	0.04	—	0.01	—	—	0.30	—	0.05	0.02	—	0.38	—	10
11	0.09	0.03	0.01	—	—	0.04	0.01	0.06	—	—	0.10	0.54	11
12	0.01	0.30	0.13	—	0.16	0.02	—	—	—	—	0.03	0.01	12
13	0.01	0.09	—	—	—	—	—	0.01	—	0.03	0.02	0.01	13
14	0.17	—	0.56	—	0.03	0.05	—	0.13	—	—	—	—	14
15	0.17	0.07	S + R 0.12	—	0.30	0.30	—	0.02	—	—	—	0.14	15
16	0.88	—	0.14	—	0.07	0.13	—	0.14	—	0.12	—	—	16
17	Snow 0.75	—	0.23	—	—	0.11	—	0.60	—	—	0.09	0.41	17
18	Snow 0.20	—	0.06	—	—	—	—	0.13	—	0.04	0.05	—	18
19	0.14	0.03	0.03	—	0.03	0.02	0.19	0.36	—	—	—	—	19
20	0.01	—	0.16	—	—	—	0.21	0.07	—	0.21	—	—	20
21	0.35	0.04	0.26	—	1.00	—	—	0.53	—	0.34	0.02	—	21
22	—	0.10	0.01	—	0.95	0.48	0.16	0.30	—	—	—	0.10	22
23	0.09	0.14	0.35	—	—	0.07	0.05	0.19	—	—	0.11	0.25	23
24	0.08	0.02	—	—	—	0.32	0.01	0.03	—	—	—	0.27	24
25	—	—	—	—	—	0.35	—	0.48	—	—	0.09	0.27	25
26	—	0.06	0.02	—	—	0.04	0.09	1.06	—	0.68	0.30	0.34	26
27	—	—	—	—	—	0.37	0.27	—	—	0.82	—	0.31	27
28	—	0.11	—	—	—	0.14	0.42	0.65	0.10	0.24	0.41	0.43	28
29	—	0.11	0.02	—	—	0.23	0.18	—	0.44	0.18	0.05	0.02	29
30	0.02		0.01	—	0.13	0.05	0.05	—	—	0.10	—	—	30
31	0.01		S & R 0.12		0.10		0.45	0.09		0.03		0.06	31
Total	4.26	1.69	4.11	0.04	3.28	5.57	2.70	7.87	0.70	2.79	1.92	4.01	TOTAL for year 38.94
No. of Rain Days	22 Days	18 Days	26 Days	2 Days	15 Days	26 Days	17 Days	26 Days	8 Days	11 Days	14 Days	20 Days	205

6,000, XI '07. 8

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

Eddis

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
22 JAN 1914

2406

Kept at Tardebigge

in the County of Worcester

by J. H. Harrison

2

Lat. 52·19 Long. 2·1 W.

Time of Observation 9 a.m.

Nearest Railway Station Bromsgrove

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 6 in.

" " " " Sea Level 455 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	0.13	0.09	—	—	—	—	0.75	—	0.05	—	1
2	—	0.15	0.01	0.16	—	—	0.03	—	0.04	1.42	0.13	—	2
3	0.15	—	0.07	—	0.88	—	—	—	0.03	0.46	—	0.06	3
4	0.75	—	—	—	0.21	—	0.01	—	—	0.17	0.07	R.&S. 0.32	4
5	0.09	0.04	—	—	—	0.10	0.11	—	0.05	0.38	0.13	—	5
6	0.02	0.05	0.08	—	0.27	0.28	0.93	—	—	0.03	—	0.16	6
7	—	0.08	—	—	0.31	0.05	0.04	—	—	0.38	0.13	0.01	7
8	—	0.06	—	—	0.14	0.21	—	0.10	—	0.25	—	—	8
9	—	0.35	0.05	0.01	0.11	0.38	0.02	0.08	0.14	—	0.10	—	9
10	0.15	—	—	0.20	0.01	—	—	0.11	—	0.01	0.15	—	10
11	S+R 1.00	—	—	S+R 0.37	0.01	—	—	0.28	—	0.07	0 58	—	11
12	—	—	—	—	0.15	—	—	0.01	—	—	0.45	—	12
13	0.10	—	0.03	—	—	—	—	0.04	0.20	—	0.30	—	13
14	0.11	—	0.65	0.04	—	—	—	0.17	0.01	0 20	—	—	14
15	0.08	0.10	S+R 0.37	0.38	—	—	—	—	0.32	—	0.06	—	15
16	—	—	Snow 0.75	0.01	—	—	—	—	0.01	—	—	—	16
17	0.08	S+R 0.03	Snow 0.03	0.04	—	0.04	0.17	—	0.11	—	0.01	—	17
18	—	—	0.12	0.08	0.08	—	0.02	—	—	—	0.02	—	18
19	0.13	—	0.12	—	0.01	0.01	0.10	—	0.18	—	—	—	19
20	0.12	—	S+R 0.13	0.09	—	—	—	—	0.01	0.03	0.15	—	20
21	—	—	0.20	0.05	0.10	—	0.09	0.05	—	—	0.24	—	21
22	S+R 0.78	—	0 55	—	—	0.08	—	0.10	0.44	—	—	—	22
23	—	—	—	—	—	0.09	—	0.06	0.12	0.01	—	0.04	23
24	0.09	—	—	0.02	—	—	—	0.04	—	—	0.05	0.01	24
25	0.01	—	—	0.01	—	—	—	0.01	0.03	—	—	—	25
26	—	0.07	—	0.58	0.05	—	—	0.31	—	0.06	—	0.31	26
27	—	0.01	—	0.25	—	—	—	—	—	0.06	—	S&R 0.01	27
28	0.39	—	0.16	0.30	0.05	—	—	—	—	0.14	—	Snow 0.06	28
29	—		0.60	0.65	—	—	—	—	—	0.19	—	Snow 0.03	29
30	0.25		—	—	—	—	—	—	—	0.41	0.18	—	30
31	—		0.15		—		—	0.03		0.05		—	31
Total	4.30	0.94	4.20	3.33	2.38	1.24	1.52	1.39	2.44	4.32	2.80	1.01	YEAR'S TOTAL 29.87
Rain Days.	17 Days	10 Days	18 Days	18 Days	14 Days	9 Days	10 Days	14 Days	15 Days	18 Days	17 Days	10 Days	170 Days

W.7,000, XI. 13 x²

Ex 82

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

15 JAN 1915

2406

Kept at TARDEBIGGE

in the County of Worcester 2

by J. H. Harrison

Lat. 52° 19' Long. 2° 1' W.
Time of Observation 9 am
Nearest Railway Station Bromsgrove
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 6 in.
" " " " Sea Level 455 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
~~0.13~~

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	0·02	—	0·01	1·35	0·37	—	—	0·01	0·04	1
2	—	—	—	—	0·02	—	0·09	0·23	—	—	0·59	0·43	2
3	—	—	0·02	0·02	0·16	—	0·14	0·24	—	—	0·03	0·01	3
4	0·15	—	0·01	0·12	0·01	—	0·07	0·15	—	—	0·70	0·38	4
5	Snow 0·07	—	0·10	0·19	0·20	0·03	0·33	—	—	—	0·13	—	5
6	Snow 0·02	0·05	—	—	0·08	0·05	0·03	—	—	—	0·20	0·09	6
7	—	0·12	0·29	0·04	0·16	0·14	0·14	0·23	—	—	—	0·21	7
8	0·01	—	0·06	0·01	0·17	0·76	0·01	0·17	—	—	—	0·13	8
9	0·29	—	0·10	0·29	—	1·21	—	0·07	0·03	—	—	—	9
10	0·04	0·09	Snow 0·03	0·33	0·08	0·07	—	—	0·21	—	—	—	10
11	—	0·06	0·28	0·05	—	0·13	—	—	0·01	—	0·25	0·66	11
12	Snow 0·01	0·06	0·14	—	0·07	—	0·45	—	0·35	—	—	0·26	12
13	—	0·08	0·30	—	—	—	0·02	—	0·06	0·25	0·12	0·60	13
14	—	0·08	0·08	—	—	—	0·05	—	—	0·25	—	0·10	14
15	—	0·05	0·06	—	—	—	0·06	0·08	0·04	0·07	0·06	—	15
16	0·02	—	0·08	—	—	—	0·02	—	—	—	0·03	0·05	16
17	—	0·20	0·13	—	—	—	0·01	—	0·05	—	—	0·17	17
18	—	—	—	—	—	—	0·22	—	0·22	—	—	0·43	18
19	Snow 0·02	0·02	—	—	—	—	0·68	—	0·07	—	0·10	0·08	19
20	—	0·46	Snow 0·09	—	—	0·09	0·06	—	—	—	—	T+R 0·27	20
21	—	0·27	—	—	—	0·20	—	0·07	—	0·16	—	0·21	21
22	—	0·05	Snow 0·04	—	0·16	0·07	0·03	0·10	—	0·11	—	0·20	22
23	—	0·01	0·20	—	0·19	0·03	0·01	—	—	0·09	—	—	23
24	0·09	—	0·06	—	—	0·02	—	0·09	—	0·06	0·05	—	24
25	—	—	0·06	0·01	—	—	0·04	0·33	—	0·39	0·06	—	25
26	—	—	0·08	0·01	—	—	0·05	0·06	—	0·08	0·12	0·32	26
27	0·09	—	0·01	—	—	—	—	—	—	—	0·08	0·15	27
28	—	0·07	0·15	—	0·05	—	0·14	—	—	0·27	0·02	Snow 1·20	28
29	0·01		0·13	—	0·17	—	—	—	—	0·25	0·08	—	29
30	—	✕	0·01	—	—	0·09	—	—	—	0·05	0·37	0·61	30
31	0·05	✕	—	✕	0·03	✕	0·31	—	✕	0·02	✕	—	31
Total	0·87	1·67	2·51	1·09	1·55	2·90	4·31	2·19	1·04	2·05	3·00	6·60	YEAR'S TOTAL 29·78
Rain Days.	13	15	24	11	14	14	23	13	9	13	18	22	189

W. 8,000. X. 14.

2515

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

2406

Kept at Tardebigge

in the County of Worcester

by J. H. Harrison

Lat. 52.19 Long. 2.1W

Time of Observation 9 am

Nearest Railway Station Bromsgrove

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 6 in.

" " " " Sea Level 455 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.13	0.12	0.11	—	0.26	—	—	0.12	0.51	0.16	0.06	0.08	1
2	0.11	0.11	0.24	0.16	—	0.13	—	0.45	—	0.35	—	0.03	2
3	1.07	0.05	0.01	0.11	—	—	1.21	0.48	—	—	—	0.10	3
4	0.03	0.01	—	—	—	—	0.72	0.02	—	—	—	0.67	4
5	0.01	0.75	—	—	—	—	—	0.06	—	—	—	0.39	5
6	0.15	0.04	—	0.22	—	—	0.80	0.03	—	—	—	0.09	6
7	0.09	0.43	—	0.03	0.08	1.07	0.13	0.06	—	—	—	0.35	7
8	0.05	0.30	—	0.05	—	—	0.02	—	—	—	0.04	—	8
9	0.26	0.15	—	0.09	—	—	—	0.05	—	—	0.19	0.34	9
10	0.26	—	0.07	0.03	—	—	—	—	—	0.05	—	0.01	10
11	—	—	—	0.03	0.14	—	0.07	0.13	—	—	0.98	Snow 0.06	11
12	0.08	—	—	0.10	0.44	—	—	0.22	—	0.04	0.95	—	12
13	—	0.55	—	—	0.65	—	—	0.06	—	—	—	0.04	13
14	—	0.02	—	—	—	—	0.24	0.15	0.12	—	—	0.43	14
15	0.34	—	—	0.02	0.09	—	0.10	0.09	—	—	0.15	0.10	15
16	0.06	0.46	—	—	0.30	—	1.30	0.01	—	—	—	0.03	16
17	—	0.12	—	—	0.35	—	—	—	—	—	—	—	17
18	—	0.35	Snow 0.12	—	—	—	—	—	—	—	—	—	18
19	—	0.02	—	—	0.08	—	0.04	—	—	—	—	—	19
20	0.25	—	—	0.10	—	—	—	—	—	—	—	0.11	20
21	Snow 0.18	—	—	—	—	—	0.15	—	—	0.08	—	0.06	21
22	0.08	—	0.15	0.07	—	—	0.32	—	0.02	—	—	0.09	22
23	0.33	Snow 0.12	0.09	—	—	0.03	0.25	—	0.01	0.92	—	0.20	23
24	—	—	0.04	0.05	—	—	0.30	—	0.23	0.49	—	0.24	24
25	—	—	—	—	—	0.65	0.29	—	0.02	—	—	0.36	25
26	—	0.05	—	—	—	—	0.38	—	—	—	—	0.37	26
27	—	0.08	0.04	—	—	—	0.12	—	—	0.45	—	0.05	27
28	—	0.20	—	—	—	—	0.01	0.06	0.15	0.05	—	—	28
29	—	X	—	—	—	0.15	0.19	0.10	—	—	0.11	0.09	29
30	0.07	X	—	0.01	—	0.47	0.10	—	—	0.22	0.07	0.03	30
31	—	X	—	X	—	X	0.08	—	X	0.30	X	0.21	31
Total	3.25	3.93	0.87	1.07	2.39	2.50	6.82	2.09	1.06	3.11	2.55	4.53	YEAR'S TOTAL 34.17
Rain Days.	18	19	9	14	9	6	21	16	7	11	8	25	163

W. 8,000. X. 15.

ext of

2446

FORM A.
BRITISH RAINFALL.

19. JAN 1917

2446

REGISTER OF RAINFALL IN 1916

Kept at Tardebigge

in the County of Worcester

by J. H. Harrison

Lat. 52. 19 Long. 2. 1 W

Time of Observation 9 am

Nearest Railway Station Bromsgrove

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 6 in.

" " " " Sea Level 455 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.12	—	Snow 0.02	—	—	0.16	0.19	—	—	0.75	0.20	—	1
2	0.28	0.04	0.13	—	0.25	0.01	0.23	—	0.12	0.19	0.01	—	2
3	—	0.58	—	—	—	—	—	—	—	0.05	0.07	0.03	3
4	0.19	0.10	0.01	0.15	0.53	0.20	—	—	—	—	0.42	—	4
5	—	—	0.01	—	0.23	0.08	—	—	—	0.04	0.22	0.01	5
6	—	0.22	0.10	0.05	0.18	—	0.55	—	—	0.08	0.40	—	6
7	—	—	Snow 0.15	—	0.12	0.12	0.42	—	—	0.11	0.21	0.22	7
8	0.05	—	S 0.03	—	0.19	—	—	—	—	—	0.02	—	8
9	—	—	0.01	—	0.17	0.20	—	—	—	0.02	—	—	9
10	—	0.38	0.10	0.09	0.04	0.07	—	—	0.02	0.01	—	—	10
11	0.07	0.14	0.07	0.13	—	0.28	—	0.02	0.09	—	—	0.28	11
12	0.01	—	0.03	—	0.39	0.02	0.26	0.19	—	—	—	—	12
13	—	0.28	0.15	0.06	—	—	0.18	0.17	—	—	—	0.02	13
14	—	0.54	—	0.02	0.05	—	—	0.89	—	0.20	—	—	14
15	—	0.43	0.55	0.03	0.19	—	—	0.25	0.02	0.10	—	—	15
16	—	0.01	0.05	0.28	0.05	—	0.18	0.16	—	—	—	—	16
17	0.11	0.22	—	0.05	—	—	0.01	0.09	0.54	0.26	—	—	17
18	—	0.04	0.04	0.05	—	—	—	0.03	0.13	0.03	S+R 0.44	Snow 0.30	18
19	0.04	—	0.16	0.33	—	—	—	—	—	—	0.32	—	19
20	0.04	—	0.60	—	—	—	—	—	—	—	0.12	0.15	20
21	—	—	0.17	0.05	0.09	—	—	—	—	—	—	S+R 0.25	21
22	—	—	—	—	0.08	0.05	—	—	—	0.11	—	0.51	22
23	0.02	Snow 0.58	—	0.02	—	—	—	0.20	—	0.09	—	0.15	23
24	—	Snow 0.38	—	0.01	0.19	—	—	0.10	—	0.34	—	0.19	24
25	—	Snow 0.06	0.05	—	—	—	—	0.15	0.02	0.06	0.36	—	25
26	—	Snow 0.02	0.02	—	—	0.10	—	0.20	0.25	0.05	—	—	26
27	0.08	Snow 0.19	0.91	—	—	—	0.17	0.02	0.13	S S 0.35	—	—	27
28	—	Snow 0.34	0.15	—	0.07	—	—	—	—	0.11	—	0.16	28
29	—	S+R 0.11	—	—	—	0.29	—	0.81	—	0.37	—	0.06	29
30	—	X	—	—	—	0.01	—	—	0.06	0.13	—	—	30
31	—	X	—	X	0.01	X	—	0.02	X	0.14	X	0.20	31
Total	1.01	4.66	3.41	1.32	2.83	1.59	2.19	3.30	1.38	3.59	2.79	2.52	YEAR'S TOTAL 30.59
Rain Days.	11	19	22	14	17	13	9	15	10	22	12	14	178

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL

8. JAN. 1918

2406

2332

Kept at Tardebigge

in the County of Worcester

by J. H. Harrison

Lat. 62·19 Long. 2·1 West

Time of Observation 9 am

Nearest Railway Station Bromsgrove

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 6 in.

" " " " Sea Level 465 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	0.08	s 0.05	—	0.05	—	0.75	0.25	—	0.06	Snow 0.20	1
2	—	—	—	—	—	0.22	—	0.01	—	—	0.06	—	2
3	—	s 0.10	—	s 0.10	—	0.01	—	0.08	—	0.36	0.02	—	3
4	—	0.02	s 0.18	—	—	—	—	0.12	—	0.55	—	—	4
5	0.29	—	0.06	0.20	—	—	—	—	0.04	—	0.07	—	5
6	H+S 0.02	—	S+H 0.52	—	—	0.71	—	—	—	0.10	0.09	—	6
7	Hail 0.38	—	—	—	—	—	—	0.07	—	0.09	—	—	7
8	Snow 0.66	—	—	0.09	—	—	0.28	0.83	—	0.32	0.15	—	8
9	s 0.01	—	0.12	s 0.04	0.26	—	—	0.39	0.04	0.11	0.32	0.25	9
10	s 0.52	—	0.27	s 0.07	0.49	—	—	0.14	—	—	—	—	10
11	s 0.08	—	0.12	s 0.27	0.03	—	—	0.07	—	0.16	—	—	11
12	—	—	—	0.02	0.23	—	—	—	—	0.14	—	—	12
13	s 0.01	—	0.05	—	0.07	—	—	0.04	—	0.01	—	—	13
14	0.01	—	H+S 0.19	0.13	—	—	—	0.96	—	—	—	0.03	14
15	s 0.02	—	—	—	0.03	—	0.13	0.05	—	0.04	—	0.07	15
16	s 0.01	—	—	0.10	—	0.18	0.03	—	—	0.13	—	Snow 0.55	16
17	s 0.01	0.10	—	0.08	T 0.63	T T 0.77	0.30	0.15	0.08	0.03	—	—	17
18	s 0.01	—	—	0.04	0.05	—	0.31	0.17	1.06	—	—	—	18
19	s 0.07	0.02	s 0.36	—	0.03	0.08	—	0.01	0.01	—	—	—	19
20	—	0.28	0.02	—	0.61	0.12	0.20	—	0.10	—	0.14	—	20
21	—	0.23	s 0.08	—	0.08	0.13	—	0.06	—	0.03	0.10	—	21
22	—	—	0.03	—	—	—	—	0.25	0.02	0.22	—	—	22
23	—	0.19	—	—	0.16	0.01	—	0.13	—	0.06	—	—	23
24	—	—	0.10	—	—	0.56	0.04	0.08	0.02	0.16	—	0.03	24
25	—	0.04	—	—	—	—	—	—	—	—	—	—	25
26	—	—	—	—	—	—	—	0.37	0.18	0.03	0.35	—	26
27	—	—	0.07	—	1.87	0.07	0.38	0.82	—	0.05	—	—	27
28	—	—	—	—	—	0.17	0.28	0.18	—	—	—	—	28
29	—		0.02	—	—	0.26	0.11	0.27	—	0.40	—	0.29	29
30	—	✕	—	—	—	—	—	0.24	—	—	—	—	30
31	0.01	✕	s 0.08	✕	—	✕	—	0.09	✕	0.03	✕	—	31
Total	2.11	0.98	2.35	1.19	4.54	3.34	2.06	6.32	1.80	3.02	1.36	1.42	YEAR'S TOTAL 30.49
Rain Days.	15	8	17	12	13	14	10	25	10	20	10	7	161

W. 8,000, IX. 17.

C & ML

REGISTER OF RAINFALL IN 19*18*

FORM A.
BRITISH RAINFALL.

2406

Kept at *Tardebigge*
in the County of *Worcester*
by *J. H. Harrison*

Lat. *52-19* Long. *2-1 W.*
Time of Observation *9 am*
Nearest Railway Station *Bromsgrove*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *4* ft. *6* in.
" " " " Sea Level *455* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	0.06	0.01	0.13	0.14	—	—	—	—	0.02	0.32	—	1
2	—	0.04	—	0.02	—	—	—	0.29	—	0.02	0.01	0.08	2
3	—	0.02	0.02	0.01	0.18	—	—	—	0.56	—	0.04	0.03	3
4	—	—	0.01	-	—	—	—	—	0.42	0.03	0.52	0.34	4
5	—	0.03	—	0.02	0.30	—	—	0.04	0.10	0.13	—	0.01	5
6	0.05	0.36	0.01	0.14	—	0.12	—	0.09	0.12	0.24	0.02	0.04	6
7	Snow 0.02	0.08	—	0.11	0.10	0.03	0.01	—	0.15	0.07	0.13	—	7
8	—	0.08	—	—	—	—	—	—	0.10	0.19	—	0.03	8
9	Snow 0.01	0.31	—	0.13	—	0.34	0.04	—	0.38	0.36	0.01	0.01	9
10	0.08	0.01	—	0.10	—	—	0.20	—	0.15	0.05	—	0.12	10
11	—	—	—	-	0.24	—	0.17	—	0.25	0.01	—	0.07	11
12	0.01	—	0.12	-	0.15	—	—	—	0.02	—	—	—	12
13	—	—	—	-	0.07	—	0.12	—	0.15	0.04	—	0.05	13
14	S+R 0.29	—	0.01	-	—	—	0.10	—	0.22	0.26	—	0.09	14
15	0.74	—	—	0.38	0.01	0.02	0.33	—	0.03	—	—	0.38	15
16	0.14	—	—	0.55	—	H L 0.24	—	—	0.23	—	—	0.10	16
17	0.23	—	—	-	y-y 0.14	0.04	0.02	—	0.11	0.06	—	0.07	17
18	0.36	—	—	-	—	0.27	0.36	—	0.46	—	—	0.24	18
19	0.14	—	0.15	0.03	—	—	—	—	0.03	0.04	—	0.13	19
20	0.13	0.18	—	0.75	—	0.05	—	—	0.09	—	—	0.09	20
21	0.15	—	—	0.45	—	—	0.04	—	0.28	—	—	0.04	21
22	0.03	—	—	-	0.15	0.03	0.25	—	0.02	0.05	—	0.32	22
23	—	—	—	-	0.56	0.02	0.09	—	0.04	—	—	—	23
24	—	0.13	—	—	—	—	0.17	—	—	—	0.28	Snow 0.02	24
25	—	—	—	—	—	—	0.10	0.59	0.03	—	—	—	25
26	—	0.01	—	—	—	—	0.20	0.05	0.03	0.05	0.16	—	26
27	—	0.02	0.02	—	—	0.03	—	0.31	0.15	—	0.19	0.10	27
28	—	Snow 0.24	0.24	—	—	—	—	—	—	—	0.18	0.05	28
29	—	×	0.04	—	—	—	—	—	0.83	—	—	0.01	29
30	—	×	0.51	—	—	—	—	0.07	0.02	—	0.10	0.06	30
31	—	×	0.30	×	—	×	—	0.02	×	—	×	—	31
Total	2.38	1.57	1.44	2.82	2.04	1.19	2.20	1.46	4.97	1.62	1.96	2.48	YEAR'S TOTAL 26.13
Rain Days.	14	14	12	×13	11	11	15	8	26	16	12	24	176

W. 6,500, VII. 18. W W C

Ex. H.E.b.

2188

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

27 JAN 20

REGISTER OF RAINFALL IN 1919.

2406

Kept at Tardebigge

in the County of Worcestershire

by J. H. Harrison

Lat. 52-19 Long. 2-1 West

Time of Observation 9 am

Nearest Railway Station Bromsgrove

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 6 in.

" " " " Sea Level 455 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.27	Snow 0.01	0.06	—	0.10	0.27	0.34	—	0.03	0.12	—	0.40	1
2	0.20	—	0.02	—	—	—	0.18	—	0.20	0.18	0.09	—	2
3	Snow 0.70	—	0.07	—	0.09	0.13	0 31	—	0.11	—	S+R 0.15	0.06	3
4	Snow 0.10	—	0.30	—	—	—	0 15	0.06	0.20	—	0.01	0.10	4
5	—	Snow 0.42	—	—	—	—	—	—	0.31	—	—	0.16	5
6	0.04	—	—	—	0.70	—	—	—	—	0.01	—	0.13	6
7	0.28	—	0 25	0.10	0.01	—	—	—	—	—	0.06	—	7
8	0.18	—	—	H&L 0.22	—	0.06	—	—	—	—	—	—	8
9	—	—	0.09	0.16	—	—	—	—	—	—	—	—	9
10	0.04	—	0.50	0.04	—	—	—	—	—	0.04	—	0.20	10
11	—	—	0.52	—	0.04	—	0.35	—	—	0.01	—	0.02	11
12	—	—	—	—	—	0.20	—	—	—	0.10	Snow 0.07	0.03	12
13	0.21	—	—	0.15	—	—	—	—	0.10	0.20	—	0.01	13
14	0.31	—	—	0.08	—	—	0.05	—	0.37	0.09	—	0.04	14
15	0 30	0.15	0.12	0.17	—	—	—	—	—	0.07	Snow 0.03	0.25	15
16	0 15	1.00	—	0.03	—	—	—	0.55	—	—	S+R 0.15	—	16
17	—	0.64	—	0.01	0.04	0.05	—	—	—	—	0.08	—	17
18	—	—	Snow 0.59	—	—	—	0.08	0.19	—	—	—	0.12	18
19	S+R 0.21	S+R 0.34	S+R 1.10	—	—	0.13	0.83	0.09	S+R 0 02	—	—	—	19
20	S+R 0.43	—	0.36	—	—	—	0.12	0.12	0.15	—	0.16	0 10	20
21	—	0 45	Snow 0.04	—	—	0.05	0.43	0.03	0.05	—	0.04	0 11	21
22	—	0.19	—	—	—	—	—	—	0 30	—	—	0 32	22
23	—	—	—	—	—	0.04	—	0.03	—	1.10	—	0.13	23
24	—	—	—	0.01	—	0.01	—	—	—	0.57	0.11	0.10	24
25	0.13	—	—	0.02	0.13	0 12	—	0.28	—	—	—	—	25
26	—	—	0.13	Snow 0.14	—	0 03	—	0.10	0.06	—	—	0.30	26
27	Snow 0.26	—	H&L 0.05	S+R 0.64	—	0.02	—	0.27	0.01	—	Snow 0.15	0.06	27
28	Snow 0.02	—	Snow 0.05	0.02	—	—	—	0.62	—	0.01	Snow 0.21	0.28	28
29	S+R 0.06	X	—	0.05	—	0.06	—	0.03	—	0.40	Snow 0.07	0.18	29
30	—	X	—	0.23	—	0.22	—	0.08	—	0.04	0.04	0.41	30
31	—	X	Snow 0.02	X	—	X	0.06	—	X	—	X	—	31
TOTAL	3.89	3.20	4.27	2.07	1.11	1.39	2.90	2.45	1.91	2.94	1.42	3.51	YEAR'S TOTAL 31-06
Days with ·01 in. or more	18	8	17	16	7	14	11	13	13	14	15	22	168

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

CX MZ

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

2406

Kept at Tardebigge
in the County of Worcester
by Mrs Harrison

Lat. 52-19 N Long 2-1 West
Time of Observation 9 a-m
Nearest Railway Station Bromsgrove
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 6 in.
" " " " Sea Level 455 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	0-13	0·39	—	0-28	—	0·09	0-12	—	0-13	1
2	—	—	—	—	—	—	0·28	0-02	—	0-21	—	0·11	2
3	0-13	—	—	0-14	0·05	—	1-04	—	0·15	0·36	—	—	3
4	—	—	—	0-14	0·01	—	—	0·33	0·06	0-35	—	—	4
5	—	—	0-10	—	0-15	—	0-36	0-15	0·09	1-26	—	—	5
6	—	—	0-26	—	0·08	—	0-10	0-03	0·06	0-18	—	—	6
7	0-01	—	snow 0-11	0-17	—	—	0-13	—	—	—	—	—	7
8	0-18	0-11	—	0·59	0-10	—	0·35	—	—	—	—	—	8
9	0·32	0-01	—	0·38	—	—	0·09	0·06	—	—	—	—	9
10	0-40	0-09	0·07	0·05	—	0-01	0-15	—	—	—	0-14	—	10
11	0-10	—	0·02	0-41	0-41	0-17	0-11	0-01	—	—	—	—	11
12	0-09	—	0-07	0-18	—	0-73	0-06	1-78	—	0·04	0·07	Snow 0-19	12
13	—	—	0·21	0-14	—	0-04	[illegible]	0·27	0-01	—	0·03	S 0·04	13
14	0-03	—	0·97	0·24	—	0·20	0·06	—	0-28	0·03	0·13	—	14
15	—	0-09	0-16	0-46	—	0·44	0·02	—	0·02	0·02	0·05	—	15
16	—	—	—	0·22	0-12	0-14	0-07	—	0-07	0·49	0·02	—	16
17	—	—	—	—	0-11	—	—	0-14	1-08	0·07	—	—	17
18	0-20	—	—	0·03	0-10	—	0-04	0-11	0-44	—	0·01	—	18
19	0-02	R. & S. 0-51	—	0-44	—	0-05	0-02	0·06	0·03	—	—	0·03	19
20	—	—	—	0·31	—	0·27	—	—	—	—	—	0·03	20
21	—	—	—	0·62	—	0-01	0-15	—	—	0·03	—	—	21
22	0-05	—	—	0-12	—	—	0·04	0-13	0·01	—	—	0·03	22
23	—	—	0-04	—	—	—	0·38	0·11	—	—	0·04	0·22	23
24	—	—	0-14	0·04	—	—	—	0·03	—	—	0·01	0-12	24
25	—	0-06	—	0·01	—	0·02	1-06	0·06	—	—	—	0-01	25
26	0-17	—	0-23	0·03	—	—	0-22	—	—	—	0·02	0·04	26
27	0-10	0-01	0·03	0-11	0-04	0·24	0-01	—	—	—	—	0·65	27
28	snow 0-74	—	0·06	0·03	0-42	0-01	0·02	—	—	—	—	0·09	28
29	0-07	—	0·29	—	0·09	—	0·06	—	—	—	0-12	0·08	29
30	0-02	╳	—	0-10	0·03	0-12	0·03	0·04	0-31	—	0·25	0-61	30
31	0-15	╳	—	╳	-	╳	0-01	-	╳	0-38	╳	0·02	31
TOTAL	2-78	0-88	2·76	4-49	2-10	2-45	5-14	3·33	2·70	3·74	0-89	2·40	YEAR'S TOTAL 33-66
Days with ·01 in. or more	17 Days	7 Days	15 Days	24 Days	14 Days	14 Days	26 Days	16 Days	14 Days	13 Days	12 Days	16 Days	188
Days with ·04 in. or more	13	5	13	~~20~~ 19	12	10	20	12	10	10	7	11	~~145~~ 142

(44,283)

2516

FORM A.
BRITISH RAINFALL.
10 JAN 1916

RE

2407
BROMSGROVE, BURCOT P.S.

Kept at Burco

in the County of Wor

by East Worces:

Blackwell.

Gauge 8 in.

Ground 1 ft. 2 in.

" " " " Sea Level 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·09"

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·17.	·16.	·11.	—	·26.	—	—	·09	·32.	·13	·03	·03	1
2	·07.	·13.	·26.	·13.	—	·15.	—	·56	—	·38	—	·06	2
3	1·11.	·06.	·01	·15.	·02.	—	1·63	·28	—	—	—	·16	3
4	·02.	·01.	—	—	·01	—	·80	·02	—	—	—	·74	4
5	·01.	·98.	—	·01.	—	—	·04	·06	—	—	—	·42.	5
6	·17.	·06.	·01.	·26.	—	—	·77	·01	—	—	—	·05.	6
7	·09.	·45.	—	·08.	·05.	·72.	·12	·07	—	—	—	·47	7
8	·11.	·34	—	·01	—	—	·02	·03	—	—	·04	·01	8
9	·15.	·17	—	·16	—	—	—	·02	—	—	·18	·39	9
10	·33.	·01.	·08	·01	—	—	—	—	—	·06	·05.	·04	10
11	—	—	—	·12	·14	—	·08	—	—	—	·80	·05	11
12	·07.	·01.	—	·09	·48	—	—	·12	—	·09	1·13.	—	12
13	·01.	·61	—	—	·79	—	—	·07	—	·01	—	·06	13
14	·01.	—	—	—	—	—	·36	·36	·11	·02.	—	·55	14
15	·30	—	—	—	·08	—	·07	·08	—	—	·16	·16	15
16	·12	·62	—	—	·31.	—	1·69	·01	—	—	—	·02	16
17	—	·19	—	—	·37	—	—	—	—	—	—	·01	17
18	·01	·37.	·16.	—	—	—	—	—	—	·01	—	—	18
19	—	·01.	·01.	—	·07.	—	·07	—	—	—	·01	—	19
20	·22.	—	—	·07	—	—	—	·02	—	—	—	·10	20
21	·21	·01.	—	—	—	—	·23	—	—	·06	—	·06	21
22	·11.	—	·19.	·09	—	—	·32.	—	·11	—	—	·11	22
23	·06	73.	·07.	—	—	·02	·31	—	·02	·99	—	·29	23
24	—	—	·01.	·04	—	—	·08	—	·02	·57.	—	·22.	24
25	—	—	·01.	—	—	·69	·39	—	·30	·01.	·01	·35.	25
26	—	·08.	—	—	—	—	·43.	—	·03	·01	—	·37	26
27	—	·04	·02	—	—	—	·11	—	—	·49	—	·06	27
28	—	·31	—	—	—	—	·06	·15.	·12	·03.	—	—	28
29	—	—	—	—	—	·13.	·24.	·02.	—	·01	·07	·07	29
30	·07.	X	—	—	—	·86.	·05.	—	—	·21.	·06.	·04	30
31	·01.	X	—	X	—	X	·09	·04.	X	·27	X	·31	31
Total	3·43.	4·75.	·94.	1·22	2·58	2·57	7·96.	2·01	1·03.	3·35	2·54	5·20	YEAR'S TOTAL 37·58
Rain Days.	22.	21.	12.	13.	11.	6.	22.	18	8	17	11.	27.	188

W. 3,000. X. 15.

2516

RE

FORM A.
BRITISH RAINFALL.
10 JAN 1916

Kept at Burco
in the County of Worcester.
by East Worces: Waterworks Co.

Lat. Long.
Time of Observation
Nearest Railway Station Blackwell.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 430. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·09"

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·17.	·16.	·11.	—	·26.	—	—	·09	·32.	·13	·03	·03	1
2	·07.	·13.	·26.	·13.	—	·15.	—	·56	—	·38	—	·06	2
3	1·11.	·06.	·01	·15.	·02.	—	1·63	·28	—	—	—	·16	3
4	·02.	·01.	—	—	·01	—	·80	·02	—	—	—	·74	4
5	·01.	·98.	—	·01.	—	—	·04	·06	—	—	—	·42.	5
6	·17.	·06.	·01.	·26.	—	—	·77	·01	—	—	—	·05.	6
7	·09.	·45.	—	·08.	·05.	·72.	·12	·07	—	—	—	·47	7
8	·11.	·34	—	·01	—	—	·02	·03	—	—	·04	·01	8
9	·15.	·17	—	·16	—	—	—	·02	—	—	·18	·39	9
10	·33.	·01.	·08	·01	—	—	—	—	—	·06	·05.	·04	10
11	—	—	—	·12	·14	—	·08	—	—	—	·80	·05	11
12	·07.	·01.	—	·09	·48	—	—	·12	—	·09	1·13.	—	12
13	·01.	·61	—	—	·79	—	—	·07	—	·01	—	·06	13
14	·01.	—	—	—	—	—	·36	·36	·11	·02.	—	·55	14
15	·30	—	—	—	·08.	—	·07	·08	—	—	·16	·16	15
16	·12	·62.	—	—	·31.	—	1·69	·01	—	—	—	·02	16
17	—	·19	—	—	·37	—	—	—	—	—	—	·01	17
18	·01	·37.	·16.	—	—	—	—	—	—	·01	—	—	18
19	—	·01.	·01.	—	·07.	—	·07	—	—	—	·01	—	19
20	·22.	—	—	·07	—	—	—	·02	—	—	—	·10	20
21	·21	·01.	—	—	—	—	·23	—	—	·06	—	·06	21
22	·11.	—	·19.	·09	—	—	·32.	—	·11	—	—	·11	22
23	·06	·13.	·07.	—	—	·02	·31	—	·02	·99	—	·29	23
24	—	—	·01.	·04	—	—	·08	—	·02	·57.	—	·22.	24
25	—	—	·01.	—	—	·69	·39	—	·30	·01.	·01	·35.	25
26	—	·08.	—	—	—	—	·43.	—	·03	·01	—	·37	26
27	—	·04	·02	—	—	—	·11	—	—	·49	—	·06	27
28	—	·31	—	—	—	—	·06	·15.	·12	·03.	—	—	28
29	—	—	—	—	—	·13.	·24.	·02.	—	·01	·07	·07	29
30	·07.	X	—	—	—	·86.	·05.	—	—	·21.	·06.	·04	30
31	·01.	X	—	X	—	X	·09	·04.	X	·27	X	·31	31
Total	3·43.	4·75	·94.	1·22	2·58	2·57	7·96.	2·01	1·03.	3·35	2·54	5·20	YEAR'S TOTAL 37·58
Rain Days.	22.	21.	12.	13.	11.	6.	22.	18	8	17	11.	27.	188

W. 8,000. X. 15.

2447

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
30 AUG 191

Kept at Burcot, Bromsgrove
in the County of Worcester
by Geo. Merriman

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Blackwell (West)
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·09	·01	·04	–	–	·21	·13	–	·03	·09	·19	–	1
2	·31	·03	·18	–	·29	·01	·37	–	·12	·85	·01	–	2
3	–	·67	·01	–	·02	·01	–	–	·02	·34	·09	·01	3
4	·21	·08	–	·13	·61	·22	–	–	·02	·01	·48	–	4
5	·01	–	·01	–	·24	·08	–	–	–	·07	·24	·01	5
6	·01	·21	·14	·06	·29	·09	·64	–	–	·06	·58	–	6
7	·01	–	·18	–	·28	·02	·08	–	–	·12	·37	·26	7
8	·03	–	·04	–	·16	·01	–	–	–	·04	·02	·28	8
9	–	–	·03	–	·21	·33	–	–	·01	·08	·19	03	9
10	–	·38	·07	·09	·06	·04	·03	–	·01	·02	·01	–	10
11	·07	·13	·06	·15	–	·35	·01	–	·09	–	–	·26	11
12	·02	·15	·04	–	·38	–	·23	·02	·01	·07	·01	–	12
13	–	·21	·15	·09	–	–	15	·29	–	·01	–	·02	13
14	–	·45	–	·01	·05	–	–	·21	–	·19	–	·01	14
15	–	·46	·52	–	·23	–	·11	1·12	·03	·10	–	–	15
16	–	–	·06	·35	·07	–	·05	·24	–	–	–	–	16
17	·12	·23	–	·05	–	–	·01	·02	·67	·32	–	–	17
18	–	·06	·04	·07	–	–	–	·03	·17	·03	·51	·29	18
19	·02	–	·14	·36	–	·01	–	·01	–	01	·45	–	19
20	·05	–	·60	·02	–	–	–	·03	–	–	·15	·14	20
21	–	–	·23	·01	·09	–	·09	–	–	–	·01	·31	21
22	–	–	·01	·01	·07	·06	–	–	–	·08	·01	·54	22
23	·02	·53	–	·02	–	–	–	·10	–	·10	·06	·22	23
24	–	·74	·01	·01	·12	–	–	·18	–	·35	·01	·24	24
25	–	·07	·05	–	·07	–	–	·26	·01	·07	·32	·01	25
26	·03	·19	·03	–	–	·11	–	·26	·21	·16	·04	–	26
27	·01	·11	1·23	–	–	·03	·06	·04	·19	·29	·01	·01	27
28	–	·40	·34	–	·03	·02	–	–	·01	·14	–	·17	28
29	–	·14	–	–	–	·35	–	·82	–	·43	–	·09	29
30	–		–	–	–	·02	–	–	–	·13	–	–	30
31	–		–		–		–	–		·21		·24	31
Total	1·01✓	5·25✓	4·21✓	1·43	3·27✓	1·97✓	1·96✓	3·63✓	1·60✓	4·37✓	3·76✓	3·14✓	YEAR'S TOTAL 35·60✓
Rain Days.	15✓	20✓	24✓	15	18	18✓	13✓	15✓	15✓	27✓	21✓	19	220

W. 8,000, VIII. 16

BROMSGROVE

LOWER BITTAL RES

WORCESTER

1911 - 1920

FORM A2. BRITISH RAINFALL. 2437

27 JAN 1912

REG

Kept at Bittal, ... 3 ft. 0 in.

in the County of Worce ... 430 ft.

by R. Wareing ... arnt Green. miles Direction

IMPORTANT NOTE.— ... ult entered to the previous day. If an Obser ... le, he is earnestly requested to add the reading ... e space provided for it at the end of this p ... rain, the selection and placing ... nfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	0.03	—	—	—	—	0.07	—	—	—	—	1
2	—	—	0.02	0.06	0.16	—	0.07	0.09	—	0.09	0.05	—	2
3	—	—	—	—	0.29	—	—	0.05	0.06	0.03	0.01	—	3
4	0.02	—	0.16	Snow 0.04	—	—	—	—	0.10	0.13	0.19	0.16	4
5	0.07	—	0.06	—	—	—	—	0.04	—	—	0.02	—	5
6	0.31	—	0.01	—	—	—	—	0.02	—	—	0.04	0.40	6
7	0.03	—	—	—	—	—	—	—	—	—	0.25	0.01	7
8	0.17	—	0.18	—	—	—	—	—	—	—	0.02	0.35	8
9	0.06	—	0.02	—	—	—	—	—	—	—	0.55	0.07	9
10	0.03	0.14	0.40	—	—	—	—	—	—	—	0.02	0.46	10
11	Snow & Rain 0.22	—	0.01	—	—	—	—	—	—	—	0.38	0.03	11
12	0.01	0.01	0.50	—	—	—	—	—	—	—	0.20	—	12
13	—	—	0.04	—	—	—	—	0.60	0.06	—	0.02	—	13
14	—	0.05	—	—	—	—	—	—	0.08	—	—	1.00	14
15	—	0.03	—	—	—	—	—	—	—	0.02	0.13	0.05	15
16	—	—	—	—	—	0.12	—	—	—	0.01	0.14	0.05	16
17	—	—	—	—	—	0.19	—	—	—	—	0.20	0.22	17
18	—	0.24	0.02	—	—	0.25	—	—	—	0.07	0.01	0.28	18
19	—	—	—	—	—	0.29	0.14	0.01	0.31	0.27	0.20	0.02	19
20	0.01	0.14	—	0.04	—	0.02	0.01	0.19	0.20	0.02	—	0.54	20
21	—	0.17	0.03	—	—	0.02	0.01	0.37	—	0.35	—	0.12	21
22	—	—	0.02	—	—	0.03	—	—	—	0.10	—	—	22
23	—	0.08	0.19	—	—	0.09	—	—	0.37	0.08	—	0.40	23
24	—	0.08	—	0.06	—	0.45	—	0.07	0.02	0.28	—	0.10	24
25	—	0.06	—	0.03	0.08	0.05	—	—	—	0.07	—	0.06	25
26	—	0.11	—	0.28	0.02	0.01	—	0.04	—	0.25	Snow 0.23	0.11	26
27	—	—	0.15	0.17	0.41	—	—	0.61	0.22	—	0.06	—	27
28	—	0.17	—	0.21	—	—	—	0.01	0.01	—	0.09	—	28
29	—		—	—	—	0.14	0.12	—	0.30	0.18	0.02	0.02	29
30	—		0.01	0.06	—	0.05	—	0.74	0.01	0.10	0.01	0.01	30
31	—		0.15		0.20 ~~0.80~~		—	—		—		—	31
Total	0.93	1.31	2.00	0.95	1.16	1.71	0.35	2.91	1.74	2.05	2.87	4.46	TOTAL for year 22.44
No. of Rain Days	10	12	18	9	6	13	5	14	12	16	22	21	158.

7,000. X. '09.

REG

FORM A2.
BRITISH RAINFALL.
2437
27 JAN 1912

Kept at Bittal,

in the County of Worcester, 3

by R. Wareing.

RAIN GAUGE
Diameter of top 5 in.
Height of top above Ground 3 ft. 0 in.
" " " Sea Level 430 ft.

Time of Observation 9 A.M.

Nearest Railway Station
Name Barnt Green.
Distance 1½ miles Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	0.03	—	—	—	—	0.07	—	—	—	—	1
2	—	—	0.02	0.06	0.16	—	0.07	0.09	—	0.09	0.05	—	2
3	—	—	—	—	0.29	—	—	0.05	0.06	0.03	0.01	—	3
4	0.02	—	0.16	Snow 0.04	—	—	—	—	0.10	0.13	0.19	0.16	4
5	0.07	—	0.06	—	—	—	—	0.04	—	—	0.02	—	5
6	0.31	—	0.01	—	—	—	—	0.02	—	—	0.04	0.40	6
7	0.03	—	—	—	—	—	—	—	—	—	0.25	0.01	7
8	0.17	—	0.18	—	—	—	—	—	—	—	0.02	0.35	8
9	0.06	—	0.02	—	—	—	—	—	—	—	0.55	0.07	9
10	0.03	0.14	0.40	—	—	—	—	—	—	—	0.02	0.46	10
11	Snow-Rain 0.22	—	0.01	—	—	—	—	—	—	—	0.38	0.03	11
12	0.01	0.01	0.50	—	—	—	—	—	—	—	0.20	—	12
13	—	—	0.04	—	—	—	—	0.60	0.06	—	0.02	—	13
14	—	0.05	—	—	—	—	—	—	0.08	—	—	1.00	14
15	—	0.03	—	—	—	—	—	—	—	0.02	0.13	0.05	15
16	—	—	—	—	—	0.12	—	—	—	0.01	0.14	0.05	16
17	—	—	—	—	—	0.19	—	—	—	—	0.20	0.22	17
18	—	0.24	0.02	—	—	0.25	—	—	—	0.07	0.01	0.28	18
19	—	—	—	—	—	0.29	0.14	0.01	0.31	0.24	0.20	0.02	19
20	0.01	0.14	—	0.04	—	0.02	0.01	0.19	0.20	0.02	—	0.54	20
21	—	0.17	0.03	—	—	0.02	0.01	0.34	—	0.35	—	0.12	21
22	—	—	0.02	—	—	0.03	—	—	—	0.10	—	—	22
23	—	0.08	0.19	—	—	0.09	—	—	0.34	0.08	—	0.40	23
24	—	0.08	—	0.06	—	0.45	—	0.07	0.02	0.28	—	0.10	24
25	—	0.06	—	0.03	0.08	0.05	—	—	—	0.07	—	0.06	25
26	—	0.11	—	0.28	0.02	0.01	—	0.04	—	0.25	Snow 0.23	0.11	26
27	—	—	0.15	0.17	0.41	—	—	0.61	0.22	—	0.06	—	27
28	—	0.17	—	0.21	—	—	—	0.01	0.01	—	0.09	—	28
29	—		—	—	—	0.14	0.12	—	0.30	0.18	0.02	0.02	29
30	—		0.01	0.06	—	0.05	—	0.74	0.01	0.10	0.01	0.01	30
31	—		0.15		0.20 ~~0.80~~		—	—		—		—	31
Total	0.93	1.31	2.00	0.95	1.16	1.71	0.35	2.91	1.74	2.05	2.87	4.46	TOTAL for year 22.44
No. of Rain Days	10	12	18	9	6	13	5	14	12	16	22	21	158.

7,000. X. '09.

2437

REGISTER OF RAINFALL IN 1912.

Kept at Lower Bittal.
in the County of Worcestershire 3
by R. Wareing

RAIN GAUGE.
Lat. 52·22 N Lon. 1·59 W.
Time of Observation 9 A.M
Diameter 5"
Height of top above Ground 3 ft
" " Sea Level 457 ft.

NOTE.—Full instructions respecting the measurement of rain are given in "*Arrangements respecting the Systematic Observation and Record of the Rainfall*," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	0.06	—	—	—	0.04	0.01	0.01	—	—	0.18	1
2	—	—	0.06	—	—	0.36	0.41	0.01	0.02	—	—	—	2
3	0.08	—	0.07	—	0.04	0.15	0.22	0.65	0.04	—	—	0.12	3
4	0.11	—	0.51	—	0.20	1.09	—	1.29	0.07	—	~~0.22~~	—	4
5	0.17	0.08	0.53	—	0.05	0.02	—	0.35	0.02	—	0.03	—	5
6	0.27	0.23	0.02	—	0.02	0.14	—	0.02	—	—	~~0.03~~	0.13	6
7	0.01	0.16	0.01	—	0.07	0.23	—	0.15	—	—	—	0.04	7
8	0.51	0.19	0.29	—	—	0.14	0.14	0.14	0.11	—	—	0.05	8
9	0.04	0.10	0.51	—	—	0.29	0.02	0.28	—	—	—	0.38	9
10	—	—	0.01	—	—	0.34	—	0.14	—	—	0.42	0.01	10
11	0.10	0.10	—	—	—	0.14	—	0.08	0.04	—	0.10	0.45	11
12	0.03	0.26	0.16	—	0.15	0.04	—	—	—	—	0.03	—	12
13	—	0.05	—	—	—	0.01	—	—	—	0.04	—	—	13
14	0.16	0.06	0.53	—	—	0.05	—	0.20	0.02	0.03	—	—	14
15	0.17	—	0.20	—	0.34	0.36	—	0.01	0.01	—	—	0.10	15
16	0.43	—	0.16	—	0.07	0.06	—	0.14	—	0.11	—	—	16
17	snow 0.41	—	0.14	—	—	0.14	—	0.62	—	—	0.12	0.51	17
18	0.20	—	0.03	—	—	—	0.20	0.10	—	0.05	—	0.01	18
19	0.18	0.05	0.01	—	0.04	0.02	0.10	0.64	—	—	—	—	19
20	—	—	0.15	—	—	—	—	0.03	—	0.35	—	—	20
21	0.02	0.02	0.25	—	1.05	0.01	0.01	0.57	—	0.44	—	—	21
22	0.32	0.16	0.01	—	0.65	0.45	0.20	0.33	—	0.01	—	0.13	22
23	0.16	0.08	0.37	—	—	0.04	0.20	0.20	—	—	—	0.29	23
24	0.09	—	0.02	—	—	0.38	—	0.02	—	—	0.08	0.14	24
25	0.01	—	—	—	—	0.57	—	0.25	—	0.01	0.19	0.39	25
26	—	0.05	0.03	—	—	0.34	0.20	0.95	—	0.64	0.28	0.32	26
27	—	0.01	—	—	—	0.05	0.45	—	—	0.74	—	0.28	27
28	—	0.06	—	—	—	0.33	0.34	0.64	0.04	0.19	0.45	0.46	28
29	—	0.05	0.03	—	—	0.06	0.14	0.05	0.41	0.22	—	0.10	29
30	0.01		0.02	—	0.14	—	0.05	0.02	—	0.08	—	0.01	30
31	—		0.13		0.27		0.53	0.20		0.01		—	31
Totals	3·78	1·71	4·35	.	3·09	5·90	3·31	8·18	0·82	2·95	1·92	4·13	40·14
Total from Jan. 1	21	17	26	-	13	26	16	28	11	14	10	20	202

K/4,000/12/01.

EDWARD STANFORD, LONG ACRE, W.C.

PRICE 3D.

✓

REGISTER OF RAINFALL IN 1913

BRITISH RAINFALL FORM A.
2437
22 JAN 1914

Kept at Bittall Reservoir
in the County of Worcester 3
by R Wareing

Lat. 52°22N Long. 1°59W
Time of Observation 9 AM
Nearest Railway Station Barnt Green
Diameter of Rain Gauge 5 in in.
Height of top of Gauge above Ground 3 feet ft. in.
" " " " Sea Level ~~430~~ 457 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.01	0.08	0.13	0.06	—	—	—	—	—	—	—	—	1
2	0.02	0.10	0.01	0.10	—	—	0.03	—	0.04	1.48	—	—	2
3	0.04	0.01	—	—	0.80	—	—	—	0.03	0.33	0.08	0.04	3
4	0.87	0.01	—	—	0.31	—	0.01	—	—	0.09	0.10	0.44	4
5	—	0.03	—	—	0.30	0.10	0.10	—	0.05	0.40	0.09	0.02	5
6	—	0.09	—	—	0.20	0.24	0.80	—	—	0.19	—	0.14	6
7	—	0.14	0.06	—	0.21	—	0.05	—	—	0.20	0.14	0.03	7
8	—	0.05	0.01	—	0.10	0.23	0.02	0.19	—	0.27	0.18	—	8
9	—	0.36	0.08	—	0.13	0.39	0.03	0.10	0.14	—	0.13	—	9
10	0.04	0.01	—	0.11	—	—	—	0.09	—	—	0.16	0.03	10
11	snow 1.04	—	—	0.43	0.02	—	—	0.18	—	0.01	0.61	—	11
12	0.01	—	—	—	0.11	—	—	—	—	0.05	0.44	—	12
13	Snow 0.09	—	0.12	—	—	—	—	0.06	0.24	—	0.30	—	13
14	S 0.11	—	0.58	0.03	—	—	—	0.14	0.03	0.19	0.04	—	14
15	0.08	0.08	0.42	0.43	—	—	—	—	0.13	0.01	0.01	—	15
16	0.03	0.01	Snow 0.72	0.02	—	—	—	—	0.33	—	—	—	16
17	0.04	0.03	0.12	—	—	—	0.10	—	—	—	—	0.02	17
18	—	—	0.15	—	0.10	—	0.04	—	—	—	—	0.01	18
19	0.15	—	0.11	0.06	—	—	0.03	—	0.19	—	0.03	—	19
20	0.16	—	0.20	0.11	—	—	—	—	0.03	0.03	0.18	—	20
21	—	—	0.23	—	0.10	—	—	0.06	0.51	—	0.30	—	21
22	0.43	—	0.54	—	—	0.04	0.04	0.09	0.03	—	0.01	—	22
23	0.02	—	0.03	—	—	0.10	—	0.06	0.04	0.02	0.05	—	23
24	0.14	—	—	0.03	—	—	—	0.30	—	0.03	0.01	—	24
25	—	0.02	—	0.04	—	—	—	—	—	—	—	—	25
26	—	0.07	—	0.53	0.05	—	—	—	—	0.06	—	0.25	26
27	—	—	0.01	0.30	0.04	—	—	—	—	0.06	—	0.02	27
28	0.46	—	0.14	0.31	—	—	—	—	—	0.13	—	0.04	28
29	—		0.66	0.64	—	—	—	—	—	0.04	—	0.04	29
30	0.23		0.01	—	—	—	—	—	—	0.38	0.15	0.03	30
31	—		0.16		—		—	0.03		0.03		0.01	31
Total	4.33	1.09	4.52	3.26	2.50	1.16	1.31	1.33	1.82	4.03	3.01	1.24	YEAR'S TOTAL 29.60
Rain Days.	19	15	21	15	13	6	11	11	13	20	19	14	177

W.7,000, XI. 13

7 oi on Dec 29 referred 6.IV.15 written 19.IV.15

[illegible]

Cord by surrounding stations 19.IV.15

2437

FORM A. BRITISH RAINFALL. 15 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Bittall Reservoir

in the County of Worcester 3

by R Wareing

Lat. 52° 22 8 Long. 1° 59 W

Time of Observation 9 A M

Nearest Railway Station Barnt Green

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 3 ft. in.

" " " " Sea Level 457 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	—	—	—	0.77	0.24	—	—	0.02	—	1
2	—	—	—	0.01	—	—	0.04	0.21	—	0.05	0.46	0.40	2
3	—	—	0.05	—	0.17	—	0.18	0.37	—	—	0.06	0.02	3
4	0.19	—	0.10	0.12	0.08	—	0.04	0.15	—	—	0.68	0.43	4
5	0.05	—	0.07	0.13	0.07	0.04	0.42	—	—	—	0.15	—	5
6	0.01	0.06	—	—	0.11	0.02	0.47	—	—	—	0.22	0.16	6
7	—	0.10	0.35	—	0.12	0.16	—	0.13	0.01	—	0.02	0.19	7
8	—	—	0.04	—	0.15	0.85	—	0.13	0.03	—	—	0.14	8
9	0.31	0.08	0.10	0.30	0.06	1.31	—	0.06	0.01	—	—	0.01	9
10	0.14	0.10	0.01	0.32	0.12	0.08	—	—	0.19	—	—	0.01	10
11	—	0.07	0.30	0.05	0.10	0.12	—	—	0.01	—	—	0.66	11
12	0.02	0.14	0.14	—	0.01	0.01	0.20	—	0.37	—	0.23	0.19	12
13	—	—	0.21	—	—	—	0.06	—	0.08	0.20	0.06	0.52	13
14	—	0.04	0.10	—	—	—	—	—	—	0.23	0.15	—	14
15	0.03	—	0.08	—	—	—	—	0.04	0.10	0.10	0.13	—	15
16	—	—	0.11	—	—	—	0.04	—	0.27	0.10	—	—	16
17	0.01	0.19	—	—	—	—	0.01	—	0.10	—	—	0.15	17
18	—	—	—	—	—	—	0.28	—	—	—	—	0.53	18
19	—	0.01	—	—	—	—	0.45	—	0.09	—	—	0.06	19
20	—	0.45	0.06	—	—	0.09	0.02	—	—	0.11	—	0.29	20
21	—	0.27	—	—	—	0.03	0.07	0.02	—	0.15	—	0.21	21
22	—	0.03	—	—	0.22	0.07	0.04	0.15	—	0.14	—	—	22
23	—	—	0.22	—	0.27	0.05	—	—	—	0.08	—	—	23
24	0.09	—	0.07	—	—	—	—	—	—	0.15	0.05	—	24
25	—	—	0.01	—	—	—	0.02	0.34	—	0.44	0.10	—	25
26	—	—	0.28	—	—	—	0.05	0.29	—	0.12	0.11	0.35	26
27	0.07	—	0.01	—	—	—	—	—	—	0.05	0.05	0.20	27
28	—	0.08	0.16	—	0.02	—	0.14	—	—	0.38	0.15	1.40	28
29	—		0.12	—	0.12	—	—	—	—	0.27	0.07	0.02	29
30	—	X	—	—	0.01	0.15	0.01	—	—	0.03	0.37	0.61	30
31	0.03	X	—	X	—	X	0.34	—	X	0.01	X	—	31
Total	0.95	1.62	2.59	0.93	1.63	2.98	3.65	2.13	1.26	2.64	3.08	6.55	YEAR'S TOTAL 30.01
Rain Days.	11	13	21	6	15	13	20	12	11	17	18	21	178

W. 8,000. X. 14.

30.01

Ansd 19·IV·15

Strathmore
Sandford Mill Road
Cheltenham

18 April 1915

Dear Sir

Referring to your letter of the 6th inst I have only just this morning got a reply to my enquiry as to the subject of it I regret to say that no light is thrown upon the doubtful entry. There appears to be no uncertainty about the figures as entered in the day book but it certainly does look as if a cypher have been carelessly formed – a very easy thing to do. I should myself feel justified in reading the return for the 29 Dec as '02. I return your card with apologies for the delay believe me

Yours truly

F A Innes

entd by FA Jones 26.1.16

2537
2437

FORM A.
BRITISH RAINFALL.
26 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Bittell Reservoir

in the County of Worcester

by R Wareing

Lat. 52° 22 N Long. 1° 59 W

Time of Observation 9 a.m.

Nearest Railway Station Barnt Green

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. in.

" " " " Sea Level ~~430~~ 457 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	0.13	0.10	—	0.25	—	—	0.12	0.11	0.13	0.20	0.04	1
2	0.06	0.14	—	0.13	—	0.10	—	0.53	0.07	0.40	—	0.06	2
3	(0.05)	0.06	—	0.07	—	—	0.31	0.02	—	—	—	0.15	3
4	—	—	—	—	—	—	0.63	—	—	—	—	0.77	4
5	0.04	0.65	—	—	—	—	—	0.05	—	—	—	0.40	5
6	0.15	0.06	—	0.36	—	—	0.65	0.04	—	—	—	0.06	6
7	0.09	0.49	—	0.03	0.22	0.86	0.15	0.07	—	—	—	0.45	7
8	0.08	0.35	—	—	—	—	0.01	0.04	—	—	—	—	8
9	—	0.22	—	—	—	—	—	—	—	—	0.14	—	9
10	—	—	0.04	—	—	—	—	—	—	0.05	0.12	—	10
11	0.33	—	—	0.02	0.10	—	0.05	—	—	—	0.87	0.33	11
12	0.09	—	—	0.15	0.44	—	—	0.12	—	0.04	1.37	0.02	12
13	0.07	0.46	—	—	0.43	—	—	0.02	—	—	—	0.06	13
14	0.01	—	—	—	—	—	0.49	0.61	0.09	—	—	0.43	14
15	0.25	—	—	—	—	—	0.09	0.04	—	—	0.18	0.16	15
16	—	0.50	—	—	0.25	—	1.50	0.06	—	—	—	0.03	16
17	0.08	0.18	—	—	0.34	—	—	—	—	—	—	—	17
18	—	0.34	0.12	—	—	—	0.05	—	—	—	—	—	18
19	—	0.02	—	0.01	0.09	—	—	—	—	—	—	—	19
20	0.23	—	—	0.08	—	—	—	—	—	—	—	0.14	20
21	0.17	—	—	—	—	—	0.18	—	—	0.07	—	0.06	21
22	0.10	0.01	0.18	0.06	—	—	0.37	—	—	0.01	—	0.08	22
23	0.07	0.10	0.06	—	—	0.04	0.34	—	0.01	0.85	—	0.28	23
24	—	—	0.04	—	—	—	0.04	—	0.31	0.50	—	0.20	24
25	—	—	—	—	—	0.55	0.56	—	0.02	—	—	0.40	25
26	—	—	—	—	—	—	0.34	—	—	—	—	0.35	26
27	—	0.08	—	—	—	—	0.20	—	0.10	0.46	—	0.16	27
28	—	0.35	—	—	—	—	0.01	0.18	0.01	0.04	—	—	28
29	—	X	—	—	—	0.05	0.19	0.03	—	—	0.10	0.08	29
30	0.08	X	—	—	—	0.58	0.14	0.02	—	0.16	0.06	0.05	30
31	0.05	X	—	X	—	X	0.07	—	X	0.30	X	0.23	31
Total	2.00	4.14	0.54	0.91	2.42	2.17	6.40	1.95	0.72	3.00	3.04	4.99	YEAR'S TOTAL 32.28 (33.28)
Rain Days.	18	17	6	9	8	6	21	15	8	12	8	24	152

W. 8,000. X. 15.

2470

FORM A.
BRITISH RAINFALL.
19. JAN 1917
2437

REGISTER OF RAINFALL IN 1916

Kept at Bittall Reservoir
in the County of Worcester
by R Wareing

Lat. 52° 22 N Long. 1° 59 W
Time of Observation 10. a.m
Nearest Railway Station
Diameter of Fu~~nnel of~~ Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level 457 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.07	0.02	0.04	—	—	—	—	—	0.02	—	0.16	—	1
2	0.32	0.03	0.17	—	0.24	0.13	0.40	—	0.13	0.20	0.01	—	2
3	0.02	0.52	—	—	0.01	0.07	0.01	—	0.15	0.67	0.08	0.03	3
4	0.27	0.10	—	0.08	0.60	0.39	—	—	—	0.24	0.60	—	4
5	0.02	—	—	—	0.25	0.14	—	—	—	0.08	0.25	0.01	5
6	0.01	0.16	0.15	—	0.20	—	0.60	—	—	0.04	0.42	—	6
7	—	0.01	Snow 0.20	—	0.11	—	0.57	—	—	—	0.29	0.22	7
8	0.01	—	0.04	—	0.30	—	—	—	—	0.20	—	0.23	8
9	0.02	—	0.03	—	0.20	0.19	—	—	—	0.05	—	—	9
10	0.01	0.34	0.08	0.13	0.05	0.19	—	—	—	0.04	—	—	10
11	0.07	0.14	—	0.02	0.01	0.24	—	—	0.12	—	—	0.28	11
12	—	0.11	—	0.14	0.32	—	0.19	0.02	—	0.06	—	0.18	12
13	—	0.20	—	0.07	—	—	0.18	0.20	—	—	—	—	13
14	—	Snow 0.52	0.06	0.06	—	—	—	0.10	—	0.15	—	—	14
15	—	0.29	0.51	0.02	0.06	—	0.12	1.70	—	0.08	—	—	15
16	0.09	0.04	0.08	0.24	0.10	—	—	0.19	0.04	—	—	—	16
17	0.01	0.20	0.04	0.16	—	—	—	0.07	0.57	0.25	—	—	17
18	—	0.08	0.02	0.15	—	—	—	0.02	0.12	0.07	1.04	0.22	18
19	0.02	—	0.09	0.17	—	—	—	—	—	—	0.38	0.01	19
20	0.08	—	0.28	0.04	—	—	—	—	—	—	0.12	0.19	20
21	—	—	0.19	—	—	—	0.08	—	—	—	0.01	0.25	21
22	—	—	—	—	0.09	—	—	0.14	—	—	—	0.51	22
23	0.04	0.54	—	—	—	—	—	0.13	—	0.08	0.04	0.60	23
24	—	0.26	—	—	0.10	—	—	0.12	—	0.26	—	0.20	24
25	—	0.05	0.10	—	—	—	—	0.25	0.03	0.07	0.33	0.16	25
26	0.05	0.14	0.02	—	—	—	—	0.18	0.27	0.15	—	—	26
27	0.03	0.07	Snow 0.63	—	0.18	—	0.95	—	0.16	0.18	—	—	27
28	—	0.52	Snow 0.10	—	0.10	—	0.05	0.07	0.01	0.25	—	0.22	28
29	—	0.12	0.08	—	—	—	—	0.43	—	0.40	—	0.06	29
30	—	╳	—	—	—	—	—	—	0.06	0.25	—	—	30
31	—	╳	—	╳	—	╳	—	0.02	╳	0.20	╳	0.26	31
Total	1.14	4.46	2.91	1.31	2.92	1.33	3.15	3.94	1.68	3.97	3.73	3.63	YEAR'S TOTAL 34.17
Rain Days.	17	22	20	12	17	7	10	15	12	22	13	17	184

W. 8,000, VIII. 16

FORM A. BRITISH RAINFALL. 2437

18. JAN 19

REGISTER OF RAINFALL IN 1917

Kept at Bittell Reservoir

in the County of Worcester

by R Wareing

Lat. 52° 22N Long. 1° 59' W

Time of Observation 9 a M

Nearest Railway Station Barnt Green M.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. in.

" " " " Sea Level 457 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	—	—	0.06	—	0.89	0.11	—	—	—	1
2	—	—	—	—	—	0.26	—	—	0.31	—	0.10	0.10	2
3	0.10	Snow 0.10	—	—	—	0.01	—	—	0.05	0.37	—	0.01	3
4	0.04	0.02	0.14	—	—	—	—	—	—	0.59	—	—	4
5	0.35	—	—	0.37	—	—	—	—	—	0.14	0.12	—	5
6	—	—	0.25	—	—	0.72	—	—	—	0.13	0.10	—	6
7	0.44	—	—	—	—	—	—	0.13	—	0.10	0.02	—	7
8	0.58	—	0.01	0.17	—	—	0.19	0.13	—	0.32	0.20	0.20	8
9	0.03	—	0.13	0.18	0.45	—	0.01	0.69	0.54	0.10	0.25	—	9
10	0.55	—	0.28	Snow 0.06	0.59	—	—	0.12	0.03	—	0.02	—	10
11	0.17	—	0.09	S. 0.26	0.03	—	—	0.07	—	0.18	0.01	—	11
12	0.02	—	—	0.01	0.17	—	—	0.04	—	0.14	—	—	12
13	0.01	—	0.16	—	0.04	—	—	0.13	0.01	—	—	—	13
14	Snow 0.04	—	—	—	—	—	—	0.68	0.04	—	—	—	14
15	—	—	—	—	—	—	0.07	0.02	—	0.04	—	0.19	15
16	—	—	—	0.39	—	0.17	0.09	—	—	0.01	—	0.49	16
17	—	0.17	—	0.10	0.03	0.35	0.50	—	—	0.03	—	—	17
18	—	—	—	—	0.12	0.03	0.27	—	1.02	—	—	—	18
19	0.07	0.37	Snow 0.38	—	0.04	0.12	—	—	0.01	—	0.04	—	19
20	0.01	0.18	Snow 0.01	—	0.60	0.15	—	—	0.07	—	0.11	—	20
21	—	—	Snow 0.15	—	0.02	0.17	—	0.09	—	0.09	0.04	—	21
22	—	—	—	—	0.04	—	—	0.12	—	0.16	—	—	22
23	—	0.24	—	—	0.15	—	—	0.14	—	0.08	—	—	23
24	—	—	0.20	—	—	0.38	0.07	0.07	—	—	—	—	24
25	—	0.09	—	—	—	—	—	0.09	—	—	—	—	25
26	—	—	—	—	—	—	—	0.32	0.18	—	0.39	—	26
27	—	—	0.01	—	1.26	0.02	0.33	0.88	—	—	0.01	—	27
28	—	0.08	0.06	—	—	0.15	—	0.20	—	0.59	—	0.07	28
29	—		—	—	—	0.26	0.08	0.07	—	—	—	0.17	29
30	—	X	-	-	—	—	0.15	0.39	—	—	—	—	30
31	—	X	-	X	—	X	-	0.14	X	—	X	—	31
Total	2.41	1.25	1.87	1.54	3.54	2.85	1.76	5.41	2.37	3.07	1.41	1.23	YEAR'S TOTAL 28.71
Rain Days.	13	8	13	8	13	14	10	21	11	16	13	7	147

W. 8,000, IX. 17.

5

2437

FORM A.
BRITISH RAINFALL.
15. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Bittall Reservoir

in the County of Worcester

by R Wareing

Lat. 52° 22 N Long. 1° 59 W

Time of Observation 9 A M.

Nearest Railway Station Barnt Green

Diameter of Funnel of Rain Gauge 5 in in.

Height of top of Gauge above Ground 3 ft. 0 in.

" " " " Sea Level 457 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	0·04	—	0·16	0·10	—	—	—	0·06	0·01	—	—	1
2	—	0·01	—	0·02	—	—	—	0·23	—	0·06	—	0·13	2
3	—	0·07	0·03	—	0·18	—	—	0·20	0·68	0·01	0·06	0·02	3
4	—	0·04	0·01	0·02	—	—	—	—	0·60	0·02	0·56	0·30	4
5	—	0·01	—	0·04	0·27	—	—	0·10	0·16	0·10	0·01	0·01	5
6	—	0·23	—	0·12	0·03	0·10	—	—	0·05	0·11	0·10	0·04	6
7	—	0·08	—	0·06	0·07	—	—	—	0·30	0·02	0·02	—	7
8	0·10	0·11	—	0·02	—	—	—	—	0·29	0·22	—	0·01	8
9	0·01	0·34	—	—	—	0·36	—	—	0·35	0·34	—	0·04	9
10	0·09	0·02	—	—	—	—	—	—	0·07	0·03	—	0·12	10
11	—	—	0·02	—	—	—	0·13	—	0·22	—	—	0·06	11
12	—	0·04	0·08	—	0·17	—	0·10	—	0·04	0·06	—	—	12
13	—	0·01	—	—	0·11	—	0·02	—	0·19	0·15	—	—	13
14	0·35	—	—	—	—	—	0·02	—	0·27	0·20	—	—	14
15	Snow 0·16	—	—	0·39	—	0·04	0·44	—	0·04	0·02	—	0·36	15
16	0·14	—	—	0·66	—	0·11	—	—	0·19	—	—	0·13	16
17	0·35	—	—	—	0·57	0·08	0·08	—	0·06	0·06	—	0·07	17
18	0·38	—	—	—	—	0·23	0·24	—	0·38	0·02	—	0·27	18
19	0·18	0·07	0·10	0·04	—	—	0·06	—	0·04	0·04	—	—	19
20	0·15	0·08	—	0·90	—	—	0·03	—	—	—	—	—	20
21	0·04	—	—	0·71	—	—	0·02	—	0·19	—	—	0·07	21
22	—	—	—	—	0·37	0·04	0·12	—	0·22	—	—	0·36	22
23	—	—	—	—	0·74	0·03	—	—	—	0·25	0·03	0·04	23
24	—	0·13	—	—	—	—	—	—	—	—	0·10	—	24
25	—	—	—	—	—	—	0·13	0·56	—	—	0·03	—	25
26	—	—	—	—	—	—	0·14	—	0·02	0·03	—	0·06	26
27	—	Snow 0·14	—	—	—	—	0·01	0·04	0·03	0·02	0·19	0·10	27
28	—	Snow 0·20	0·29	—	—	—	—	0·48	0·28	—	—	0·12	28
29	—	✕	0·13	—	—	—	—	0·04	0·83	—	—	0·13	29
30	—	✕	0·43	—	—	—	—	0·06	0·07	—	0·15	0·05	30
31	0·06	✕	0·48	✕	—	✕	—	0·06	✕	—	✕	0·11	31
Total	2·01	1·62	1·57	3·14	2·61	·99	1·54	1·77	5·63	1·77	1·25	2·60	YEAR'S TOTAL 26.50
Rain Days.	12	17	9	12	10	8	14	9	25	20	10	22	168

W, 6,500. VII. 18. W W C

Ex. H°b

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH ~~RAINFALL~~ ORGANIZATION. 2437

REGISTER OF RAINFALL IN 1919.

28 JAN 20

Kept at Bittall Reservoir
in the County of Worcester
by R Wareing

Lat. 52° 22N Long. 1° 59W
Time of Observation 9 AM
Nearest Railway Station Barnt Green
Diameter of Funnel of Rain Gauge 5 in in.
Height of top of Gauge above Ground 3 ft. in.
,, ,, ,, ,, Sea Level ~~430~~ 434 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·38	—	0·05	—	0·03	0·23	0·42	—	0·10	0·24	0·01	0·42	1
2	0·19	—	0·03	—	0·01	—	0·34	—	0·17	—	0·10	0·07	2
3	Snow 0·65	—	0·06	—	—	0·07	0·23	—	0·14	—	0·16	0·09	3
4	Snow 0·06	0·03	0·30	—	—	0·06	0·11	0·10	0·23	—	—	—	4
5	0·02	Snow 0·33	0·01	—	—	—	0·02	—	0·34	—	—	0·27	5
6	—	—	0·11	—	0·72	—	—	—	0·01	—	0·01	0·04	6
7	0·22	—	0·27	0·12	0·02	—	—	—	—	—	0·06	—	7
8	0·14	—	—	0·10	—	—	0·29	—	—	—	0·02	—	8
9	0·02	—	—	0·27	—	—	0·03	—	—	—	—	—	9
10	—	—	0·56	0·03	—	—	—	—	—	0·06	—	0·12	10
11	—	—	0·66	0·03	0·02	—	—	—	—	0·01	—	0·01	11
12	0·05	—	0·18	—	—	0·33	—	—	0·02	0·09	—	—	12
13	0·16	—	—	0·24	—	—	—	—	0·13	0·23	—	0·01	13
14	0·33	—	—	0·15	—	—	—	—	0·34	0·03	Snow 0·01	0·02	14
15	0·30	0·12	0·09	0·34	—	—	—	—	—	0·02	Snow 0·01	0·26	15
16	0·04	0·96	—	—	—	—	—	0·34	—	—	0·12	0·02	16
17	—	Snow 0·48		—	—	—	—	—	—	—	0·03	—	17
18	—	—	S 0·68	—	—	—	—	—	—	—	0·01	0·17	18
19	0·21	0·34	S 1·17	—	—	0·12	1·04	0·19	—	—	—	—	19
20	0·43	0·07	0·37	—	—	0·01	0·16	0·25	—	—	0·27	0·07	20
21	—	0·40	S 0·07	—	—	0·01	0·41	0·18	0·03	—	0·01	0·26	21
22	—	0·23	-	—	—	0·02	—	0·03	0·30	—	—	0·50	22
23	—	—	—	0·02	—	—	—	—	0·07	1·06	—	—	23
24	—	—	—	0·08	—	—	—	0·04	—	0·69	—	—	24
25	0·15	—	—	0·13	0·11	0·12	—	—	—	—	—	—	25
26	0·02	—	0·17	0·03	—	0·03	—	0·39	—	—	—	0·45	26
27	0·29	—	0·03	Snow 0·51	—	—	—	0·11	—	—	0·13	0·41	27
28	0·06	—	—	0·01	—	0·06	—	0·19	—	—	Snow 0·11	0·30	28
29	—	X	—	0·07	—	0·35	—	0·76	—	0·49	0·19	0·16	29
30	—	X	—	0·17	—	—	—	0·05	—	0·04	0·06	0·40	30
31	—	X	0·06	X	—	X	0·06	0·02	X	0·01	X	0·01	31
TOTAL	3.72	2.96	4.87	2.30	0.91	1.41	3.11	2.63	1.88	2.97	1.31	4.00	YEAR'S TOTAL 32.07 ✓
Days with ·01 in. or more	19	9	18	16	6	12	11	13	12	12	17	21	166 ✓

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. 2437

JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Bittall Reservoir

in the County of Worcester

by R Wareing

Lat. 52° 22 N Long. 1° 59 W

Time of Observation 9 AM

Nearest Railway Station Barnt Green

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. — in.

" " " " Sea Level 459 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
1	—	—	—	0.18	0.38	0.01	0.30	0.02	0.09	0.12	—	0.16	1
2	0.01	—	—	× 0.07	0.01	—	0.33	0.01	0.10	0.20	—	0.16	2
3	0.09	0.05	—	0.07	0.06	—	0.86	—	0.15	0.38	—	—	3
4	—	—	—	0.14	—	—	—	0.35	0.03	0.31	—	—	4
5	—	0.01	0.05	0.01	0.15	—	0.30	0.15	0.09	0.70	—	—	5
6	—	—	0.30	0.01	0.10	—	0.13	0.03	—	0.35	—	—	6
7	—	—	Snow 0.04	0.17	0.03	—	0.16	0.01	—	0.01	—	—	7
8	0.24	0.08	—	0.64	0.13	—	0.68	0.04	—	—	—	—	8
9	0.30	0.01	—	0.44	—	—	0.07	0.01	—	—	—	—	9
10	0.40	0.11	0.09	0.01	—	0.01	0.19	0.03	—	—	0.11	—	10
11	0.04	—	0.04	0.22	0.46	0.19	0.09	~~0.95~~	—	—	—	—	11
12	0.10	0.01	0.02	0.19	0.03	0.64	0.05	1.75 ~~0.07~~	—	0.02	0.08	Snow 0.16	12
13	0.05	0.01	0.22	0.17	0.01	—	0.04	—	—	—	0.02	Snow 0.03	13
14	0.02	—	Snow 0.81	0.18	—	0.13	0.03	—	(0.26) 0.26	0.03	0.13	—	14
15	—	0.10	0.16	0.34	—	0.09	0.02	—	0.06	—	—	—	15
16	—	0.01	0.01	0.16	0.08	0.19	0.19	—	0.07	0.39	—	—	16
17	0.01	—	—	0.01	0.11	0.04	—	—	1.23	0.09	—	—	17
18	0.19	—	—	0.08	0.10	—	0.10	0.26	0.37	—	—	—	18
19	0.01	Snow 0.51	—	(0.43) 0.43	—	0.06	—	0.02	0.10	—	—	—	19
20	—	Snow 0.08	—	0.35	—	0.20	0.01	—	—	—	0.02	0.01	20
21	0.02	—	—	0.05	—	—	0.28	0.04	—	0.04	—	0.05	21
22	0.05	—	—	0.12	—	—	0.04	0.10	0.01	Fog 0.02	—	0.01	22
23	—	—	—	0.01	—	—	0.29	0.08	—	Fog 0.02	—	0.30	23
24	—	—	0.16	0.03	—	—	0.01	0.02	—	—	—	0.12	24
25	—	0.03	0.03	0.09	—	—	1.09	0.08	—	—	—	0.02	25
26	0.18	—	0.18	0.03	—	—	0.45	—	—	—	—	0.03	26
27	0.08	—	0.03	0.12	0.07	0.21	0.01	—	—	—	0.02	0.52	27
28	Snow 0.76	—	0.06	0.04	0.32	0.01 ~~0.04~~	0.04	—	—	—	—	0.15	28
29	0.09	0.01	0.32	0.01	0.12	—	0.07	—	—	—	0.15	0.40	29
30	0.02	✕	—	0.09	0.11	0.12	0.04	—	0.32	—	0.23	0.22	30
31	0.14	✕	0.01	✕	—	✕	0.01	—	✕	0.49	✕	0.03	31
TOTAL	2.80	1.02	2.53	4.46	2.27	1.90	5.86	3.04	2.88	3.17	0.76	2.37	YEAR'S TOTAL 33.06
Days with ·01 in. or more	20	13	17	30	17	13	28	18	13	15	8	16	208
Days with ·04 in. or more	14	6	12	22	13	10	22	9	11	10	5	10	144

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

✓

ent by new stats
– for auth
– pwd

REGIST… L

WORCESTER

CLIFTON-ON-TEME.

1911 – 1912

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

Kept at Clifton-on-Te… …5 in.

Ground ~~2~~ ft. 10 in.

in the County of Worceste…

Sea Level 650 ft.

…m.

by Mrs H. Taylent

Name Worcester

Distance 11 miles Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	2	14	8	19	—	—	—	5	—	1
2	—	—	—	—	2	—	—	10	—	—	6	2	2
3	—	—	—	—	—	—	—	40	—	10	7	4	3
4	—	—	—	—	49	—	—	—	8	—	3	3	4
5	—	—	14	—	—	—	—	6	—	2	4	33	5
6	5	—	—	—	—	—	—	6	—	2	—	—	6
7	35	—	—	—	—	—	—	—	—	—	5	31	7
8	—	—	—	—	—	—	—	—	—	—	26	—	8
9	18	—	—	—	—	—	—	—	—	—	9	29	9
10	—	—	—	—	—	—	—	—	—	—	15	11	10
11	—	9	—	—	—	—	—	—	—	—	—	32	11
12	8	—	25	—	—	—	—	—	—	—	45	—	12
13	—	—	—	—	—	—	—	—	—	—	7	2	13
14	—	—	25	—	—	—	—	—	25	—	2	35	14
15	—	1	—	—	—	—	—	—	—	—	—	78	15
16	—	1	29	—	—	—	—	—	—	—	12	13	16
17	—	—	—	—	—	10	—	—	—	—	8	7	17
18	—	—	—	5	—	36	—	—	—	—	16	57	18
19	—	—	5	—	—	3	—	—	—	—	—	29	19
20	—	—	—	9	—	78	2	—	50	45	3	17	20
21	—	—	—	3	—	—	—	12	11	2	—	58	21
22	—	29	3	—	—	—	—	1·06	—	18	—	12	22
23	—	—	6	—	—	—	—	—	—	8	—	30	23
24	—	20	12	—	—	46	—	—	13	6	—	12	24
25	—	[illegible]	—	6	—	40	—	15	—	5	—	12	25
26	—	—	—	3	—	—	—	—	—	—	—	15	26
27	—	25	—	27	48	—	2	12	—	19	11	11	27
28	—	29	5	17	—	—	—	44	13	—	3	9	28
29	—	2	+	16	—	—	—	—	—	—	19	—	29
30	—	1	—	9	—	—	9	—	18	20	—	—	30
31	—		4		—		=	13		14	—	—	31
	—	—	·02	·14	·08	·19	=		–	·05	–	—	
Total	·61	1·14	1·28	·97	1·13	2·21	·32	2·64	1·38	1·51	2·06	5·42	TOTAL for year 20·67
	·61	1·14	1·30	1·99	1·07	2·32	·13	2·64	1·38	1·56	2·01	5·42	
No. of Rain Days.	4	7	~~10~~ 11	10	4	7	~~4~~ 3	10	7	~~12~~ 13	~~19~~ 18	24	20·57

W. 8,000, X. '11.

~~118~~

cd by mm stats – for auth

REGIST

mwd

FORM A2. BRITISH RAINFALL.
8 - JAN 1912

Kept at Clifton-on-Teme

in the County of Worcester

by Mrs H. Taylent

RAIN GAUGE: Pattern
Diameter of top 5 in.
Height of top above Ground ~~2~~ ft. 10 in.
" " " Sea Level 650 ft.

Time of Observation 9 a.m.

Nearest Railway Station: Name Worcester
Distance 11 miles Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	2	14	8	19	–	–	–	5	–	1
2	–	–	–	–	2	–	–	10	–	–	6	2	2
3	–	–	–	–	–	–	–	40	–	10	7	4	3
4	–	–	–	–	49	–	–	–	8	–	3	3	4
5	–	–	14	–	–	L	–	6	–	2	4	33	5
6	5	–	–	–	–	–	–	6	–	2	–	–	6
7	35	–	–	–	–	–	–	–	–	–	5	31	7
8	–	–	–	–	–	–	–	–	–	–	26	–	8
9	18	–	–	–	–	–	–	–	–	–	9	29	9
10	–	–	–	–	–	–	–	–	–	–	15	11	10
11	–	9	–	–	–	–	–	–	–	–	–	32	11
12	8	–	25	–	–	–	–	–	–	–	45	–	12
13	–	–	–	–	–	–	–	–	–	–	7	2	13
14	–	–	25	–	–	–	–	–	25	–	2	35	14
15	–	1	–	–	–	–	–	–	–	–	–	78	15
16	–	1	29	–	–	–	–	–	–	–	12	13	16
17	–	–	–	–	–	10	–	–	–	–	8	7	17
18	–	–	–	5	–	36	–	–	–	–	16	57	18
19	–	–	5	–	–	3	–	–	–	–	–	29	19
20	–	–	–	9	–	78	2	–	50	45	3	17	20
21	–	–	–	3	–	–	–	12	11	2	–	58	21
22	–	29	3	–	–	–	–	1·06	–	18	–	12	22
23	–	–	6	–	–	–	2	–	–	8	–	30	23
24	–	20	12	–	–	46	–	–	13	6	–	12	24
25	–	[illegible]	–	6	–	40	–	15	–	5	–	12	25
26	–	–	–	3	–	–	–	–	–	–	–	15	26
27	–	25	–	27	48	–	2	12	–	19	11	11	27
28	–	29	5	17	–	–	–	44	13	–	3	9	28
29	–	2	+	16	–	–	–	–	–	–	19	–	29
30	–		–	9	–	–	9	–	18	20	–	–	30
31	–		4		–	–	=	13		14		–	31
	–	–	·02	·14	·08	·19			–	·05	–	–	
Total	·61	1·14	1·28	·97	1·13	2·21	·32	2·64	1·38	1·51	2·06	5·42	TOTAL for year 20·67
	·61	1·14	1·30	1·09	1·07	2·32	·13	2·64	1·38	1·56	2·01	5·42	20·67
No. of Rain Days.	4	7	~~10~~ 11	10	4	7	~~4~~ 3	10	7	~~12~~ 13	19 18	24	

W. 8,000, X. '11.

118

Corrd for arith 7·III·13

FORM A.
BRITISH RAINFALL.

8 - JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Clifton-on-Teme Worcester
in the County of Worcestershire
by Mrs. H. Tayleur

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Worcester
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 10 in.
" " " " Sea Level 640 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	5	10	-	55	12	-	3	-	-	9	1
2	-	-	10	-	-	-	22	-	-	-	-	-	2
3	-	-	38	-	-	1-0	6	1-0	4	-	-	-	3
4	-	-	7	-	28	-16	-	9	-	-	15	5	4
5	11	-	56	-	23	1-0	-	44	-	-	-	3	5
6	17	16	25	-	19	-21	8	1-45	-	-	2	-	6
7	-	12	-	-	-	33	-	32	-	-	-	-	7
8	29	26	4	-	8	14	10	22	9	-	-	3	8
9	3	9	24	-	-	50	-	28	-	-	-	30	9
10	11	-	68	-	-	10	-	9	-	-	5	-	10
11	7	5	-	-	-	-	-	-	-	-	15	50	11
12	3	15	-	-	-	-	-	-	-	-	-	2	12
13	-	17	14	-	13	-	-	30	-	-	-	-	13
14	6	~~11~~ -	-	-	-	-	-	4	2	8	-	-	14
15	6	-	55	-	-	30	-	-	-	-	-	4	15
16	82	9	-	-	53	-	-	12	-	6	5	7	16
17	82	-~~9~~	12	-	9	4	-	40	-	-	4	27	17
18	16	-	8	-	-	-	-	12	-	-	-	-	18
19	11	-	4	-	-	-	-	23	-	4	-	3	19
20	3	-	-	-	-	-	13	-	-	17	-	-	20
21	-	5	20	-	-	-	-	50	-	32	-	-	21
22	23	25	26	-	1-5	-	36	29	-	-	-	14	22
23	19	15	-	-	74	5	58	22	-	-	5	8	23
24	4	15	32	-	-	18	5	10	-	-	-	20	24
25	-	~~15~~ -	2	-	-	28	-	73	-	-	26	30	25
26	-	-	-	-	-	-	28	1-40	-	75	27	30	26
27	-	8	-	-	-	50	50	-	-	83	-	25	27
28	-	38	-	-	-	7	38	66	19	20	41	28	28
29	-	7	-	-	-	21	16	-	60	10	-	4	29
30	-	~~7~~	-	-	-	25	5	-	-	16	-	-	30
31	-		7	-	21		50	7		3		-	31
Total	3-33	1-47	4-17	-10	3-53	5-87	3-57	9-27	-97	2-74	1-45	3-02	YEAR'S TOTAL 39-30 39·29
Rain Days.	-17	15	19	1	10	18	15	22	6	11	10	19	163

W. 7,500, XI. '12

DROITWICH
FRIAR ST DEPOT
WORCESTER
1911 - 1920

RE

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at Droit

in the County of Wor

by Hy. Hake M.

12" in.

e Ground ft.

Sea Level 98.24 ft. O. D.

a.m.

Name Droitwich

Distance adjoining.

IMPORTANT NOT d the result entered to the previous day. If an iversal rule, he is earnestly requested to add the re ear in the space provided for it at the end of t ment of rain, the selection and plac ritish Rainfall Organization are given in "Rules for Rainfall Observers," application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	nil	nil	0.03	nil	nil	nil	0.02	0.06	nil	nil	nil	nil	1
2	0.01	〃	0.01	0.07	0.07	〃	0.05	0.05	〃	0.07	0.06	0.01	2
3	nil	〃	nil	nil	0.32	〃	nil	nil	0.04	0.01	nil	0.03	3
4	0.01	〃	0.16	0.05	nil	〃	〃	0.03	0.06	0.05	0.07	0.25	4
5	0.12	〃	0.04	nil	〃	〃	〃	0.06	nil	0.01	0.11	nil	5
6	0.25	〃	0.06	〃	〃	〃	〃	nil	〃	nil	0.06	0.32	6
7	0.03	0.01	nil	〃	〃	〃	〃	〃	〃	〃	0.19	nil	7
8	0.13	nil	0.21	〃	〃	〃	〃	〃	〃	〃	0.03	0.39	8
9	0.04	〃	0.01	〃	〃	〃	〃	〃	〃	〃	0.42	0.21	9
10	0.02	0.14	0.37	〃	〃	〃	〃	0.01	〃	〃	0.02	0.31	10
11	0.16	nil	0.02	〃	〃	〃	〃	nil	〃	〃	0.27	nil	11
12	nil	〃	0.40	〃	〃	〃	〃	〃	0.08	〃	0.20	0.07	12
13	〃	〃	0.01	〃	〃	〃	〃	〃	0.14	〃	nil	0.40	13
14	〃	0.01	0.01	〃	〃	〃	〃	〃	nil	〃	〃	0.89	14
15	〃	0.02	0.07	〃	〃	〃	〃	〃	〃	〃	0.14	0.03	15
16	〃	nil	nil	〃	〃	0.06	〃	〃	〃	〃	0.11	0.13	16
17	〃	〃	〃	〃	〃	0.13	〃	〃	〃	〃	0.25	0.18	17
18	〃	0.37	〃	0.07	〃	0.10	〃	〃	〃	0.10	nil	0.32	18
19	〃	nil	〃	nil	〃	0.35	〃	〃	0.34	0.26	0.09	0.11	19
20	0.02	0.09	〃	0.02	〃	nil	〃	0.33	0.04	0.01	nil	0.50	20
21	nil	0.15	0.05	nil	〃	〃	〃	0.68	nil	0.24	〃	0.05	21
22	〃	nil	0.02	0.01	〃	〃	〃	nil	〃	0.16	〃	0.36	22
23	〃	0.12	0.19	nil	〃	0.05	〃	〃	0.30	0.05	〃	0.04	23
24	0.01	0.08	nil	0.06	〃	0.43	〃	0.14	nil	0.07	〃	0.09	24
25	nil	0.05	0.05	0.03	0.03	0.09	〃	nil	〃	nil	0.02	0.25	25
26	〃	0.19	nil	0.18	0.01	0.02	〃	0.05	〃	0.27	0.17	0.07	26
27	〃	0.11	0.13	0.08	0.01	nil	〃	0.35	0.12	nil	0.04	0.16	27
28	〃	0.16	nil	0.17	nil	〃	〃	nil	nil	0.01	0.22	nil	28
29	〃		〃	0.04	〃	0.15	0.26	〃	0.24	0.17	nil	〃	29
30	〃		0.04	0.10	0.03	0.01	nil	0.03	nil	0.16	〃	0.02	30
31	〃		nil		0.01		〃	nil		0.04		nil	31
Total	0.80	1.50	1.88	0.88	0.48	1.39	0.33	1.79	1.36	1.68	2.47	5.19	TOTAL for year 19.75
No. of Rain Days	11	13	19	12	7	10	3	11	9	16	18	24	153

9,000, IX. '10.

Somade

R [illegible] 1

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at Droitwich

in the County of Worcestershire 2

by Hy. Hulme M.I. Mun. E., Borough Engineer.

RAIN GAUGE Diameter of top 12" in.
Height of top above Ground ft.
" " " Sea Level 98.24 ft. O.D.

Time of Observation 9.0 a.m.

Nearest Railway Station Name Droitwich
Distance adjoining.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	nil	nil	0.03	nil	nil	nil	0.02	0.06	nil	nil	nil	nil	1
2	0.01	"	0.01	0.07	0.07	"	0.05	0.05	"	0.07	0.06	0.01	2
3	nil	"	nil	nil	0.32	"	nil	nil	0.04	0.01	nil	0.03	3
4	0.01	"	0.16	0.05	nil	"	"	0.03	0.06	0.05	0.07	0.25	4
5	0.12	"	0.04	nil	"	"	"	0.06	nil	0.01	0.11	nil	5
6	0.25	"	0.06	"	"	"	"	nil	"	nil	0.06	0.32	6
7	0.03	0.01	nil	"	"	"	"	"	"	"	0.19	nil	7
8	0.13	nil	0.21	"	"	"	"	"	"	"	0.03	0.39	8
9	0.04	"	0.01	"	"	"	"	"	"	"	0.42	0.21	9
10	0.02	0.14	0.37	"	"	"	"	0.01	"	"	0.02	0.31	10
11	0.16	nil	0.02	"	"	"	"	nil	"	"	0.27	nil	11
12	nil	"	0.40	"	"	"	"	"	0.08	"	0.20	0.07	12
13	"	"	0.01	"	"	"	"	"	0.14	"	nil	0.40	13
14	"	0.01	0.01	"	"	"	"	"	nil	"	"	0.89	14
15	"	0.02	0.07	"	"	"	"	"	"	"	0.14	0.03	15
16	"	nil	nil	"	"	0.06	"	"	"	"	0.11	0.13	16
17	"	"	"	"	"	0.13	"	"	"	"	0.25	0.18	17
18	"	0.37	"	0.07	"	0.10	"	"	"	0.10	nil	0.32	18
19	"	nil	"	nil	"	0.35	"	"	0.34	0.26	0.09	0.11	19
20	0.02	0.09	"	0.02	"	nil	"	0.33	0.04	0.01	nil	0.50	20
21	nil	0.15	0.05	nil	"	"	"	0.68	nil	0.24	"	0.05	21
22	"	nil	0.02	0.01	"	"	"	nil	"	0.16	"	0.36	22
23	"	0.12	0.19	nil	"	0.05	"	"	0.30	0.05	"	0.04	23
24	0.01	0.08	nil	0.06	"	0.43	"	0.14	nil	0.07	"	0.09	24
25	nil	0.05	0.05	0.03	0.03	0.09	"	nil	"	nil	0.02	0.25	25
26	"	0.19	nil	0.18	0.01	0.02	"	0.05	"	0.27	0.17	0.07	26
27	"	0.11	0.13	0.08	0.01	nil	"	0.35	0.12	nil	0.04	0.16	27
28	"	0.16	nil	0.17	nil	"	"	nil	nil	0.01	0.22	nil	28
29	"		"	0.04	"	0.15	0.26	"	0.24	0.17	nil	"	29
30	"		0.04	0.10	0.03	0.01	nil	0.03	nil	0.16	"	0.02	30
31	"		nil		0.01		"	nil		0.04		nil	31
Total	0.80	1.50	1.88	0.88	0.48	1.39	0.33	1.79	1.36	1.68	2.47	5.19	TOTAL for year 19.75
No. of Rain Days	11	13	19	12	7	10	3	11	9	16	18	24	153

9,000, IX. '10.

DL

3w 7. 8

2/29

FORM A2.
BRITISH RAINFALL.
25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Droitwich

in the County of Worcestershire 2

by H. Hulse

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.08			.38	.02		.05	.06		.09	1
2		.01	.10		.01	.25	.29	.02					2
3			.08		.27	.09	.04	.62	.04		.01	.10	3
4	.07		.59		.17	.78		.07			.20		4
5	.31	.10	.17		.05	.06		.40	.01		.02	.01	5
6	.14	.14	.01		.02	.09		.40				.16	6
7		.23	.05		.06	.80		.15				.02	7
8	.37	.10	.16			.16	.07	1.06	.05			.03	8
9	.02		.44	.03		.37		.16				.32	9
10	.06		.01	.01				.06			.31		10
11	.03	.05				.13		.04			.19	.52	11
12	.02	.25	.09		.15					.01	.02		12
13	.03	.02				.11		.04		.03		.01	13
14	.09		.59		.06	.10		.07		.01		.01	14
15	.16	.05	.07		.25	.08		.03				.09	15
16	.87		.05		.13	.23		.12		.04			16
17	.95		.20			.05		.49			.06	.34	17
18	.15		.04					.13		.01	.02	.01	18
19	.10				.02		.18	.87		.03			19
20	.01		.21			.02	.07	.02	.01	.17	.02		20
21			.27		.72			.44		.38			21
22	.23	.17	.02		.69	.08	.16	.29				.06	22
23	.09	.09	.26			.11	.50	.17			.08	.17	23
24	.09					.33	.02	.18				.30	24
25						.48		.46			.26	.31	25
26		.09	.02				.23	.81		.46	.23	.34	26
27						.31	.07			.88		.44	27
28		.09				.08	.63	.50	.13	.27	.32	.05	28
29		.08				.60	.12	.03	.46	.16		.30	29
30						.06	.07			.17		.01	30
31			.03		.47		.36	.05		.03		.03	31
Total	3.79	1.47	3.54	.04	3.07	5.75	2.83	7.68	.75	2.71	1.74	3.72	TOTAL for year 37.09
No. of Rain Days	19	14	22	2	14	24	15	27	7	15	13	23	195

9,000, IX. '10.

✓

REGISTER OF RAINFALL IN 1913

BRITISH RAINFALL
FORM A.

Kept at Droitwich E4 BR 2

in the County of Worcestershire

by Hy. Hulse M.I. Mun. E. Borough Surveyor

Lat. 52.16 N Long. 2.9 W.

Time of Observation 9.0 a.m.

Nearest Railway Station Droitwich G.W.

Diameter of Rain Gauge 12" in.

Height of top of Gauge above Ground 2 ft. 9 in.

" " " " Sea Level 98.24 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.02	0.07	0.10	0.08	0.01	nil	nil	nil	0.66	nil	0.04	nil	1
2	0.01	0.13	0.02	0.08	nil	"	"	"	0.08	0.80	0.21	"	2
3	0.04	nil	0.04	nil	0.84	"	"	"	nil	0.23	nil	0.10	3
4	0.80	"	nil	"	0.32	"	"	"	"	0.17	"	0.44	4
5	0.09	0.02	"	"	0.02	0.08	0.15	"	0.06	0.25	0.09	0.01	5
6	0.05	0.06	0.08	"	0.26	0.15	0.62	"	nil	0.22	0.03	0.24	6
7	nil	0.14	nil	"	0.21	0.09	nil	"	"	0.71	0.17	nil	7
8	"	0.07	"	"	0.12	0.13	"	0.07	"	0.08	nil	"	8
9	"	0.40	0.03	0.01	0.06	0.19	0.01	0.06	0.13	nil	0.10	"	9
10	0.19	0.01	0.02	0.21	nil	nil	nil	0.05	nil	0.01	0.09	"	10
11	0.51	0.01	nil	0.32	0.06	"	"	0.32	"	0.03	0.75	"	11
12	nil	nil	"	nil	0.22	"	"	nil	"	nil	0.56	"	12
13	0.01	0.01	0.10	"	nil	"	"	0.01	0.07	"	0.28	"	13
14	0.13	nil	0.53	0.03	"	"	"	0.14	0.05	0.15	nil	"	14
15	0.13	0.04	0.51	0.50	"	"	0.01	nil	0.25	nil	0.07	"	15
16	nil	nil	0.62	0.03	"	"	nil	"	nil	"	nil	"	16
17	0.05	0.01	0.10	0.13	"	0.01	0.18	"	0.04	"	"	"	17
18	nil	nil	0.19	0.04	0.10	nil	0.04	"	nil	"	"	"	18
19	0.15	"	0.07	nil	nil	0.02	0.04	"	0.13	"	0.06	0.01	19
20	0.09	"	0.21	0.11	0.01	nil	0.02	"	nil	0.05	0.18	0.01	20
21	nil	"	0.25	0.04	0.10	0.01	0.13	0.08	"	nil	0.19	nil	21
22	0.50	"	0.58	0.01	nil	0.11	nil	0.06	0.48	"	0.01	"	22
23	nil	"	nil	nil	"	0.03	"	nil	0.01	0.04	0.04	"	23
24	0.08	"	"	0.03	"	nil	"	0.07	nil	nil	0.01	0.01	24
25	nil	"	"	0.10	"	"	"	nil	0.03	"	0.01	nil	25
26	"	0.05	"	0.66	0.15	"	"	0.40	nil	0.03	nil	0.31	26
27	0.02	0.02	0.09	0.26	nil	"	"	nil	"	0.08	"	0.02	27
28	0.25	0.01	0.11	0.25	0.04	"	"	"	"	0.17	0.01	0.02	28
29	nil		0.45	0.42	nil	"	"	0.06	"	0.07	nil	0.02	29
30	0.26		nil	nil	"	"	"	nil	"	0.62	0.12	nil	30
31	nil		0.18		"		"	0.04		0.03		nil	31
Total	3.38 ✓	1.05 ✓	4.28 ✓	3.31 ✓	2.52 ✓	0.82	1.20 ✓	1.36 ✓	1.99 ✓	3.74 ✓	3.02 ✓	1.19 ✓	YEAR'S TOTAL 27.86
Rain Days.	19	15	20	19	15	10	9	12	12	18	20	11	180 ✓

W.7,000, XI. 13

81 Cond for pr. W.D. 1.IV.15

2/29

23 JAN 1915

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1914

Kept at *Droitwich*

in the County of *Worcestershire* 2

by *H. Hulse*

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 12 in.

Height of top of Gauge above Ground 2 ft. 9 in.

" " " " Sea Level 98 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·01		·02			·34	·28			·01	·05	1
2					·03		·18	·15			·03	·32	2
3			·01	·03	·16		·07	·06			·43	·01	3
4	·11			·08	·08		·05	·24			·01	·50	4
5	·10		·06	·23	·36		·04				·36	·01	5
6	·03	·04	·03	·06	·05	·08					·09	·06	6
7	·01	·21	·23	·05	·21	·10	·43	·16				·24	7
8	·03	·01	·07	·04	·10	·43	·06				·01	·11	8
9	·18		·12	·24	·05	1·30		·03					9
10	·03	·10	·08	·29	·02	·02			·03			·01	10
11		·09	·25	·04	·06	·11			·25			·46	11
12		·11	·17				·49		·01		·14	·23	12
13		·14	·17				·03		·33		·03	·33	13
14		·11	·11						·04	·19	·08	·07	14
15	·02	·01	·11					·02		·25	·09		15
16			·03						·02	·02	·05	·01	16
17		·15	·14				·01		·19			·16	17
18		·02	·01				·29		·05	·02		·46	18
19		·01					·84		·06	·06		·07	19
20		·33	·05			·01					·07	·28	20
21		·21	·01			·03	·04	·24		·02		·17	21
22		·04	·10	·01	·26	·02	·26	·09		·14			22
23		·01	·12		·15		·02			·17			23
24		·03	·09	·05			·03	·03		·10			24
25	·08		·05				·02	·29		·28	·05	·18	25
26		·01	·13					·28		·10	·03	·32	26
27	·05		·01							·05	·12	·10	27
28		·06	·22		·07					·01	·10	1·21	28
29			·06		·05					·10	·04		29
30			·01		·02	·05				·17	·07	·46	30
31	·07						·21			·02 ·01	·34		31
Total	·71	1·70	2·44	1·14	1·67	2·15	3·41	1·87	·98✓	1·70 1·71	~~1·81~~ 2·14	5·82	YEAR'S TOTAL 25·74
Rain Days.	11	20	26	12	15	10	18	12	9	16 17	19	24	193

W.7,000, XI. 13

Dl.

2514
2/29

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Droitwich 6x 8

in the County of Worcestershire

by H. Hulse

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.13	.08	.02		.27			.08	.27	.19		.04	1
2	.22	.10	.20	.23		.14		.52		.23		.08	2
3	.73	.06	.02	.07	.02		1.00	.10				.19	3
4	.06	.03			.03		.39	.04				.53	4
5		.70		.04			.02	.04				.34	5
6	.10	.04		.21			.59					.10	6
7	.09	.34		.04			.19	.07				.43	7
8	.14	.39		.08			.13	.03			.10		8
9	.15	.10		.09			.28	.01		.01	.16	.35	9
10	.24		.07	.04			.01			.02		.02	10
11			.01	.02	.12						1.00	.03	11
12	.05	.03		.16	.30			.18		.07	.65		12
13		.35			.58			.09	.01	.01	.01	.05	13
14							.11	.32	.10	.01		.36	14
15	.35				.05		.03	.03			.12	.06	15
16	.07	.44			.43		1.54	.01				.03	16
17		.16			.55					.01		.01	17
18		.40	.05				.02					.01	18
19		.01			.07		.03				.01		19
20	.07			.16								.10	20
21	.13	.01					.15			.08		.06	21
22	.04		.21	.26			.33		.02			.17	22
23	.04	.09	.06				.59			1.09		.30	23
24			.03	.03			.18		.29	.60		.22	24
25	.01					.54	.26		.08	.01		.10	25
26		.04					.37					.52	26
27		.05					.12			.35		.06	27
28		.21						.09	.10	.07			28
29						.13	.25	.05	.03	.07	.09	.07	29
30	.07	X				.03	.15	.01		.17	.04	.17	30
31		X		X		X	.05	.01	X	.73	X	.22	31
													YEAR'S TOTAL
Total	2.69	3.63	.67	1.43	2.42	.84	6.79	1.68	.90	3.72	2.18	4.62	31.57
Rain Days.	18	20	9	13	10	4	23	17	8	17	9	27	175

W. 8,000. X. 14.

8L

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
30. JAN 1917

Kept at Droitwich
in the County of Worcestershire
by H. Hulse

Lat. ______ Long. ______
Time of Observation ______
Nearest Railway Station ______
Diameter of Funnel of Rain Gauge ______ in.
Height of top of Gauge above Ground ______ ft. ______ in.
" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·11		·01		·10	·08	·09			·20	·14		1
2	·23	·04	·15		·16	·02	·26		·05	·62	·02		2
3	·01	·55			·10	·04			·01	·22	·07	·03	3
4	·11	·09	·03	·06	·48	·20	·01		·01		·58		4
5	·01	·05			·16	·10	·46			·04	·09		5
6		·25	·07		·18	·26	·54			·04	·49		6
7			·08		·11		·10			·12	·22	·24	7
8	·05		·01		·21					·01	·01	·23	8
9			·01		·19	·21							9
10	·05	·37	·03	·04	·01	·12			·01	·03	·01		10
11	·03	·04	·04	·07	·01	·14						·28	11
12	·03	·13	·06		·21					·01			12
13		·20	·18	·04	·01		·14	·22					13
14		·34		·01	·05		·05	·11		·05			14
15		·32	·38	·05	·17			·37		·13			15
16		·03		·18	·02		·03	·14		·01			16
17	·06	·17		·04			·08	·01	·55	·26			17
18	·01	·03	·03	·02				·06	·12	·02	·26	·26	18
19	·08		·24	·38						·01	·15		19
20	·06		·66	·05				·05			·07		20
21			·15	·01	·13		·04					·36	21
22				·02	·01	·03	·01			·18		·40	22
23	·01	·37		·02				·09		·05	·05	·30	23
24		·19			·10	·11		·15		·31			24
25		·03	·12		·03			·10		·08	·28		25
26	·02	·07				·05		·11	·20	·11			26
27	·03	·04	·77					·09	·19	·27		·04	27
28		·17	·16			·13		·01		·18		·10	28
29		·10				·26		·94		·21		·07	29
30		×				·06				·12		·01	30
31		×		×	·05	×		·01	×	·18	×	·02	31
Total	·90	3·58	3·18	·99	2·49	1·81	1·81	2·46	1·14	3·46	2·44	2·34	YEAR'S TOTAL 26·60
Rain Days.	16	21	19	14	21	15	12	15	8	25	14	13	193

W. 8,000. X. 15.

81

Exd Dl

REGISTER OF RAINFALL IN 1917

2331
2/29

FORM A.
BRITISH RAINFALL.

Kept at Droitwich

in the County of Worcestershire

by H. Hulse

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02		·05	·07		·02		·72	·19		·06	·03	1
2				·10		·07		·05				·02	2
3				·07				·03		·29			3
4			·17	·10				·04		·21			4
5	·19		·12	·18				·01	·03	·14	·07		5
6	·08		·24			·30				·04	·09	·01	6
7	·27			·07						·06			7
8	·49			·05		·01	·45	·51		·28	·11	·13	8
9			·03	·06	·10		·01	·33	·02	·12	·22		9
10	·50		·19	·07	·53			·12	·02	·01			10
11	·08		·07	·13	·04			·02	·01	·11	·05		11
12	·07			·04	·26					·11	·01	·01	12
13			·05	·04	·03			·05	·05				13
14			·17	·15				·51					14
15					·04		·11	·06		·03		·11	15
16	·02			·15		·04	·01			·01	·03	·51	16
17		·02		·03	·47	1·62	·30	·28	·05	·10			17
18		·09			·03		·19	·17	1·04	·10			18
19	·03	·33	·46		·02	·16		·01	·06				19
20	·01	·19			·48	·08	·48		·04		·02		20
21		·01	·13		·03	·03		·05		·04	·03		21
22						·03		·08	·05	·16			22
23		·18			·12			·31		·16	·01		23
24		·03	·03			·11		·08		·06	·02		24
25		·02	·14					·01			·07		25
26					·07	·05		·24	·20		·11		26
27					1·55	·08	·35	·60					27
28			·08			·09		·08				·04	28
29					·08	·11	·08	·02		·70		·21	29
30		X	·01				·03	·41			·06		30
31	·02	X	·11	X		X		·08	X	·01	X	·03	31
Total	1·78	·87	2·05	1·31	3·85	2·80	2·01	4·87	1·76	2·74	·96	1·10	YEAR'S TOTAL 26·10
Rain Days.	12	8	16	15	15	15	10	26	12	20	15	10	174

W. 8,000, VIII. 16

91

8L

2/29 31

FORM A.
BRITISH RAINFALL.

23.1.19

REGISTER OF RAINFALL IN 1918

Kept at Droitwich

in the County of Worcestershire

by H. Hulse

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.02		.24	.19			.06		.04	.39		1
2		.02						.13		.02	.01	.06	2
3		.01	.02		.13	—		.01	.66		.07	.03	3
4	.07	.05						.06	.22	.02	.49	.24	4
5		.04		.04	.52			.20	.25	.04		.09	5
6		.29		.12		.05			.03	.33		.09	6
7	.08	.05			.14	.02			.32	.12	.14	.01	7
8		.11							.30	.31		.01	8
9		.37		.03		.07	.02		.33	.34		.01	9
10	.11	.02		.17			.16		.10	.08		.01	10
11				.06	.20		.26		.09			.04	11
12	.04		.11	.01	.12		.05		.04			.01	12
13					.08				.08	.04		.03	13
14	.34						.08		.16	.14		.02	14
15	.70			.19			.16		.10	.01		.32	15
16	.19			.45				.01	.10			.14	16
17	.09				.03	.11	.17		.10	.07		.05	17
18	.25					.31	.13		.15			.17	18
19	.12	.05	.15	.27			.11		.31	.03		.08	19
20	.08	.02		.60		.07	.01		.14	.01		.05	20
21	.09		—	.38			.09		.10			.07	21
22	.04				.49		.12		.08			.29	22
23					.41		.10		.24		.09		23
24	.02	.03					.14		.08		.14		24
25						.05	.14	.25			.02		25
26							.70	.03	.16	.04		.04	26
27						.02		.17	.08		.16	.05	27
28		.27	.18			.02			.01		.14		28
29			.06						.75			.02	29
30		X	.27								.09	.04	30
31		X	.27	X		X			X		X		31
Total	2.22	1.35	1.06	2.56	2.31	.72	2.44	.92	4.98	1.64	1.74	1.97	YEAR'S TOTAL 23.91
Rain Days.	14	14	7	12	10	9	16	9	26	16	11	25	169

W. 8,000, VIII. 16

Dl

2187

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Droitwich

in the County of Worcestershire

by H. Hulse

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.26				.07	.50	.20			.31	.03	.38	1
2	.13						.07		.03		.11	.03	2
3	.46		.07			.09	.09		.10		.06	.08	3
4			.19			.03	.43	.04	.09			.23	4
5	.22	.03	.11		.13		.01		.32			.25	5
6	.01	.29	.07		.37							.18	6
7	.19	.01	.18	.13	.03	.08					.03	.03	7
8	.12		.02	.08	.03								8
9	.02		.04	.04									9
10			.51	.07								.14	10
11	.04		.71				.40					.01	11
12	.08			.08		.07				.07	.07	.04	12
13	.14		.10	.16					.20	.20			13
14	.20			.08			.12		.44	.06		.01	14
15	.23	.10		.07	.02					.03	.03	.29	15
16	.13	.75						.35				.01	16
17	.06	.35				.12	.01	.02			.06	.03	17
18	.03	.05	.40				.01	.11			.02	.04	18
19	.15	.22	1.00			.08	.77	.26	.07		.01		19
20	.42	.03	.30				.23	.09	.04			.07	20
21	.01	.30	.03				.39		.01		.03	.12	21
22							.04		.24			.01	22
23		.06				.02		.05		.77	.05	.07	23
24				.02	.02					.45	.07	.10	24
25	.05			.12				.19				.16	25
26				.25			.35	.09	.06			.36	26
27	.20		.07	.54		.04		.29			.06	.08	27
28	.10		.10	.01		.03		.47			.11	.15	28
29	.02			.10		.09				.33	.02	.15	29
30		╳		.15		.05					.07	.34	30
31		╳	.07	╳		╳	.04	.06	╳	.02	╳	.02	31
Total	3.27	2.19	397 ~~3.95~~	1.90	.67	1.20	3.16	2.02	1.60	2.24	.83	3.38	YEAR'S TOTAL 26.43 ~~26.41~~
Rain Days.	23	11	17	15	7	12	15	12	11	9	16	27	175

W. 8,000, IX. 17.

Form A. 1. METEOROLOGICAL OFFICE.—~~BRITISH~~ [illegible] RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

3 JAN 1921

Kept at Droitwich
in the County of Worcestershire
by H. J. [illegible], Borough Surveyor Droitwich.

Lat. 52·16 N. Long. 2·9 W.
Time of Observation 9 a.m.
Nearest Railway Station Droitwich
Diameter of Funnel of Rain Gauge 12 ins
Height of top of Gauge above Ground 4 ft. 0 in.
" " " " Sea Level 98·24 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	Nil	0·03	Nil	0·06	0·28	Nil	0·24	Nil	0·04	0·28	Nil	0·16	1
2	"	Nil	0·04	0·07	0·03	"	0·24	"	0·07	0·15	"	0·13	2
3	0·09	0·08	Nil	0·05	0·06	0·01	0·56	"	0·11	0·51	"	0·01	3
4	Nil	Nil	"	0·07	0·03	Nil	0·03	0·23	Nil	0·34	"	Nil	4
5	"	"	0·06	0·14	0·08	"	0·18	0·11	0·04	0·60	"	"	5
6	"	"	0·22	Nil	0·06	"	0·08	Nil	Nil	0·27	"	0·02	6
7	"	"	Nil	0·09	Nil	"	0·22	"	"	Nil	"	Nil	7
8	0·13	0·05	"	0·60	"	"	0·40	0·01	"	0·02	"	"	8
9	0·50	0·04	"	0·35	"	"	0·06	0·05	"	0·01	"	"	9
10	0·40	0·05	0·02	0·07	"	0·04	0·09	Nil	"	Nil	0·05	"	10
11	0·13	0·04	0·10	0·13	0·36	0·25	0·10	0·03	"	"	Nil	0·01	11
12	0·20	Nil	0·06	0·20	0·05	0·48	Nil	0·24	"	"	0·05	0·02	12
13	0·02	"	0·30	0·08	Nil	0·05	"	0·13	"	"	0·10	0·05	13
14	Nil	"	0·66	0·22	"	0·27	0·08	Nil	0·15	0·07	0·16	Nil	14
15	"	0·08	0·07	0·38	"	0·46	0·02	"	0·12	0·03	0·01	"	15
16	"	0·07	0·07	0·12	0·06	0·20	0·25	"	0·01	0·16	0·03	"	16
17	0·01	Nil	Nil	0·04	0·13	Nil	Nil	"	0·72	0·03	Nil	0·01	17
18	0·11	"	"	0·02	0·07	"	"	0·16	0·40	Nil	"	0·01	18
19	Nil	0·13	"	0·29	Nil	"	"	0·01	0·05	"	"	0·02	19
20	0·01	0·21	"	0·35	"	0·17	"	Nil	0·03	"	"	0·10	20
21	Nil	Nil	"	0·04	"	Nil	0·22	0·05	Nil	0·05	"	0·02	21
22	0·06	"	"	0·04	"	"	0·07	0·10	"	0·03	"	0·07	22
23	Nil	"	"	Nil	"	"	0·20	0·07	0·01	0·02	"	0·12	23
24	"	"	0·17	0·03	"	"	Nil	Nil	Nil	Nil	"	0·22	24
25	"	0·09	0·06	0·02	0·47	"	0·58	0·02	"	"	"	0·01	25
26	0·13	0·06	0·22	0·01	Nil	0·05	0·22	Nil	"	"	0·05	0·04	26
27	0·15	0·01	0·11	0·07	0·05	0·13	Nil	"	"	"	0·07	0·51	27
28	0·62	Nil	0·08	Nil	0·27	Nil	0·03	"	"	"	Nil	0·02	28
29	0·09	"	0·10	"	0·08	0·04	0·07	"	"	"	0·08	0·25	29
30	0·01		0·13	0·06	0·02	0·11	0·06	"	0·32	0·08	0·10	0·26	30
31	Nil		0·01		Nil		Nil	"		0·50		0·08	31
Total	2·66	0·94	2·48	3·60	2·10	2·26	4·00	1·21	2·07	3·15	0·70	2·14	Year's Total 27·31
Days with ·01 in. or more	~~17~~ 16	13	18	26	16	13	22	13	13	17	10	22	~~200~~ 199
Days with ·04 in. or more	12	11	16	22	13	12	19	9	10	11	8	12	155

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

WORCESTER.

DUDLEY.

BOROUGH CEMETERY

1912, 1915 - 1918

REGI 912

FORM A2.
BRITISH RAINFALL.
2 JAN 1913

Kept at Borough Ceme

in the County of Worces

by John Gammage

op 5 in.

above Ground 1 ft. 3 in.

„ Sea Level 591 ft.

9·0 AM

on Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 1912

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	·01	·15	–	–	·23	·15	–	·01	–	–	·08	1
2	–	·01	·15	·02	·04	·15	·38	–	–	–	–	·03	2
3	·03	–	·05	–	·04	·15	·16	·55	·02	–	·01	·07	3
4	·11	–	·43	–	·16	1·02	–	·14	·	–	·25	–	4
5	·14	·02	·35	–	·02	·26	–	·33	·06	–	·03	–	5
6	·24	·13	·02	–	·01	·07	–	·17	–	–	–	·04	6
7	–	·18	–	–	·04	·58	–	·02	–	–	–	–	7
8	·21	·18	·13	·05	–	·05	·05	·17	·09	–	–	·01	8
9	·07	–	·36	·09	–	·64	–	·16	–	–	–	·42	9
10	·03	–	–	·01	–	·17	–	·16	–	–	·22	·01	10
11	·06	·10	–	–	–	·16	–	·02	–	–	·07	·50	11
12	·04	·31	·13	–	·03	·03	–	–	–	–	·01	·01	12
13	–	·06	–	–	–	–	–	–	·01	–	·01	–	13
14	·08	–	·97	–	–	·15	–	·10	·01	–	–	–	14
15	·17	·03	·30	–	·36	·31	–	·02	–	–	–	·05	15
16	·52	–	·13	–	·11	·04	–	·09	–	·09	–	–	16
17	·27	–	·09	–	–	·09	–	·54	–	–	·16	·62	17
18	·11	–	·04	–	–	–	–	·04	–	·04	·04	–	18
19	·12	·07	–	–	·04	–	·33	·72	–	·04	·01	·01	19
20	·01	–	·13	–	·02	–	·11	·03	–	·24	·01	–	20
21	–	·01	·14	–	·71	–	–	·46	–	·43	·01	–	21
22	·15	·07	–	–	1·30	·27	·22	·42	–	–	–	·21	22
23	·21	·03	·27	–	·[illegible]	·01	·17	·33	–	–	·09	·01	23
24	·12	–	·03	–	–	·20	·02	·08	–	–	·01	·20	24
25	–	–	–	–	–	·17	–	·61	–	–	·14	·30	25
26	–	·12	·03	–	–	–	·21	·69	–	·55	·26	·05	26
27	–	–	–	–	–	·39	·30	–	–	·68	·01	·13	27
28	–	·04	–	–	–	·02	·15	·50	·07	·34	·58	·30	28
29	–	–	·01	–	–	·28	·11	·04	·65	·06	·05	·03	29
30	–	–	·02	–	·08	·01	·03	–	–	·04	·01	–	30
31	·03	–	·08	–	·32	–	·42	·06	–	·01	–	·06	31
Total	2·72	1·37	4·01	0·17	3·28	5·45	2·91	6·45	·92	2·52	1·98	3·14	TOTAL for year 34·82
No. of Rain Days.	20	16	22	4	15	24	15	25	8	11	20	21	201

W. 8,000, X. '11.

REGI[illegible]912

FORM A2.
BRITISH RAINFALL.
2 JAN 1913

Kept at Borough Cemetery Dudley

in the County of Worcester 2

by John Gammage C.E.
Borough Surveyor

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 591 ft.

Time of Observation 9·0 AM

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
1912

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·01	·15	—	—	·23	·15	—	·01	—	—	·08	1
2	—	·01	·15	·02	·04	·15	·38	—	—	—	—	·03	2
3	·03	—	·05	—	·04	·15	·16	·55	·02	—	·01	·07	3
4	·11	—	·43	—	·16	1·02	—	·14	·	—	·25	—	4
5	·14	·02	·35	—	·02	·26	—	·33	·06	—	·03	—	5
6	·24	·13	·02	—	·01	·07	—	·17	—	—	—	·04	6
7	—	·18	—	—	·04	·58	—	·02	—	—	—	—	7
8	·21	·18	·13	·05	—	·05	·05	·17	·09	—	—	·01	8
9	·07	—	·36	·09	—	·64	—	·16	—	—	—	·42	9
10	·03	—	—	·01	—	·17	—	·16	—	—	·22	·01	10
11	·06	·10	—	—	—	·16	—	·02	—	—	·07	·50	11
12	·04	·31	·13	—	·03	·03	—	—	—	—	·01	·01	12
13	—	·06	—	—	—	—	—	—	·01	—	·01	—	13
14	·08	—	·97	—	—	·15	—	·10	·01	—	—	—	14
15	·17	·03	·30	—	·36	·31	—	·02	—	—	—	·05	15
16	·52	—	·13	—	·11	·04	—	·09	—	·09	—	—	16
17	·27	—	·09	—	—	·09	—	·54	—	—	·16	·62	17
18	·11	—	·04	—	—	—	—	·04	—	·04	·04	—	18
19	·12	·07	—	—	·04	—	·33	·72	—	·04	·01	·01	19
20	·01	—	·13	—	·02	—	·11	·03	—	·24	·01	—	20
21	—	·01	·14	—	·71	—	—	·46	—	·43	·01	—	21
22	·15	·07	—	—	1·30	·27	·22	·42	—	—	—	·21	22
23	·21	·03	·27	—	·[illegible]	·01	·17	·33	—	—	·09	·01	23
24	·12	—	·03	—	—	·20	·02	·08	—	—	·01	·20	24
25	—	—	—	—	—	·17	—	·61	—	—	·14	·30	25
26	—	·12	·03	—	—	—	·21	·69	—	·55	·26	·05	26
27	—	—	—	—	—	·39	·30	—	—	·68	·01	·13	27
28	—	·04	—	—	—	·02	·15	·50	·07	·34	·58	·30	28
29	—	—	·01	—	—	·28	·11	·04	·65	·06	·05	·03	29
30	—	—	·02	—	·08	·01	·03	—	—	·04	·01	—	30
31	·03	—	·08	—	·32	—	·42	·06	—	·01	—	·06	31
Total	2·72	1·37	4·01	0·17	3·28	5·45	2·91	6·45	·92	2·52	1·98	3·14	TOTAL for year 34·82
No. of Rain Days.	20	16	22	4	15	24	15	25	8	11	20	21	201

W. 8,000, X. '11.

2522

FORM A.
BRITISH RAINFALL.
25 JAN 1916

REGISTER OF RAINFALL IN 1915.

Kept at Borough Cemetery, Dudley
in the County of Worcester
by John Gammage. C.E. Boro. Engineer

Lat. Long.
Time of Observation 9·0 am.
Nearest Railway Station Dudley Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 591 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

CORPORATION
24 JAN 1916
DUDLEY

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·22	·09	·06	·	·37	·	·	·04	·05	·13	·	·01	1
2	·02	·06	·28	·11	·	·13	·	·37	·	·27	·	·09	2
3	·99	·02	·08	·10	·	·	·63	·01	·	·	·	·12	3
4	·02	·01	·	·	·03	·	·66	·02	·	·	·	·85	4
5	·	·65	·	·22	·	·06	·	·02	·	·03	·	·34	5
6	·09	·15	·01	·	·	·	1·09	·41	·	·01	·	·06	6
7	·13	·31	·	·01	·07	·	·40	·12	·	·	·	·26	7
8	·10	·28	·	·	·	·	·	·02	·	·	·11	·	8
9	·07	·07	·	·20	·	·	·	·01	·	·	·19	·41	9
10	·20	·	·06	·01	·	·	·05	·	·	·	·01	·	10
11	·	·	·	·07	·25	·	·23	·	·	·	·72	·05	11
12	·08	·	·	·19	·39	·	·	·25	·	·12	·98	·	12
13	·01	·62	·	·	·62	·	·	·05	·	·	·02	·04	13
14	·03	·	·	·	·	·	·20	·23	·04	·02	·	·36	14
15	·21	·	·	·	·07	·	·13	·09	·	·	·07	·10	15
16	·09	·33	·	·	·24	·	2·25	·01	·	·	·	·01	16
17	·	·22	·	·	·27	·	·	·	·	·01	·	·	17
18	·	·27	·09	·	·	·	·	·	·	·	·01	·	18
19	·	·02	·01	·	·04	·	·15	·	·	·	·	·	19
20	·20	·	·	·09	·	·	·	·	·	·	·	·07	20
21	·25	·	·	·	·	·	·15	·	·	·04	·	·04	21
22	·05	·	·30	·06	·	·	·15	·	·	·	·	·05	22
23	·01	·12	·02	·	·	·76	·20	·	·	·53	·	·30	23
24	·	·	·03	·02	·	·	·02	·	·22	·32	·	·21	24
25	·	·	·	·	·	·44	·10	·	·	·01	·	·35.	25
26	·	·05	·	·	·	·	·26	·	·16	·	·	·28	26
27	·	·08	·	·	·	·	·34	·	·	·31	·	·12	27
28	·	·09	·	·	·	·	·02	·27	·	·06	·	·	28
29	·		·	·	·	·13	·05	·40	·	·	·05	·07	29
30	·05	X	·	·02	·	·27	·21	·	·	·23	·01	·05	30
31	·02	X	·	X	·	X	·07	·02	X	·03	X	·43	31
Total	2·84	3·44	·94	1·10	2·35	1·19	7·36	2·34	·47	2·12	2·17	4·67	YEAR'S TOTAL 30·99
Rain Days.	20	18	10	12	10	6	21	17	4	15	10	24	167

W. 8,000. X. 14.

Esc Dl

455

✓

REGISTER OF RAINFALL IN 1916.

FORM A. BRITISH RAINFALL.

9 JAN 1917

Kept at Borough Cemetery, Dudley

in the County of Worcestershire

by John Gammage. C.E. Borough Engineer

Lat. Long.

Time of Observation 9·0 am.

Nearest Railway Station Dudley

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 591 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ×

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·13	·	·11	·	·	·12	·16	·	·	·07	·16	·	1
2	·16	·02	·17	·	·13	·02	·33	·	·07	·65	·16	·	2
3	·	·42	·	·01	·02	·02	·05	·	·02	·20	·07	·	3
4	·20	·15	·	·05	·55	·17	·	·	·03	·08	·48	·	4
5	·	·	·	·	·16	·19	·12	·	·	·10	·20	·	5
6	·06	·17	·08	·	·32	·	·59	·	·	·09	·29	·	6
7	·05	·	·08	·	·08	·02	·29	·	·	·07	·20	·22	7
8	·04	·	·05	·	·26	·	·	·	·	·10	·04	·26	8
9	·	·	·01	·	·32	·	·	·	·	·	·01	·01	9
10	·	·26	·04	·06	·04	·03	·	·	·02	·02	·	·01	10
11	·08	·18	·03	·15	·	·24	·	·	·07	·	·	·12	11
12	·02	·05	·04	·03	·20	·	·08	·	·	·04	·	·	12
13	·02	·14	·08	·07	·	·	·22	·16	·	·	·	·03	13
14	·	·24	·	·13	·01	·	·	·46	·02	·10	·	·	14
15	·	·19	·54	·03	·11	·	·11	·06	·	·13	·	·	15
16	·	·02	·03	·27	·04	·	·03	·27	·	·02	·	·	16
17	·03	·19	·	·13	·	·	·02	·03	·41	·15	·	·	17
18	·01	·06	·02	·15	·	·	·	·03	·14	·08	·60	·19	18
19	·01	·01	·15	·12	·	·02	·	·03	·05	·	·32	·	19
20	·01	·	·40	·01	·	·	·	·03	·	·	·18	·18	20
21	·	·	·18	·04	·08	·	·08	·	·	·	·01	·26	21
22	·	·01	·	·03	·01	·02	·	·	·	·08	·	·31	22
23	·02	·16	·01	·	·	·	·	·10	·	·01	·04	·20	23
24	·	·25	·	·	·05	·	·	·13	·	·22	·	·15	24
25	·	·02	·15	·	·13	·01	·	·07	·03	·05	·33	·02	25
26	·04	·09	·02	·	·	·04	·	·06	·15	·25	·03	·	26
27	·01	·15	·30	·	·	·03	·	·06	·08	·20	·	·	27
28	·	·20	·04	·	·07	·	·	·	·	·09	·01	·12	28
29	·	·19	·	·	·	·16	·	·51	·	·28	·	·10	29
30	·	×	·	·	·	·33	·	·	·	·07	·	·	30
31	·	×	·	×	·	×	·	·	×	·21	×	·14	31
Total	·89	3·17	2·53	1·28	2·58	1·42	2·08	2·00	1·09	3·36	3·13	2·32	YEAR'S TOTAL 25·85
Rain Days.	16	22	21	15	18	15	12	14	12	25	17	16	203

W. 8,000. X. 15.

2341

REGISTER OF RAINFALL IN 1917.

4/12

FORM A.
BRITISH RAINFALL.

8 JAN 1918

Kept at Borough Cemetery, Dudley.

in the County of Worcestershire

by John Gammage C.E. Borough Engineer

Lat. Long.
Time of Observation 9·0 am
Nearest Railway Station Dudley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 591 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
×

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·	·07	·02	·	·10	·	·84	·26	·	·03	·22	1
2	·	·	·01	·04	·	·09	·	·03	·	·	·04	·07	2
3	·06	·08	·	·13	·	·	·	·14	·	·33	·03	·	3
4	·06	·	·10	·06	·	·	·	·05	·	·75	·	·	4
5	·08	·	·10	·10	·	·	·	·04	·01	·16	·03	·	5
6	·03	·	·08	·01	·	·68	·	·	·	·09	·17	·	6
7	·30	·	·	·	·	·	·	·03	·	·07	·01	·06	7
8	·41	·	·	·10	·	·	·05	1·13	·	·35	·19	·12	8
9	·	·	·09	·11	·18	·	·	·38	·02	·10	·29	·	9
10	·29	·	·24	·05	·30	·	·	·17	·04	·01	·01	·	10
11	·23	·	·15	·13	·	·	·	·01	·01	·12	·01	·	11
12	·02	·03	·	·01	·36	·	·	·47	·	·16	·01	·	12
13	·	·	·	·04	·	·	·	·20	·09	·01	·	·03	13
14	·04	·	·	·12	·	·	·	·86	·	·	·	·	14
15	·02	·	·	·	·10	·	·28	·05	·	·03	·	·07	15
16	·01	·12	·	·08	·	·	·13	·01	·	·	·	·28	16
17	·01	·	·12	·13	·43	·15	·39	·33	·18	·06	·	·	17
18	·01	·01	·	·07	·08	·	·42	·10	·94	·08	·	·	18
19	·03	·31	·37	·	·04	·31	·	·	·03	·	·	·	19
20	·	·20	·04	·	·43	·08	·10	·10	·20	·	·14	·01	20
21	·	·02	·14	·01	·13	·04	·	·03	·	·02	·10	·	21
22	·	·	·	·	·	·12	·	·07	·04	·11	·	·	22
23	·	·15	·	·	·16	·	·	·08	·	·23	·	·	23
24	·	·	·02	·	·	·36	·06	·17	·	·02	·03	·01	24
25	·	·09	·13	·	·	·	·	·01	·	·	·06	·	25
26	·	·	·	·	·	·25	·	·40	·13	·02	·28	·	26
27	·	·	·	·	·58	·20	·66	·56	·	·	·01	·	27
28	·	·	·06	·	·	·01	·	·09	·	·	·	·03	28
29	·		·03	·	·	·02	·02	·27	·	·31	·	·27	29
30	·	×	·	·	·	·	·11	·39	·	·03	·03	·	30
31	·	×	·	×	·	×	·	·11	×	·	×	·04	31
Total	1·61	1·01	1·75	1·21	2·79	2·41	2·22	7·12	1·95	3·06	1·47	1·21	YEAR'S TOTAL 27·81
Rain Days.	16	9	16	17	11	13	10	29	12	21	18	12	184

W. 8,000, VIII. 16

B. Made

Use D2

15

RAINFALL CHART.

NEGRETTI AND ZAMBRA,

METEOROLOGICAL INSTRUMENT MAKERS.

38, HOLBORN VIADUCT, E.C.; 45, CORNHILL, E.C.; & 122, REGENT STREET, W.

Kept by John Gammage C.E. YEAR 1918. *At* Borough Cemetery, Dudley

Time of Observation 9·0 A.M. *County* Worcestershire.

Rules for observing Rainfall will be found on back of this Chart.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
	in.	in.	in	in	in.	in.	in.	in.	in.	in.	in.	in.
1	·01	·01	—	·17	·18	—	—	—	—	·01	·44	—
2	—	·03	—	·02	—	—	—	·09	—	·01	·03	·11
3	—	·01	·01	·03	·14	—	—	·90	·45	—	·02	—
4	·02	·01	—	—	—	—	—	·04	·76	·06	·44	·40
5	—	·01	—	·02	·32	—	—	·10	·12	·03	—	—
6	—	·10	·01	·17	—	·15	—	—	·01	·07	—	·03
7	—	·08	—	·09	·08	·04	—	·01	·22	·07	·14	—
8	·03	·13	—	·03	—	—	—	—	·09	·12	—	·02
9	—	·32	—	·06	—	·21	·14	—	·34	·30	—	·01
10	·10	·01	—	·11	—	—	·36	—	·08	·06	·03	·07
11	—	—	·01	·02	·11	—	·25	—	·41	—	—	·09
12	—	·04	·09	·01	·13	·04	·03	—	·01	·01	—	—
13	·02	—	—	—	·15	—	·02	—	·14	·05	—	·04
14	·33	—	—	—	—	·01	·30	—	·16	·10	—	·12
15	·41	—	—	·30	—	·05	·22	—	·04	—	—	·22
16	·09	—	—	·41	—	·05	·03	·02	·40	—	—	·01
17	·29	—	—	—	·73	·01	·06	·01	·46	·09	—	·10
18	·35	—	—	—	—	·15	·31	—	1·05	—	—	·35
19	·03	·03	·18	·04	—	—	·04	—	—	·07	—	·20
20	·14	·07	—	·53	—	·04	·05	—	·11	—	—	·19
21	·06	—	—	·44	·09	—	·10	—	·24	—	—	·09
22	—	—	—	—	·56	·01	·07	·02	—	·01	—	·31
23	—	—	—	—	—	·01	·07	—	·12	—	·04	·02
24	—	·13	—	—	—	—	·27	·04	·04	—	·17	—
25	—	—	—	—	—	·03	·18	·60	—	—	·04	—
26	—	—	—	—	—	—	·22	·04	·12	·02	·06	·09
27	—	·03	—	—	—	—	—	·49	·20	—	·14	·07
28	—	·09	·34	—	—	·03	—	·01	—	—	·14	·11
29	—	—	·05	—	—	—	—	—	·69	—	·01	·06
30	—	—	·31	—	—	—	—	·07	·01	—	·23	·20
31	—	—	27	—	—	—	—	—	—	—	—	—
Totals	1·88	1·16	1·27	2·43	2·49	·83	2·66	2·44	6·27	1·08	1·93	2·91
	13	16	9	16	10	14	18	14	24	16	14	23



MONTHLY TOTALS

187

Total 27·29 inches.

RULES FOR OBSERVING RAINFALL

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·01	—	·17	·18	—	—	—	—	·01	·44	—	1
2	—	·03	—	·02	—	—	—	·09	—	·01	·03	·11	2
3	—	·01	·01	·03	·14	—	—	·90	·45	—	·02	—	3
4	·02	·01	—	—	—	—	—	·04	·76	·06	·44	·40	4
5	—	·01	—	·02	·32	—	—	·10	·12	·03	—	—	5
6	—	·10	·01	·17	—	·15	—	—	·01	·07	—	·03	6
7	—	·08	—	·09	·08	·04	—	·01	·22	·07	·14	—	7
8	·03	·13	—	·03	—	—	—	—	·09	·12	—	·02	8
9	—	·32	—	·06	—	·21	·14	—	·34	·30	—	·01	9
10	·10	·01	—	·11	—	—	·36	—	·08	·06	·03	·07	10
11	—	—	·01	·02	·11	—	·25	—	·41	—	—	·09	11
12	—	·04	·09	·01	·13	·04	·03	—	·01	·01	—	—	12
13	·02	—	—	—	·15	—	·02	—	·14	·05	—	·04	13
14	·33	—	—	—	—	·01	·30	—	·16	·10	—	·12	14
15	·41	—	—	·30	—	·05	·22	—	·04	—	—	·22	15
16	·09	—	—	·41	—	·05	·03	·02	·40	—	—	·01	16
17	·29	—	—	—	·73	·01	·06	·01	·46	·09	—	·10	17
18	·35	—	—	—	—	·15	·31	—	1·05	—	—	·35	18
19	·03	·03	·18	·04	—	—	·04	—	—	·07	—	·20	19
20	·14	·07	—	·53	—	·04	·05	—	·11	—	—	·19	20
21	·06	—	—	·42	·09	—	·10	—	·24	—	—	·09	21
22	—	—	—	—	·56	·01	·07	·02	—	·01	—	·31	22
23	—	—	—	—	—	·01	·07	—	·12	—	·04	·02	23
24	—	·13	—	—	—	—	·21	·04	·04	—	·17	—	24
25	—	—	—	—	—	·03	·18	·60	—	—	·04	—	25
26	—	—	—	—	—	—	·22	·04	·12	·02	·06	·09	26
27	—	·03	—	—	—	—	—	·49	·20	—	·14	·07	27
28	—	·09	·34	—	—	·03	—	·01	—	—	·14	·11	28
29	—	—	·05	—	—	—	—	—	·69	—	·01	·06	29
30	—	X	·31	—	—	—	—	·07	·01	—	·23	·20	30
31	—	X	·27	X	—	X	—	—	X	—	X	—	31
Total	1·88	1·10	1·27	2·43	2·49	·83	2·66	2·44	6·27	1·08	1·93	2·91	YEAR'S TOTAL 27·29
Rain Days.	13	16	9	16	10	14	18	14	24	16	14	23	187

W. 8,000, IX. 17.

2397 —

EARLS CROOME,
LEVANT LODGE

19~~19~~ – 20

8 JAN 1921

FORM A. 1. METEORO GANIZATION.

R 20.

Kept at Levant 2°12'3" W
a.m.
in the County of Ea ton-on-Severn
in Gauge five in.
ove Ground 2 ft. — in.
by F. W. Burn Sea Level 110 ft. Approx

IMPORTANT NOT ntered to the previous day.

If an Observer prefers no ested to add the reading at 9 a.m. on 1 at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.	.03	.155	.22	.	.24	.	.01	.12	.	.20	1
2	.02	.	.	.17	.	.	.77	.01	.065	.14	.	.11	2
3	.03	.02	.	.19	.04	.01	.67	.04	.10	.27	.	.	3
4	.	.	.	.12	.	.	.01	.20	.	.24	.	.	4
5	.	.	.145	.035	.22	.	.27	.05	.	.35	.	.	5
6	.	.	.20	.	.14	.	.15	.	.	.25	.	.	6
7	.	.	.04	.20	.	.	.15	.	.	.	.	.	7
8	.23	.06	.	.52	.05	.	.29	.	.	.	.	.04	8
9	.24	.	.02	.21	.	.	.075	.02	.	.	.	.	9
10	.50	.12	.	.08	.	.12	.20	.	.	.	.08	.	10
11	.26	.02	.09	.31	.385	.06	.07	.	.	.	.	.01	11
12	.15	.01	.01	.22	.	1.01	.025	.01	.	.	.04	.01	12
13	.02	.	.33	.20	.	.	.	.	.	.	.	.	13
14	.02	.01	.79×	.31	.	.08	.	.	.465	.07	.15	.	14
15	.01	.08	.	.52	.	.20	.	.	.06	.025	.04	.	15
16	.	.	.	.065	.155	.38	.22	.	.25	.365	.035	.	16
17	.	.	.	.	.12	.02	.	.	.70	.24	.	.04	17
18	.15	.	.	.01	.12	.	.	.25	.55	.	.	.01	18
19	.02	.27×	.	.58	.	.11	.	.	.01	.	.	.	19
20	.	.04×	.	.19	.	.20	.01	.	.	.	.	.04	20
21	.	.	.	.02	.	.	.02	.	.	.	.	.08	21
22	.02	.	.	.11	.	.	.	.09 (03)	.	.	.	.20	22
23	.	.01	.	.01	.	.	.495	.03*	.	.	.	.37	23
24	.015	.	.17	.01	.	.	.	.	.	.	.	.12	24
25	.	.12	.16	.04	.	.	.62	.	.	.	.02	.01	25
26	.13	.	.26	.	.	~~.30~~	.01	.	.	.	.05	.09	26
27	.49	.05	.08	.08	.09	.30	.005	.	.01	.	.01	.37	27
28	.81	.	.04	.	.23	.	.	.	.	.	.	.01	28
29	.19	.	.14	.	.07	.02	.05	.	.	.	.07	.54	29
30	.01		.32	.10	.	.09	.065	.	.24	.	.26	.15	30
31	.10		.03		.04		.03	.		.22		.02	31
TOTAL	3.415	.81	2.855	4.455	1.88	2.60	4.445	.67	2.46	2.29	.755	2.42	YEAR'S TOTAL 29.055
Days with ·01 in. or more	20	12	17	25	13	13	22	9	11	11	10	19	182

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

× Snow or Snow & rain * [illegible] ? ·08 not

132

FORM A. 1. METEORO GANIZATION.

R AINFALL IN 1920.

8 JAN 1921

Kept at Levant Lodge
in the County of Earl's Croome Worcester
by F. W. Burnett.

Lat. 52° 4' 29" Long 2° 12' 3" W
Time of Observation 9 a.m.
Nearest Railway Station Upton-on-Severn
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground 2 ft — in.
" " " " Sea Level 110 ft. approx.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.	.03	.155	.22	.	.24	.	.01	.12	.	.20	1
2	.02	.	.	.17	.	.	.77	.01	.065	.14	.	.11	2
3	.03	.02	.	.19	.04	.01	.67	.04	.10	.27	.	.	3
4	.	.	.	.12	.	.	.01	.20	.	.24	.	.	4
5	.	.	.145	.035	.22	.	.27	.05	.	.35	.	.	5
6	.	.	.20	.	.14	.	.15	.	.	.25	.	.	6
7	.	.	.04	.20	.	.	.15	.	.	.	.	.	7
8	.23	.06	.	.52	.05	.	.29	.	.	.	.	.04	8
9	.24	.	.02	.21	.	.	.075	.02	.	.	.	.	9
10	.50	.12	.	.08	.	.12	.20	.	.	.	.08	.	10
11	.26	.02	.09	.31	.385	.06	.07	.	.	.	.	.01	11
12	.15	.01	.01	.22	.	1.01	.025	.01	.	.	.04	.01	12
13	.02	.	.33	.20	.	.	.	.	.	.	.	.	13
14	.02	.01	.79×	.31	.	.08	.	.	.465	.07	.15	.	14
15	.01	.08	.	.52	.	.20	.	.	.06	.025	.04	.	15
16	.	.	.	.065	.155	.38	.22	.	.25	.365	.035	.	16
17	.	.	.	.	.12	.02	.	.	.70	.24	.	.04	17
18	.15	.	.	.01	.12	.	.	.25	.55	.	.	.01	18
19	.02	.27×	.	.58	.	.11	.	.	.01	.	.	.	19
20	.	.04×	.	.19	.	.20	.01	.	.	.	.	.04	20
21	.	.	.	.02	.	.	.02	.	.	.	.	.08	21
22	.02	.	.	.11	.	.	.	.09 (03)	.	.	.	.20	22
23	.	.01	.	.01	.	.	.495	.03*	.	.	.	.37	23
24	.015	.	.17	.01	.	.	.	.	.	.	.	.12	24
25	.	.12	.16	.04	.	.	.62	.	.	.	.02	.01	25
26	.13	.	.26	.	.	~~.30~~	.01	.	.	.	.05	.09	26
27	.49	.05	.08	.08	.09	.30	.005	.	.01	.	.01	.37	27
28	.81	.	.04	.	.23	.	.	.	.	.	.	.01	28
29	.19	.	.14	.	.07	.02	.05	.	.	.	.07	.54	29
30	.01		.32	.10	.	.09	.065	.	.24	.	.26	.15	30
31	.10		.03		.04		.03	.		.22		.02	31
TOTAL	3.415	.81	2.855	4.455	1.88	2.60	4.445	.67	2.46	2.29	.755	2.42	YEAR'S TOTAL 29.055
Days with ·01 in. or more	20	12	17	25	13	13	22	9	11	11	10	19	182

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

× Snow or Snow & rain * Volt ? .68 not

11 7 13 20 13 15 15 5 8 10 7 13 132

2428

EVESHAM, PORT ST

1911 ~~30~~ 14

FORM A2.
BRITISH RAINFALL.
18 JUN 1912

)11.

Kept at 8, P

in the County of W

by Arthur S

p 5 in.

bove Ground 1 ft. 6 in.

„ Sea Level 80 ft (about)

9 a.m.

on { Name Evesham G.W. & Mid.
Distance ½ mile Direction N.N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	—	·08	—	—	—	—	·03	—	—	·01	—	1
2	—	—	—	·08	·14	—	—	·23	·02	·17	·06	·03	2
3	—	—	—	—	·32	—	—	—	·01	—	·02	·01	3
4	—	—	·10	—	—	—	—	—	·06	·05	·31 ~~·0~~	·27	4
5	·05	—	·02	—	—	—	—	·08	—	·02	·04	—	5
6	·26	—	·02	—	—	—	—	—	—	—	·07	·62	6
7	·02	—	—	—	—	—	—	—	—	—	·20	—	7
8	·14	—	·12	—	—	—	—	—	—	—	·03	·08	8
9	·11	—	—	—	—	—	—	—	—	—	·11	·10	9
10	—	·16	·33	—	—	—	—	·09	—	—	·03	·25	10
11	·16	—	·45	—	—	—	—	—	—	—	·53	·01	11
12	—	—	—	—	—	—	—	—	·20	—	·17	—	12
13	—	—	·02	—	—	—	—	—	·41	—	·03	·30	13
14	—	—	—	—	—	—	—	—	—	—	—	·60	14
15	—	·03	·02	—	—	—	—	—	—	—	·09	·04	15
16	—	—	—	—	—	·14	—	—	—	·01	·27	·10	16
17	—	·48	·02	·01	—	—	—	—	—	—	{ ·15x	·25	17
18	—	—	—	·02	—	·01	—	—	—	·03		·26	18
19	—	·07	—	—	—	·12	—	·02	·07	·22		·01	19
20	·01	—	—	·01	—	—	—	·20	·16	—	·06	·42	20
21	—	·10	—	—	—	—	—	·26	·03	·30	·01	·09	21
22	—	—	—	·01	—	·04	—	·02	—	·03	—	·31	22
23	—	·15	·25	—	—	·28	—	—	·22	·03	—	·08	23
24	—	·04	·01	—	—	·36	—	·13	—	·47	—	·10	24
25	—	·15	—	·05	·14	·03	—	—	—	—	—	·11	25
26	—	·14	—	·22	·01	·01	·05	—	—	·17	—	·09	26
27	—	·15	·15	·08	—	—	—	·43	·25	—	·19	·19	27
28	—	·24	—	·15	—	—	—	—	·13	—	·06	—	28
29	—		—	·10	·06	·23	·02	·04	—	·17	—	—	29
30	—		·05	·03		·04	—	—	—	·09	—	—	30
31	—		—				—	—		·03		·01	31
Total	·77	1·71	1·64	·76	·67	1·26	·07	1·53	1·56	1·79	2·44	4·33	TOTAL for year 18·53
No. of Rain Days.	8	11	14	11	5	10	2	11	11	14	21	24	142

W. 8,000, X. '11.

x the 17th + 18th together

11.

FORM A2.
BRITISH RAINFALL.
18 JUN 1912

Kept at 8, Port St, Evesham

in the County of Worcestershire

by Arthur Fowler

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 80 ft. (about)

Time of Observation 9 a.m.

Nearest Railway Station
Name Evesham G.W. & Mid.
Distance ½ mile Direction N.N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	—	·08	—	—	—	—	·03	—	—	·01	—	1
2	—	—	—	·08	·14	—	—	·23	·02	·17	·06	·03	2
3	—	—	—	—	·32	—	—	—	·01	—	·02	·01	3
4	—	—	·10	—	—	—	—	—	·06	·05	·31 ~~·0~~	·27	4
5	·05	—	·02	—	—	—	—	·08	—	·02	·04	—	5
6	·26	—	·02	—	—	—	—	—	—	—	·07	·62	6
7	·02	—	—	—	—	—	—	—	—	—	·20	—	7
8	·14	—	·12	—	—	—	—	—	—	—	·05	·08	8
9	·11	—	—	—	—	—	—	—	—	—	·11	·10	9
10	—	·16	·33	—	—	—	—	·09	—	—	·03	·25	10
11	·16	—	·45	—	—	—	—	—	—	—	·53	·01	11
12	—	—	—	—	—	—	—	—	·20	—	·17	—	12
13	—	—	·02	—	—	—	—	—	·41	—	·03	·30	13
14	—	—	—	—	—	—	—	—	—	—	—	·60	14
15	—	·03	·02	—	—	—	—	—	—	—	·09	·04	15
16	—	—	—	—	—	·14	—	—	—	·01	·27	·10	16
17	—	·48	·02	·01	—	—	—	—	—	—	·15x	·25	17
18	—	—	—	·02	—	·01	—	—	—	·03		·26	18
19	—	·07	—	—	—	·12	—	·02	·07	·22		·01	19
20	·01	—	—	·01	—	—	—	·20	·16	—	·06	·42	20
21	—	·10	—	—	—	—	—	·26	·03	·30	·01	·09	21
22	—	—	—	·01	—	·04	—	·02	—	·03	—	·31	22
23	—	·15	·25	—	—	·28	—	—	·22	·03	—	·08	23
24	—	·04	·01	—	—	·36	—	·13	—	·47	—	·10	24
25	—	·15	—	·05	·14	·03	—	—	—	—	—	·11	25
26	—	·14	—	·22	·01	·01	·05	—	—	·17	—	·09	26
27	—	·15	·15	·08	—	—	—	·43	·25	—	·19	·19	27
28	—	·24	—	·15	—	—	—	—	·13	—	·06	—	28
29	—		—	·10	·06	·23	·02	·04	—	·17	—	—	29
30	—		·05	·03		·04	—	—	—	·09	—	—	30
31	—		—				—	—		·03		·01	31
Total	·77	1·71	1·64	·76	·67	1·26	·07	1·53	1·56	1·79	2·44	4·33	TOTAL for year. 18·53
No. of Rain Days.	8	11	14	11	5	10	2	11	11	14	21	24	142

W. 8,000, X. '11.

x the 17th & 18th together

[illegible] 7.III.13 ~~F.F.~~ F. 6.

REGISTER OF RAINFALL IN 1912.

FORM A2.
BRITISH RAINFALL.
21 JAN 1913

Kept at 18, Port St., Evesham
in the County of Worcester 3
by Arthur Fowler

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 80 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Evesham.
Distance ½m. Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·02	–	–	·64	·07	·03	·03	·16	–	·05	1
2	–	·02	·11	·02	·02	·20	·37	·05	–	–	–	·01	2
3	·06	–	·04	–	·09	·08	·17	·38	–	–	·01	·09	3
4	·11	–	·45	–	·13	·87	–	·09	–	–	·22	–	4
5	·19	·03	·22	–	·06	·03	–	·35	–	–	·01	·03	5
6	·16	·10	–	–	·02	·07	·64	·49	–	–	–	·01	6
7	–	·11	·09	–	·06	·45	–	·30	–	–	–	·01	7
8	·15	·07	·23	–	–	·03	·09	·15	·02	–	–	·03	8
9	·02	·02	–	·06	–	·31	–	·03	–	–	–	·19	9
10	–	–	–	·02	–	·10	–	·26	·01	–	·20	–	10
11	·09	·03	–	–	–	·11	–	·23	–	–	·13	·44	11
12	–	·50	·17	–	·09	–	·01	–	–	–	·04	·02	12
13	·04	·03	–	–	–	–	·01	·08	–	–	·03	–	13
14	·06	–	·42	–	·03	–	–	·09	·01	·03	–	–	14
15	·05	·07	·04	–	·38	·20	–	·03	–	–	–	·19	15
16	1·10	–	·12	–	·04	·11	–	·06	–	·05	·02	–	16
17	·90*	–	·18	–	–	·03	–	·30	–	–	·02	·41	17
18	·23*	·02	·08	–	–	–	–	·09	–	·03	·02	–	18
19	·07	·04	–	–	·03	–	·28	·22	–	–	·01	–	19
20	·02	·01	·16	–	·03	–	·28	·05	–	·25	·03	–	20
21	·02	–	·35	–	·57	–	–	·77	–	·25	–	–	21
22	·44	·10	–	–	·71	·05	·42	·14	–	–	–	·03	22
23	·26	·48	·21	–	–	·23	·14	·27	–	·01	·03	·78	23
24	·05	·01	–	–	–	·20	·02	·11	–	–	–	·10	24
25	–	–	–	–	–	·77	–	·67	–	–	·29	·30	25
26	–	·04	·02	–	–	–	·06	·87	–	·39	·20	·15	26
27	–	–	–	–	–	·11	·17	–	–	·68	–	·17	27
28	–	·08	–	–	–	·15	·68	·46	·04	·18	·12	·44	28
29	–	·05	·01	–	–	·25	·22	·03	·20	·20	·03	·01	29
30	–		–	–	–	·13	·10	·09	·02	·13	·03	–	30
31	–		·19		13 ·31		·68	·06		·04		·06	31
Total	4·02	1·81	3·11	·10	2·39	5·12	4·41	6·75	·33	2·40	1·44	3·52	TOTAL for year 35·40
No. of Rain Days.	19	19	19	3	15	22	18	29	7	13	18	21	203

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

JAN 1914

Kept at 18, Port St., Evesham.
in the County of Worcester. 3
by Arthur Fowler

Lat. 52° 5′ 30″ Long. 1° 56′ 30″ W.
Time of Observation 9 a. m.
Nearest Railway Station Evesham, G. W. & Mid.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level about 86 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·02	·07	·08	—	—	—	—	·98	—	·02	—	1
2	·01	·16	·02	·08	—	—	·02	—	·16	·47	·05	—	2
3	·15	—	·09	— ~~·27~~	·55	—	—	—	—	·02	—	·05	3
4	·69	—	·10	—	·25	—	·02	—	·01	·36	·02	·17	4
5	·01	·01	—	—	—	·21	·05	—	·01	·14	·09	·02	5
6	·03	·03	—	—	·28	·09	·65	—	—	·31	—	·29	6
7	—	·14	—	—	·20	·03	·05	—	—	·15	·07	—	7
8	—	·02	—	—	·14	·01	—	—	—	·25	—	—	8
9	—	·21	—	·01	—	·09	·01	·15	·20	—	·11	·02	9
10	·17	—	—	·12	·03	—	—	·06	—	—	·17	—	10
11	·36	·01 fog	—	·26	—	—	—	·34	—	·04	·40	—	11
12	—	·01 fog	—	—	·13	—	—	—	—	—	·59	—	12
13	·03 s	·01 fog	·05	—	·02	—	—	·01	·08	—	·21	—	13
14	·02	—	·35	·01	—	—	·03	·12	—	·14	—	—	14
15	·06	·16	·46	·28	—	—	·02	·01	·08	—	·02	—	15
16	·02	—	·82	·05	—	—	—	—	—	—	·01	—	16
17	·03	—	·12	·13	—	·08	·16	—	·04	—	—	—	17
18	·01	—	·17	·08	·11	—	·08	—	·01	—	—	—	18
19	·11	—	·13	—	·02	·07	·04	—	·09	—	—	·01	19
20	·29	—	·14	·07	—	—	—	—	—	·08	·07	—	20
21	·01	—	·10	·06	·10	—	·10	·02	—	—	·30	—	21
22	·37	—	·27	·01	—	·02	—	·05	·36	—	—	—	22
23	—	—	·02	—	—	·05	—	·02	·01	—	·01	·05	23
24	·01	—	—	·01	—	—	—	—	—	—	—	—	24
25	—	—	—	·09	—	—	—	—	·02	·01	—	frost ·01	25
26	—	·02	—	·38	—	—	—	·28	—	·09	—	·25	26
27	—	—	·02	·20	·45	—	—	—	—	·03	—	—	27
28	·44	—	·12	·30	—	—	—	—	—	·20	—	snow ·04	28
29	—		·49	·73	—	—	—	—	—	·14	—	snow ·01	29
30	·25		—	—	—	—	—	—	—	·15	·10	—	30
31	—		·05		·10		—	·04		·03		—	31
Total	3·08	·80	3·59	2·97	2·38	0·65	1·23	1·10	2·05	2·61	2·24	·92	YEAR'S TOTAL 23·62
Rain Days.	21	12	19	19	13	9	12	11	13	17	16	11	173

W. 7,500, XI. 12

Exe 8L

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1914

Kept at Evesham
in the County of Worcester 3
by Arthur Fowler

Lat. 52°.5'.20" N. Long. 1°.56'.25" W.
Time of Observation 9 a.m.
Nearest Railway Station Evesham G.W. & Mid.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 0 in.
" " " " Sea Level 80 ft.

13 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	.08	—	.01	1.03	.29	—	—	.03	.07	1
2	—	—	.02	—	.02	—	.24	.15	—	—	.45	.45	2
3	—	—	.03	.03	.11	—	.09	—	—	—	.06	—	3
4	.11	—	—	.15	.02	—	.06	.05	—	—	.38	.42	4
5	—	—	.04	.06	.22	.02	.43	—	—	—	.05	—	5
6	.04	.07	—	.15	.02	.09	—	—	—	—	.10	.06	6
7	—	.11	.21	.02	.15	.04	.13	.10	—	—	—	.06	7
8	—	.01	.21	.19	.05	.75	.03	.06	.01	—	.01	.07	8
9	.16	—	.26	—	.04	1.11	—	.09	.05	—	—	—	9
10	.03	.20	.05	.19	.06	.02	—	—	.25	—	—	—	10
11	—	.08	.27	.04	.04	.40	—	—	—	—	.16	.30	11
12	—	.10	.14	—	—	—	.99	—	.27	—	.03	.16	12
13	—	.13	.21	—	—	—	—	—	.10	.15	{ .14	.29	13
14	—	.05	.10	—	—	—	.03	—	—	.34		.09	14
15	.02	.02	.11	—	—	—	—	.05	.02	.04	.06	—	15
16	.02	—	.01	—	—	—	.04	—	.04	—	—	.03	16
17	—	.15	.07	—	—	—	—	—	.07	.02	—	.13	17
18	—	—	.02	—	—	.04	.09	—	.01	—	.05	.29	18
19	—	—	.05	—	—	—	.88	—	—	—	—	.04	19
20	—	.21	.07	—	—	.11	.02	—	—	—	—	.17	20
21	—	.35	.02	—	—	.44	—	.08	—	.15	—	.18	21
22	—	.06	.11	—	.16	—	—	—	—	.14	—	—	22
23	—	.01	.05	—	.08	—	.04	.25	—	.09	—	—	23
24	—	.07	.07	—	.01	.02	.01	—	—	.09	.02	—	24
25	.11	—	.05	—	—	—	.07	—	—	.22	.04	.08	25
26	—	—	.14	—	—	—	.04	.15	—	.09	.16	.24	26
27	.06	—	.01	—	—	—	—	.01	—	—	.05	.09	27
28	—	.11	.14	—	.05	—	—	—	—	.02	.05	1.11	28
29	—	—	.06	—	.09	—	—	—	—	.18	.08	—	29
30	—	X	.05	—	—	.03	—	—	—	.09	.48	.33	30
31	.03	X	—	X	.02	X	.23	—	X	.01	X	.01	31
Total	0.58	1.73	2.57	0.91	1.14	3.08	4.45	1.08	0.82	1.63	2.40	4.67	YEAR'S TOTAL 25.06
Rain Days.	9	16	27	9	16	13	18	11	9	14	20	22	184

W. 8,000. X. 14.

2028

FORM A.
BRITISH RAINFALL.

5 FEB 1916

REGISTE … 5.

WORCESTER

—

EVESHAM

"ABBEY GATE"

1915

Kept at Abbey Gate, E…
in the County of Worcester…
by Arthur Fowler.

52°5'28" N.
. a.m.
Evesham M.R. [illegible] R.
…in Gauge 5 in.
…ove Ground 1 ft. 6 in.
Sea Level 110·32 ft.

IMPORTANT NOTE.—Ra… and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·12	·05	·08	—	·31	—	—	·08	·01	·17	—	·08	1
2	·20	·09	·16	·15	—	·07	—	·37	—	·18	—		2
3	·89	·03	·01	·11	·09	—	·75	·26	—	—	—	·20	3
4	—	—	—	—	·03	—	·34	—	—	—	—	·51	4
5	·01	·22	—	—	—	—	·04	·06	—	—	—	·28	5
6	·23	~~29~~	—	·11	—	—	·35	—	—	—	—	·14	6
7	·04	·29	—	·01	—	·24	·16	·04	—	—	—	·20	7
8	·10	·07	—	·07	—	—	—	·04	—	—	·05	—	8
9	·08	·01	—	·07	—	—	—	·03	—	—	·11	·34	9
10	·21	—	·04	·03	—	—	—	—	—	—	—	·02	10
11	—	—	—	·08	·08	—	—	—	—	—	·65	·04	11
12	·03	·04	—	·17	·32	—	—	·21	—	·16	·55	—	12
13	·01	·25	—	—	·87	—	—	·26	—	—	—	—	13
14	—	·03	—	—	·06	—	—		·07	—	—	·33	14
15	·40	—	—	—	—	—	—		—	·02	·07	·08	15
16	·03	·25	—	·01	·28	—	·52	·10	—	—	—	·02	16
17	—	·19	·01	—	·36	—	—	—	—	—	—	—	17
18	—	·15	·05	—	—	—	—	—	—	—	·02	—	18
19	—	—	—	—	·08	—	·18	—	—	—	—	—	19
20	·16	—	—	·05	—	—	—	—	—	—	—	·16	20
21	·01	·13	—	—	—	—	·06	—	—	·14	—	·08	21
22	·21	·01	·27	·07	—	—	·39	—	·03	—	—	·14	22
23	—	·11	·06	—	—	—	·07	—	·31	·39	—	·30	23
24	—	—	·02	·05	—	·01	·17	—		·25	—	·10	24
25	—	—	—	—	—	·70	·05	—	—	·03	—	·38	25
26	—	·03	—	—	—	—	·08	—	·01	—	—	·39	26
27	—	·15	—	—	—	·06	·15	—	·01	·35	—	·02	27
28	—		·03	—	—	·07	·05	·16	·12	—	—	—	28
29	—	✕	—	—	—	·39	·17	·03	·01	—	·03	—	29
30	·05	✕	—		—	·02	·11	—	—	·03	·15	·23	30
31	—	✕	—	✕	—	✕	·12	·03	✕	·69	✕		31
Total	2·78	2·10	·73	·98	2·48	1·56	3·76	1·67	·57	2·41	1·63	4·04	YEAR'S TOTAL 24·71
Rain Days.	17	19	10	13	10	8	18	15	9	11	8	23	161

W. 8,000. X. 15.

2628

REGISTE 5.

FORM A. BRITISH RAINFALL.

5 FEB 1916

Kept at Abbey Gate, Evesham
in the County of Worcester
by Arthur Fowler.

Lat. 1° ~~56' 30"~~ 57' 13" W. Long. lat. 52° 5' 28" N.
Time of Observation 9 a.m.
Nearest Railway Station Evesham M.R. & G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 110·32 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·12	·05	·08	—	·31	—	—	·08	·01	·17	—	·08	1
2	·20	·09	·16	·15	—	·07	—	·37	—	·18	—		2
3	·89	·03	·01	·11	·09	—	·75	·26	—	—	—	·20	3
4	—	—	—	—	·03	—	·34	—	—	—	—	·51	4
5	·01	·22	—	—	—	—	·04	·06	—	—	—	·28	5
6	·23	~~29~~	—	·11	—	—	·35	—	—	—	—	·14	6
7	·04	·29	—	·01	—	·24	·16	·04	—	—	—	·20	7
8	·10	·07	—	·07	—	—	—	·04	—	—	·05	—	8
9	·08	·01	—	·07	—	—	—	·03	—	—	·11	·34	9
10	·21	—	·04	·03	—	—	—	—	—	—	—	·02	10
11	—	—	—	·08	·08	—	—	—	—	—	·65	·04	11
12	·03	·04	—	·17	·32	—	—	·21	—	·16	·55	—	12
13	·01	·25	—	—	·87	—	—	·26	—	—	—	—	13
14	—	·03	—	—	·06	—	—		·07	—	—	·33	14
15	·40	—	—	—	—	—	—		—	·02	·07	·08	15
16	·03	·25	—	·01	·28	—	·52	·10	—	—	—	·02	16
17	—	·19	·01	—	·36	—	—	—	—	—	—	—	17
18	—	·15	·05	—	—	—	—	—	—	—	·02	—	18
19	—	—	—	—	·08	—	·18	—	—	—	—	—	19
20	·16	—	—	·05	—	—	—	—	—	—	—	·16	20
21	·01	·13	—	—	—	—	·06	—	—	·14	—	·08	21
22	·21	·01	·27	·07	—	—	·39	—	·03	—	—	·14	22
23	—	·11	·06	—	—	—	·07	—	·31	·39	—	·30	23
24	—	—	·02	·05	—	·01	·17	—		·25	—	·10	24
25	—	—	—	—	—	·70	·05	—	—	·03	—	·38	25
26	—	·03	—	—	—	—	·08	—	·01	—	—	·39	26
27	—	·15	—	—	—	·06	·15	—	·01	·35	—	·02	27
28	—		·03	—	—	·07	·05	·16	·12	—	—	—	28
29	—	~~—~~	—	—	—	·39	·17	·03	·01	—	·03	—	29
30	·05	X	—	—	—	·02	·11	—	—	·03	·15	·23	30
31	—	X	—	X	—	X	·12	·03	X	·69	X		31
Total	2·78	2·10	·73	·98	2·48	1·56	3·76	1·67	·57	2·41	1·63	4·04	YEAR'S TOTAL 24·71
Rain Days.	17	19	10	13	10	8	18	15	9	11	8	23	161

W. 8,000. X. 15.

2204

FORM A.
BRITISH RAINFALL.

5 FEB 20

REGISTE … 9

WORCE~~ST~~ER.

EVESHAM

"ROSSYVERA"

1919.-1920

Kept at "Rossyvera" … 9 am

… Evesham, [illegible]

in the County of Worcester … Rain Gauge 5 in. "Snowden"

… above Ground 1 ft. – in.

by R. Buntingham … " Sea Level 165 ft.

IMPORTANT NOTE.—I … nd the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·41	—	—	—	·08	—	·23	—	·01	·15	—	·45	1
2	·18	—	—	—	—	—	·25	—	·40	—	·17	·11	2
3	—	—	·62	—	—	—	·12	—	·22	—	·13	·07	3
4	—	—	·25	—	—	·10	·09	—	·27	—	—	·23	4
5	—	—	—	—	—	—	·07	—	·22	—	—	·10	5
6	1.07	—	—	—	·48	—	—	—	—	—	—	·18	6
7	·15	—	·34	—	·08	—	—	—	—	—	—	—	7
8	—	—	—	·40	·08	—	—	—	—	—	—	—	8
9	—	—	·04	—	—	—	—	—	—	—	—	—	9
10	—	— x	·55	·09	—	—	—	—	—	—	—	·22	10
11	·03	— x	—	—	—	—	·35	—	—	·18	—	—	11
12	—	—	·60	—	—	·14	—	—	—	—	—	—	12
13	·14	—	—	·08	—	—	—	—	·09	·16	—	—	13
14	·29	—	·08	·17	—	—	·15	—	—	—	—	—	14
15		—	—	—	—	—	—	—	—	—	—	—	15
16	·51	—	x	·15	—	—	—	—	—	—	·10	·27	16
17	·04	—	— x	—	—	·02	—	·01	—	—	·09	—	17
18	—	—	— x	—	—	·09	—	·15	—	—	·05	—	18
19	·13	·85	— x	—	—	—	1·49	·34	·09	—	—	—	19
20	·21	·07	1·60	—	—	—	—	·18	·10	—	·09	—	20
21	—	·40	·05	—	—	—	·22	—	—	—	—	·25	21
22	—	—	—	—	—	—	·06	—	·19	—	—	—	22
23	—	—	—	—	—	—	—	·05	—	·63	·02	—	23
24	—	—	—	—	—	—	—	—	—	·53	·08	—	24
25	·11	—	—	—	—	—	—	·14	—	—	—	—	25
26	—	—	·15	·17	·07	—	·26	·04	·12	—	—	·38	26
27	—	—	—	·68	—	—	—	·37	—	—	—	—	27
28	—	—	—	—	—	—	—	·45	—	—	—	·33	28
29	—	—	—	·05	—	—	—	—	—	·22	—	—	29
30	—	╳	—	·24	—	·31	—	·06	—	—	·26	·44	30
31	—	╳	—	╳	—	╳	·02	—	╳	—	╳	—	31
Total	3·27	1·32	4·18	2·03	·79	·66	3·31	1·79	1·71	1·87	·99	3·03	YEAR'S TOTAL 24·95
Rain Days.	12	3	14	9	5	5	12	10	10	6	9	12	~~107~~

x ? any spot: figure from town.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

W. 1,000, X. 15.

Price 2d.

2204

FORM A.
BRITISH RAINFALL.

FEB 20

REGISTE 9

Kept at Rossyorn Evesham
in the County of Worcester
by R. Burlingham

Lat. 52 6 Long. 1 56
Time of Observation 9 am
Nearest Railway Station Evesham, G.W. & M.R.
Diameter of Funnel of Rain Gauge 5 in. "Snowden"
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 165 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·41	—	—	—	·08	—	·23	—	·01	·15	—	·45	1
2	·18	—	—	—	—	—	·25	—	·40	—	·17	·11	2
3	—	—	·62	—	—	—	·12	—	·22	—	·13	·07	3
4	—	—	·25	—	—	·10	·09	—	·27	—	—	·23	4
5	—	—	—	—	—	—	·07	—	·22	—	—	·10	5
6	1·07	—	—	—	·48	—	—	—	—	—	—	·18	6
7	·15	—	·34	—	·08	—	—	—	—	—	—	—	7
8	—	—	—	·40	·08	—	—	—	—	—	—	—	8
9	—	—	·04	—	—	—	—	—	—	—	—	—	9
10	—	— x	·55	·09	—	—	—	—	—	—	—	·22	10
11	·03	— x	—	—	—	—	·35	—	—	·18	—	—	11
12	—	—	·60	—	—	·14	—	—	—	—	—	—	12
13	·14	—	—	·08	—	—	—	—	·09	·16	—	—	13
14	·29	—	·08	·17	—	—	·15	—	—	—	—	—	14
15		—	—	—	—	—	—	—	—	—	—	—	15
16	·57	—	— x	·15	—	—	—	—	—	—	·10	·27	16
17	·04	—	— x	—	—	·02	—	·01	—	—	·09	—	17
18	—	—	— x	—	—	·09	—	·15	—	—	·05	—	18
19	·13	·85	— x	—	—	—	1·49	·34	·09	—	—	—	19
20	·21	·07	1·60	—	—	—	—	·18	·10	—	·09	—	20
21	—	·40	·05	—	—	—	·22	—	—	—	—	·25	21
22	—	—	—	—	—	—	·06	—	·19	—	—	—	22
23	—	—	—	—	—	—	—	·05	—	·63	·02	—	23
24	—	—	—	—	—	—	—	—	—	·53	·08	—	24
25	·11	—	—	—	—	—	—	·14	—	—	—	—	25
26	—	—	·15	·17	·07	—	·26	·04	·12	—	—	·38	26
27	—	—	—	·68	—	—	—	·37	—	—	—	—	27
28	—	—	—	—	—	—	—	·45	—	—	—	·33	28
29	—	—	—	·05	—	—	—	—	—	·22	—	—	29
30	—	X	—	·24	—	·31	—	·06	—	—	·26	·44	30
31	—	X	—	X	—	X	·02	—	X	—	X	—	31
Total	3·27	1·32	4·18	2·03	·79	·66	3·31	1·79	1·71	1·87	·99	3·03	YEAR'S TOTAL 24·95
Rain Days.	12	3	14	9	5	5	12	10	10	6	9	12	~~107~~

x gauge upset, figures from [illegible]

Doubtful [illegible]

W. 1,000, X. 15.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REGISTER OF RAINFALL IN 1920

FORM A.
BRITISH RAINFALL.
5 FEB 1921

Kept at Rossyoera Evesham

in the County of Worcester

by Richard Burlingham

Lat. 52° 6' N Long. 1° 54' W
Time of Observation 9 am
Nearest Railway Station Evesham GWR & MR
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 165 ft. Ord. Survey

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	·09	·34	—	·26	—	·02	·06	—	·14	1
2	—	—	—	·22	—	—	·16	·09	·06	—	—	·10	2
3	—	—	—	·04	—	—	1·18	—	·22	—	—	—	3
4	—	—	—	·18	—	—	—	—	—	·26	—	—	4
5	—	—	·22	—	·20	—	·55	·29	·04	·40	—	—	5
6	—	—	·27	—	—	—	·08	·41	—	·15	—	—	6
7	—	—	—	—	—	—	·08	—	—	—	—	—	7
8	·12	·14	—	[illegible]	—	—	·11	—	—	—	—	—	8
9	—	—	—	·35	·16	—	·04	—	—	—	—	—	9
10	·75	·10	·08	·06	—	—	·11	—	—	—	·06	—	10
11	·22		·04	·05	·37	·12	·04	—	—	—	—	—	11
12	·03		—	·10	—	·68	·06	·17	—	—	·02	—	12
13	—	—	·18	—	—	—	—	—	·02	—	—	—	13
14	—	—	1·04	·33	—	·31	—	—	·42	—	·18	—	14
15	—	·08	—	·25	—	·06	—	—	·30	·16	—	·04	15
16	—	—	—	·13	·02	·15	·08	—	·14	—	—	—	16
17	—	—	—	—	—	—	·04	—	1·00	·40	—	—	17
18	·21	—	—	·13	·22	—	—	·24	·76	—	—	—	18
19	—	—	—	·14	—	·06	—	—	—	—	—	—	19
20	—	·34	—	·16	—	·20	—	—	—	—	—	·02	20
21	—	—	—	—	—	—	—	—	—	—	—	—	21
22	—	—	—	—	—	—	—	·14	—	—	—	—	22
23	—	—	—	—	—	—	·40	·05	—	—	—	·45	23
24	—	—	·15	—	—	—	—	—	—	—	—	·13	24
25	—	·07	—	[illegible]6	—	—	·46	—	—	—	—	—	25
26	·20	—	·30	·02	—	—	—	—	—	—	·04	·07	26
27	·20	—	·04	·16	·13	·32	·10	—	—	—	—	—	27
28	·50	—	—	—	—	—	—	—	—	—	—	—	28
29	·14	—	·24	—	·12	—	·09	—	·20	—	·20	·54	29
30	—	╳	·05	—	·06	·06	·07	—	—	—	—	·14	30
31	—	╳	—	╳	—	╳	—	—	╳	·44	╳	—	31
Total	2·37	0·73	2·61	3·28	1·62	1·96	3·91	1·39	3·18	1·87	0·47	1·63	YEAR'S TOTAL 25·02
Rain Days.	9	5	11	18	9	9	18	7	11	7	6	9	~~118~~
	8	5	11	17	9	9	18	7	9	7	4	8	111

W. 1,000, X. 15.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

EVES~~HAM~~
BENGEWORTH

WORCESTER
1911 - 1920

Kept at Evesh
in the County of
by Ross Bi

in. 5 on 13
round 1 ft. in.
ea Level 120 ft.
O'Clock.
ame Evesham
Distance ½ mile Direction

IMPORTANT N … the result entered to the previous day. If an … rsal rule, he is earnestly requested to add the … ar in the space provided for it at the end of … ent of rain, the selection and p … tish Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03		·08		·14		·05	·03			·01	·	1
2				·03	·35			·12	·02		·06	·04	2
3								·09		·17	·02	·01	3
4	·02		·11	·01				·08	·06	·06	·34	·15	4
5	·04		·03	·01						·01	·06		5
6	·24		·04								·06	·27	6
7	·02										·18	·08	7
8	·15		·14								·06	·07	8
9	·11										·07	·16	9
10	·02	·12	·33					·08			·04	·18	10
11	·14										·62	·01	11
12			·46						·18		·16		12
13			·03						·46	·08	·01	·29	13
14											·02	·25	14
15		·04	·03							·02	·08	·05	15
16						·12				·01	·22	·20	16
17			·02			·04					·18	·16	17
18		·44	·03	·03		·01				·04		·24	18
19				·01		·18		·02	·06	·16	·06	·01	19
20	·01	·07				·01		·28	·19	·09		·38	20
21		·11		·02				·21	·01	·29		·08	21
22			·08	·01		·06		·05		·02	·01	·29	22
23		·14	·21			·31			·21	·01		·09	23
24		·06	·02			·37		·13		·50		·10	24
25		·16		·04	·14	·03		·08				·13	25
26		·15	·02	·20	·01	·01	·04	·03		·16	·13	·08	26
27		·12	·16	·11				·36	·24		·07	·20	27
28				·15				·09			·06		28
29		✗		·11		·24	·02	·03	·11	·14			29
30		✗	·05	·05	·06	·02		·02	·03	·10	·01	·02	30
31		✗	·01	✗		✗			✗	·04	✗		31
Total	·78	1·41	1·85	·78	·70	1·40	·11	1·70	1·57	1·90	2·53	3·54	TOTAL for year 18·27
No. of Rain Days.	10	10	18	13	5	12	3	16	11	17	23	25	163

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

Kept at Evesham

in the County of Worcester. 3

by Ross Bros (Evesham) Ltd

RAIN GAUGE Diameter of top ~~12~~ in. 5 on 13
Height of top above Ground 1 ft. in.
" " " Sea Level 120 ft.

Time of Observation 8 O'Clock.

Nearest Railway Station Name Evesham
Distance ½ mile Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03		·08		·14		·05	·03			·01		1
2				·03	·35			·12	·02		·06	·04	2
3								·09		·17	·02	·01	3
4	·02		·11	·01				·08	·06	·06	·34	·15	4
5	·04		·03	·01						·01	·06		5
6	·24		·04								·06	·27	6
7	·02										·18	·08	7
8	·15		·14								·06	·07	8
9	·11										·07	·16	9
10	·02	·12	·33					·08			·04	·18	10
11	·14										·62	·01	11
12			·46						·18		·16		12
13			·03						·46	·08	·01	·29	13
14											·02	·25	14
15		·04	·03							·02	·08	·05	15
16						·12				·01	·22	·20	16
17			·02			·04					·18	·16	17
18		·44	·03	·03		·01				·04		·24	18
19				·01		·18		·02	·06	·16	·06	·01	19
20	·01	·07				·01		·28	·19	·09		·38	20
21		·11		·02				·21	·01	·29		·08	21
22			·08	·01		·06		·05		·02	·01	·29	22
23		·14	·21			·31			·21	·01		·09	23
24		·06	·02			·37		·13		·50		·10	24
25		·16		·04	·14	·03		·08				·13	25
26		·15	·02	·20	·01	·01	·04	·03		·16	·13	·08	26
27		·12	·16	·11				·36	·24		·07	·20	27
28				·15				·09			·06		28
29				·11		·24	·02	·03	·11	·14			29
30			·05	·05	·06	·02		·02	·03	·10	·01	·02	30
31			·01							·04			31
Total	·78	1·41	1·85	·78	·70	1·40	·11	1·70	1·57	1·90	2·53	3·54	TOTAL for year 18·27
No. of Rain Days.	10	10	18	13	5	12	3	16	11	17	23	25	163

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

15 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Bengeworth Evesham

in the County of Worcestershire 3

by Ross Bros (Evesham) Ltd

Lat. .... Long. ....
Time of Observation 9 o'clock.
Nearest Railway Station Evesham
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. ...... in.
" " " " Sea Level 128 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			·04		·01	·63	·06	·02	·04	16		07	1
2		·02	·11	·04	·02	·14	·45	06				·03	2
3	·07		·04		·11	·11	·18	·38			·02	·10	3
4	·14		·51		·14	·98	·01	·07			·21		4
5	·30	·04	·28		·07	·04		·40			·01		5
6	·06	·09			·03	·06	·55	·58			·01	·05	6
7		·11			·07	·46		·24				·01	7
8	·14	·07	·08	·01		·04	·14	·10	·04			·03	8
9	·02	·04	·24	·06		·30		·03				·21	9
10		·03				·14		·21			·15		10
11		·02	·01			·11	·02	·22			·25	·45	11
12	13	·53	·15		·10						·05	·02	12
13	·13	·04						·16			·03	·01	13
14	·06		·45					·07	·02	·06			14
15	·06	·06	·08		·46	·32		·07				·19	15
16	1·17		·15			·03		·05		·05	·04		16
17	1·01		·17			·04		·33			·03	39	17
18	·31	·02	·07					·10		·04	·03	02	18
19	·06	·04	·02		·03		·30	·20		·01	·02		19
20	·02	·01	·16		·02		27	·05		·26	·03		20
21	·02	·02	·32		·60			·77		·25			21
22	·40	·10			·79	·06	·43	·10		·03		·03	22
23	·24	·53	24			·22	·10	·31			·04	·44	23
24	·05	·02			·01	·20	·02	·17				·12	24
25	·01					·84		·63			27	·30	25
26		·05	·03				·05	·88		47	·22	·12	26
27		·01				13	19			66		·17	27
28		·08				20	67	·50	·06	20	·13	·45	28
29		·06	·02			22	25	·03	·20	24	·01	02	29
30						10	·09	·09	·02	13		·01	30
31			·17		·11		75	·06		·04		·07	31
Total	4·27	1·99	3·34	·11	2·57	5·37	4·53	6·88	·38	2·60	1·55	3·31	YEAR'S TOTAL 3690
Rain Days.	19	22	21	3	15	22	18	29	6	14	18	23	210

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.

8 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Evesham

in the County of Worcester 3

by Ross Bros (Evesham) Ltd.

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Evesham.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 128 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·03	·07	·10					1·00		·03	·03	1
2	·01	·17	·03	·09			·01		·17	·49	·06		2
3	·15	·01	·10		·72					·01			3
4	·69		·01		·13		·01			·47		·25	4
5	·02					·10	·05		·03	·08	·10	·03	5
6	·03	·03	·15		·29	·08	·67			·30	·01	·35	6
7		·16			·19	·03	·08			·22	·07		7
8		·03			·16	·01				·20			8
9		·23	·01		·01	·09	·03	·19	·20		·12	·03	9
10	·18			·13	·03			·06			·18		10
11	·40			·29					·01	·03	·41		11
12					·15			·42		·02	·66		12
13	·05	·03	·04		·03			·01	·09	·12	·20		13
14	·02		·39	·02			·04	·11					14
15	·05	·15	·43	·20			·02	·03	·08		·02		15
16	·02	·01	·85	·15									16
17	·04		·12	·15		·13	·17		·10		·01		17
18	·01		·18	·06	·10		·01						18
19	·10		·10		·02	·04	·13		·14			·02	19
20	·26		·17	·07			·01	—		·07	·01		20
21	·02		·13	·06	·09		·11	·01			·36		21
22	·39		·31				·01	·05	·34				22
23			·04			·06		·06	·06		·02	·05	23
24	·01			·01									24
25				·07					·02			·02	25
26		·04		·33	·36			·27		·10		·26	26
27		·01		·21						·03		·02	27
28	·48		·14	·30						·19		·04	28
29	·01	×	·61	·75						·12	·09	·02	29
30	·25	×								·18			30
31	·01	×	·06	×	·10	×		·04	×	·03	×		31
Total	3·20	·90	3·94	2·99	2·38	·54	1·35	1·25	2·24	2·66	2·35	1·12	YEAR'S TOTAL 24·92
Rain Days.	22	12	20	17	14	8	14	11	12	17	16	12	175

W.7,000, XI. 13

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
14 JAN 1915

Kept at Evesham

in the County of Worcester 3

by Ross Brothers (Evesham) Ld

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Evesham

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 128 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01	·08			·84	·45			·03	·07	1
2			·04				·26	·02			·42	·45	2
3			·04	·02	·13		·06				·06	·01	3
4	·16		·01	·13			·06	·05			·43	·39	4
5			·06	·06	·21	·01	·42				·05		5
6	·08	·07			·02	·12	·02	·01			·10	·06	6
7		·11	·18	·02	·14	·04	·12	·02				·06	7
8			·20	·03	·07	·73	·05	·17			·01	·08	8
9	·15		·29	·18	·07	1·05		·08	·06				9
10	·04	·18		·22	·05	·20			·26				10
11		·08	·31	·05	·05	·20					·14	·37	11
12		·10	·13				89·		·28		·01	·21	12
13		·15	·22						·09	·14	·10	·30	13
14		·06	·11	·03			·03			·33	·07	·09	14
15		·02	·10				·02	·05	·02	·05	·06	·01	15
16			·05				·05		·05			·01	16
17		·15	·07						·09			·12	17
18	·04		·01			·03	·15					·34	18
19			·06				·82				·05	·04	19
20		·21	·05			·12						·16	20
21		·39	·05			·43		·10		·12		·18	21
22		·07	·13		·15		·02	·06		·16			22
23		·04	·05		·07		·04			08			23
24		·06	·06		·01	·03		·02		·09	·04		24
25	·13		·04				·01	·12		·23	·03	·11	25
26			·05				·07	·03		·07	·15	·22	26
27	·06		·10				08·				·02	·08	27
28		·13	·14		·05					·02	·07	1·21 snow	28
29			·03		·08					·16	·09		29
30	·01		·08		·01	·02				·06	·45	·40	30
31	·03				·02		·19			·04			31
Total	·70	1·82	2·67	·82	1·13	2·98	4·20	1·18	·85	1·55	2·38	4·97	YEAR'S TOTAL 25·25
Rain Days.	9	15	28	10	15	12	20	13	7	13	20	23	185

W. 8,000. X. 14.

2524

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Evesham
in the County of Worcester
by Ross Brothers (Evesham) Limited.

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Evesham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 128 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·19	·06	·04		·29		·04	·10	·01	·20		·02	1
2	·25	·11	·16	·06		·06	·01	·67		·20		·05	2
3	·88	·04	·02	·21	·04		·85	·17				·20	3
4	·01				·05		·47	·01				·50	4
5		·20					·04	·05				·25	5
6	·22	·02		·12			·35					·11	6
7	·03	·30		·02		·42	·25	·05				— [illegible]	7
8	·07	·11		·04				·04			·04	19. [illegible]	8
9	·08	·01		·08				·03			·13	35	9
10	·22		·04	·03								·01	10
11				·08	·08						·69		11
12	·03			·19	·26			·23		·16	·61	·03	12
13	·01	·40			·98			·02				·34	13
14		·03						·24	·08	·01			14
15	·37				·07			·04			·06	·06	15
16	·03	·27			·28		·58	·05				·01	16
17		·24	·04		·37			·01				·03	17
18		·12	·01										18
19		·04			·15		·19						19
20	·15	~~·15~~		·05			·02					·12	20
21	·06	·15					·05			·14		·07	21
22	·15	·02	·29	·08			·45					·13	22
23	·03	·12	·06				·20		·05	·40		·30	23
24				·06		·01	·16		·26	·28		·10	24
25			·03			·68	·05					·45	25
26		·03					·08		·02			40	26
27		·02				·09	·26			·39		·02 ?	27
28		·15				·06	·05		·12				28
29						·35	·10	·18			·03	·01	29
30	·05	✕				·36	·09	·01		·09	·13	·05	30
31	·01	✕		✕		✕	·11	·02	✕	·74	✕	·23	31
Total	2·84	2·44	·69	1·02	2·57	2·03	4·40	1·92	·54	2·61	1·69	4·03	YEAR'S TOTAL 26·78
Rain Days.	19	20	9	12	10	8	21	17	6	10	7	25	164.

W. 8,000. X. 15.

2458

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

20 JAN 1917

Kept at Evesham

in the County of Worcester

by Ross Brothers (Evesham) Ld.

Lat. Long.

Time of Observation 9 am.

Nearest Railway Station Evesham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 128 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·15				·07	·06	·11		[illegible]	·05	·26		1
2	·15	·02	·09		·26				·01	·66	·14		2
3	·01	·48	·01						·06	·18	·05		3
4	·31	·04			·46	·33	·16		·02	·07	·43		4
5	·02	·01			·12		·28			·04			5
6	·05	·08	·03	·01	·11		·29			·15	·35		6
7	·01		·06		076		·20			·11	·30		7
8	·02		·02		1·05	·03					·06	·25	8
9			·04		·24	·54				·03	·01		9
10		·40	·10	·04		·06				·05			10
11	·02		·04	·11	·07	·20			·01			·38	11
12	·01	·02	·05	·02	·47		·18			·15			12
13		·29	·15			·01	·05	·21					13
14		·39	·01	·01	·02			·03		·06			14
15		·12	·45	·02			·08	·24	·01	·04			15
16		·01	·07	·15	·29		·04	·30		·06			16
17	·10	·17		·08			·01	·03	·35				17
18		·05		·07				·03	·19	·45	·53		18
19	·03	·01	·10	·52					·02	·02	27		19
20			·32	·01				·02		·05	·08	·26	20
21	·07		·53	·01			·03					·48	21
22			·01		·11					·06		·42	22
23		·20								·06	·03	·16	23
24		·11				·12		·07		·25			24
25		·10	·09		·06	·11		·05		·02	·16		25
26		·04				·04		·21	·30	·16			26
27	·04		·77				·45	·17	·17	·23			27
28		·38	·02			·14		·11	·01	·04		·25	28
29		·10				·18		1·32		·15		·06	29
30		✕				·05				·16		·01	30
31		✕		✕		✕			✕	·12	✕	·04	31
Total	·99	3·02	2·96	1·05	2·49	1·87	1·88	2·79	1·15	3·42	2·67	2·31	YEAR'S TOTAL 26·60
Rain Days.	14	20	20	12	14	13	12	13	11	26	13	10	178

W. 8,000, VIII. 16

2344

FORM A.
BRITISH RAINFALL.
2 JAN

REGISTER OF RAINFALL IN 1917

Kept at Evesham

in the County of Worcester

by Ross Brothers (Evesham) Ltd.

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Evesham

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground One ft. — in.

" " " " Sea Level 128 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·02	·06	·05		·04		·82	·14		·11		1
2				·02		·09					·02		2
3				·11				·12		·07			3
4		·13	·10					·08		·47			4
5	·18		·01	·21					·06	·14	·07		5
6			·01			·28				·04			6
7	·32		·01				·07			·31			7
8	·52			·12			·50	·53			·10	·19	8
9			·18		·18			·29		·10	·21		9
10	·37		·24	·14	·18			·15		·01			10
11	·08	·05	·09	·12				·50	·08	·06			11
12	·08	·01		·13	·09			·23		·25			12
13					·03			·08	·06				13
14			·19	·05				·24		·01		·02	14
15	·02		·01					·02		·01			15
16				·09			·06			·05		·58	16
17	·05			·04	·60		·31		·06	·02			17
18					·02		·11	·15	1·31	·06			18
19	·03	·39	·14							·05			19
20	·01	·16	·22		·33	·15	·33		·23		·03		20
21	·02		·13			·14					·05		21
22					·06	·05		·22					22
23		·24			·01			·25	·01	·22			23
24						·08		·08		·05	·03		24
25		·17	·12							·11	·03		25
26								·35	·11		·23		26
27					1·60	·04	·03	·65					27
28			·20			·45		·07				·04	28
29		✕	·02			·67	·06	·05		·38		·26	29
30		✕					·16	·20		·04	·02	·01	30
31		✕	·03	✕		✕	·01	·07	✕		✕	·03	31
Total	1·68	1·17	1·76	1·08	3·10	1·99	1·64	5·15	2·06	2·45	·90	1·13	YEAR'S TOTAL 24·11
Rain Days.	11	8	19	11	10	10	10	21	9	20	11	7	145

W. 8,000, IX. 17.

Exd. E.F.E

43

FORM A. BRITISH RAINFALL.

2.1.19

REGISTER OF RAINFALL IN 1918

Kept at Evesham

in the County of Worcester

by Rout Brothers (Evesham) Ld.

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Evesham.

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground one ft. — in.

" " " " Sea Level 128 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·01	·06			·04		·02	·20		1
2		·05	·01					·14		·01	·02	·04	2
3		·02	·01		·07			·01	·44	·02	·03		3
4		·04	·02						·08		·32	·06	4
5				·03	·33				·21	·10			5
6		·22		·04					·32	·01		·02	6
7	·01	·12		·03	·22	·04			·10	·20	·21		7
8		·02							·03	·03		·04	8
9		·04		·18		·21	·05		·22	·32		·02	9
10	·08						·24		·03	·10		·10	10
11				·25	·06		·05		·04	·05	·04	·03	11
12		·02	·11		·08		·28			·03			12
13		·03		·01			·12		·06	·03		·10	13
14	·18		·03				·06		·50	·07		·06	14
15	1·13			·43			·11		·01			·17	15
16	·15			·92	·03	·03	·02		·16			·07	16
17	·11			·08			·12		·11	·05		·07	17
18	·41					·19	·05		·45	·01		·55	18
19	·03		·19				·11		·01	·10			19
20	·01	·10		·60		·04	·12		·13	·03		·12	20
21	·01			·24		·02	·03		·24	·01		·12	21
22	·09				·11		·06		·13	·09		·10	22
23					·43		·12		·05				23
24							·01		·09		·14	·01	24
25							·22	·22	·01	·02			25
26							·84	·03	·01	·02	·09		26
27		·01						·17	·05		·08	·14	27
28		·15	·27						·02		·22	·01	28
29		×							1·25			·05	29
30		×	·20					·04			·06	·01	30
31		×	·18	×		×		·01	×		×		31
Total	2·21	·82	1·02	3·82	1·39	·53	2·61	·66	4·75	1.32	1·41	1·89	YEAR'S TOTAL 21·43
Rain Days.	11	12	9	12	9	6	18	8	26	21	11	21	164

W. 8,000, IX. 17.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Evesham Bengeworth

in the County of Worcester

by Ross Bros Ltd

Lat. Long.

Time of Observation 9 AM

Nearest Railway Station Evesham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 128 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·28	·02	·02		·06		·22			·16		·40	1
2	·17				·02		·29	·03		·02	·05	·03	2
3	·87		·10		·02		·12		·65		·17	·14	3
4	·09		·42			·13	·083	·03	·20		·01	·15	4
5	·03	·20	·23		·45		·05		·26		·01	·20	5
6	·01		·02		·10				·20			·18	6
7	·14		·36		·09				·01		·02		7
8	·05		·02	·20					·02				8
9	·08		·03			·01					·01		9
10	·01		·39	·08								·17	10
11	·02		·34	·01			·30				·03		11
12			·28	·01		·12	·04						12
13	·02			·02			·01			·16			13
14	·40			·12			·11		·10	·17		·05	14
15	·33		·05	·14	·02				·02			·14	15
16	·14	·72		·01				·02	·10		·07		16
17	·04	·56		·01		·01					·12		17
18	·01		·28					·15				·07	18
19	·01	·29	·91				1·40	·19					19
20	·28	·02	·35			·10	·05	·33			·05		20
21		·34	·04				·17	·01	·09			·08	21
22		·09					·03		·21			·18	22
23						·14		·05		52	·03		23
24										·70	·07	·16	24
25	·10			·01	·06	·06		·16	·15			·01	25
26		·01	·13	·19			·25	·06				·26	26
27	·07			·66									27
28	·25		·10	·01				·72			·22	·16	28
29	·04			·03		·02				·20	·02	·30	29
30		✕		·24		·22				·09	·04	·18	30
31		✕	·09	✕		✕		·75	✕	·01	✕	·03	31
TOTAL	3·44	2·25	4·16	1·74	·82	·81	3·07	2·50	2·01	2·03	·92	2·89	YEAR'S TOTAL 26·64
Days with ·01 in. or more	23	9	19	15	8	9	14	12	12	9	15	19	164

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

JAN 1921

Kept at Evesham
in the County of Worcester
by Ross Bros (Evesham) Ltd

Lat. .... Long. ....
Time of Observation 9 AM.
Nearest Railway Station Evesham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 128 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-		·08	·24		·26		·01	·07		·12	1
2	-	~~·04~~	·04	·22			·17	·03	·06	·12		·06	2
3	·01	·01		·06		·03	·86	·03	·22	·07		·02	3
4	·			·15				·20		·13			4
5	·	~~·17~~	·17	·02	·17		·38	·38	·04	·17			5
6	·	~~·23~~	·23		·12		·23		·02	·46			6
7	·			·19			·08						7
8	·10	~~·04~~ 07	·02	·46	·04		·10						8
9	·19			·36			·02						9
10	·48	~~·06~~ ·07	·06	·01		·01	·14				·06		10
11	·14	~~·04~~ ·01	·04	·04	·36	·10	·01						11
12	·08			·10		·66	·06	·19	~~·02~~		·02		12
13	·01	~~·15~~	·15	·09		·26			·02			·05	13
14	·	~~·48~~	·48	·17		·06	·01		·29		·10		14
15	·	·08	·55	·27		·12			·46	·03	·08		15
16	·			·10	·02		·08		·12	·29	·04		16
17	·			·01	·11				·92	·10		·03	17
18	·19			·08	·09			·21	·76			·01	18
19	·02	·09		·11		·06	·05		·04				19
20	·02	~~·13~~ 23		·16		·18							20
21	·			·01			·01		·01			·02	21
22	·			·10								·13	22
23	·						·38	·17				·31	23
24	·	~~·12~~	·12	·03								·12	24
25	·	·04	·04	·03			·44						25
26	·20	~~·20~~	·20	·02	·02		·02					·08	26
27	·18	·01	·04	·15	·10	·30	·11				·02	·10	27
28	·51		·05		·12		·02						28
29	·08		·16		·07	·03					·05	·45	29
30		×	05	·07		·04	·14		·19		·13	·13	30
31	·07	×		×		×	·04		×	·47	×	·02	31
TOTAL	2·28	·61	2·40	3·09	1·46	1·85	3·61	1·21	3·16	1·91	·50	1·65	YEAR'S TOTAL 23·73
Days with ·01 in. or more	~~4~~ 15	~~3~~ 9	~~4~~ 16	~~6~~ 26	~~2~~ 12	3 12	6 22	2 7	~~4~~ 14	10	~~2~~ 8	15	166 ~~39~~
Days with ·04 in. or more	~~10~~ 11	6	15	20	10	9	16	5	10	9	6	10	127

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A1.
BRITISH RAINFALL.
3 - JAN 1912

WORCESTER.

EVESHAM.

"GREAT HAMPTON"

1911 - 1920

REG 1911

owdon

Kept at Great Hampton top 5 in.

above Ground 1 ft. - in.

in the County of Worces „ Sea Level 150 ft.

9 Am.

by H. C. Boutflow tion { Name Bengeworth
Distance 4 m. Direction S. E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	—	·07	·01	—	—	·05	·03	—	—	—	—	1
2	—	—	—	·07	·13	—	—	·26	·01	·17	·05	·03	2
3	—	—	—	—	·36	—	—	·01	—	—	·01	—	3
4	—	—	·12	—	—	—	—	—	·06	·02	·38	·35	4
5	—	—	—	·01	—	—	—	·06	—	—	·05	—	5
6	·23	—	·03	—	—	—	—	—	—	—	·07	·40	6
7	·01	—	—	—	—	—	—	—	—	·04	·18	—	7
8	·13	—	·09	—	—	—	—	—	—	—	·03	·06	8
9	·11	—	—	—	—	—	—	—	—	—	·14	·10	9
10	·02	·16	·33	—	—	—	—	·15	—	—	·02	·25	10
11	·13	—	—	—	—	—	—	—	—	—	·57	·01	11
12	—	—	·40	—	—	—	—	—	·16	—	·18	—	12
13	—	—	·01	—	—	—	—	—	·40	·01	·02	·33	13
14	—	·04	—	—	—	—	—	—	—	—	—	·25	14
15	—	—	·02	—	—	—	—	—	—	·01	·07	·03	15
16	—	—	—	—	—	·17	—	—	—	—	·32	·08	16
17	—	—	·01	—	—	·02	—	—	—	—	·13	·27	17
18	—	·47	·01	·02	—	·01	—	—	—	—	—	·23	18
19	—	—	—	—	—	·10	—	·01	·05	·23	·05	·24	19
20	·01	·05	—	—	—	—	—	·10	·17	·01	—	·25	20
21	—	·10	·02	—	—	—	—	·28	·01	·31	—	·10	21
22	—	—	·03	·01	—	·02	—	·01	—	·05	—	·30	22
23	—	·13	·20	—	—	·17	—	—	·21	—	—	·15	23
24	—	·05	—	—	—	·38	—	·12	—	·46	—	·08	24
25	—	·15	·01	·06	·12	·02	—	·03	—	—	—	—	25
26	—	·08	—	·20	·01	—	—	·03	—	·21	·02	·12	26
27	—	·14	·15	·09	—	—	—	·37	·25	—	·02	·10	27
28	—	·21	—	·14	—	—	—	—	—	—	·04	—	28
29	—		—	·08	—	·21	·01	·03	·10	·15	·01	—	29
30	—		·04	·03	·06	—	—	—	·02	·11	—	—	30
31	—		—		—		—	—		·02		—	31
Total	·66	1·58	1·54	·72	·68	1·10	·06	1·49	1·44	1·80	2·36	3·73	TOTAL for year 17·16
No. of Rain Days	8	11	16	11	5	9	2	14	11	14	21	21	143 142

1,000, X. '09. Waterlow and Sons Limited, Printers, London Wall, E.C.; Edward Stanford, Publisher, 12, 13 & 14, Long Acre, W.C. Price 2d.

FORM A1.

BRITISH RAINFALL
3 - JAN 1912

REG 911

Kept at Great Hampton, Evesham

in the County of Worcester

by H. C. Boutflower

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 150 ft.

Time of Observation 9 AM.

Nearest Railway Station
Name Bengeworth
Distance ¼ m. Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	—	·07	·01	—	—	·05	·03	—	—	—	—	1
2	—	—	—	·07	·13	—	—	·26	·01	·17	·05	·03	2
3	—	—	—	—	·36	—	—	·01	—	—	·01	—	3
4	—	—	·12	—	—	—	—	—	·06	·02	·38	·35	4
5	—	—	—	·01	—	—	—	·06	—	—	·05	—	5
6	·23	—	·03	—	—	—	—	—	—	—	·07	·40	6
7	·01	—	—	—	—	—	—	—	—	·04	·18	—	7
8	·13	—	·09	—	—	—	—	—	—	—	·03	·06	8
9	·11	—	—	—	—	—	—	—	—	—	·14	·10	9
10	·02	·16	·33	—	—	—	—	·15	—	—	·02	·25	10
11	·13	—	—	—	—	—	—	—	—	—	·57	·01	11
12	—	—	·40	—	—	—	—	—	·16	—	·18	—	12
13	—	—	·01	—	—	—	—	—	·40	·01	·02	·33	13
14	—	·04	—	—	—	—	—	—	—	—	—	·25	14
15	—	—	·02	—	—	—	—	—	—	·01	·07	·03	15
16	—	—	—	—	—	·17	—	—	—	—	·32	·08	16
17	—	—	·01	—	—	·02	—	—	—	—	·13	·27	17
18	—	·47	·01	·02	—	·01	—	—	—	—	—	·23	18
19	—	—	—	—	—	·10	—	·01	·05	·23	·05	·24	19
20	·01	·05	—	—	—	—	—	·10	·17	·01	—	·25	20
21	—	·10	·02	—	—	—	—	·28	·01	·31	—	·10	21
22	—	—	·03	·01	—	·02	—	·01	—	·05	—	·30	22
23	—	·13	·20	—	—	·17	—	—	·21	—	—	·15	23
24	—	·05	—	—	—	·38	—	·12	—	·46	—	·08	24
25	—	·15	·01	·06	·12	·02	—	·03	—	—	—	—	25
26	—	·08	—	·20	·01	—	—	·03	—	·21	·02	·12	26
27	—	·14	·15	·09	—	—	—	·37	·25	—	·02	·10	27
28	—	·21	—	·14	—	—	—	—	—	—	·04	—	28
29	—		—	·08	—	·21	·01	·03	·10	·15	·01	—	29
30	—		·04	·03	·06	[illegible]	—	—	·02	·11	—	—	30
31	—		—		—		—	—		·02		—	31
Total	·66	1·58	1·54	·72	·68	1·10	·06	1·49	1·44	1·80	2·36	3·73	TOTAL for year 17·16
No. of Rain Days	8	11	16	11	5	9	2	14	11	14	21	21	143 142

1,000, X. '09. Waterlow and Sons Limited, Printers, London Wall, E.C.; Edward Stanford, Publisher, 12, 13 & 14, Long Acre, W.C. Price 2d.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
8 - JAN 1913

Kept at Gt Hampton Evesham
in the County of Worcester 3
by H. C. Boutflower

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Bengeworth M. R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	—	·03	—	—	·82	·08	·02	·03	·16	—	·08	1
2	—	—	·10	·01	—	·23	·29	·04	—	—	—	—	2
3	·05	—	·04	—	·10	·07	·20	·47	—	—	·01	—	3
4	·13	—	·42	—	·11	·92	—	·36	—	—	·22	—	4
5	·22	·04	·22	—	·07	·04	—	·42	—	—	·01	—	5
6	·15	—	·01	—	·03	·08	·53	·56	—	—	—	·10	6
7	—	—	—	—	·03	·46	—	·37	—	—	—	·01	7
8	·12	·19	·07	—	—	·02	·11	·15	·01	—	—	·05	8
9	·01	·02	·22	·05	—	·20	—	·03	—	—	—	·06	9
10	·01	—	—	·02	—	·04	—	·25	—	—	·21	—	10
11	·10	·04	—	—	—	·11	—	·36	—	—	·09	·43	11
12	·05	·50	·17	—	·08	—	·01	—	—	—	·03	·02	12
13	—	·02	—	—	—	—	·01	·10	—	—	·01	·01	13
14	·07	—	·43	—	·03	—	—	·05	—	·01	—	—	14
15	·10	·07	·02	—	·41	·18	—	·06	—	—	—	·20	15
16	1·12	—	·14	—	·06	·07	—	·06	—	·05	·01	—	16
17	1·02	—	·16	—	—	·02	—	·34	—	—	·02	·48	17
18	·25	·01	·08	—	—	—	—	·22	—	·03	—	—	18
19	·08	·01	—	—	·02	—	·28	·28	—	—	·02	—	19
20	—	—	·17	—	·02	—	·25	·05	—	·24	·01	—	20
21	—	·01	·34	—	·60	—	—	·75	—	·25	—	—	21
22	·10	·09	—	—	·73	·07	·38	·10	—	—	—	·03	22
23	·30	·44	·18	—	—	·11	·09	·36	—	—	·02	·18	23
24	·20	—	—	—	—	·17	·01	·15	—	—	—	·10	24
25	·10	·01	—	—	—	·71	—	·62	—	—	·33	·33	25
26	—	·04	·02	—	—	—	·09	·95	—	·46	·20	·45	26
27	—	—	—	—	—	·11	·18	—	—	·71	—	·08	27
28	—	·06	—	—	—	·09	·47	·49	·02	·29	·22	·45	28
29	—	·05	·01	—	—	·15	·25	·03	·20	·21	·02	·01	29
30	—		—	—	—	·17	·03	·07	·01	·17	—	—	30
31	—		·17		·21		·70	·05		·03		·04	31
Total	4·28	1·60	3·00	·08	2·50	4·84	3·96	7·75	·27	2·61	1·43	3·11	YEAR'S TOTAL 35·43
Rain Days.	19	16	20	3	14	22	18	29	5	12	16	19	193

W. 7,500, XI. 12

/

REGISTER OF RAINFALL IN 19*13*

FORM A.
BRITISH RAINFALL.
4 - JAN 1914

Kept at *Gt Hampton, Evesham*

in the County of *Worcester*

by *H. C. Boutflower*

3

Lat. .... Long. ....
Time of Observation *9 AM*
Nearest Railway Station *Bengeworth*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *–* in.
" " " " Sea Level *150* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·02	·08	·07	—	—	—	—	1·06	—	·02	—	1
2	·01	·25	·01	·06	—	—	·01	—	·16	·45	·06	—	2
3	·11	—	·09	—	·51	—	—	—	—	·03	—	·04	3
4	·74	—	—	—	·27	—	—	—	—	·25	—	·15	4
5	·01	·11	—	—	—	·07	·04	—	·01	·21	·11	—	5
6	·02	·02	·10	—	·25	·07	·56	—	—	·30	·01	·32	6
7	—	·10	—	—	·16	·02	·05	—	—	·17	·05	—	7
8	—	·03	—	—	·11	—	—	—	—	·07	—	—	8
9	—	·15	·01	·01	·01	·08	·01	·24	·20	—	·13	·01	9
10	·10	—	—	·16	·01	—	—	·07	—	·01	·17	—	10
11	·31	—	—	·23	—	—	—	·41	—	·02	·42	—	11
12	—	—	—	—	·24	—	—	—	—	—	·65	—	12
13	·01	—	·01	—	·01	—	—	·03	·10	—	·21	—	13
14	·02	—	·40	·01	—	—	·04	·06	—	·15	—	—	14
15	·08	·06	·52	·21	—	—	·01	·02	·07	—	·02	—	15
16	·02	—	·68	·09	—	—	—	—	·05	—	—	—	16
17	·03	·02	·19	·14	—	·03	·14	—	—	—	·01	·01	17
18	—	—	·18	·07	·05	—	·08	—	—	—	—	—	18
19	·10	—	·14	—	·02	·07	·04	—	·06	—	—	·01	19
20	·27	—	·12	·07	—	—	—	—	·01	·06	·02	—	20
21	—	—	·15	·04	·09	—	·10	·02	—	—	·32	—	21
22	·36	—	·26	·01	—	·02	—	·05	·32	—	—	—	22
23	—	—	·03	—	—	·05	—	·03	·05	—	·01	·05	23
24	·01	—	—	·01	—	—	—	—	—	—	—	—	24
25	—	—	—	·07	—	—	—	—	·01	—	—		25
26	—	·01	—	·38	—	—	—	·29	—	·07	—	·20	26
27	—	—	—	·21	·48	—	—	—	—	·01	—		27
28	·47	—	·12	·34	—	—	—	—	—	·17	—	·01	28
29	—		·51	·76	—	—	—	—	—	·19	—	·03	29
30	·25		—	—	—	—	—	—	—	·19	·10	—	30
31	—		·06		·03		—	·04		·02		—	31
Total	2·92	·77	3·66	2·94	2·24	·41	1·08	1·26	2·10	2·37	2·31	·83	YEAR'S TOTAL 22·89
Rain Days.	18	10	19	19	14	8	11	11	12	17	16	10	165

W.7,000, XI. 13

Ex DL

REGISTER OF RAINFALL IN 19*14*

FORM A.
BRITISH RAINFALL.
8 - JAN 1915

Kept at Gt Hampton, Evesham
in the County of Worcester 3
by H. C. Boutflower

Lat. Long.
Time of Observation 9am
Nearest Railway Station Bengeworth
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1ft ft. — in.
" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	·07	—	—	1·18	·40	—	—	·03	·06	1
2	—	—	·02	—	·02	—	·20	·06	—	—	·43	·43	2
3	—	—	·01	·03	·10	—	·15	·04	—	—	·05	·02	3
4	·13	—	—	·12	·02	—	·07	—	—	—	·38	·42	4
5	·02	—	·04	·06	·17	·01	·55	—	—	—	·05	—	5
6	·04	·05	—	—	·02	—	·01	—	—	—	·11	·05	6
7	—	·08	·19	·01	·12	·04	·10	·07	—	—	—	·04	7
8	—	—	·22	—	·05	·60	·03	·07		—	—	·06	8
9	·14	—	·27	·20	·02	1·22	—	·09	·05	—	—	—	9
10	·02	·17 ~~[illegible]~~	·02	·19	·03	·06	—	—	·24	—	—	—	10
11	—	·06	·24	·11	·04	·39	—	—	—	—	·13	·31	11
12	—	·07	·13	—	—	—	1·21	—	·26	—	·02	·15	12
13	—	·11	·20	—	—	—	—	—	·11	·15	·09	·28	13
14	—	·04	·12	·04	—	—	·02	—	—	·33	·06	·04	14
15	·01	—	·13	—	—	—	—	·03	·01	·03	·02	·01	15
16	·01	—	·03	—	—	—	·06	—	·02	—	—	·02	16
17	—	·16	·14	—	—	—	—	—	·09	·02	—	·11	17
18	—	—	·01	—	—	·02	·08	—	—	—	— ~~[illegible]~~	·25	18
19	—	—	·06	—	—	—	·62	—	— ~~[illegible]~~	—	~~[illegible]~~ 6	·05	19
20	—	·16	·03	—	—	·10	—	—	—	—	—	·18	20
21	—	·26	·04	—	—	·39	—	·08	—	·17	—	·18	21
22	—	·07	·27	—	·15	—	·02	·02	—	·13	~~[illegible]~~	—	22
23	—	·03	·06	—	·06	—	·02	—	—	·09	— ~~[illegible]~~	—	23
24	—	·02	·07	—	—	—	—	·01	—	·06	·03	—	24
25	·10	—	·09	—	—	—	·09	·14	—	·20	~~[illegible]~~ 3	—	25
26	—	—	·18	—	—	—	·05	·01	—	·08	·14 ~~[illegible]~~	·05	26
27	·04	—	·06	—	—	—	—	—	—	—	·02 ~~[illegible]~~	·30	27
28	—	·09 ~~[illegible]~~	·11	—	·07	—	—	—	—	·02	·06	·90	28
29	—	X	·06	—	·08	—	—	—	—	·16	·07	—	29
30	—	X	—	—	—	·01	—	—	—	·06	·43	·35	30
31	·02	X	—	X	·01	X	·20	—	X	·02	X	·01	31
Total	·53	1·37	2·80	·83	·96	2·84	4·66	1·02	·78	1·52	2·21	4·27	YEAR'S TOTAL 23·79
Rain Days.	10	1.37 13 14	26	9	15	10	18	12	7	14	19	23	176 177

W. 8,000. X. 14.

2527

FORM A.
BRITISH RAINFALL.
JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at 31 Pershore Rd Hampton Evesham

in the County of Worcestershire

by H. C. Boutflower

Lat. Long. ?

Time of Observation 9 am

Nearest Railway Station Bengeworth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 115 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·12	·05	·04	—	·31	—	—	·05	—	·17	—	·03	1
2	·23	·08	·15	·02	—	·05	—	·54	—	·15	—	·04	2
3	·81	·04	·02	·24	·10	—	·73	·24	—	—	—	·19	3
4	·01	·01	—	—	·01	—	·34	·14	—	—	—	·49	4
5	—	·22	—	—	—	—	·02	·06	—	—	—	·25	5
6	·23	·01	—	·15	—	—	·36	·01	—	—	—	·17	6
7	·04	·29	—	·01	—	·42	·16	·04	—	—	—	·20	7
8	·11	·09	—	·07	—	—	—	·06	—	—	—	—	8
9	·08	—	—	·06	—	—	—	·08	—	—	·14	·34	9
10	·23	—	·04	·03	—	—	—	—	—	·01	—	—	10
11	—	—	—	·06	·06	—	—	—	—	—	·68	—	11
12	·04	·02	—	·15	·33	—	—	·09	—	·18	·64	·02	12
13	—	·32	—	—	·95	—	—	·02	—	—	—	·03	13
14	—	·02	—	—	—	—	—	·19	·02	—	—	·31	14
15	·38	—	—	—	·06	—	—	·04	—	·02	·06	·06	15
16	·04	·24	—	—	·28	—	·61	·06	—	—	—	·02	16
17	—	·19	—	—	·39	—	—	—	—	—	—	·01	17
18	—	·15	·01	—	—	—	—	—	—	—	·01	—	18
19	—	·02	—	—	·10	—	·19	—	—	·01	—	—	19
20	·16	—	—	·05	—	—	—	—	—	—	—	·11	20
21	·04	·13	—	—	—	—	·06	—	—	·11	—	·06	21
22	·13	·01	·29	·06	—	—	·39	—	·03	—	—	·14	22
23	·03	·10	·06	—	—	—	·10	—	·02	·40	—	·31	23
24	—	—	—	·05	—	·01	·10	—	·29	·23	—	·09	24
25	—	—	—	—	—	·77	·04	—	—	·02	—	·47	25
26	—	·02	—	—	—	—	·09	—	·01	—	—	·39	26
27	—	·02	—	—	—	·02	·14	—	—	·36	—	·03	27
28	—	·10	—	—	—	·06	·02	·04	·13	—	—	—	28
29	—	×	—	—	—	·44	·18	·14	·01	—	·01	·02	29
30	·06	×	—	—	—	·01	·21	—	—	·07	·12	·02	30
31	—	×	—	×	—	×	·13	·02	×	·69	×	·18	31
Total	2·74	2·13	·61	·95	2·59	1·78	3·87	1·82	·51	2·42	1·66	3·98	YEAR'S TOTAL 25·06
Rain Days.	17	21	7	12	10	8	18	17	7	13	7	25	162

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

4 [illegible] 1917

Kept at Gt Hampton Evesham
in the County of Worcester
by H C Boutflower

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07	—	—	—	·01	·04	·11	—	—	·06	·28	—	1
2	·20	—	·08	—	·26	—	·01	—	—	·52	·11	—	2
3	—	·47	—	—	—	—	—	—	·01	·25	·18	—	3
4	·30	·06	—	—	·51	·32	·02	—	·02	·03	·15	—	4
5	·02	—	·02	—	·10	·06	·21	—	—	·08	·15	—	5
6	·03	·13	—	·01	·11	·04	·26	—	—	·10	·37	—	6
7	—	·01	·06	—	—	·01	·10	—	—	·11	·32	·13	7
8	·02	—	—	—	·15	—	—	—	—	—	·05	·08	8
9	—	—	·03	—	·21	·24	—	—	—	·02	—	—	9
10	—	·34	·04	·04	—	·04	·02	—	—	·06	—	—	10
11	·01	·07	·07	·08	·05	·19	—	—	·01	—	—	·48	11
12	·02	·01	·02	·01	·34	—	·24	·01	—	·13	—	—	12
13	—	·26	·12	—	—	—	·05	·20	—	—	·01	—	13
14	—	·30	—	—	·02	—	—	·03	—	·02	—	—	14
15	—	·14	·45	—	·18	—	·06	·19	·01	·03	—	—	15
16	—	·01	·04	·17	·10	—	·06	·29	—	—	—	—	16
17	·09	—	—	·11	—	—	—	·07	·34	·40	—	—	17
18	—	·23	—	·07	—	—	—	—	·15	—	·45	·02	18
19	·01	—	·08	·35	—	—	—	—	·03	·03	·20	—	19
20	·14	—	·34	·01	—	—	—	—	—	—	·07	·44	20
21	—	—	·49	—	·04	—	·03	—	—	—	—	·30	21
22	—	·01	—	—	·04	—	—	—	—	·05	—	·20	22
23	—	·15	—	—	—	—	—	·07	—	·10	·02	·15	23
24	—	·06	—	·02	—	·05	—	·03	—	·10	—	·29	24
25	—	·09	·08	—	·04	—	—	·19	—	·10	·16	—	25
26	—	·02	·07	—	—	·08	—	·03	·21	·15	·02	—	26
27	·04	·03	·60	—	—	·02	·25	·14	·16	·26	—	—	27
28	—	·39	·11	—	—	·22	—	—	·01	·04	—	—	28
29	—	·10	—	—	—	·20	—	1·48	—	·16	—	·05	29
30	—	╳	—	·01	—	·06	—	—	—	·10	—	—	30
31	—	╳	—	╳	—	╳	—	—	╳	·20	╳	·04	31
Total	·95	2·88	2·70	·88	2·16	1·57	1·42	2·73	·95	3·10	2·54	2·18	YEAR'S TOTAL 24·06
Rain Days.	12	20	17	11	15	14	13	12	10	24	15	11	174

W. 8,000, VIII. 16

FORM A.

28 BRITISH 1918 RAINFALL

REGISTER OF RAINFALL IN 1917

Exd HW

Kept at Gt Hampton, Evesham

in the County of Worcester

by H. C. Boutflower

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Bengeworth MR

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·04	·04	—	·03	—	·82	·15	—	·09	·01	1
2	—	—	·03	·04	—	·13	—	·02	—	·01	·02	·01	2
3	·01	—	—	·06	—	—	—	·08	—	·26	—	—	3
4	—	·09	·07	—	—	—	—	·09	—	·28	—	·01	4
5	·15	—	·01	·21	—	—	—	—	·04	·13	·07	—	5
6	—	—	·30	—	—	·14	—	—	—	·04	·17	—	6
7	·32	—	—	—	—	—	·18	·06	—	·15	·02	·01	7
8	·44	—	—	·11	—	—	·37	·43	—	·41	·09	·20	8
9	—	—	·04	·01	·30	—	—	·39	·01	·12	·15	—	9
10	·23	—	·20	·12	·06	—	—	·14	—	—	—	—	10
11	·04	·03	·05	·22	·01	—	—	·36	·06	—	·01	—	11
12	·05	—	·01	·02	·10	—	—	·24	—	·12	—	—	12
13	—	—	·02	—	·07	—	—	·10	·05	—	—	—	13
14	—	—	·17	·04	—	—	—	·02	—	—	—	·01	14
15	·07	—	—	—	—	—	—	—	—	·02	—	·05	15
16	—	·07	—	·12	·02	—	·03	—	—	·03	—	·50	16
17	—	·02	—	·04	·57	·03	·29	·02	·04	·08	—	—	17
18	·01	·03	—	—	·01	—	·10	·14	1·33	·04	·01	—	18
19	·01	·27	·09	—	—	·05	—	—	·02	—	—	—	19
20	—	·15	·26	—	·28	·03	·11	—	·22	—	—	—	20
21	—	—	·08	—	—	·17	—	·02	—	·02	·04	—	21
22	—	—	—	—	·11	·05	—	·12	·01	·15	—	—	22
23	—	·09	—	—	·02	—	—	·14	—	·05	—	—	23
24	—	·02	—	—	—	·08	—	·10	—	·14	·02	—	24
25	—	·12	·08	—	—	—	·04	—	—	—	·03	—	25
26	—	—	—	—	—	·01	—	·30	·11	—	·20	—	26
27	—	—	—	—	1·54	·01	·04	·63	—	—	—	—	27
28	—	·01	·20	—	—	·20	—	·06	—	—	—	·01	28
29	—		·04	—	—	·80	·04	·02	—	·46	—	·26	29
30	—		—	—	—	—	·20	·24	—	·09	—	—	30
31	—		·02		—		—	·08		—		·02	31
Total	1·33	·90	1·71	1·03	3·09	1·73	1·40	4·62	2·04	2·60	·92	1·09	YEAR'S TOTAL 22·46
Rain Days.	10	11	18	12	12	13	10	24	11	19	13	11	164

W. 8,000, IX. 17.

116

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL 6.1.19

Kept at St Hampton, Evesham
in the County of Worcester
by H. C. Boutflower

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Bengeworth M.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	·06	·06	—	—	·05	—	—	·22	—	1
2	—	·03	—	—	—	—	—	·19	—	—	·01	·05	2
3	—	—	·01	·02	·04	—	—	—	·39	—	·04	·01	3
4	—	·04	·01	—	—	—	—	·02	·12	—	·41	·07	4
5	—	—	—	—	·27	—	—	·01	·20	·04	·01	—	5
6	—	·22	—	·05	—	·03	—	—	·07	·10	—	·03	6
7	—	·15	—	·03	·22	·02	—	—	·02	·09	·20	—	7
8	—	·03	—	—	—	—	—	—	·12	·02	—	·05	8
9	·01	·04	—	·12	—	·21	·05	—	·25	·30	·01	·03	9
10	·07	—	—	·12	—	—	·23	—	·06	·10	—	·14	10
11	—	—	—	·12	—	—	·06	—	·01	·03	·05	·04	11
12	·02	·01	·12	—	·13	—	·43	—	·03	—	—	—	12
13	—	·01	—	—	—	—	·06	—	·06	·04	—	·10	13
14	·16	—	·03	—	—	—	·07	—	·49	·09	—	·03	14
15	·69	—	—	·36	—	—	·13	—	—	—	—	·23	15
16	·15	—	—	·79	—	·06	—	—	·17	—	—	·08	16
17	·10	—	—	·07	·05	—	·12	—	·07	—	—	·05	17
18	·45	—	—	—	—	·18	·06	—	·45	·05	—	·55	18
19	·03	·03	·16	·07	—	—	·13	—	·01	—	—	·02	19
20	·01	·06	—	·33	—	·03	·05	—	·15	·07	—	·09	20
21	·02	—	—	·31	—	—	·02	—	·26	·05	·03	—	21
22	·08	—	—	—	·08	—	·04	—	·14	·10	—	·18	22
23	·02	—	—	—	·46	—	·19	—	·03	—	—	—	23
24	—	·16	—	—	—	—	—	—	·18	—	·08	—	24
25	—	—	—	—	—	—	·27	·27	—	·02	·01	—	25
26	—	—	—	—	—	—	·92	·02	—	·02	·06	·12	26
27	—	·01	—	—	—	·02	—	·15	·05	—	·10	—	27
28	—	·11	·23	—	—	—	—	—	—	—	·20	—	28
29	—		—	—	—	—	—	—	1·31	—	—	·10	29
30	—	✕	·16	—	—	—	—	·04	·02	—	·06	·07	30
31	—	✕	·21	✕	—	✕	—	·01	✕	·01	✕	—	31
Total	1·81	0·90	0·93	2·45	1·31	0·55	2·83	0·76	4·66	1·13	1·49	2·04	YEAR'S TOTAL 20·86
Rain Days.	13	13	8	13	8	7	16	9	24	16	15	20	162

W. 6,500, VII. 18. w w c

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

5 JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at Gt Hampton. Evesham
in the County of Worcester
by H. C. Boutflower

Lat. Long.
Time of Observation 9 Am
Nearest Railway Station Bengeworth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·29	·02	·03	—	·08	—	·26	—	—	·16	—	·50	1
2	·19	—	—	—	·06	—	·15	—	·45	—	—	·14	2
3	·86	—	·05	—	·02	—	·08	—	·19	—	·20	·06	3
4	·12	—	·53	—	—	·13	—	·03	·29	—	—	·18	4
5	—	·29	·23	—	·04	—	·07	—	·27	—	—	·15	5
6	·01	—	·09	—	·43	—	—	—	—	—	—	·12	6
7	·14	—	·34	—	·10	—	—	—	—	—	—	—	7
8	·06	—	·02	·28	·04	·01	—	—	—	—	—	—	8
9	·09	—	·03	·02	—	—	—	—	—	—	—	—	9
10	·01	—	·39	·08	—	—	—	—	—	—	—	·17	10
11	·02	—	·44	·01	·01	—	·37	—	—	—	—	·02	11
12	—	—	·12	·02	—	·18	—	—	—	·11	·02	—	12
13	·10	—	—	·04	—	—	—	—	·08	·13	—	—	13
14	·31	—	—	·17	—	—	·03	—	·02	—	—	—	14
15	·41	—	·03	·07	·11	—	—	—	—	·02	—	·14	15
16	·16	·74	—	—	—	—	—	·02	—	—	·08	—	16
17	·05	·41	—	·01	—	·02	—	—	—	—	·13	·01	17
18	—	—	·30	—	—	—	·02	·17	—	—	·01	·06	18
19	·05	·30	·89	—	—	·05	1·75	·15	·07	—	·06	—	19
20	·26	·03	·28	—	—	·04	·05	·19	·06	—	·06	·01	20
21	·02	·38	·03	—	—	—	·15	·01	—	—	·01	·05	21
22	—	·06	—	—	—	·01	·06	—	·21	—	—	·21	22
23	—	—	—	—	—	—	—	·02	—	·70	·04	·10	23
24	—	—	—	·02	—	·02	—	—	—	·56	·04	·15	24
25	·09	—	—	·02	·14	·05	—	·18	—	—	—	·05	25
26	·05	—	·18	·14	—	—	·19	·03	·15	—	—	·35	26
27	·12	—	—	·74	—	—	—	—	—	—	—	·02	27
28	·11	—	·10	—	—	—	—	·83	—	—	·14	·35	28
29	·02		—	·06	—	—	—	·01	—	·18	·16	·12	29
30	—		—	·22	—	·22	—	·08	—	·09	·02	·20	30
31	·01		·06		—		·03	—		—		—	31
TOTAL	3·55	2·23	4·14	1·90	1·03	·73	3·21	1·72	1·79	1·95	·97	3·16	YEAR'S TOTAL 26·38
Days with ·01 in. or more	24	8	19	15	10	10	13	12	10	8	13	22	164

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

W

10 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at S. Hampton

in the County of Worcester

by H C Boutflower

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Bengeworth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·12	·23	—	·19	—	·01	·08	—	·11	1
2	—	—	·04	·12	—	—	·19	·04	·05	·06	—	·08	2
3	·01	·02	—	·86	—	·03	·92	·04	·18	·06	—	—	3
4	—	—	·01	·16	—	—	—	·21	·03	·13	—	—	4
5	—	—	·17	·02	·18	—	·49	·09	·02	·40	—	—	5
6	—	—	·17	·01	·11	—	·13	—	—	·15	—	—	6
7	—	—	·01	·16	—	—	·06	—	—	—	—	·01	7
8	·10	·08	—	·46	·03	—	·11	—	—	—	—	—	8
9	·21	—	—	·37	—	—	·01	·01	—	—	—	—	9
10	·60	·07	·07	—	—	·04	[illegible]	—	—	—	·06	—	10
11	·16	·02	·06	·05	·36	·17	·08	—	—	—	—	·01	11
12	·12	·02	—	~~·07~~ ·13	·01	1·09	·08	·14	—	—	·02	—	12
13	·02	·01	·16	·11	—	—	—	—	·03	—	—	·03	13
14	·01	—	·78	·20	—	·36	·21	—	·51	—	·16	—	14
15	—	·10	·12	·27	—	·10	—	—	·30	·03	·01	—	15
16	—	—	—	·08	·01	·10	·13	—	·14	·23	·04	—	16
17	—	—	—	—	·10	—	—	—	1·09	·09	—	·04	17
18	·21	—	—	·08	·09	—	·02	·24	·64	—	—	·01	18
19	·12	·14	—	·20	—	·04	·02	·01	·03	—	—	·01	19
20	·02	·18	—	~~·07~~ ·13	—	·24	—	—	—	—	—	·02	20
21	—	—	—	·01	—	—	·01	·02	·01	—	—	·08	21
22	—	—	—	·11	—	—	—	·07	—	—	·01	—	22
23	—	—	—	—	—	—	·33	·10	—	—	—	·32	23
24	—	—	·13	·03	—	[illegible]	—	—	—	—	—	—	24
25	—	·04	·05	·02	—	·02	·50	—	—	—	—	—	25
26	·21	—	·29	·01	·03	[illegible]	·02	—	—	—	—	—	26
27	·16	·02	·03	·14	·10	·30	·03	—	—	—	—	·30	27
28	·46	—	·06	·01	·14	[illegible]	·03	—	—	—	—	—	28
29	·11	—	·18	—	·07	·03	·02	—	—	—	·07	·44	29
30	·01	×	·13	·06	—	·02	·10	—	·17	—	·13	·12	30
31	·07	×	—	×	—	×	·10	—	×	·51	×	—	31
TOTAL	2·60	·70	2·46	3·12	1·46	2·54	3·69	·97	3·21	1·74	·50	1·58	YEAR'S TOTAL 24·57
Days with ·01 in. or more	17	11	17	26	13	13	24	11	14	10	8	14	178
Days with ·04 in. or more	12	6	14	19	9	~~8~~ 9	14	8	8	9	5	8	~~120~~ 121

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

WORCESTER

HALESOWEN.

"HASBURY COTTAGE"

1918-1920

REGIS 18

FORM A.
BRITISH RAINFALL.

23 6 19

Kept at Hasbury Cottag ong.

9 a.m.

in the County of Worc tion Halesowen

of Rain Gauge 5 in.

by Rev. A. S. Ra ge above Ground 1 ft. 1 in.

" Sea Level 532 ft.

IMPORTANT NOTE n. and the result entered to the previous day. If an Observer prefers not to conform st universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.01	.—	.20	.19	.—	.—	.—	.01	.01	.36	.01	1
2	.—	.03	.—	.08	.—	.—	.—	.12	.—	.02	.01	.12	2
3	.—	.02	.01	.—	.24	.—	.—	1.30	.59	.—	.05	.01	3
4	.02	.02	.—	.—	.—	.—	.—	.03	.75	.07	.48	.44	4
5	.—	.—	.—	.04	.26	.—	.—	.05	.13	.06	.—	.01	5
6	.—	.15	.—	.18	.—	.17	.—	.—	.03	.12	.—	.02	6
7	.01	.07	.—	.09	.06	.02	.—	.—	.18	.01	.16	.—	7
8	.02	.19	.—	.03	.—	.—	.—	.—	.14	.16	.—	.05	8
9	.—	.35	.—	.15	.—	.29	.15	.—	.40	.28	.—	.02	9
10	.08	.01	.—	.02	.—	.—	.36	.—	.08	.05	.01	.06	10
11	.—	.—	.—	.01	.09	.—	.22	.—	.27	.—	.—	.05	11
12	.01	.04	.13	.01	.09	.—	.24	.—	.01	.—	.—	.—	12
13	.—	.—	.—	.—	.28	.—	.02	.—	.18	.06	.—	.05	13
14	.27	.—	.—	.—	.—	.03	.05	.—	.18	.09	.—	.15	14
15	.78	.—	.—	.30	.—	.05	.24	.—	.02	.—	.—	.23	15
16	.08	.—	.—	.50	1.11	.08	.—	.01	.40	.—	.—	.03	16
17	.31	.—	.—	.—	.—	.08	.26	.01	1.11	.08	.—	.11	17
18	.34	.—	.—	.—	.—	.18	.19	.—	.80	.—	.—	.33	18
19	.05	.04	.11	.03	.—	.—	.04	.—	.—	.09	.—	.19	19
20	.11	.08	.—	.62	.—	.07	.01	.—	.35	.—	.01	.17	20
21	.11	.—	.—	.41	.04	.01	.07	.—	.46	.—	.—	.08	21
22	.01	.—	.—	.—	.10	.—	.08	.—	.01	.01	.—	.28	22
23	.—	.—	.—	.—	.48	.01	.06	.—	.06	.—	.01	.01	23
24	.—	.12	.—	.—	.—	.—	.05	.02	.04	.—	.15	.—	24
25	.—	.—	.—	.—	.—	.01	.09	.31	.—	.—	.05	.—	25
26	.—	.—	.—	.—	.—	.—	.22	.07	.10	.01	.05	.05	26
27	.—	.03	.—	.—	.—	.01	.—	.35	.31	.—	.14	.10	27
28	.—	.14	.29	.—	.—	.01	.—	.—	.—	.—	.15	.11	28
29	.—		.08	.—	.—	.—	.—	.01	.71	.—	.01	.04	29
30	.—	X	.32	.—	.—	.—	.—	.02	.01	.01	.10	.16	30
31	.—	X	.52	X	.—	X	.—	.11	X	.—	X	.—	31
Total	2.21	1.30	1.46	2.67	2.94	1.02	2.35	2.41	7.33	1.13	1.74	2.88	YEAR'S TOTAL 29.48 4
Rain Days.	15	15	7	15	11	14	17	13	26	16	15	26	190

29.44

FORM A.
BRITISH RAINFALL.
23 6 19

REGIS 18

Kept at Hasbury Cottage, Halesowen.
in the County of Worcester
by Rev. A. S. Rashleigh.

Long.
Time of Observation 9 a.m.
Nearest Railway Station Halesowen
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 532 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.01	—	.20	.19	—	—	—	.01	.01	.36	.01	1
2	—	.03	—	.08	—	—	—	.12	—	.02	.01	.12	2
3	—	.02	.01	—	.24	—	—	1.30	.59	—	.05	.01	3
4	.02	.02	—	—	—	—	—	.03	.75	.07	.48	.44	4
5	—	—	—	.04	.26	—	—	.05	.13	.06	—	.01	5
6	—	.15	—	.18	—	.17	—	—	.03	.12	—	.02	6
7	.01	.07	—	.09	.06	.02	—	—	.18	.01	.16	—	7
8	.02	.19	—	.03	—	—	—	—	.14	.16	—	.05	8
9	—	.35	—	.15	—	.29	.15	—	.40	.28	—	.02	9
10	.08	.01	—	.02	—	—	.36	—	.08	.05	.01	.06	10
11	—	—	—	.01	.09	—	.22	—	.27	—	—	.05	11
12	.01	.04	.13	.01	.09	—	.24	—	.01	—	—	—	12
13	—	—	—	—	.28	—	.02	—	.18	.06	—	.05	13
14	.27	—	—	—	—	.03	.05	—	.18	.09	—	.15	14
15	.78	—	—	.30	—	.05	.24	—	.02	—	—	.23	15
16	.08	—	—	.50	1.11	.08	—	.01	.40	—	—	.03	16
17	.31	—	—	—	—	.08	.26	.01	1.11	.08	—	.11	17
18	.34	—	—	—	—	.18	.19	—	.80	—	—	.33	18
19	.05	.04	.11	.03	—	—	.04	—	—	.09	—	.19	19
20	.11	.08	—	.62	—	.07	.01	—	.35	—	.01	.17	20
21	.11	—	—	.41	.04	.01	.07	—	.46	—	—	.08	21
22	.01	—	—	—	.10	—	.08	—	.01	.01	—	.28	22
23	—	—	—	—	.48	.01	.06	—	.06	—	.01	.01	23
24	—	.12	—	—	—	—	.05	.02	.04	—	.15	—	24
25	—	—	—	—	—	.01	.09	.31	—	—	.05	—	25
26	—	—	—	—	—	—	.22	.07	.10	.01	.05	.05	26
27	—	.03	—	—	—	.01	—	.35	.31	—	.14	.10	27
28	—	.14	.29	—	—	.01	—	—	—	—	.15	.11	28
29	—		.08	—	—	—	—	.01	.71	—	.01	.04	29
30	—	X	.32	—	—	—	—	.02	.01	.01	.10	.16	30
31	—	X	.52	X	—	X	—	.11	X	—	X	—	31
Total	2.21	1.30	1.46	2.67	2.94	1.02	2.35	2.41	7.33	1.13	1.74	2.88	YEAR'S TOTAL 29.44
Rain Days.	15	15	7	15	11	14	17	13	26	16	15	26	190

29.44

W, 6,500, VII. 18. W W O

2195

3 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Hasbury Cottage, Halesowen,
in the County of Worcester
by Rev. A. S. Rashleigh.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Halesowen — 1¼ miles.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft 1 in.
" " " " Sea Level 532 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.37	.01	.03	.02	.12	.—	.34	.—	.04	.15	.05	.33	1
2	.14	.01	.07	.—	.—	.—	.07	.—	.04	.04	.10	.—	2
3	.45	.—	.05	.—	.04	.15	.20	.—	.15	.—	.15	.08	3
4	.04	.01	.31	.—	.—	.02	.13	.11	.17	.—	.01	.15	4
5	.03	.47	.—	.—	.07	.—	.—	.—	.25	.—	.—	.08	5
6	.01	.—	.09	.—	.52	.—	.—	.—	.—	.—	.02	.07	6
7	.30	.—	.13	.10	.01	.—	.—	.—	.—	.—	.02	.—	7
8	.16	.—	.05	.03	.—	.05	.—	.—	.—	.—	.01	.—	8
9	.05	.—	.01	.19	.—	.—	.—	.—	.—	.—	.—	.—	9
10	.—	.—	.59	.—	.—	.—	.—	.—	.—	.03	.02	.14	10
11	.01	.—	.88	.—	.04	.—	.32	.—	.—	.01	.—	.01	11
12	.07	.—	.32	.13	.—	.31	.—	.—	.03	.07	.03	.—	12
13	.12	.—	.—	.23	.—	.—	.03	.—	.15	.20	.—	.01	13
14	.37	.01	.—	.19	.—	.—	.07	.—	.35	.02	.—	.04	14
15	.30	.12	.03	.32	.—	.—	.—	.—	.—	.08	.—	.22	15
16	.13	.99	.—	.01	.—	.—	.—	.21	.—	.—	.14	.01	16
17	.—	.54	.—	.01	.07	.03	.08	.—	.—	.—	.12	.01	17
18	.—	.—	.41	.—	.—	.—	.04	.40	.03	.—	.01	.11	18
19	.11	.26	.99	.—	.—	.20	1.02	.35	.12	.—	.01	.—	19
20	.27	.03	.40	.—	.—	.01	.14	.10	.17	.—	.23	.06	20
21	.01	.31	.07	.—	.—	.04	.24	.—	.04	.—	.04	.17	21
22	.—	.28	.02	.—	.—	.—	.01	.06	.30	.—	.—	.44	22
23	.—	.—	.—	.—	.—	.10	.—	.04	.—	.76	.—	.05	23
24	.—	.—	.—	.01	.08	.01	.—	.—	.—	.71	.14	.15	24
25	.13	.—	.—	.03	.08	.16	.—	.48	.—	.—	.03	.09	25
26	.—	.—	.12	.13	.—	.03	.—	.15	.07	.—	.03	.28	26
27	.17	.—	.01	.40	.—	.—	.—	.41	.01	.—	.01	.04	27
28	.07	.—	.03	.—	.—	.—	.—	.54	.—	.—	.04	.23	28
29	.09		.01	.09	.—	.05	.—	.03	.—	.57	.13	.16	29
30	.01		.01	.18	.—	.21	.—	.07	.—	.05	.10	.31	30
31	.—		.01		.—		.01	.01		.03		.01	31
TOTAL	3.41	3.04	4.64	2.07	1.03	1.37	2.70	2.96	1.92	2.72	1.44	3.25	YEAR'S TOTAL 30.55
Days with ·01 in. or more	23	12	23	16	9	14	14	14	15	13	22	25	200

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

211

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Halesowen (Hasbury Cottage)
in the County of Worcester
by Rev. A. S. Rashleigh

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Halesowen
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 532 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	.19	.25	—	.22	—	.04	.17	—	.19	1
2	—	—	—	.07	.01	—	.29	—	.13	.08	—	.08	2
3	.06	.11	—	.05	—	—	.48	.05	.17	.40	—	—	3
4	—	—	.01	.13	—	—	.02	.32	.03	.26	—	—	4
5	—	—	.04	.01	.12	—	.35	.08	.10	1.28	—	—	5
6	—	—	.21	.01	.06	—	.10	.02	—	.06	—	.05	6
7	—	—	.03	.07	.01	—	.12	—	—	—	—	—	7
8	.27	.08	—	.65	.20	—	.49	.05	—	.01	—	—	8
9	.33	.01	—	.30	—	—	.03	.10	.01	—	—	—	9
10	.30	.06	.08	.03	—	.07	.10	—	—	—	.09	—	10
11	.09	—	.05	.18	.42	.22	.04	.14	—	—	—	.01	11
12	.15	.03	.06	.36	—	.77	.02	.61	—	—	.07	.13	12
13	.08	.01	.25	.26	—	.07	—	—	.01	—	.01	.01	13
14	.01	.01	.90	.18	—	.16	.05	—	.24	.02	.11	—	14
15	—	.11	.18	.30	—	.46	—	.02	.02	.02	.05	—	15
16	—	—	.01	.08	.02	.43	.17	.11	.05	.41	—	—	16
17	.01	—	.01	—	.10	—		—	.67	.03	—	.01	17
18	.25	—	—	.05	.14	—	.02	.04	.25	—	—	—	18
19	.06	.64	—	.29	—	.06	—	.18	.03	—	—	—	19
20	.02	.08	—	.28	—	.13	.02	.02	—	—	—	.04	20
21	—	—	—	.05	—	—	.26	.08	—	—	—	.06	21
22	.05	—	—	.12	—	—	.01	.05	—	—	.01	.03	22
23	—	—	—	.03	—	—	.24	.01	—	—	—	.33	23
24	.02	—	.16	.02	—	—	—	—	—	—	—	.11	24
25	—	.02	.24	.05	.17	—	.47	—	—	—	—	—	25
26	.15	—	.15	.01	—	—	.03	—	—	—	.03	.02	26
27	.19	.01	.05	.20	.68	.20	.01	.02	—	—	.03	.48	27
28	.87	—	.18	.04	.27	.05	.02	—	—	—	—	.06	28
29	.08	—	.22	—	.19	.11	.05	—	—	—	.11	.38	29
30	.01	✕	—	.12	.05	.22	.06	.01	.20	—	.10	.12	30
31	.03	✕	.07	✕	.01	✕	.01	—	✕	.42	✕	.03	31
TOTAL	3.03	1.17	2.90	4.13	2.70	2.95	3.68	1.91	1.95	3.16	.61	2.13	YEAR'S TOTAL 30.32
Days with ·01 in. or more	20	12	19	28	16	13	26	18	14	12	10	18	206
Days with ·04 in. or more	14	6	15	22	12	13	16	12	9	8	6	12	145

FORM A2.
BRITISH RAINFALL.

12 JAN 1912

REG

HALESOWEN
FRANKLEY
WORCESTER
1911 - 1920

Kept at Frankl
in the County of Worc
by L. Crowth

in.
ound - ft. in.
Level 570 ft.
ne
tance Direction

IMPORTANT NOTE. … he result entered to the previous day. If an Obse … sal rule, he is earnestly requested to add the readin … in the space provided for it at the end of this … t of rain, the selection and placing … h Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·02					·06			·05	·01	1
2				·04	·17		·02	·10		·07	·07	·03	2
3					·38				·03	·02	·05	·08	3
4	·01		·15	·01				·05	·04	·14	·22	·20	4
5	·11		·05	·01				·07		·04	·03		5
6	·42		·03					·04			·06	·48	6
7	·03										·27		7
8	·17		·22								·04	·47	8
9	·07		·02								·64	·17	9
10	·03	·07	·50									·44	10
11	·25										·32	·02	11
12			·49						·08		·34		12
13			·03					·19	·09		·03	·43	13
14		·08	·01									1·01	14
15		·04									·13	·10	15
16						·10					·14	·19	16
17			·03			·19					·22	·24	17
18		·37				·16				·05	·01	·31	18
19		·03		·02		·42	·02		·27	·30	·22	·14	19
20	·01	·13		·05		·01		·30	·09	·01		·49	20
21		·25	01					·49		·41		·10	21
22			·01	·02		·13				·28		·36	22
23		·17	·19			·09			·41	·10		·21	23
24		·04		·05		·46		·02		·29		·16	24
25		·10		·09	·10	·07		·02	·01	·03		·05	25
26		·10		·31	·05	·03		·12		·27	·30	·11	26
27		·30	·13	·20	·30			·55	·33		·02	·15	27
28		·24		·22							·25	·05	28
29				·05		·16	·16		·32	·22	·01	·01	29
30				·04		·10		·19		·20		·01	30
31			·18		·01					·09		·01	31
Total	1·10	1·92	2·07	1·11	1·01	1·92	·20	2·20	1·67	2·52	3·42	6·03	TOTAL for year 25·17
No. of Rain Days	9	13	16	13	6	12	3	13	10	16	21	28	160

9,000, IX. '10.

√

REG

FORM A2.
BRITISH RAINFALL.

12 JAN 1912

Kept at Frankley

in the County of Worcestershire 5

by L. Crowther

RAIN GAUGE	Diameter of top 5 in.
	Height of top above Ground - ft. in.
	" " " Sea Level 540 ft.

Time of Observation 9 am

Nearest Railway Station: Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·02					·06			·05	·01	1
2				·04	·17		·02	·10		·07	·07	·03	2
3					·38				·03	·02	·05	·08	3
4	·01		·15	·01				·05	·04	·14	·22	·20	4
5	·11		·05	·01				·07		·04	·03		5
6	·42		·03					·04			·06	·48	6
7	·03										·27		7
8	·17		·22								·04	·47	8
9	·07		·02								·64	·17	9
10	·03	·07	·50									·44	10
11	·25										·32	·02	11
12			·49						·08		·34		12
13			·03					·19	·09		·03	·43	13
14		·08	·01									1·01	14
15		·04									·13	·10	15
16						·10					·14	·19	16
17			·03			·19					·22	·24	17
18		·37				·16				·05	·01	·31	18
19		·03		·02		·42	·02		·27	·30	·22	·14	19
20	·01	·13		·05		·01		·30	·09	·01		·49	20
21		·25	01					·49		·41		·10	21
22			·01	·02		·13				·28		·36	22
23		·17	·19			·09			·41	·10		·21	23
24		·04		·05		·46		·02		·29		·16	24
25		·10		·09	·10	·07		·02	·01	·03		·05	25
26		·10		·31	·05	·03		·12		·27	·30	·11	26
27		·30	·13	·20	·30			·55	·33		·02	·15	27
28		·24		·22							·25	·05	28
29				·05		·16	·16		·32	·22	·01	·01	29
30				·04		·10		·19		·20		·01	30
31			·18		·01					·09		·01	31
Total	1·10	1·92	2·07	1·11	1·01	1·92	·20	2·20	1·67	2·52	3·42	6·03	TOTAL for year 25·17
No. of Rain Days	9	13	16	13	6	12	3	13	10	16	21	28	160

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

7 JAN 1913

Kept at Frankley
in the County of Worcester 5
by L. Crowther

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Northfield
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft. 10 in.
" " " " Sea Level 570 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.15			.22	.05		.03			.18	1
2		.04	.10			.13	.48					.04	2
3	.10		.01		.11	.14	29	.70	.05			.10	3
4	.14		.68		.21	1.11		71			.05		4
5	.19	.05	.47		.07	.11		.36	.05		.03	.02	5
6	.30	.19	.01		.01	.32		.37	02			.04	6
7		.21			.08	.19	21	.12				.02	7
8	.35	.22	.32	.03		.08	.01	.18	.08			.04	8
9	.03	.12	.60	.09		.58		.18				.41	9
10	.03	.02				.26		.14	.02		.40	.01	10
11	.13	.12				.12		.06			.11	.62	11
12	.05	.30	.22			.03					.02	.01	12
13	.03	.04								.01		.01	13
14	.14		.67			.11		.08	.01	.03			14
15	.18	06	.30		.33	.44						.23	15
16	.65		.27		.10	.04		.13		.11			16
17	.66		24			.20		.66			.12	.64	17
18	20		.03					.07		.05	.04		18
19	.20	.06	.04		.03		.22	.52		.04	.03	.02	19
20	.02		.15				.03	.08		.28	.02		20
21		.02	.30		86			.45		.54	.01		21
22	.22	.16			1.33	.28	.22	37				.20	22
23	.19	10	.33			.05	.27	.25			.06	.10	23
24	.15	.02	.02			.20		.05			.01	.35	24
25						.45		41			.17	.43	25
26		.10	.04			.01	.26	1.04		.68	35	.28	26
27		.01				.41	.35			.85		.19	27
28		.07				.06	.20	.69	.08	.30	.59	.38	28
29		.02	.03			.56	.24	.03	.55	.21	.09	.05	29
30			.05		.13	.03	.02			.10			30
31			.14		.37		.46	.09		.01		.13	31
Total	3.95	1.93	5.17	.12	3.63	6.13	3.31	7.74	.89	3.24	2.10	4.50	YEAR'S TOTAL 42.71
Rain Days.	20	20	23	2	12	25	15	24	9	13	16	24	203

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1913.

FORM A. BRITISH RAINFALL. 13 JAN 1914

Kept at Frankley

in the County of Worcester

by L. Crowther

5

Lat. 52°25′ Long. 2°

Time of Observation 9 am

Nearest Railway Station Northfield

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level ~~832~~ 570 Ca. MB. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.02	.23	.17							.06		1
2	.02	.09	.02	.15			.02		.04	.44	.09		2
3	.05		.11		.96				.01	.15		.14	3
4	1.11	.03			.28		.01		.02	.06	.06	.50	4
5	.13	.06				.17	.12		.02	.56	.08		5
6	.06	.07	.13		.27	.37	1.08			.04	.01	.18	6
7		.16			.29	.06	.03			.35	.13		7
8		.05			.13	.18		.08		.44		.01	8
9		.34	.09	.02	.12	.59	.02	.19	.14		.13	.07	9
10	.06			.17	.03			.04			.15		10
11	.81			.35		.03		.22		.05	.66		11
12					.06						.49		12
13	.04		.15					.04	.26		.41		13
14	.11		.70	.10				.18		.16	.06		14
15	.09	.11	.78	.61					.20		.01		15
16			.59	.10					.20				16
17	.04	.01	.13	.15			.07		.17		.02		17
18	.02		.17	.22	.11		.06				.03		18
19	.18		.11	.03			.05		.16				19
20	.43		.45	.09			.02				.20		20
21	.04		.28	.06	.07		.05	.03			.38		21
22	.43		.62			.08		.26	.50				22
23	.07		.05			.08		.08	.04		.04		23
24	.15			.08							.01		24
25				.12				.28					25
26		.07		.62	.08					.05		.28	26
27		.01	.01	.36						.04			27
28	.36		.18	.35	.08					.12		.08	28
29			.57	.61						.17	.01	.05	29
30	.44									.51	.18		30
31	.02		.18					.41		.03			31
													YEAR'S TOTAL
Total	4.64	1.04	5.55	4.36	2.48	1.56	1.53	1.81	1.76	3.17	3.21	1.31	32.42
Rain Days.	21	12	20	19	12	8	11	11	12	15	21	8	170

W.7,000, XI. 13

Exc DL

FORM A.
BRITISH RAINFALL.

15 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Frankley
in the County of Worcester 5
by L. Crowther

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Northfield
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 570 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						·05	1·60	·34			·02	·04	1
2							·04	·15		·04	·55	·39	2
3			·05	·09	·17		·21	·35			·04	·01	3
4	·21		·09	·19	·04		·02	·10			·79	·70	4
5	·18		·09	·13	·12	·05	·26	·06			·10		5
6	·03	·06			·12	·05					·08	·13	6
7		·22	·35	·05	·08	·15	·62	·12				·33	7
8	·01		·05	·06	·19	·86	·01	·15				·18	8
9	·32		·11	·23	·07	1·35		·10	·03				9
10	·12	·11		·23	·05	·03			·18				10
11		·16	·35	·08	·04	·12			·01		·35	·63	11
12		·15	·13				·22		·38		·07	·28	12
13		·20	·32				·05		·06	·10	·25	·46	13
14	·01	·15	·12				·06			·23	·17	·07	14
15	·02		·08					·06	·11	·09	·01		15
16			·15						·15			·02	16
17		·23	·15				·05		·10			·21	17
18							·29					·50	18
19			·15				·34		·12		·09	·11	19
20		·48	·05			·09	·13					·34	20
21		·30	·07			·02	·06			·12		·33	21
22		·05			·32	·10		·18		·20			22
23		·02	·20		·32	·01		·09		·04			23
24		·01	·04	·02	·01		·04	·32		·23	·13		24
25	·10		·04				·02	·20		·47	·06	·18	25
26			·23				·06			·13	·29	·33	26
27	·06		·01							·05	·07	·33	27
28	·02	·10	·16		·09					·09	·41	1·14	28
29			·10		·14					·24	·14		29
30			·05		·02	·09				·02	·42	·70	30
31	·06						·27			·03			31
Total	1·14	2·24	3·14	1·08	1·78	2·97	4·35	2·22	1·14	2·08	4·04	7·41	YEAR'S TOTAL 33.59
Rain Days.	12	14	24	9	15	13	19	13	9	15	19	22	184

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
8 - JAN 1916

Kept at Frankley

in the County of Worcester

by L. Crowther

Lat. 52°25' Long. 2°

Time of Observation 9 am

Nearest Railway Station Northfield

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground - ft. 10 in.

" " " " Sea Level 570 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·19	·10	·12		·32			·10	·18	·09	·03	·07	1
2	·11	·20	·36	·10		·11		·49	·05	·38		·04	2
3	1.00	·05	·06	·13			1·09	·10				·17	3
4		·01			·02		·43					·81	4
5	·02	·77				·04		·05		·01		·39	5
6	·10	·15		·32			·70	·15				·09	6
7	·11	·51		·10		·87	·23	·07				·54	7
8	·18	·37		·01				·02			·13		8
9	·14	·25		·19							·26	·02	9
10	·38		·05	·02							·03	·02	10
11				·07	·10					·01	·76	·11	11
12	·09			·13	·42			·05		·07	1·27		12
13		·39			·72			·01			·03	·04	13
14	·02						·36	·26	·04			·50	14
15	·45				·07		·09	·21		·01	·13	·27	15
16	·10	·53			·23		2·01	·07				·05	16
17		·32			·23		·01					·01	17
18		·39	·17								·01		18
19					·05		·13						19
20	·25			·11			·03					·10	20
21	·23						·15			·03		·05	21
22	·05			·05			·34		·02	·01		·11	22
23	·06	·14	·04			·01	·79		·01	·80		·26	23
24			·02	·03			·06		·28	·27		·19	24
25			·01			·38	·26			·02		·35	25
26		·16					·31		·13			·39	26
27		·09				·01	·36			·49		·10	27
28		·28				·01	·01	·29	·09	·05			28
29						·01	·14	·02			·10	·07	29
30	·07	✕				·21	·04			·23	·02	·04	30
31	·04	✕		✕		✕	·07	·03	✕	·17	✕	·40	31
Total	3·59	4·70	·83	1·26	2·16	1·65	7·61	1·92	·80	2·64	2·77	5·19	YEAR'S TOTAL 35·12
Rain Days.	19	17	8	12	9	9	21	15	8	15	11	26	170

W. 8,000. X. 15.

[illegible] 2471

FORM A.
BRITISH RAINFALL.
11 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Frankley
in the County of Worcester
by L. Crowther

Lat. 52°25′ Long. 2°
Time of Observation 9 am
Nearest Railway Station Northfield
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 570 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.13	.01	.07		.02	.22	.11			.09	.20		1
2	.32	.07	×.24		.21	.07	.65		.12	.57	.01		2
3		.65			.01	.02	.01		.02	.32	.10		3
4	.34	.10		.03	.62	.29	.03			.03	.65		4
5	.02	.01			.22	.19	.02			.08	.40		5
6	.03	.19	.09	.04	.25	.07	.58			.10	.61		6
7	.02		.12		.16	.01	.02			.15	.36	.17	7
8	.03	.02	×.04		.20	.02	.01			.01	.01	.19	8
9	.01		.02		.31	.09			.01	.08	.01	.05	9
10		.29	.05	.08	.04	.03	.02		.01	.05		.01	10
11	.17	.19	.06	.21	.01	.19			.04	.01	.01	×.18	11
12	.03	.11	.03	.02	.26	.01	.17	.01	.01	.06		.01	12
13	.02	.19	.11	.06	.01		.37	.35		.01		.03	13
14		.36		.07	.01		.01	.11		.10			14
15		.26	.56	.06	.17		.12	.60	.02	.06			15
16		.07	.07	.27	.05		.02	.07		.02			16
17	.08	.20		.11			.01	.17	.46	.24			17
18	.01	.10	.05	.21				.05	.16	.05	×.66	×.20	18
19	.05	.01	.09	.13		.02		.02	.01	.01	×.40		19
20	.07		.30	.01				.06			.10	.10	20
21	.01		.18		.10		.03				.02	×.27	21
22				.02	.02	.03				.09	.01	×.43	22
23	.03	×.44	.01	.01				.10		.08	.06	.30	23
24		×.40			.11			.11		.27	.01	.20	24
25		×.04	.19		.02	.02		.17	.10	.06	.47	.01	25
26	.05	×.18	.02			.08		.16	.17	.15	.04		26
27	.02	×.17	×.29			.03		.09	.16	.32	.01		27
28		×.40	×.24						.01	.11		.18	28
29		×.14	×.01			.21		.71		.43		.13	29
30		☒				.02				.20		.01	30
31		☒		☒	.01	☒		.01	☒	.22	☒	.19	31
Total	1.44	4.60	2.84	1.33	2.81	1.62	2.18	2.79	1.30	3.97	4.14	2.66	YEAR'S TOTAL 31.68
Rain Days.	19	24	22	15	21	19	16	16	14	29	20	18	233

W. 8,000, VIII. 16

×. Snow

2357

FORM A.
BRITISH RAINFALL.
9. JAN 1919

REGISTER OF RAINFALL IN 1917

Kept at Frankley
in the County of Worcester
by L. Crowther

Lat. 52° 25′ Long. 2°
Time of Observation 9 am
Nearest Railway Station Northfield
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground · ft. 10 in.
" " " " Sea Level 570 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	—	·04	·08	—	·05	—	·82	·40	—	·03	·23	1
2	—	—	·01	—	—	·17	—	·02	—	·01	·03	·06	2
3	·03	·06	—	·21	—	—	—	·09	—	·25	·05	·02	3
4	·03	—	·22	·05	—	—	—	·13	—	·82	—	·01	4
5	·30	—	·09	·22	—	—	—	·02	·02	·09	·17	—	5
6	·03	—	—	·01	—	·64	—	—	—	·12	·20	·01	6
7	·43	—	—	—	—	·02	—	·02	—	·10	·03	·01	7
8	·76	—	—	·23	—	·01	·11	·72	—	·60	·31	·13	8
9	·01	—	·16	·13	·22	—	—	1·57	·03	·09	·37	·01	9
10	·48	—	·33	·11	·91	—	—	·13	·01	·01	·01	—	10
11	·24	·01	·04	·25	·01	—	—	·04	·03	·22	·01	—	11
12	·03	—	·01	·01	·24	—	—	·01	·01	·12	·01	·01	12
13	·01	—	·03	·06	·01	—	—	·07	·08	·01	·01	·02	13
14	·03	—	·12	·43	—	—	—	·88	—	·01	·01	·05	14
15	·03	—	·01	·01	·07	—	·21	·03	—	·03	·01	·11	15
16	·03	·09	—	·30	—	·59	—	—	—	·01	—	·48	16
17	·01	·04	·02	·10	·58	·71	·30	·37	·27	·10	·01	—	17
18	·01	·05	—	·08	·09	—	·48	·08	1·04	·05	—	—	18
19	·04	·33	·42	·01	·07	—	—	·01	·03	·01	·01	—	19
20	·01	·22	·01	·01	·42	·15	·35	·24	·21	—	·12	—	20
21	·01	·02	·12	·01	·13	·07	·01	·06	—	·03	·12	—	21
22	·01	·01	·02	—	·01	·01	—	·26	·03	·24	·01	—	22
23	—	·21	—	—	·17	—	—	·10	—	·10	·01	·01	23
24	—	·01	·01	—	·01	·51	·11	·16		·26	·04	·04	24
25	—	·08	·13	—	—	—	—	·01	—	·03	·05	—	25
26	—	—	·01	—	—	—	—	·50	·22	·05	·35	—	26
27	—	—	—	—	·92	·08	·49	·94	·01	·02	·02	—	27
28	—	·01	·16	—	—	·07	—	·18	—	—	·01	·03	28
29	—	—	·06	—	—	·23	·09	·17	—	·40	—	·26	29
30	·01	X	·01	—	—	·01	·10	·27	—	·03	·02	·02	30
31	·01	X	·04	X	—	X	·01	·07	X	·01	X	·02	31
Total	2·56	1·14	2·07	2·31	3·86	3·32	2·26	7·97	2·39	3·82	2·02	1·53	YEAR'S TOTAL 35·25
Rain Days.	23	13	23	19	15	15	11	29	14	28	26	19	235

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

8. 1. 19

Kept at Frankley
in the County of Worcestershire
by L. Crowther

Lat. 52°25′ Long. 2°
Time of Observation 9 am
Nearest Railway Station Northfield
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft. 10 in.
" " " " Sea Level 570 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.03	.01	.21	.14				.01	.03	.39		1
2	.01	.07	.01	.03	.01			.15		.03		.21	2
3		.02	.03		22			.39	.38	.02	.07		3
4	.02	.06	.02					.05	.88	.04	.53	.41	4
5		.02		.03	.26			.10	.18	.12		.01	5
6	.01	.27	.02	.23	.01	.07		01	.03	.12		.03	6
7	.02	.01		11	.07	.05			.59	.04	.20	.01	7
8	.04	.18		.02					.21	.14		.03	8
9	.01	.46		.12		.30	.06		.40	.40		.01	9
10	.12	.02		.07		01	.25		.07	.06	.01	.10	10
11	.01			.02	.07		.25		.17	.02		.06	11
12	.03	.07	.14	.01	.15		21	.05	.05	.01		.01	12
13		.01		.02	.20		.03		.18	.09		.04	13
14	× .40				.01	.02	.17		.20	.18		.21	14
15	× .53			.29		.03	.26		.06	.01		.31	15
16	× .15			.71		.07	.01	.01	.40			.06	16
17	31			.01	.34	.11	.10	.01	.32	.06		.13	17
18	.44					.26	.29		.58	.01		.35	18
19	.11	.05	.14	× .09		.01	.07		.02	.10		.21	19
20	.17	.12	.01	× .60		.06	.05		.26	.01		.18	20
21	.11	.01		× .35		.05	.10		.26			.11	21
22	.03			.01	.23	.01	.09		.01	.06		.40	22
23	.02				.81	.01	.15		.10		.04	.07	23
24	.02	.12					.10		.05	.01	.14	.02	24
25		.01					.19	.47		.02	.05		25
26	.01						.28	.09	.15	.02	.12	.07	26
27	.01	× .03	.01			.02	.01	.57	.35	.02	.16	.15	27
28		× .11	.38			.01		.02			.18	.15	28
29			.02					.02	.76	.01	.01	.20	29
30			.55					.03	.03		.13	.20	30
31			.59					.15					31
Total	2.59	1.67	1.93	2.93	2.52	1.09	2.67	2.06	6.70	1.63	2.03	3.74	YEAR'S TOTAL 31.56
Rain Days.	23	19	13	18	13	16	19	15	27	25	13	27	228

W. 6,500, VII. 18. W W C

× Snow

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919

Kept at Frankley
in the County of Worcestershire
by L. Croucher

Lat. 52° 25′ Long. 2°
Time of Observation 9 am
Nearest Railway Station Northfield
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground • ft. 10 in.
" " " " Sea Level 570 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.50		.04		.12		.39		.04	.20	.01	.40	1
2	.15	.01	.03		.02		.19		.22	.06	.12	.01	2
3	.67		.06		.04	.04	.36		.14		.19	.11	3
4	.10		.31			.11	.10	.15	.28		.01	.15	4
5		.33					.01	.01	.32			.12	5
6			.14		.66						.03	.10	6
7	.28		.27	.10							.02		7
8	.23		.05	.10		.06							8
9	.10			.18							.03		9
10			.69	.03						.04	.02	.20	10
11			.70				.30			.01		.01	11
12	.05		.31	.12		.39			.03	.07	.03	.02	12
13	.15			.26			.03		.16	.19		.02	13
14	.55			.25			.11		.27	.03	.01	.05	14
15	.32	.14	.10	.37						.10		.29	15
16	.15	.99		.05				.53			.14		16
17		.44		.01		.02	.03				.15	.02	17
18			.50				.03	.27	.03		.01	.18	18
19	.16	.29	1.15			.16	1.53	.38	.16		.02		19
20	.45	.09	.33			.03	.22	.22	.11		.30	.12	20
21	.01	.37	.07			.06	.27	.05	.03			.21	21
22		.34					.02		.33			.52	22
23						.16		.01		.92		.13	23
24				.02						.74	.01	.10	24
25	.16			.04	.11	.13		.53			.01	.09	25
26			.22	.14		.02		.06	.11			.47	26
27	.23		.03	.42				.08	.01		.05		27
28			.02	.01				.74			.04	.29	28
29	.05		.02	.09		.07		.04		.50	.19	.14	29
30			.03	.22				.10		.03	.07	.43	30
31	.02						.06			.03		.04	31
TOTAL	4.33	3.00	5.07	2.41	.95	1.25	3.65	3.17	2.24	2.92	1.46	4.22	YEAR'S TOTAL 34.67
Days with ·01 in. or more	19	9	20	17	5	12	15	14	15	13	21	25	185

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Ex Dr 2131

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

4 MAY 192

Kept at Frankley

in the County of Worcester

by F. & W. Macaulay. M. Inst. C.E.

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge ....in.

Height of top of Gauge above Ground ....ft. ....in.

" " " " Sea Level ....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·21	·37		·35		·13	·18		·22	1
2				·10	·01		·50		·09	·43		·13	2
3	·09	·10		·16			·41	·03	·17	·49			3
4	·01			·15				·41	·03	·32			4
5		·01	·05	·03	·26		·29	·09	·11	·55			5
6			·41		·13			·03		·39		·03	6
7			·05	·09			·15						7
8	·35	·07		·69	·20		·52						8
9	·35	·01		·40			·07	·24	·01				9
10	·47	·10	·15	·03		·01	·14				·10		10
11	·08		·06	·20	·44	·38	·03	·04				·01	11
12	·15	·02	·04	·27		·65	·05	·79		·01	·09	·16	12
13	·08	·03	·25	·36					·01		·02	·01	13
14	·01		·83	·23		·16	·06		·24	·01	·17		14
15		·11	·23	·35		·17			·10	·01	·11		15
16			·01	·14	·05	·35	·28		·04	·42			16
17	·02				·12			·03	·90	·08		·02	17
18	·25			·01	·11		·10	·17	·35				18
19	~~·11~~	·47		·64	·01	·05		·01	·03				19
20	~~·02~~	·05		·38		·21	·03					·02	20
21				·10			·35	·05		·01		·09	21
22				·19			·04	·08	·01			·05	22
23							·26	·17				·34	23
24	·02		·22	·04				·03				·18	24
25	·02	·01	·22	·08			·88	·03					25
26	·20		·23	·02			·20				·01	·04	26
27	·15		·07	·02	·27	·25	·02				·03	·54	27
28	·85		·09	·04	·22	·03	·05					·08	28
29	·17		·30		·50	·03	·05				·16	·45	29
30	·02	╳		·10	·09	·12	·04		·28		·21	·19	30
31	·02	╳	·02	╳		╳			╳	·51	╳	·05	31
TOTAL	3·25 ~~3·37~~	·98	3·23	5·03	2·78	2·41	4·87	2·20	2·50	3·41	·90	2·61	YEAR'S TOTAL 34·17
Days with ·01 in. or more	19 21	11	17	26	14	12	23	15	15	13	9	18	192
Days with ·04 in. or more	12 13	6 5	15	21	12	9	20	9	10	9	6	13	142

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

cont for auth 8.16

FORM A.
BRITISH RAINFALL.

5 - MAY 1915

WORCESTER.

HILL CROOME

"GLEBE HOUSE"

1914, 1916

REGISTE

Kept at Glebe House - Hi

in the County of Worcester

by Henry Arkell

9 a.m. for preceding day

Defford. M.R.

five in.

bove Ground one ft. in.

, Sea Level fifty ft.

IMPORTANT NOTE.—R ad the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0.09

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0.01	0.01	0.09		.05	1.57	.28			.03	.09	1
2						.01	.35	.10			.42	.40	2
3				.08	.16		.07	.02			.04	.02	3
4	.14			.15	.01		.14	.09			.34	.43	4
5	.03		.03	.06	.12		.25				.14		5
6		.05					.01				.05	.10	6
7		.19	.19	.05	.17	.11	.21	.11	.03		.01	.08	7
8	.01	.01	.15	.02	.03	.89	.06	.07				.03	8
9	.12		.30	.47	.08	1.31			.09			.01	9
10	.03	.25	.04	.24	.05	.40			.23				10
11		.05	.22	.04	.25				.01		.13	.39	11
12	.01	.06	.18				.37		.27		.06	.09	12
13		.13	.38				.02		.12	.20	.08	.42	13
14		.07	.20							.39	.10	.02	14
15	.02	.02	.15				.01	.07	.06	.02	.10	.01	15
16	.01						.01		.10				16
17		.13	.18						.05			.18	17
18			.01				.20			.03		.34	18
19		.01	.01			.01	.41	.07	.02			.07	19
20		.44	.05			.05	.01	.01				.30	20
21	.01	.20			~~18~~	.77	.01	.05		.18	.02	.11	21
22		.01	.01		.18	.01	.04	.07		.10			22
23		.02	.20		.02					.12		.01	23
24		.01	.23	.01			.02	.04		.07	.05		24
25	.10		.22				.08	.15		.22	.03	.04	25
26			.21				.01			.02	.12	.33	26
27	.07									.01	.16	.11	27
28		.08	.18		.02				.01	.05	.09	1.09	28
29	.01		.10		.13					.25	.12		29
30			.03			.02				.09	.60	.72	30
31	05						.24			.03			31
Total	.61	1.74	3.28 3.28	1.21	1.22	3.63	4.09 4.09	1.13 1.13	.99	1.78 1.78	2.69	5.39	YEAR'S TOTAL 27.76
Rain Days.	13	18	23	10	12	11	21	13	11	15	20	24	191

W. 8,000. X. 14.

cw fr auth 8.1

REGISTER OF RAINFALL IN 1914

5 - MAY 1915

FORM A.
BRITISH RAINFALL.

Kept at Glebe House - Hill Croome
in the County of Worcester
by Henry Arkell

Lat. Long.
Time of Observation 9 a.m. for preceding day
Nearest Railway Station Defford. M.R.
Diameter of Rain Gauge five in.
Height of top of Gauge above Ground one ft. in.
" " " " Sea Level fifty ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0.09

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		0.01	0.01	0.09		.05	1.57	.28			.03	.09	1
2						.01	.35	.10			.42	.40	2
3				.08	.16		.07	.02			.04	.02	3
4	.14			.15	.01		.14	.09			.34	.43	4
5	.03		.03	.06	.12		.25				.14		5
6		.05					.01				.05	.10	6
7		.19	.19	.05	.17	.11	.27	.11	.03		.01	.08	7
8	.01	.01	.15	.02	.03	.89	.06	.07				.03	8
9	.12		.30	.47	.08	1.31			.09			.01	9
10	.03	.25	.04	.24	.05	.40			.23				10
11		.05	.22	.04	.25				.01		.13	.39	11
12	.01	.06	.18				.37		.27		.06	.09	12
13		.13	.38				.02		.12	.20	.08	.42	13
14		.07	.20							.39	.10	.02	14
15	.02	.02	.15				.01	.07	.06	.02	.10	.01	15
16	.01						.01		.10				16
17		.13	.18						.05			.18	17
18			.01				.20			.03		.34	18
19		.01	.01			.01	.41	.07	.02			.07	19
20		.44	.05			.05	.01	.01				.30	20
21	.01	.20			~~.18~~	.77	.01	.05		.18	.02	.11	21
22		.01	.01		.18	.01	.04	.07		.10			22
23		.02	.20		.02					.12		.01	23
24		.01	.23	.01			.02	.04		.07	.05		24
25	.10		.22				.08	.15		.22	.03	.04	25
26			.21				.01			.02	.12	.33	26
27	.07									.01	.16	.11	27
28		.08	.18		.02				.01	.05	.09	1.09	28
29	.01		.10		.13					.25	.12		29
30		X	.03			.02				.09	.60	.72	30
31	05	X		X		X	.24		X	.03	X		31
Total	.61	1.74	3.28 3.28	1.21	1.22	3.63	4.09 4.09	1.13 1.13	.99	1.78 1.78	2.69	5.39	YEAR'S TOTAL 27.76
Rain Days.	13	18	23	10	12	11	21	13	11	15	20	24	191

W. 8,000. X. 14.

Dr ✓ W D L card by mm stats 2419 335

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

30 JAN 1917

Kept at Hill Croome

in the County of Worcestershire

by H. Arkell

Lat. ______ Long. ______

Time of Observation ______

Nearest Railway Station ______

Diameter of Funnel of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ______

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03		·03		·05	·06	·11						1
2	·23	·03	·13		·28	·01	·02						2
3		·65			·08	·03							3
4		·08			·60	·32							4
5	·24		·05		·20	·08	·17						5
6	·02	·18	·04	·14	·17	·08	·37						6
7		·04	·07		·07		·26						7
8			·04		·25	·09							8
9	·05		·03		·12	·15							9
10		·42	·06	·05		(·03)	·03						10
11		·07	·07	·14	·04	·31							11
12		·01	·04		·40		·18	·01					12
13	·03	·30	·08				·04	·34					13
14		·46	·04	·03	·04			·10					14
15		·23	·25	·05	·28		·02	·28					15
16	·01	·03	·01	·23	·11		·21	·25					16
17	·08	·14						·21					17
18		·03	·03	·01				·08					18
19	·06		·23	·08									19
20	·06		·53	·20				·02					20
21			·45	·35	·12		·13						21
22	·01					·06							22
23		·30	·01	·02				·12					23
24		·15	·08	·01	·12	·40		·03					24
25		·12	·09			·01		·21					25
26	·04	·05	·11			·10		·03					26
27	·04	·08	1·00				·01	·17					27
28		·48	·07		·01	·09							28
29		·12				·22		1·50					29
30		×				·05							30
31		×		×		×			×		×		31
Total	·90	3·97	3·54	1·31	2·94	2·19	1·55	3·35					YEAR'S TOTAL
Rain Days.	13	21	24	12	17	17	12	14					

W. 8,000. X. 15.

Cod for auth 2.11.1

WORCESTER

KEMPSEY

"THE LODGE"

1914 – 1920

REGIST

FORM A.
BRITISH RAINFALL.

9 JAN 1915

Kept at The Lodge Kempsey 9 a.m.

in the County of Worcestershire Worcester

5 in.

by Mr. Isaac

Above Ground — ft. 9 in.

Sea Level about 80 ft.

IMPORTANT NOTE.—R and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		'03	'01	'04			1'10	'26			'03	'08	1
2							'21	'11			'55	'39	2
3				'09	'18		'06	'06			'01	'03	3
4	'17			'13	'03		'13	'07			'42	'47	4
5			'04	'13	'15		'27				'17		5
6	'04	'06		'01	'03						'04	'07	6
7		'16	'21	'22	'17	'05	'11	'09	'02		'01	'15	7
8			'07		'04	'67	'01	'05				'03	8
9	'09	'01	'19	'27	'07	1'21		'02	'10				9
10	'02	'13	'04	'33	'02	'08			'23				10
11		'08	'28	'04	'09	'17					'10	'42	11
12		'10	'18				'42		'23		'08	'12	12
13		'11	'30				'03		'09	'15	'11	'40	13
14		'13	'12							'31	'13	'02	14
15	'01	'01	'13					'18	'14	'01	'05		15
16									'08				16
17		'16	'13				'01		'06			'18	17
18						'21	'20			'02		'31	18
19		'01	'07				'32		'01		'05	'08	19
20		'44	'02			'04						'28	20
21		'18	'01			'77		'25		'14		'13	21
22		'06		'01	'15		'02	'08		'05			22
23		'01	'12		'06					'09			23
24		'01	'25	'01				'04		'09	'02		24
25	'08		'16				'11	'15		'26	'03	'10	25
26			'11					'03		'04	'22	'36	26
27	'04										'06	'11	27
28		'06	'15		'02					'04	'11	'86 Snow rain	28
29	'01	X	'12		'06					'18	'09		29
30		X	'04			'06				'05	'41	'55	30
31	'10	X		X		X	'20		X	'02	X	'01	31
Total	'56	1.75 1'75	2'75	1'28	1'07	3.26 3'26	3'20	1'39	'96	1'45	2'69	5'15	YEAR'S TOTAL ~~25'51~~ 25.51
Rain Days.	9	18	22	11	13	9	15	13	9	14	20	22	175

W. 8,000. X. 14.

cor'd for auth 2.18

REGIST

FORM A.
BRITISH RAINFALL.

2 JAN 1915

Kept at The Lodge - Kempsey - Nr. Worcester

in the County of Worcestershire

by Mr. Isaac -

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Worcester

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 9 in.

" " " " Sea Level about 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		'03	'01	'04			1'10	'26			'03	'08	1
2							'21	'11			'55	'39	2
3				'09	'18		'06	'06			'01	'03	3
4	'17			'13	'03		'13	'07			'42	'47	4
5			'04	'13	'15		'27				'17		5
6	'04	'06		'01	'03						'04	'07	6
7		'16	'21	'22	'17	'05	'11	'09	'02		'01	'15	7
8			'07		'04	'67	'01	'05				'03	8
9	'09	'01	'19	'27	'07	1'21		'02	'10				9
10	'02	'13	'04	'33	'02	'08			'23				10
11		'08	'28	'04	'09	'17					'10	'42	11
12		'10	'18				'42		'23		'08	'12	12
13		'11	'30				'03		'09	'15	'11	'40	13
14		'13	'12							'31	'13	'02	14
15	'01	'01	'13					'18	'14	'01	'05		15
16									'08				16
17		'16	'13				'01		'06			'18	17
18						'21	'20			'02		'31	18
19		'01	'07				'32		'01		'05	'08	19
20		'44	'02			'04						'28	20
21		'18	'01			'77		'25		'14		'13	21
22		'06		'01	'15		'02	'08		'05			22
23		'01	'12		'06					'09			23
24		'01	'25	'01				'04		'09	'02		24
25	'08		'16				'11	'15		'26	'03	'10	25
26			'11					'03		'04	'22	'36	26
27	'04										'06	'11	27
28		'06	'15		'02					'04	'11	'86 snow & rain	28
29	'01		'12		'06					'18	'09		29
30			'04			'06				'05	'41	'55	30
31	'10						'20			'02		'01	31
Total	'56	1·75 1'75	2'75	1'28	1'07	3·26 3'26	3'20	1'39	'96	1'45	2'69	5'15	YEAR'S TOTAL 25'51 25·51
Rain Days.	9	18	22	11	13	9	15	13	9	14	20	22	175

W. 8,000. X. 14.

endly C 27.III.16

2507

FORM A.
BRITISH RAINFALL
3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Kempsey nr Worcester

in the County of Worcester

by W. Isaac (Amy ? Isaac)

Lat. 52·8 Long. 2·12 W

Time of Observation 9 a.m.

Nearest Railway Station Worcester

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 9 in.

" " " " Sea Level About 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07	·07	·05		·23			·19	·03	·20	·01	·03	1
2	·11	·14	·12	·12		·14		1·49		·21		·08	2
3	·82	·07	·01	·13	·05		1·08	·23				·17	3
4	·01	·03			·06		·44	·24				·67	4
5	·61	·50	[illegible]	·01			·13	·08		·01	·01	·38	5
6	·17	·02	[illegible]	·14			·53					·11	6
7	·06	·28	[illegible]	·02	·01	·01	·04	·05				·35	7
8	·19	·23		·06				·02			·08		8
9	·16	·05		·09				·01			·14	·32	9
10	·22		·10	·02						·02	·01		10
11	—		·01	·02	·03						·98	·05	11
12	·06	·04		·17	·38			·02		·04	·92		12
13	·01	·25			·89			·61				·02	13
14	—	·03						·11	·08			·30	14
15	·24				·09			·19		·01	·05	·10	15
16	·02	·33		·02	·38		·76	·01				·04	16
17	—	·16			·69							·02	17
18	—	·43	·02 snow							·01			18
19	—	·02			·08		·11						19
20	·11			·06								·14	20
21	·08	·01					·11			·09		·04	21
22	·09	·01	·27	·25			·21		·02			·18	22
23	·02	·10	·07				·76		·01	1·04		·25	23
24			·06	·04			·21		·47	·73		·18	24
25			·01			·70	·65			·02		·20	25
26		·02					·48					·45	26
27		·03					·09			·32		·04	27
28		·15				·08		·10	·13				28
29						·33	·30	·04			·08	·06	29
30	·04					·02		·01		·18	·06	·07	30
31							·07	·01		·64		·22	31
Total	2·49	2·97	0·72	1·15	2·89	1·28 ✓	5·97	3·41	·74	3·52	2·34	4·47	YEAR'S TOTAL 31·95 ✓
Rain Days.	19	22	10	14	11	6 ✓	16	17	6	14	10	25	170

W. 8,000. X. 15.

2439

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
2 JAN 1917

Kept at Kempsey Nr. Worcester
in the County of Worcestershire
by Mr. Isaac

Lat. 52 8 Long. 2 12 7/12
Time of Observation 9 a.m.
Nearest Railway Station Norton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07		·02		·04	·08	·17			0·18	·20		1
2	·50	·04	part snow ·15		·21		·01		·03	0·50	·05		2
3		·68			·04				·03	0·25	·06		3
4	·20	·11			·47	·21	·14		·03	·01	·40		4
5	·02		Snow ·05		·25	·02	·02			·07	·06		5
6	·02	·21	Snow ·05		·19	·02	·50			0·14	·35		6
7			Snow. ·06		·04	·01	·12			0·10	·18	·18	7
8	·02		Snow. ·02		·21	·12					·04	·24	8
9			Snow. ·02		·19	·11			·01		·01	·01	9
10		·40	Snow ·07	·02	·01	·15				·02	·01		10
11	·01	·07	·04	·06	·02	·30						Snow. ·26	11
12	·01	·02	·03	·01	·37		·20			·01	·01		12
13		·25	·14	·01			·03	·28				Snow. ·01	13
14		·47	·02		·02					·06			14
15		·24	·26	·03	·16		·01	·22		·03			15
16		·02		·18	·06		·25	·42		·01			16
17	·06	·13		·06				·04	0·36	0·38			17
18	·01	·03	·03	·04				·01	0·14	·01	·47	Snow. ·20	18
19	·03		·25	·17							·11		19
20	·06		·40	·02							·05	·17	20
21			·38	·11	·16		·19					·23	21
22				·02		·04				·18		·52	22
23		Snow ·42		·02				·14		·05		·16	23
24		Snow ·18	Snow ·02		·22	·01		·08		·19	·01	·15	24
25		·03	·17		·03			·14		·05	·20		25
26	·05	Snow ·07	·02			·06		·07	·03	·10	·01		26
27	·03	Snow. ·10	Rain & Snow ·82				·40	·06	·33	·25		·01	27
28		Snow ·40	Snow ·06			·21			·02	·11		·10	28
29		·14				·21		1·32		·30		·06	29
30		✕		·01		·01				·24		·04	30
31		✕		✕		✕		·01	✕	·27	✕		31
Total	1·09	4·01	3.08	·76	2·69	1·56	2·04	2·79	0·98	3·51	2·22	2·34	YEAR'S TOTAL 27·07
Rain Days.	14	20	22	14	18	15	12	12	9	24	17	15	192

W. 8,000. X. 14.

2324

FORM A.
BRITISH RAINFALL.

2. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Kempsey. nr Worcester
in the County of Worcestershire
by W. Isaac

Lat. 52 8 Long. 2 12 7/11
Time of Observation 9 a.m.
Nearest Railway Station Worcester 4¼ miles
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		Snow ·03	·08	Snow ·05		·08		·77	·06		·08		1
2				Snow ·14		·09		·04			·02		2
3	·03	Snow ·01	~~Snow~~ [illegible]	Snow ·12				·02		·33			3
4		Snow ·01	Snow ·14	·01				·01		·13			4
5	·12		Snow ·11	mostly snow ·22					·04	·13	·08		5
6			·09			·39				·06	·18		6
7	·29						·32	·04		·12			7
8	Some snow ·42			·10		·02	·39	·42		·36	·16	·16	8
9			Snow ·17	·01	·17			·70		·04	·06		9
10	Some snow ·34		·32	·04	·48			·12		·01			10
11	·07		·19	Snow ·14	·01			·05		·10	·02		11
12	·05			·01	·16					·16			12
13			·07	·01	·04			·06	·05	·02			13
14			·27	·04				·01		·03			14
15					·01			·24		·03		·07	15
16	·01	Snow & fog ·03		·11		·15						Snow ·48	16
17		Fog ·01		·03	·61	·15	·33	·10	·07	·07			17
18	·01	Fog ·01			·08	·01	·25	·02	1·26				18
19	·01	·30	·34			·03			·01				19
20		·15	Snow ·11		·46	·05	·14				·02		20
21		·01	Snow ·20		·05	·34		·04			·02		21
22	·01		Sleet ·01					·09		·10			22
23		·17			·14			·17		·04			23
24						·05		·04		·21			24
25		·11	·07							·03	·07		25
26					·05			·22	·12		·06		26
27					1·41	·07	·10	·61					27
28			·16			·33		·10				·03	28
29			·02			·55	·13			·36		·24	29
30		✕					·10	·25		·07			30
31		✕	Snow ·02	✕		✕		·10	✕	·01	✕	·02	31
Total	1·36	·84	2·37	1·03	3·67	2·22	1·76	4·22	1·61	2·41	·77	1·06	YEAR'S TOTAL 23·26
Rain Days.	11	11	17	14	13	14	8	23.	7	21	11	6	156

W. 8,000, VIII. 16

~~W~~ L.F.E

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

2.1.19

Kept at Kempsey Nr Worcester
in the County of Worcestershire
by Wm Isaac

Lat. 52°8 Long. 2.12 7/12
Time of Observation 9 a.m.
Nearest Railway Station Worcester 4¼ miles
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 9 in.
" " " " Sea Level 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01		·01	·16			·04			·31	·01	1
2		·03		·02				·23		·01		·09	2
3		·02		·01	·22			·12	·49		·06		3
4		·03							·17	·09	·45		4
5				·02	·24				·11	·06		·02	5
6	·02	·34	·01	·05		·04			·04	·13		·03	6
7		·08			·15				·42	·03	·21		7
8		·06							·20	·12		·02	8
9		·18		·14		·12	·09		·17	·09		·02	9
10	·10			·11			·20		·04	·05		·12	10
11				·05	·14		·03		·04		·02	·05	11
12	·02		·17		·10		·21						12
13							·05		·07	·02		·06	13
14	·20		·05				·05		·43	·10		·06	14
15	Snow ·75			·25			·22					·22	15
16	Snow ·18			·99		·20	·06		·21			·03	16
17	·09			·06		·06	·07		·17	·04		·05	17
18	·31					·30	·16		·38			·39	18
19	·10	·04	·16	·02			·16			·09			19
20	·12	·05		·48		·02			·12			·03	20
21	·11			·23			·06		·36			·10	21
22	·02				·03		·07		·06	·01		·13	22
23	·03				·52		·27		·02		·06		23
24		·13						·02	·05	·01	·08		24
25				·03			·16	·44					25
26							·31		·04	·01	·06	·10	26
27								·12	·10		·06	·01	27
28		·13	·27	·01							·08	·04	28
29		×	·06						1·09	·01		·07	29
30		×	·30						·01	~~·24~~	·05	·05	30
31		×	·16	×		×		·03	×		×		31
Total	2.05	1·10	1·18	2·48	1·56	·74	2·17	1·00	4·79	·87	1·39	1·70	YEAR'S TOTAL 21·03
Rain Days.	13	12	8	16	8	6	16	7	23	16	11	22	158

W. 8,000, IX. 17.

2181
~~275~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Kempsey
in the County of Worcestershire
by A. A. Isaac

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·28		·03		·05	·19	·10		·04	·17		·35	1
2	·12						·15		·22		·07	·06	2
3	·58		·08		·03	·04	·09		·07		·14	·13	3
4	·08	·05	·39			·10	·15	·07	·18			·14	4
5	·03	·28	·12		·07		·03		·22			·21	5
6			·10		·35						·04	·12	6
7	·20		·30	·11	·12						·08	·04	7
8	·15		·06	·14		·03							8
9	·05		·02	·07									9
10			·47	·01								·15	10
11			·52		·02		·54			·03		·01	11
12	·02		·09			·16				·06		·03	12
13	·09								·07	·03		·04	13
14	·19	·03		·33					·05			·02	14
15	·27	·04	·02	·01	·18					·02		·30	15
16	·20	1·02						·14			·07	·01	16
17	·02	·61									·06		17
18		·03	·57				·02	·10			·01	·05	18
19	·13	·26	·97			·13	1·14	·32	·09		·01	·01	19
20	·30	·02	·33			·01		·17	·04		·02	·04	20
21		·40	·02				·24					·06	21
22		·04					·04		·32			·07	22
23										·88		·01	23
24				·05		·02				·74	·09	·05	24
25	·09			·03	·08	·12		·19				·02	25
26	·04		·10	·08		·03		·10	·04			·29	26
27	·20			·67				·45			·01	·07	27
28	·04		·09					·41				·28	28
29	·04			·11						·27		·13	29
30		✕		·13		·16		·06		·02	·27	·40	30
31		✕		✕		✕			✕		✕		31
Total	3·12	2·78	4·28	1·74	·90	·99	2·50	2·01	1·34	2·22 ~~[illegible]~~	·87	3·09	YEAR'S TOTAL 25·84
Rain Days	21	11	18	12	8	11	10	10	11	9	14 11	27	162

W, 6,500, VII. 18. W W C

W. Wob

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL.

Kept at Kempsey Nr Worcester
in the County of Worcestershire
by Mr Isaac

Lat. 52·8 Long. 2.12 7/12°
Time of Observation 9 a.m.
Nearest Railway Station Worcester 4½ miles
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 9 in.
" " " " Sea Level 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
									·04	·17		·35	1
1	·28		·03		·05	·19	·10		·22			·06	2 1
2	·12						·15		·07		·07	·13	3 2
3	·58		·08		·03	·04	·09		·18		·14	·14	4 3
4	·08		·39 ·39			·10	·15	·07	·22			·21	5 4
5	·03	·05	·12		Snow ·07		·03					·12	6 5
6		Snow ·28	·10		·35						·04	·04	7 6
7	·20		·30	·11	·12						·08		8 7
8	·15		·06 ·06	·14		·03							9 8
9	·05		·02 ·02	·07								·15	10 9
10			·47 ·47	·01								·01	11 10
11			·52 ·52		·02		·54			·03		·03	12 11
12	·02		·09 ·09			·16				·06		·04	13 12
13	·09		~~·11~~						·07	·03		·02	14 13
14	·19	·03	~~·09~~	·33					·05			·30	15 14
15	·27	·04	·02	·01	·18							·01	16 15
16	·20	1·02	~~·52~~					·14		·02	·07	~~·0~~	17 16
17	·02	0·61	~~·09~~								·06	·05	18 17
18		·03	·57				·02	·10			·01	·01	19 18
19	·13	·26	·97			·13	1·14	·32	·09		·01	·04	20 19
20	·30	·02	·33			·01		·17	·04		·02	·06	21 20
21		·40	·02				·24					·07	22 21
22		·04	—				·94		·32			·01	23 22
23		~~·14~~	—							·88		·05	24 23
24			—	·05		·02				·74	·09	·02	25 24
25	·09		—	·03	·08	·12		·19				·29	26 25
26	·04		·10	·08		·03		·10	·04			·07	27 26
27	Snow ·20			Snow ·67				·45			·01	·28	28 27
28	Snow ·04		Snow ·09					·41				·13 ·19	29 28
29	Snow ·04			·11						·27		·40	30 29
30		╳		·13	—	·16		·06		·02	27		31 30
31		╳		╳		╳			╳		╳	╳	~~31~~
Total	3·12	2·78	4·28	1·74	·90	·99	2·50	2·01	1·34	2·22	·87	3·09	YEAR'S TOTAL 25·84
Rain Days.	21	11	18	12	8	11	10	10	11	9	~~11~~ 14	27	159

162

W. 6,500, VII. 18. w w c

~~W~~ MR [illegible]

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

8 JAN 192

Kept at The Lodge Kempsey.
in the County of Worcester
by Mr. Isaac

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station Wadborough. M.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft. 9 in.
" " " " Sea Level 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02		02	·15	·25		·22		·03	·14		·21	1
2	·01			·05			·37	·05	·06	·07		·09	2
3	·04	·01		·24	·08	·01	·96		·15	·36			3
4				·10				·17	·01	·26			4
5			·11	·04	·17		·44	·11		·48			5
6			·31		·11		·11			·27			6
7			·08	·16			·16						7
8	·13	·04		·50			·20						8
9	·26			·10	·04		·06						9
10	·54	·12	·06	·29		·07	·15				·04		10
11	·18		·05	·24	·32	·19	·05						11
12	·12	·01		·23		·85	·01	·04			·03		12
13	·01		·30	·20								Snow. ·03	13
14	·01		·77	·20		·16			·44	·03	·16		14
15	·01	·13	·10	·65		·26			·08	·02	·06		15
16					·05	·26	·22		·05	·39	·02		16
17				·14	·09				·62	·14		·01	17
18	15			·12	·09			·12	·60				18
19	·02	Snow. ·30		·26		·06			·04				19
20	·01	·02		·02		·18						·04	20
21				·24			·06					·03	21
22	·01			·06				·08				·16	22
23				·05			·33	·03				·34	23
24			·15	·01									24
25		·12	·04	·02			·61					·12	25
26	·11		·29				·01				·07	·07	26
27	·25	·01	·06	·02	·03	·26						·42	27
28	·87		·08		·13							·02	28
29	·11		·41		·01		·11				·09	·60	29
30		✕	·18	·05		·07	·10		·25		·22	·12	30
31	·05	✕		✕		✕			✕	·26	✕	·01	31
TOTAL	2·91 ~~3·11~~	·76	2·71	4·10	1·37	2·37	4·17	·60	2·33	2·42	·69	2·27	YEAR'S TOTAL 26·70 ~~26·90~~
Days with ·01 in. or more	~~7~~ 20	5 9	1 16	5 25	2 12	1 11	2 18	1 7	2 11	2 11	6 8	5 15	~~39~~ 163
Days with ·04 in. or more	12 12	4 5	15 15	20 20	19 10	10 10	16 16	6 6	9 9	9 9	2 6	11 10	~~124~~

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

128

KEMPSEY

DRAYCOTT HSE

WORCESTER

1911 - 1915

FORM A2.
BRITISH RAINFALL.

4 - JAN 1912

R

Copper

Kept at Draycott Ho ... in.

... nd — ft. 11 in.

in the County of Wo ... evel 55 ft.

by Colonel C E Son ... Worcester

... ce 4½ Direction N.

IMPORTANT NOT ... result entered to the previous day. If an Ob ... rule, he is earnestly requested to add the read ... the space provided for it at the end of this ... f rain, the selection and placin ... to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01		·17	·05	—	—	—	·07	—	—	·02	·01	1
2	—	—	·04	·07	·10	—	·02	·06	—	·10	·04	·03	2
3	—	—	—	—	·38	—	—	—	·03	—	·02	·01	3
4	·01	—	—	·04	—	·68	—	—	·06	·03	·21	·26	4
5	·09	—	·15	·02	—	—	—	·05	—	·02	·04	·01	5
6	·37	—	·02	·05	—	—	—	—	—	—	·07	·58	6
7	·01	—	·03	—	—	—	—	—	—	·02	·21	—	7
8	·08	—	—	—	—	—	—	—	—	—	·03	28	8
9	·10	—	·12	—	—	—	—	—	—	—	·37	·12	9
10	·02	—	—	—	—	—	—	—	—	—	—	·31	10
11	·20	·06	·33	—	—	—	—	—	—	—	·54	·04	11
12	[illegible]	·01	—	—	—	—	—	—	·04	—	·07	—	12
13	·10	—	·44	—	—	—	—	—	·36	—	·03	·52	13
14	—	—	·01	—	—	—	—	—	—	—	·01	·84	14
15	—	—	·01	—	—	·01	—	—	—	—	·13	·05	15
16	—	·02	·04	—	—	·08 ·05	—	—	—	—	·12	·07	16
17	—	—	—	—	—	·16	—	—	—	—	·16	·33	17
18	—	—	—	·05	—	·09	—	—	—	·05	·01	·33	18
19	—	·31	—	·07	—	·11	—	—	·16	·22	·03	·08	19
20	—	—	—	·01	—	—	—	·37	·05	·01	—	·63	20
21	—	·09	—	—	—	—	—	·34	·02	·35	—	·07	21
22	—	·38	·03	·06	—	·01	—	·01	—	·22	—	·49	22
23	—	·01	·02	—	—	·51	—	—	·17	·06	—	·17	23
24	—	·12	·18	·05 ·06	—	·42	—	·14	—	·09	—	·10	24
25	—	·06	—	—	—	·03	—	·04	—	·01	—	·14	25
26	—	·16	·01	·24	·03	·02	—	·03	—	·20	·18	·10	26
27	—	·12	—	·15	—	—	—	·32	·21	—	·06	·12	27
28	—	·12	·15	·15	—	—	—	·02	—	—	·21	·01	28
29	—		—	·06	—	·19	·27	—	·22	·17	·01	—	29
30	—		—	— ·12	·04	·03	—	·09	·02	·27	·01	·02	30
31	—		·02		·03		—	—		— ·05		·01	31
Total	1·00	1·46	1·77	~~1·08~~ 1·19	·58	2·31 2·34	·29	1·54	1·34	1·82 1·87	2·58	5·73	Total for year 21·59 21·69
No. of Rain Days	11	12	17	15	5	13	2	12	11	~~15~~ 16	23	28	163 165

9,000, IX. '10.

J

R

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

Kept at Draycott House Kempsey

in the County of Worcester 2

by Colonel C E Southouse Scott

Rain Gauge: Copper
Diameter of top 5 in.
Height of top above Ground — ft. 11 in.
" " " Sea Level 55 ft.

Time of Observation 9 AM

Nearest Railway Station: Name Worcester
Distance 4½ Direction N-

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01		·17	·05	—	—	—	·07	—	—	·02	·01	1
2	—	—	·04	·07	·10	—	·02	·06	—	·10	·04	·03	2
3	—	—	—	—	·38	—	—	—	·03	—	·02	·01	3
4	·01	—	—	·04	—	·68	—	—	·06	·03	·21	·26	4
5	·09	—	·15	·02	—	—	—	·05	—	·02	·04	·01	5
6	·37	—	·02	·05	—	—	—	—	—	—	·07	·58	6
7	·01	—	·03	—	—	—	—	—	—	·02	·21	—	7
8	·08	—	—	—	—	—	—	—	—	—	·03	28	8
9	·10	—	·12	—	—	—	—	—	—	—	·37	·12	9
10	·02	—	—	—	—	—	—	—	—	—	—	·31	10
11	·20	·06	·33	—	—	—	—	—	—	—	·54	·04	11
12	·01	·01	—	—	—	—	—	—	·04	—	·07	—	12
13	·10	—	·44	—	—	—	—	—	·36	—	·03	·52	13
14	—	—	·01	—	—	—	—	—	—	—	·01	·84	14
15	—	—	·01	—	—	·01	—	—	—	—	·13	·05	15
16	—	·02	·04	—	—	·08 ·05	—	—	—	—	·12	·07	16
17	—	—	—	—	—	·16	—	—	—	—	·16	·33	17
18	—	—	—	·05	—	·09	—	—	—	·05	·01	·33	18
19	—	·31	—	·07	—	·11	—	—	·16	·22	·03	·08	19
20	—	—	—	·01	—	—	—	·37	·05	·01	—	·63	20
21	—	·09	—	—	—	—	—	·34	·02	·35	—	·07	21
22	—	·38	·03	·06	—	·01	—	·01	—	·22	—	·49	22
23	—	·01	·02	—	—	·51	—	—	·17	·06	—	·17	23
24	—	·12	·18	·05 ·06	—	·42	—	·14	—	·09	—	·10	24
25	—	·06	—	—	—	·03	—	·04	—	·01	—	·14	25
26	—	·16	·01	·24	·03	·02	—	·03	—	·20	·18	·10	26
27	—	·12	—	·15	—	—	—	·32	·21	—	·06	·12	27
28	—	·12	·15	·15	—	—	—	·02	—	—	·21	·01	28
29	—		—	·06	—	·19	·27	—	·22	·17	·01	—	29
30	—		—	·12	·04	·03	—	·09	·02	·27	·01	·02	30
31	—		·02		·03		—	—		— ·05		·01	31
Total	1·00	1·46	1·77	~~1·08~~ 1·19	·58	2·31 2·34	·29	1·54	1·34	1·82 1·87	2·58	5·73	21·69 Total for year 21·50
No. of Rain Days	11	12	17	14 15	5	13	2	12	11	~~15~~ 16	23	28	163 165

9,000, IX. '10.

coding C 7.III.13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
3 - JAN 1913

Kept at Draycott House Kempsey
in the County of Worcester 2
by Colonel C. E. Southouse Scott.

Lat. Long.
Time of Observation 9 A.m
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. = in.
" " " " Sea Level 54 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.08	—	—	.68	.12	—	.02	.15	—	.10	1
2	—	—	.11	—	.02	.14	.27	.03	—		—	—	2
3	.01	—	.03	—	—	.11	.06	.70	.01		.03	.08	3
4	14 .14	—	.62	—	.18	.62	—	.05	—		.11	—	4
5	.20	.08	.14	—	.05	.33	—	.26	—		.07	.02	5
6	.20	.19	.01	—	.03	.10	.30	.76	—		—	—	6
7	—	.17	.06	—	.05	.64	—	.33	—		—	.02	7
8	.29	.08	.20	.02	—	.06	.02	.12	.10		—	.04	8
9	.07	.01	.36	.04	—	.14	—	.08	—		—	.19	9
10	.04	.04	.01	.03	—	.07	—	.08	—		.20	.01	10
11	.08	.03	.02	—	—	.11	—	.11	—	—	.09	.49	11
12	.03	.34	.10	.01	.07	.01	.01	—	—	—	.02	.02	12
13	.02	.02	.01	—	—	—	—	.14	.01	—	—	.04	13
14	.08	—	.46	—	.06	.01	.01	.04	—	—	—	—	14
15	.15	.05	.07	—	.40	.13	—	.04	—	—	—	.19	15
16	.82	.01	.12	—	.07	.04	—	.08	—	.12	—	—	16
17	.80	—	.37	—	.01	.02	—	.43	—	—	.05	.34	17
18	.87	.01	.04	—	—	—	—	.33	—	.02	.02	.01	18
19	.10	.03	.01	—	.02	—	.15	.68	—	—	.01	.02	19
20	.02	.04	.21	—	—	—	.22	.01	—	.32	.01	—	20
21	.01	.02	.14	—	.76	—	.01	.88	—	.38	—	—	21
22	.38	.09	—	—	1.02	.06	.42	.19	—	.02	—	.06	22
23	.22	.23	.27	—	.01	.07	.28	.34	—	.01	.02	.19	23
24	.09	.02	.01	—	—	.13	.02	.07	—	.01	.01	.21	24
25	—	—	—	—	—	.23	—	.90	—	.01	.40	.45	25
26	—	.08	.02	—	—	—	.38	.72	—	.56	.211	.16	26
27	—	.09	—	—	—	.29	.35	—	.09	.81	—	.19	27
28	—	.07	—	—	—	.03	.60	.64	.37	.29	.25	.39	28
29	—	.09	.02	—	—	.09	.29	.09	—	.19	—	.02	29
30	—		.01	—	.04	.02	.07	.03	—	.13	—	—	30
31	—		.03		.29		53	03		—		.03	31
Total	4.62	1.79	3.53	.10	3.08	3.88	~~3.98~~ 4.11	8.16	.60	3.02	1.50	3.27	YEAR'S TOTAL 37.66
Rain Days.	4.62 21	1.79 22	27	4	16	24	19	28	6	14	15	23	219

W. 7,500, XI. 12

Dl ✓ Cnd for auth 31-III-14

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 392

28 JAN 1914

Kept at Kempsey

in the County of Worcestershire 2

by Col. C. E. Southouse Scott

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·02	·12	·14	·08				·85		·06		1
2	·02	·15	·04	·12			·02		·09	·60	·06		2
3	·08	·01	·03		·63					·07		·05	3
4	·83				·51				·19	·41	·03	·16	4
5	·16	·03	·01		·02	·07	·07		·03	·16	·09	·01	5
6	·04	·04	·15		·31	·10	·23			·18	·09	·35	6
7		·22			·23	·05	·03			·26	·24	·01	7
8		·10			·07	·06	·01	·02		·18			8
9		·30	·02		·06	·11		·23	·22		·10		9
10	·19			·12	·09			·04			·09		10
11	·97	·01		·34	·08			·24		·04	·61		11
12		·02			·44						·51		12
13	·03		·10					·02	·10		·27		13
14	·09		·44	·03				·10		·08	·01		14
15	·12	·08	·61	·48				·01	·10		·02		15
16	·08	·02	·76	·07				·09	·08				16
17	·33		·06	·15		·03	·18		·02				17
18			·28	·09			·06						18
19	·08		·12		·03	·02	·04		·09	·01			19
20	·17		·14	·08					·01	·07	·17		20
21			·21	·19	·10		·10	·02			·16		21
22	·45		·48	·02		·04		·08	·45				22
23	·02		·02			·09		·03	·02		·03		23
24	·04			·02				·01					24
25				·08					·03			·03	25
26		·04		·61				·36	·02			·27	26
27			·04	·22	·04					·08			27
28	·29		·08	·25	·05					·27		·04	28
29	·02		·40	·50				·09		·05			29
30	·22		·03					·03		·55	13		30
31	·02		·10					·04		·03			31
Total	4·25	1·04	4·24 4·24	3·51	2·74	·57	·74 ·74	1·41	2·30	3·04	2·67	·92	YEAR'S TOTAL 27·43
Rain Days.	21	13	22	18	15	9	9	16	15	16	17	8	179

W. 7,500, XI. ·12

corr for pt. W.D. – corr by C, corr by mm stats to 31.III.14

REGISTER OF RAINFALL IN 19

FORM A.
BRITISH RAINFALL.
8 JAN. 1914

Kept at Draycott Kempsey Worcester City
in the County of Worcester H RA
by Colonel C. E. S. Scott

Lat. Long.
Nearest Railway Station Worcester
Time of Observation 9 am
Diameter of Rain Gauge in.
Height of top of Gauge above Ground — ft. 6 in.
" " " Sea Level ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.02	.12	.14	.08	—	—	—	.85	—	.06	—	1
2	—	.02	.04	.12	—	—	.02	—	.09	.60	.06	—	2
3	.02	.15	.03	—	.63	—	—	—	—	.07	—	.05	3
4	.08	.01	—	—	.51	—	—	—	.19	.40	.03	.16	4
5	.83	—	.01	—	.02	.07	.07	—	—	.16	.09 .29	.01	5
6	.16	.03	.15	—	.31	.10	.23	—	.03	.18	.09	.35	6
7	.04	.04	—	—	.23	.05	.03	—	—	.26	.24 .24	.01	7
8	—	.22	—	—	.07	.06	.04	.02	—	.18	—	—	8
9	—	.10	.02	—	.06	.11	—	.23	.22	—	.10	—	9
10	—	.30	—	.12	.09	—	—	.04	—	—	.09	—	10
11	.19	—	—	.34	.08	—	—	.24	—		.61	—	11
12	.97	.01	—	—	.44	—	—	—	—		.51	—	12
13	—	.02	.10	—	—	—	—	.02	.10		.27	—	13
14	.03	—	.44	.03	—	—	—	.10	—		.01	—	14
15	.09	.08	.61	.48	—	—	~~.04~~	.01	.10		.02	—	15
16	.12	.02 ~~.08~~	.78	.07	—	—	—	.09	.08 .05		—	—	16
17	.08	—	.05	.15	—	.03	—	—	.02		—	—	17
18	.33	—	.28	.09	—	—	.18	—	—	.02	—	—	18
19	—	—	.12	—	.03	.02	.06	—	.09	—	—	—	19
20	.08	—	.14	.08	—	—	.04	—	.01 .09	.32	.17	—	20
21	.17	—	.21	.19	.10	—	.10	.02	—	.88	.16	—	21
22	—	—	.48	.02	—	.04	—	.08	.45 ~~.55~~	.02	—	—	22
23	.45	—	.02	—	—	.09	—	.03	.02 .32	.01	.03	—	23
24	.02	—	—	.02	—	—	—	.01	—	.01	—	—	24
25	.04	—	—	.08	—	—	—	—	.03	.01	—	.03	25
26	—	.04	—	.61	—	—	—	.36 .36	.02 .32	.56	—	.27	26
27	—	—	.04	.22	.04	—	—	—	—	.84	—	—	27
28	—	—	.08	.25	.005	—	—	—	—	.29	—	.04	28
29	.29		.40	.50	—	—	—	.09 .08	—	.19	—	—	29
30	.02		.03	—	—	—	—	.03 ~~.03~~	—	.13	43	—	30
31	.22		.10		—	—	—	.04		43		—	31
Total	.02 ~~4.23~~ 4.25	~~12~~ ~~1.04~~ 1.04	~~4.29~~ 4.24	~~8.51~~ ~~3.87~~ 3.51	2.74	.57 .57	.74 .4	1.37 ~~1.37~~ 1.41	2.35 2.35	3.04	2.67 ✓	.92 ✓ =	Total for year 27.03 27.43
No. of Rain Days.	20	~~12~~ 14 13	22	~~17~~ 18	15	9	9	~~15~~ 16	16	~~16~~ stet	17	8 =	~~177~~

Total is correct.
Details copied by mistake for a wrong date

27.43

1,000, I. '12.

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

DL referred 1.IV.15 cndly nw Nots 1.IV.15 376

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

28 JAN 1915

Kept at Kempsey

in the County of Worcestershire 2

by Col. C. E. S. Scott

Maj. H. Berkeley Hill (5.II.14)

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·04	·01				1·20	·25			·03	·08	1
2							·19	·13			·57	·41	2
3				·13	·19		·08					·01	3
4	·18			·10	·02		·12	·10			·40	·51	4
5	·03		·04	·15	·18		·26				·18		5
6		·05			·02						·04	·04	6
7	·04	·16	·20	·30	·16	·06	·10		·01			·13	7
8	·01		·07		·05	·63	(·03)	·14				·02	8
9	·10	·01	·22	·29	·05	1·30		·03	·13				9
10	·03	·14	·01	·34	·03	·07			·22				10
11		·05	·29	·06	·09	·17					·08	·43	11
12		·10	·17				·40		·24		·05	·15	12
13		·10	·37						·10	·16	·12	·42	13
14		·13	·14				·04			·30	·13		14
15			·15					·09	·14				15
16							·01		·08				16
17		·15	·14						·08			·18	17
18							·20			·03		·35	18
19			·09				·35					·16	19
20		·41	·02			·04						·20	20
21		·16	·01			1·23		·34		·15		·13	21
22		·05	·01		·16	·01	·03	·08		·05			22
23		·01	·11		·05					·13			23
24		·03	·28	·03				·05		·09			24
25	·09		·16					·10		·26		·08	25
26			·09				·12	·05		·04	·10	·38	26
27	·05										·03	·09	27
28		·06	·08		·02					·03	·16	·65	28
29			·17		·06					·19	·10	·98	29
30			·04	·01	·01	·03				·05	·42		30
31	·10				·01		·21						31
Total	·63	1·65	2·87	1·41	1·10	3·54	3·34	1·36	1·00	1·48	2·41	5·40	YEAR'S TOTAL 2619
Rain Days.	9	16	23	9	15	9	15	11	8	12	14	22	163

W.7,000, XI. 13

8L

2500
~~366~~

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Kempsey
in the County of Worcestershire
by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07												1
2	·10												2
3	·87												3
4													4
5													5
6	·17												6
7	·06												7
8	·16												8
9	·15												9
10	·24												10
11													11
12	·05												12
13													13
14													14
15	·28												15
16													16
17													17
18													18
19													19
20	·12												20
21	·07												21
22	·08												22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30	·03	X											30
31		X		X		X			X		X		31
Total	2·45												YEAR'S TOTAL
Rain Days.	14												

W. 8,000. X. 14.

FORM A. 1. METEOROLOGIC RGANIZATION.

2413

REGIS 919.

2413 — 438684

KIDDERMINSTER - PARK HALL

1919 - 1920

782709

Kept at ~~Park~~ Hall Ki

in the County of Worce

by G Edward W

ng

a m

on Churchill GWR

Rain Gauge 5 in.

e above Ground 1 ft 6 in.

„ Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured sult entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·07		·27			·14		·25	1
2	·48						·20		·08		·24		2
3	·11		·16		·06		·26		·06		·12	·05	3
4	·28		·26			·19	·18	16	·15			·10	4
5	·10		·24						·32			·22	5
6		·25			·44								6
7													7
8	·31												8
9	·26			28									9
10		·06	82									·17	10
11			1·03										11
12			·05			·21	·34						12
13									·22	·10			13
14				·21					·35				14
15	·37	·07										·31	15
16	·40	·70		·37				·37		·31	·22		16
17	·12	·46			·15						·06		17
18			·55				·11	16				·10	18
19		·20	·92			·22	1 42	39	·08				19
20			·25				02				·23	·10	20
21		·35	·03				·30	·18					21
22	·22	·16					·23		·30			·35	22
23	·38					·11							23
24										·82	·10	·10	24
25					·17								25
26	·07		·12			·05	·25	·53				·27	26
27			·10										27
28				·72					·10	·46		·38	28
29		X	·11	·11				·84		·42		·15	29
30	·27	X		·14		·14					·30	·23	30
31		X		X		X		·10	X		X		31
TOTAL	3.37	2.25	4.64	1.83	·89	·92	3.58	2.73	1.66	2.25	1.27	2.78	YEAR'S TOTAL 28.17
Days with ·01 in. or more	~~13~~	~~8~~	~~13~~	~~6~~	~~5~~	~~6~~	~~10~~	~~7~~	~~9~~	~~6~~	~~7~~	~~14~~	~~104~~

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

2413

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Park Hall Kidderminster

in the County of Worcester

by G Edward Wilson

Lat. Long.

Time of Observation 9 a m

Nearest Railway Station Churchill GWR

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					.07		.27			.14		.25	1
2	.48						.20		.08		.24		2
3	.11		.16		.06		.26		.06		.12	.05	3
4	.28		.26			.19	.18	.16	.15			.10	4
5	.10		.24						.32			.22	5
6		.25			.44								6
7													7
8	.31												8
9	.26			28									9
10		.06	82									.17	10
11			1.03										11
12			.05			.21	.34						12
13									.22	.10			13
14				.21					.35				14
15	.37	.07										.31	15
16	.40	.70		.37				.37		.31	.22		16
17	.12	.46			.15						.06		17
18			.55				.11	16				.10	18
19		.20	.92			.22	142	39	.08				19
20			.25				02				.23	.10	20
21		.35	.03				.30	.18					21
22	.22	.16					.23		.30			.35	22
23	.38					.11							23
24										.82	.10	.10	24
25					.17								25
26	.07		.12			.05	.25	.53				.27	26
27			.10										27
28				.72					.10	.46		.38	28
29			.11	.11				.84		.42		.15	29
30	.27			.14		.14					.30	.23	30
31								.10					31
TOTAL	3.37	2.25	4.64	1.83	.89	.92	3.58	2.73	1.66	2.25	1.27	2.78	YEAR'S TOTAL 28.17
Days with ·01 in. or more	13	8	13	6	5	6	10	7	9	6	7	14	104

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Wf ML cord for ...

2413

JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Park Hall nr Kidderminster
in the County of Worcester
by G Edward Wilson

Lat. 52. 24 Long. 2. 12 W
Time of Observation 9. a. m
Nearest Railway Station Churchill G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level Cir 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·06	·25		·47			·19		·22	1
2	·03			·09			·03			·10		·11	2
3	·09	·05					·72						3
4				·13				·37	·32	·48			4
5			·07		·07		·35	·09	·09	·26			5
6			·11				·31			·82			6
7			·03	·10			·12			·28			7
8	·18		·	·47	·23		·27	·06					8
9	·35	·08		·30			·05	·04					9
10	·41	·08	·07				·11						10
11	·09			·18	·35	·30							11
12	·17			·32		·55		·15				·13	12
13	·06		37 ~~7~~	·21							·13		13
14		·04	46	·19		·19	·13		·21		·15		14
15		09 ~~·04~~	~~·08~~ 52	·35		·36			·04	·04			15
16				·08		·12	·20						16
17	·04				·10				·03	·36			17
18	·20				·07		·17		·62				18
19		·45		·18				·20	·26	·04			19
20		·26		·30		·22						·04	20
21							·25	·03				·10	21
22				·12				·06					22
23							·16	·06				·36	23
24			·16									·15	24
25			·18	·09	·08		·51				·04		25
26	·18		·15				·18 ~~·04~~				·08	·04	26
27	·16		·09	·11	·28	·20	·07 ~~·02~~					·38	27
28	·90	·04	·08		·37	·10	·02 ~~·07~~					·09	28
29	·24		·17		·22	·09	·04 ~~·05~~				·10	·38	29
30		✕		·14	·03		·05		·22		·13	·13	30
31	·06	✕		✕		✕			✕	·54	✕	·03	31
TOTAL	3.16	1.09	2·46	3·42	2·05	2·13	4·21	1.06	1·79	3.11	·63	2·16	YEAR'S TOTAL 27.27
Days with ·01 in. or more	~~14~~ 15	8	13	18	11	9	20	9	8	10	6	13	~~140~~
Days with ·04 in. or more	14	8	11	18	10	9	18	7 8	7	10	6	12	130

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

KIDDERMINSTER

WORCESTER

1911 -1920

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Brinton

in the County of

by John T. C

in.

ound 1 ft. – in.

Level 160 ft.

m.

me Kidderminster

tance 1 mile Direction E. N. E.

IMPORTANT NO … result entered to the previous day. If an C … al rule, he is earnestly requested to add the re … in the space provided for it at the end of th … t of rain, the selection and plac … Rainfall Organization are given i … sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01		·02					·16			·03		1
2	·01			·02	·07		·05	·11		·05	·06	·04	2
3					·29				·07	·01	·05	·03	3
4			·12			·02		·05	·03	·01	·20	·34	4
5	·07		·02					·07		·01			5
6	·18		·05					·01			·02	·23	6
7											·17		7
8	·07										·06	·30	8
9	·03										·68	·07	9
10		·08	·26									·37	10
11	·12										·30	·02	11
12			·37						·11		·09		12
13									·05		·01	·42	13
14		·05	·01									·75	14
15		·01	·03								·08	·12	15
16			·01			·03					·07	·05	16
17					·05	·21					·12	·42	17
18		·29		·03		·08				·04		·23	18
19				·02		·87	·03	·01	·27	·32	·08	·05	19
20		·08	·01	·02				·23	·10			·56	20
21	·01	·09	·06					·55		·23		·03	21
22			·02			·04				·23		·30	22
23		·08	·20			·28			·18	·11		·16	23
24		·06		·03		·37		·09		·11		·13	24
25		·05		·05		·01		·01				·07	25
26		·12		·17	·01	·01		·05		·20	·17	·06	26
27		·14	·10	·20				·27	·11		·06	·15	27
28		·16		·17				·01				·01	28
29				·02		·09	·14	·02	·23	·17	·01		29
30			·01	·10	·02	·04		·01		·17		·01	30
31			·04		·17					·07			31
Total	·50	1·21	1·33	·83	·61	2·05	·22	1·65	1·15	1·73	2·26	4·92	TOTAL for year 18 46
No. of Rain Days.	8	12	16	11	6	12	3	15	9	14	18	25	149

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Brinton Park, Kidderminster

in the County of Worcestershire 2

by John T. Cowderoy

RAIN GAUGE	Pattern	
	Diameter of top	5 in.
	Height of top above Ground	1 ft. – in.
	" " " Sea Level	160 ft.

Time of Observation 9 a. m.

Nearest Railway Station
Name Kidderminster
Distance 1 mile Direction E. N. E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01		·02					·16			·03		1
2	·01			·02	·07		·05	·11		·05	·06	·04	2
3					·29				·07	·01	·05	·03	3
4			·12			·02		·05	·03	·01	·20	·34	4
5	·07		·02					·07		·01			5
6	·18		·05					·01			·02	·23	6
7											·17		7
8	·07										·06	·30	8
9	·03										·68	·07	9
10		·08	·26									·37	10
11	·12										·30	·02	11
12			·37						·11		·09		12
13									·05		·01	·42	13
14		·05	·01									·75	14
15		·01	·03								·08	·12	15
16			·01			·03					·07	·05	16
17					·05	·21					·12	·42	17
18		·29		·03		·08				·04		·23	18
19				·02		·87	·03	·01	·27	·32	·08	·05	19
20		·08	·01	·02				·23	·10			·56	20
21	·01	·09	·06					·55		·23		·03	21
22			·02			·04				·23		·30	22
23		·08	·20			·28			·18	·11		·16	23
24		·06		·03		·37		·09		·11		·13	24
25		·05		·05		·01		·01				·07	25
26		·12		·17	·01	·01		·05		·20	·17	·06	26
27		·14	·10	·20				·27	·11		·06	·15	27
28		·16		·17				·01				·01	28
29				·02		·09	·14	·02	·23	·17	·01		29
30			·01	·10	·02	·04		·01		·17		·01	30
31			·04		·17					·07			31
Total	·50	1·21	1·33	·83	·61	2·05	·22	1·65	1·15	1·73	2·26	4·92	TOTAL for year 18·46
No. of Rain Days.	8	12	16	11	6	12	3	15	9	14	18	25	149

W. 8,000, X. '11.

✓ Cod for auth 7·III·13

FORM A2. BRITISH RAINFALL. 3 - JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Brinton Park Kidderminster

in the County of Worcestershire 2

by J. T. Cowderoy.

RAIN GAUGE
Pattern
Diameter of top ______ in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 159 ft.

Time of Observation 9·0 a.m

Nearest Railway Station
Name Kidderminster
Distance ______ Direction ______

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·04			·18	·10		·01		·04	·07	1
2			·12		·03	·17	·16					·02	2
3			·06		·19	·11	·07	·68	·02			·07	3
4	·06		·44		·27	·99		·01			·19		4
5	·19		·16		·07	·20		·32	·01		·01		5
6	·23	·28	·01		·01	·39		·24				·03	6
7		·20	·01		·04	·20		·23					7
8	·31	·16	·15			·17	·01	·33	·03			·01	8
9	·03		·53	·02		·23		·22				·32	9
10	·04	·01		·01		·22		·14			·33		10
11	·06	·02				·05		·03			·31	·39	11
12	·02	·11	·11		·08							·01	12
13		·01								·01		·01	13
14	·07		·59		·02	·05		·12		·01			14
15	·11	·04	·13		·45	·23		·02				·05	15
16	·60		·08		·13	·09		·08		·07			16
17	·20		·05			·02		·37			·11	·04	17
18	·17		·01					·08			·01		18
19	·72	·02			·02		·21	·38		·02		·52	19
20	·02		·17				·05	·02		·19			20
21			·16		·73			·39		·50			21
22	·18	·10			·96	·24	·18	·23				·16	22
23	·02	·01	·31				1·28	·16			·02		23
24	·12		·03			·16	·03	·12				·22	24
25						·16		·70		·01	·20	·40	25
26		·08	·02				·09	·90		1·64	·10	·32	26
27		·02				·43	·47			·81		·17	27
28		·02				·07	·25	·57	·09	·25	·46	·29	28
29		·01	·02			·36	·09		·49	·06	·02	·04	29
30			·02		·01	·06	·04			·12			30
31			·03		·16		·42	·04		·04		·02	31
Total	3·15	1·09	3·25	·03	3·17	4·78	2·45	6·38	·65	2·73	1·80	3·26 3·26	TOTAL for year 32·74
No. of Rain Days.	18	15	23	2	15	22	15	24	6	13	12	20	32·74 185

W. 8,000, X. '11.

✓

REGISTER OF RAINFALL IN 1913.

FORM A. BRITISH RAINFALL.
8 - JAN 1914

Kept at Brinton's Park, Kidderminster
in the County of Worcestershire
by Health Dept., Borough of Kidderminster

2

Lat. 52° 23' Long. 2° 15'.
Time of Observation 9 a. m.
Nearest Railway Station Kidderminster
Diameter of Rain Gauge ______ in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·03	·10	·04	·05				·49		·03		1
2		·04	·02	·01			·01		·01	·48	·04		2
3	·03		·05		·53					·48		·08	3
4	·92	·02			·23					·23	·03	·52	4
5		·03			·02	·19	·08			·68	·02	·01	5
6	·03	·01	·13		·34	·25	·69			·09		·22	6
7	·01	·11			·08	·02	·04			·56	·24		7
8		·04		~~·01~~	·12	·23		·13		·53			8
9		·33	·04	·01	·13	·44	·08	·09	·11		·05	·02	9
10	·09			·09	·02			·06		·01	·08		10
11	·55	fog ·01		·31	·08			·02		·03	·74		11
12					·08						·46		12
13			·15						·11		·26		13
14	·12		·66	·09				·14		·10			14
15	·06		·63	·13			·01		·15		·06		15
16	·01		·44	·02					·04				16
17	·02		·11	·11			·16		·13		·02		17
18			·15	·05	·04		·05		·06		·01		18
19	·11		·08	·01	·03	·02	·04		·08		·15		19
20	·18		·15	·01					·04	·05	·15		20
21			·18	·03	·01	·11	·12	·03			·14		21
22	·41		·10			·11		·24	·43				22
23	·02		·02	·		·04		·01	·04		·04		23
24	·10			·01				·04					24
25				·05					·05	·01			25
26		·03		·52				·23		·01		·19	26
27		·01	·05	·22						·01			27
28	·21		·13	31 ·31	·13					·14		·03	28
29			·52	·45				·18		·68			29
30	·28									·54	·15		30
31	·01		·19					·03		·05			31
Total	3·16	·66	4·43	3·10 ✓	1·95	1·30	1·31	1·26	1·74	4·41	2·58	1·04	YEAR'S TOTAL 26·97 ✓
Rain Days.	18	11	20	19	15	8	10	12	13	18	17	7	168

W.7,000, XI. 13

~~W~~ DL   cnd pr ante 7.IV.15

John T. [illegible]

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Kept at Brinton Park, Kidderminster

in the County of Worcestershire   2

by Kidderminster Corporation (Health Dept.)

Lat. 52° 23'   Long. 2° 15'

Time of Observation 9 a.m.

Nearest Railway Station Kidderminster G.W.R.

Diameter of Rain Gauge 6 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.01	.01		.01	.54	.12			.01	.06	1
2							.20	.23			.38	.40	2
3			.01	.03	.16		.09	.14			.01	.06	3
4	.14		.03	.13	.01		.07	.07			.36	.52	4
5	.03		.03	.09	.04		.68				16		5
6	.08	.06			.09	.10	.11				.03	.08	6
7		.10	.31	.04	.06	.08	.23	.12				.10	7
8			.01		.06	.64		.04	.07			.13	8
9	.21	.01		.28	.06	1.08		.02	.02		.01		9
10	.02	.06	.04	.18	.06	.03			.20				10
11		.08	.22	.02	.02	.06			.28		.32	.28	11
12		.19	.15				.55		.01		.03	.16	12
13	.01	.13	.20				.03			.15	.12	.37	13
14		.08	.08							.15	.14	.04	14
15	.02		.09					.03	.05	.05	.01		15
16			.05						.08			.01	16
17		.12	.09				.04		.03			.16	17
18			.01			.10	.17		.05			.49	18
19							.78		.01		.05	.06	19
20		.29	.07			.04	.01					.23	20
21		.33					.10	.05		12		.14	21
22		.01			.14	.09	.02	.12		.05			22
23		.05	.09		.09	.04	.01			08			23
24			.02	.04			.03	.10		.07	.05		24
25	.09		.03					.31		.31	.02	.16	25
26			.14				.09	.15		05	.19	.29	26
27	.05									.06	30	.32	27
28	.01	.03	.13		.07					.02	07	.76	28
29			.15		.09					15	11	10	29
30			.01			.02				01	.39	51	30
31	.09				.03		.14			.01		.02	31
Total	.75	1.54	1.97	.82	.98	2.29	3.92	1.50	.80	1.28	2.76	5.45	YEAR'S TOTAL ~~23.86~~ 24.06
Rain Days.	11	14	23	9	15 14	12	19	13	10	14	20	24	184 183

W. 8,000. X. 14.

card forgotten 1.IV.15

FORM B.
BRITISH RAINFALL
2 JAN 1915

To be filled and returned
to Dr. H. R. MILL, *Director,*
BRIT[illegible] RAINFALL ORGANIZATION,
62 CAMDEN SQUARE, LONDON, N.W.
Copies of this form will be supplied with pleasure.

RAINFALL IN 1914

At Kidderminster (Brinton Park)

In the County of Worcestershire

Rain Gauge { Diameter of Funnel 6 in.

Height of Top { *Above Ground* 1 ft. 0 in.

Above Sea Level 160 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 or more recorded.
	Inches.	Inches.	Date.	
JAN.	.75	.21	9	11
FEB.	1.54	.33	21	14
MAR.	1.97	.31	7	23
APR.	.82	.28	9	9
MAY	.98	.16	3	~~15~~ 14
JUNE	2.29	1.08	9	12
JULY	3.92	.78	19	19
AUG.	1.50	.31	25	13
SEPT.	.80	.28	11	10
OCT.	1.28	.31	25	14
NOV.	2.76	.38	2	20
DEC.	5.45	.76	28	24
24.06 Total	~~23.66~~	611		~~184~~ 183

Signed John J. Cowdery

[*Please fill in the other side also.*

W. 17,000. X.14.

If Gauge has been moved during year state—

Date.	Distance.	Direction.

How was height above sea level ascertained?

State pattern and maker of Gauge, if known.

What are the objects nearest to the Gauge?

Objects.	Height.	Distance.	Direction.
Richard Eve Memorial	25 ft.	30 ft.	East.
Stevenson Screen	4½ ft.	3 ft.	East.

In order that the position may be accurately entered on a map please mention

Latitude 52° 23' **N.**

Longitude 2° 15'

Nearest Railway Station and Parish Church.

	Name.	Distance.	Direction.
Station	Kidder.	1 mile	S. E.
Church	St. John's	½ mile	N.

If you know of any record of rainfall not quoted in *British Rainfall*, please give the Observer's name and address below.

John T. [illegible]

184

24.06

2579

FORM A.
BRITISH RAINFALL.

17 JAN 1916

REGISTER OF [illegible] RAINFALL IN 1915

Kept at Town Hall Kidderminster

in the County of Worcester

by John T. Cowdiroy

Lat. .... Long. ....

Time of Observation .... Same as last year

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·23	·09	·02	–	·27	–	·01	·02	·14	·15	–	·01	1
2	·09	·10	·18	·22	–	·11	–	·66	–	·19	–	·05	2
3	·98	·06	·01	·09	–	–	·55	·15	–	–	–	·16	3
4	·02	·02	–	–	·10	–	·33	·13	–	–	–	·71	4
5	·04	·55	–	·01	–	·10	–	·03	–	–	–	·44	5
6	·09	·02	–	·15	–	–	·92	–	–	–	–	·05	6
7	·07	·27	–	·06	·33	–	·22	·08	–	–	–	·25	7
8	·10	·32	–	·04	–	–	·02	·01	–	–	·10	–	8
9	·11	·14		·09	–	–	–	–	–	–	·16	·40	9
10	·29	–	·07	·02	–	–	–	–	–	·01	–	–	10
11	·01	–	–	·03	·11	–	·03	–	–	–	·80	·02	11
12	·04	–	–	·11	·24	–	–	·04	–	·03	1·03	·02 (snow)	12
13	–	·31	–	–	·33	–	–	·34	–	–	–	·05	13
14	·01	·02	–	–	–	–	·22	·54	–	·01	–	·33	14
15	·31	–	–	·02	·08	–	·06	·09	·10	–	·07	·13	15
16	·10	·40	–	–	·49	–	2·29	·06	–	–	–	·01	16
17	–	·25	–	–	·54	–	–	–	–	–	–	–	17
18	·01	·27	·02	–	–	–	–	–	–	–	–	–	18
19	–	·02	–	–	·08	–	·13	–	–	–	–	–	19
20	·10	–	–	·08	–	–	–	–	–	–	–	·06	20
21	·18	–	–	·01	–	–	·11	–	–	·05	–	·02	21
22	·03	–	·22	·24	–	–	·14	–	–	–	–	·06	22
23	·01	·05	·01	–	–	·01	·01	–	–	·77	–	·19	23
24	–	–	·01	·02	–	–	·14	–	·35	·39	–	·19	24
25	–	–	–	–	–	·53	·01	–	–	·01	·01	·18	25
26	–	·05	–	–	–	–	·18	–	–	–	–	·33	26
27	–	·06	–	–	–	–	·25	–	–	·33	–	·09	27
28	–	·33	–	–	–	–	·01	·10	·08	–	–	–	28
29	–		–	–	–	·09	·73	·01	–	–	·03	·05	29
30	·03	✕	–	·01	–	·19	·07	–	–	·22	·04	·07	30
31	–	✕	–	✕	–	✕	·06	·03	✕	·08	✕	·40	31 ✓
Total	2·85	3·33	·54	1·20	2·57	1·03	6·49	2·29	·67	2·24	2·24	4·27	YEAR'S TOTAL 29·72
Rain Days.	21	19	8	16	10	6	22	15	4	12	8	25	166. ✓

W. 8,000. X. 15.

esct 75

245.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
2 JAN 1917

Kept at Brinton Park
in the ~~County~~ Boro' of Kidderminster Worcs
by John T. Cowderoy

Lat. 52° 23′ Long. 2° 15′.
Time of Observation 9·0 a.m.
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 159 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·11	·01	·02	—	·01	·06	·11	—	—	·12	·20	—	1
2	·39	·01	·15	—	·18	—	·38	—	·06	·72	·22	—	2
3	—	·56	—	—	·04	·02	·02	—	·09	·16	·08	—	3
4	·12	·14	—	·08	·42	·19	·45	—	—	·02	·49	—	4
5	—	—	·01	—	·19	·05	—	—	—	·06	·20	—	5
6	·01	·12	·02	—	·19	·17	·55	—	—	·11	·37	—	6
7	—	—	·11	—	·08	·01	·10	—	—	·11	·19	·20	7
8	·03	—	·03	—	·20	—	—	—	—	·03	·01	·18	8
9	—	—	·01	—	·20	·09	—	—	—	—	·01	—	9
10	—	·37	—	·02	·02	·01	—	—	—	·08	—	—	10
11	·01	·08	·05	·03	·01	·07	—	—	—	—	—	·29	11
12	·03	·03	·04	·01	·30	—	·11	—	—	·03	—	·03	12
13	·01	·16	·19	·03	—	—	·02	·23	—	—	—	—	13
14	—	·07	—	—	·05	—	—	·13	—	·01	—	·02	14
15	—	·68	·31	·08	·17	—	·05	·21	—	·11	—	—	15
16	—	·02	—	·19	·02	—	·08	·14	—	·01	—	—	16
17	·06	·15	—	·01	—	—	·01	—	·52	·17	—	—	17
18	—	·03	·04	·02	—	—	—	·02	·14	·03	·43	—	18
19	·02	—	·25	·13	—	—	—	—	—	—	·29	·23	19
20	·08	—	·58	·01	—	—	—	·02	—	—	·03	·16	20
21	—	—	·11	·05	·10	—	·15	—	—	—	—	·18	21
22	·01	·01	—	·03	—	·03	—	—	—	·13	—	·36	22
23	·01	·16	·01	—	—	—	—	·13	—	·02	·03	·18	23
24	—	·08	·01	—	·11	—	—	·09	—	·22	—	·17	24
25	—	·11	·10	—	·05	·01	—	·07	—	·09	·28	—	25
26	·04	·06	·02	—	—	·07	—	·04	·15	·22	·02	—	26
27	·01	·12	·52	—	—	—	—	·11	·12	·32	—	—	27
28	—	·21	·02	—	·01	·01	—	—	—	·08	—	·13	28
29	—	·09	—	—	—	·17	—	·41	—	·49	—	·07	29
30	—	X	—	—	—	·02	—	—	—	·07	—	—	30
31	—	X	—	X	—	X	—	—	X	·22	X	·02	31
Total	·94	3·27	2·60	·69	2·35	·98	2·03	1·60	1·08	3·63	2·85	2·22	YEAR'S TOTAL 24·24
Rain Days.	15	22	21	13	19	15	12	12	6	25	15	14	189

W. 8,000, VIII. 16

2337

FORM
BRITISH RAINFALL.
2 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Brinton Park, Kidderminster
in the County of Worcester
by John T. Cowteroy

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station
Diameter of Funnel of Rain Gauge — in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 159 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·08	·06	—	·10	—	·96	·21	—	·04	·02	1
2	—	—	—	·02	—	·10	—	·05	—	—	·05	·09	2
3	·02	—	—	(snow) ·32	—	—	—	·06	—	·23	—	—	3
4	—	(snow) ·09	—	·01	—	—	—	·08	—	·46	—	—	4
5	·14	—	(snow) ·33	·15	—	—	—	—	·02	·10	·05	—	5
6	·02	—	(rain & snow) ·21	—	—	·24	—	—	—	·06	·17	—	6
7	·35	—	—	—	—	—	—	·03	—	·09	—	—	7
8	·40	—	—	·07	—	—	·16	·44	—	·37	·10	·07	8
9	—	—	(snow) ·12	(snow) ·03	·16	—	—	·37	·04	·12	·32	—	9
10	·35	—	·30	(snow) ·07	·19	—	—	·14	·05	·01	·01	—	10
11	·22	—	·16	(snow) ·10	·15	—	—	·03	—	·16	·02	—	11
12	·06	—	—	·01	·31	—	—	·01	·01	·11	—	—	12
13	—	—	·03	·02	—	—	—	·05	·05	—	—	—	13
14	—	—	·18	·14	—	—	—	·32	—	·06	—	—	14
15	(snow) ·04	—	—	—	·08	—	·60	·07	—	·02	—	·08	15
16	·02	·07	—	·10	—	—	—	—	—	—	—	·22	16
17	(snow.) ·02	—	—	·04	·32	·79	·39	·20	·24	·06	—	·03	17
18	—	·03	—	·02	·01	—	·27	·08	·85	·04	—	—	18
19	·02	·32	(rain & snow) ·24	—	—	·41	—	—	·01	—	·01	—	19
20	—	·17	(snow) ·22	—	·48	·13	·21	—	·23	—	·02	—	20
21	—	·01	(snow) ·12	—	·02	·02	—	·03	—	·01	·02	—	21
22	—	—	(snow) ·05	—	—	·05	—	·09	·04	·10	—	—	22
23	—	·15	—	—	·10	·05	—	·07	—	·04	—	—	23
24	—	—	—	—	—	·42	·25	·02	—	·22	·03	—	24
25	—	·07	·11	—	—	—	—	—	—	·03	·06	—	25
26	—	—	—	—	—	·03	—	·68	·11	·04	·09	—	26
27	—	—	—	—	1·56	·21	·82	·52	—	·01	—	—	27
28	—	—	·04	—	—	·03	—	·07	—	—	—	—	28
29	—		·02	—	—	·03	·02	·41	—	·36	—	·18	29
30	—	×	—	—	—	—	—	·18	—	·04	·04	—	30
31	—	×	·03	×	—	×	—	·06	×	—	×	·02	31
Total	1·66 ✓	·91 ✓	2·24 ✓	1·16 ✓	3·38 ✓	2·61 ✓	2·72 ✓	5·02 ✓	1·86 ✓	2·74 ✓	1·03 ✓	·71 ✓	YEAR'S TOTAL 26·04 ✓
Rain Days.	12 ✓	8 ✓	16 ✓	15 ✓	11 ✓	14 ✓	8 ✓	25 ✓	12 ✓	23 ✓	15 ✓	8 ✓	167 ✓

W. 8,000, IX. 17.

109

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL
3. 1. 18

Kept at Kidderminster. BRINTON PARK Town Hall
in the County of Worcester
by John T. Cowderoy

Lat. .... Long. ....
Time of Observation 9.0 a.m
Nearest Railway Station G.W.R.
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 159 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·04	—	·15	·11	—	—	·05	—	·03	·48	—	1
2	—	·02	—	·03	—	—	—	·12	—	·01	·03	·12	2
3	—	—	·01	—	·25	—	—	·16	·49	—	·07	—	3
4	—	·03	—	—	—	—	—	·03	·74	·12	·47	·39	4
5	—	—	—	·01	·42	—	—	·01	·19	·06	—	·01	5
6	·01	·29	—	·11	—	·34	—	—	·04	·14	—	·01	6
7	—	·05	—	·02	·13	·02	—	—	·50	·03	·19	—	7
8	—	·15	—	—	—	—	—	—	·13	·09	—	·03	8
9	·02	·43	—	·08	—	·13	·32	—	·30	·15	—	·01	9
10	·08	·02	—	·09	—	—	·28	—	·06	·03	·02	·08	10
11	—	—	—	·01	·04	—	·34	—	·12	—	—	·06	11
12	—	·01	·12	—	·09	—	·07	—	·01	—	—	·01	12
13	—	—	—	—	·03	—	·02	—	·15	·03	—	·02	13
14	snow ·31	—	·01	—	—	·02	·07	—	·17	·17	—	·11	14
15	snow ·23	—	—	·23	—	·01	·25	—	·05	·02	—	·14	15
16	snow ·17	—	—	·51	—	·15	·03	—	·35	—	—	·05	16
17	·65	—	—	—	—	·11	·12	—	·41	·07	—	·06	17
18	·33	—	·01	—	—	·30	·08	—	1·08	—	—	·19	18
19	·04	·01	·19	—	—	—	·03	—	—	·03	—	·07	19
20	·14	·06	—	·38	—	·08	·04	—	·22	—	—	·18	20
21	·05	—	—	·38	·03	·01	·06	—	·44	—	—	·06	21
22	—	—	—	—	·41	—	·08	—	·01	·09	—	·37	22
23	—	—	—	—	·41	—	·20	—	·08	—	·03	—	23
24	—	·16	—	—	—	—	·15	·02	·02	—	·11	—	24
25	—	—	—	·02	—	·05	·06	·70	—	—	·02	—	25
26	—	—	—	—	—	—	·37	—	·06	·01	·07	·04	26
27	—	·07	—	—	—	·02	·01	·24	·26	—	·07	·02	27
28	—	·17	·19	—	—	·01	—	—	—	—	·12	·05	28
29	—		·10	—	—	—	—	—	·73	—	—	·03	29
30	—	X	·41	—	—	—	—	·01	—	—	·07	·08	30
31	—	X	·27	X	—	X	—	·04	X	—	X	—	31
Total	1·93	1·51	1·31	2·02	1·92	1·25	2·58	1·38	6·61	1·08	1·45	2·19	YEAR'S TOTAL 25·53.
Rain Days.	11	14	9	13	10	13	19	10	24	16	13	26	176

W, 6,500, VII. 18. w w c

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Brinton Park, Kidderminster

in the County of Worcestershire.

by Health Committee, Kidderminster Corporation.

Lat. 52"23" Long. 2"15"

Time of Observation 9 a.m.

Nearest Railway Station Kidderminster

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following:

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.32	.01	.01	.02	.05	—	.19	—	.01	.14	.02	.25	1
2	.12	—	.07	—	—	—	.19	—	.01	—	.12	.01	2
3	.26	—	.05	—	.03	.10	.06	—	.03	—	.10	.04	3
4	.03	.03	.26	—	—	.02	.25	.06	.17	—	—	.14	4
5	.01	.25	—	—	.05	—	—	—	.29	—	—	.26	5
6	.02	—	.16	—	.25	—	—	—	—	—	.01	.08	6
7	.24	—	.12	.06	.02	—	—	—	—	—	.07	.01	7
8	.16	—	.07	.04	—	.04	—	—	—	—	—	—	8
9	.05	—	—	.09	—	—	—	—	—	—	—	—	9
10	—	—	.52	.01	—	—	—	—	—	.02	—	.15	10
11	—	—	1.05	—	.02	—	.34	—	—	.02	—	.01	11
12	.02	—	24	.10	—	.12	—	—	.02	.04	—	—	12
13	.06	—	—	.10	—	—	—	—	.16	.15	.01	.01	13
14	.22	.01	—	.14	—	—	.06	—	.43	.11	—	.03	14
15	.41	.09	.02	.22	.06	—	—	—	—	.01	—	.27	15
16	.12	.73	—	.05	—	—	—	.16	—	—	.08	.01	16
17	—	.35	—	.01	.03	.01	.07	—	—	—	.08	—	17
18	—	—	.54	—	—	—	.03	.20	—	—	.01	.11	18
19	.24	.25	.86	—	—	.19	.76	.30	.05	—	—	.01	19
20	.36	.01	.16	—	—	.01	.02	.17	—	—	.13	.06	20
21	—	.38	.01	—	—	.02	.21	.02	.06	—	.01	.13	21
22	—	.12	—	—	—	—	—	—	.25	—	—	.15	22
23	—	—	—	—	—	.09	—	—	—	.78	—	.03	23
24	—	—	—	.03	—	—	—	—	—	.41	.10	.08	24
25	.04	—	—	.08	.12	.05	—	.50	—	—	—	.01	25
26	—	—	.10	.16	—	.04	—	.03	.04	—	—	.27	26
27	.09	—	.11	.54	—	—	.04	.19	.01	—	.01	.01	27
28	.14	—	.02	—	—	—	—	.86	—	—	.02	.27	28
29	.02	xxxxx	—	.10	—	.02	—	—	—	.46	.10	.14	29
30	—	╳	—	.14	—	.12	—	.04	—	.01	.13	.19	30
31	—	╳	.09	╳	—	╳	—	—	╳	.01	╳	—	31
Total	2.93	2.23	4.46	1.89	.63	.83	2.22	2.53	1.53	2.16	1.00	2.72	Year's Total 25·13
Days with ·01 in. or more	20	11	19	17	9	13	12	11	13	12	16	26	179

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

~~Fx~~ RL

12 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Health Office Kidderminster

in the County of Worcestershire

by John T. Cowderoy

Lat. 52° 23' Long. 2° 15'

Time of Observation 9-0 am

Nearest Railway Station Kidderminster

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·01	·10	·22	–	·18	–	·03	·08	–	·22	1
2	·01	–	–	·03	–	–	·10	–	·09	·05	–	·10	2
3	·09	·03	–	·01	–	–	·70	·01	·17	·46	–	–	3
4	–	–	·02	·06	·01	–	·03	·33	·03	·25	–	–	4
5	–	–	·05	–	·08	–	·32	·05	·05	·45	–	–	5
6	–	–	·08	·03	·08	–	·13	–	–	·32	–	–	6
7	–	–	·02	·07	–	–	·16	–	–	–	–	–	7
8	–	·05	–	·53	·12	–	·27	·04	–	–	–	–	8
9	·31	–	–	·32	–	–	·03	·03	–	–	–	–	9
10	·41	·09	·06	·08	–	–	·04	–	–	–	·03	–	10
11	·09	–	·07	·16	·33	·33	·06	·04	–	–	–	–	11
12	·16	·01	·04	·27	·01	·40	·03	·04	–	–	·08	–	12
13	·03	·01	·17	·18	–	·02	–	–	–	–	·01	–	13
14	·02	·01	·68	·17	–	·27	·03	–	·18	·03	·14	·12	14
15	–	·09	·18	·39	–	·13	–	–	·04	·01	·05	–	15
16	–	–	·01	·07	·06	·05	·16	–	·01	·39	·01	–	16
17	·02	–	–	·11	·08	–	–	·01	·53	·60	–	–	17
18	·19	–	–	·01	·05	–	·07	·13	·24	–	–	–	18
19	·02	·46	–	·09	–	·04	–	–	·06	–	–	–	19
20	·02	·24	–	·37	–	·15	·01	–	–	–	–	·02	20
21	–	–	–	·01	–	–	·24	·02	–	–	–	·10	21
22	·02	–	–	·10	–	–	·01	·06	–	·01	–	·01	22
23	–	–	·02	–	–	–	·10	·05	–	–	–	·28	23
24	·02	–	·14	·01	–	–	–	–	–	–	–	·14	24
25	–	·01	·15	·02	·77	–	·52	–	–	–	–	–	25
26	·11	·01	·15	–	–	–	·10	–	–	–	·08	·03	26
27	·14	·01	·04	·08	·15	·19	·13	–	–	–	·01	·39	27
28	·73	–	·10	·04	·22	·05	–	–	–	–	–	·09	28
29	·20	–	·23	–	–	·04	·04	–	–	–	·09	·37	29
30	·01		–	·12	·17	·04	·01	–	·28	–	·10	·13	30
31	·05		–		·02		–	–		·44		·01	31
Total	2·65	1·02	2·22	[illegible]3	2·33	2·07	3·50	·81	1·71	3·09	·60	2·01	Year's Total 25·44
Days with ·01 in. or more	20	12	19	26	15	12	24	12	12	12	10	14	188
Days with ·04 in. or more	11	5	14	19	12	11	17	8	9	9	6	10	131

(44,283). 10/19. (52,638). Wt.10.000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

2387.

KNIGHTWICK SANATORIUM

1914 – 20

FORM A2. BRITISH RAINFALL. 2 - JAN 1912

R

rward

Kept at Knight 5 in.

in the County of Wor Ground 1 ft. – in.

Sea Level 300 ft.

a.m.

by H. Gordon Name Knightwick G.W.R.

Distance 1¼ Direction South.

IMPORTANT N d the result entered to the previous day. If an Observer iversal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January ear in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	—	·03	·02	·02	—	—	·09	—	—	·02	—	1
2	—	—	—	·01	·02	—	—	·11	—	·10	·06	·05	2
3	—	—	—	—	·38	—	—	—	—	·01	·01	·04	3
4	—	—	·16	·03	—	—	—	·02	·12	·03	·10	·42	4
5	·07	—	·02	—	—	—	—	·08	—	·01	·02	·02	5
6	·27	—	·04	—	—	—	—	·01	—	—	·08	·47	6
7	·01	—	—	—	—	—	—	—	—	—	·36	—	7
8	·07	—	·19	—	—	—	—	—	—	—	·06	·25	8
9	·06	—	·13	—	—	—	—	—	—	—	—	·16	9
10	·02	·08	·34	—	—	—	—	—	—	—	·46	·41	10
11	·16	·01	—	—	—	—	—	—	—	—	·11	·03	11
12	—	—	·35	—	—	—	—	—	·08	—	·02	·01	12
13	—	—	—	—	—	—	—	—	·18	—		·41	13
14	—	—	·02	—	—	—	—	—	—	—	—	·79	14
15	—	·02	·01	—	—	·07	—	—	—	—	·15	·05	15
16	—	—	—	—	—	·06	—	—	—	·01	·10	·08	16
17	—	—	·07	—	—	·23	—	—	—	—	·20	·47	17
18	—	·22	·07	·06	—	·02	—	—	—	·03	—	·31	18
19	·01	·01	·02	·09	—	·56	·04	—	·40	·40	·02	·26	19
20	·01	·06	—	·03	—	—	—	·04	·07	—	—	·43	20
21	—	·12	·03	—	—	—	—	·94	—	·19	—	·18	21
22	—	—	·06	·07	—	·03	—	—	—	·10	—	·36	22
23	—	·18	·15	—	—	·39	—	—	·12	·06	—	·11	23
24	—	·07	—	·05	—	·32	—	·10	—	·07	—	·11	24
25	—	·10	—	·02	—	·02	—	—	—	·01	—	·16	25
26	—	·13	—	·21	·38	—	·11	·04	—	·23	·17	}	26
27	—	·11	·17	·10	—	—	—	·43	·14	—	·03	·21	27
28	—	·21	—	·15	—	—	—	—	—	—	·26	—	28
29	—		—	·02	—	·10	·05	—	·20	·22	·07	—	29
30	—		·03	·11	·05	·01	·07	·22	—	·18	—	·01	30
31	—		—		·23		—	—		·07		—	31
Total	·69	1·32	1·77	0·91	1·08	1·75	0·21	2·08	1·31	1·72	2·24	5·80	TOTAL for year 20·98
No. of Rain Days	10	13	18	14	6	11	4	11	8	16	19	26	156

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

R

Kept at Knightwick Sanatorium

in the County of Worcestershire

by H. Gordon Smith

Rain Gauge
Pattern Howard
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 300 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Knightwick G.W.R.
Distance 1¼ Direction South.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	—	·03	·02	·02	—	—	·09	—	—	·02	—	1
2	—	—	—	·01	·02	—	—	·11	—	·10	·06	·05	2
3	—	—	—	—	·38	—	—	—	—	·01	·01	·04	3
4	—	—	·16	·03	—	—	—	·02	·12	·03	·10	·42	4
5	·07	—	·02	—	—	—	—	·08	—	·01	·02	·02	5
6	·27	—	·04	—	—	—	—	·01	—	—	·08	·47	6
7	·01	—	—	—	—	—	—	—	—	—	·36	—	7
8	·07	—	·19	—	—	—	—	—	—	—	·06	·25	8
9	·06	—	·13	—	—	—	—	—	—	—	—	·16	9
10	·02	·08	·34	—	—	—	—	—	—	—	·46	·41	10
11	·16	·01	—	—	—	—	—	—	—	—	·11	·03	11
12	—	—	·35	—	—	—	—	—	·08	—	·02	·01	12
13	—	—	—	—	—	—	—	—	·18	—		·41	13
14	—	—	·02	—	—	—	—	—	—	—	—	·79	14
15	—	·02	·01	—	—	·07	—	—	—	—	·15	·05	15
16	—	—	—	—	—	·06	—	—	—	·01	·10	·08	16
17	—	—	·07	—	—	·23	—	—	—	—	·20	·47	17
18	—	·22	·07	·06	—	·02	—	—	—	·03	—	·31	18
19	·01	·01	·02	·09	—	·56	·04	—	·40	·40	·02	·26	19
20	·01	·06	—	·03	—	—	—	·04	·07	—	—	·43	20
21	—	·12	·03	—	—	—	—	·94	—	·19	—	·18	21
22	—	—	·06	·07	—	·03	—	—	—	·10	—	·36	22
23	—	·18	·15	—	—	·39	—	—	·12	·06	—	·11	23
24	—	·07	—	·05	—	·32	—	·10	—	·07	—	·11	24
25	—	·10	—	·32	—	·02	—	—	—	·01	—	·16	25
26	—	·13	—	·21	·38	—	·11	·04	—	·23	·17		26
27	—	·11	·17	·10	—	—	—	·43	·14	—	·03	·21	27
28	—	·21	—	·15	—	—	—	—	—	—	·26	—	28
29	—		—	·02	—	·10	·05	—	·20	·22	·01	—	29
30	—		·03	·11	·05	·01	·07	·22	—	·18	—	·01	30
31	—		—		·23		—	—		·07		—	31
Total	·69	1·32	1·77	0·91	1·08	1·75	0·21	2·08	1·31	1·72	2·24	5·80	TOTAL for year 20·88
No. of Rain Days	10	13	18	14	6	11	4	11	8	16	19	26	156

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
9 - JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Knightwick Sanatorium

in the County of Worcester

by H. Gordon Smith.

RAIN GAUGE:
Pattern Howard
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 300 ft.

Time of Observation 9 a.m.

Nearest Railway Station: Name Knightwick G.W.R.
Distance 1¼ Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·16	—	·02	·57	·06	—	·01	·08	—	·07	1
2	—	·02	·21	·01	·01	·53	·20	·02	—	—	—	·02	2
3	—	—	·02	—	·07	·14	·03	·90	·03	—	·02	·03	3
4	·17	—	·66	—	·21	·85	—	·06	—	—	·13	—	4
5	·17	·13	·23	—	·39	·04	—	·33	·07	—	—	—	5
6	·18	·13	·01	—	·01	·26	·12	1·26	·02	—	—	—	6
7	—	·24	·04	—	·05	·61	—	·24	—	—	—	—	7
8	·26	·09	·20	·01	—	·12	·17	·18	·03	—	—	·01	8
9	·03	—	·62	·07	—	·22	—	·19	—	—	—	·27	9
10	·08	·04	·01	·03	—	·03	—	·08	—	—	·13	—	10
11	·06	·06	—	—	—	·08	·01	·06	—	—	·11	·45	11
12	·02	·26	·15	·07	·13	·01	·01	—	—	—	—	·02	12
13	—	—	—	—	—	—	—	·10	—	—	·01	·04	13
14	·05	—	·49	—	·13	·04	—	·02	—	—	—	·07	14
15	·08	·07	·03	—	·40	·15	—	·02	—	—	—	·12	15
16	·84	—	·09	—	·06	—	—	·13	—	·05	—	·01	16
17	1·30	—	·18	—	—	·05	—	·40	—	—	·04	·29	17
18	·20	—	·02	—	—	—	—	·10	—	—	—	·01	18
19	·11	·02	·01	—	·01	·01	·11	·33	—	—	—	·02	19
20	·03	—	·18	—	—	·03	·02	·08	—	·21	·01	—	20
21	—	·01	·30	—	·90	—	—	·48	—	·29	—	—	21
22	·41	·13	·01	—	·89	·04	·27	·27	—	—	—	·12	22
23	·38	·11	·34	—	·01	·03	·46	·57	—	·02	·01	·12	23
24	·08	—	—	—	—	·18	·11	·05	—	—	·01	·19	24
25	—	—	—	—	—	·29	—	·83	—	—	·38	·41	25
26	—	·08	·02	—	—	—	·27	·90	—	·67	·23	·43	26
27	—	—	—	—	—	·44	·52	—	—	·83	—	·47	27
28	—	·06	—	—	—	·04	·44	·59	·19	·44	·39	·26	28
29	—	·10	·03	—	—	·09	·17	·04	·60		—	·01	29
30	—		·02	—	—	·12	·06	·01	—	·13	—	—	30
31	—		·09		·06		·46	·03		·01		·02	31
Total	4·45	1·55	4·12	·13	3·35	4·91	3·49	8·27	·89	2·73	1·47	3·40	TOTAL for year 38·76
No. of Rain Days.	18	13	25	5	16	25	18	28	7	11	12	23	204

W. 8,000, X. '11.

Ex DJ

FORM A2.
BRITISH RAINFALL.
4 - JAN 1914

REGISTER OF RAINFALL IN 1913.

Kept at Knightwick Sanatorium

in the County of Worcestershire

by H. Gordon Smith.

RAIN GAUGE
Pattern Howard
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 300 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Knightwick G.W.R.
Distance 1¼ Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·11	·06	·03	—	—	—	·70	—	·03	—	1
2	—	0·25	·02	·20	—	—	·01	—	·28	·50	·16	—	2
3	·02	—	·04	—	·57	—	—	—	—	·15	—	·19	3
4	1·00	·01	—	—	·20	—	—	—	·48	·74	·02	·17	4
5	·04	·04	—	—	·04	·13	·11	—	·08	·29	·04	·01	5
6	·05	·05	·12	—	·27	·11	·21	—	—	·68	—	·32	6
7	—	·20	—	—	? ·25	·04	·02	—	—	1·10	·19	—	7
8	·01	·13	—	·01	·20	·02	—	·06	—	·43	—	—	8
9	—	·36	·04	—	·08	·25	·03	·34	·23	—	·12	·01	9
10	·13	—	—	·14	·14	—	·01	·02	—	·06	·10	—	10
11	·86	—	—	·41	·07	—	—	·13	—	·03	·85	—	11
12	—	·01	—	—	·28	—	—	·01	—	—	·37	—	12
13	·03	·01	·13	—	—	—	—	—	·15	—	·38	—	13
14	·11	—	·40	·08	—	—	—	·07	—	·11	·03	—	14
15	·04	·07	·57	·70	—	—	—	—	·03	—	·12	—	15
16	·02	—	·70	·09	—	—	—	—	—	—	—	—	16
17	·01	·02	·11	·03	—	·03	·22	—	·03	—	—	—	17
18	·03	—	·22	·08	·04	—	·06	—	—	—	·03	—	18
19	·13	—	·08	—	—	—	·03	—	·12	—	—	—	19
20	·11	—	·33	·09	—	—	—	—	—	·06	·30	—	20
21	—	—	·30	·22	·07	—	·09	·11	—	—	·14	—	21
22	·50	—	·57	—	—	·12	—	·19	·40	—	—	—	22
23	·01	—	·03	—	—	·02	—	·04	·03	—	·06	—	23
24	·06	—	—	·02	—	—	—	—	—	—	—	—	24
25	—	—	—	·13	—	—	—	—	·06	·02	·01	—	25
26	—	·03	—	·74	—	—	—	·34	—	—	—	·23	26
27	·03	—	·14	·24	·01	—	—	—	—	·04	—	—	27
28	·25	—	·18	·34	·08	—	—	—	—	·30	—	·02	28
29	—		·54	·52	·01	—	—	·07	—	·14	—	·01	29
30	·20		—	—	—	—	—	—	—	·51	·13	—	30
31	·03		·21		—		—	—		·03		—	31
Total	3·67	1·18	4·84	4·10	2·34	0·72	0·79	1·38	2·59	5·19	3·08	·96	TOTAL for year ~~37·17~~ 30·84
No. of Rain Days.	22	12	20	18	16	8	10	11	12	17	18	8	172

W. 8,000, X. '11.

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Knightwick Sanatorium
in the County of Worcs.
by H Gordon Smith.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Knightwick 1¼
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	·02	—	·04	·56	·13	—	—	·03	·04	1
2	—	—	—		·03	·02	·21	·15	—	—	—	·26	2
3	—	—	—	·09	·24	—	—	·17	—	—	—	·07	3
4	·26	—	—	·09	·10	—	·16	·10	—	—	1·19	·57	4
5	·09	—	·04	·17	—	—	·38	—	—	—	·18	—	5
6	—	·08	—	·08	—	—	·03	—	—	—	·01	·07	6
7	—	·19	·30	·15	·54	·12	·22	·11	—	—	—	·32	7
8	—	—	·07	—	—	·59	·14	·03	·02	—	—	·14	8
9	·10	·02	·16	·30	·09	1·22	—	·02	·25	—	—	—	9
10	·03	·11	—	·21	·01	·04	—	—	·29	—	—	—	10
11	—	·05	·33	·05	·03	·17	—	—	—	—	·10	·55	11
12	—	·27	·17	—	—	—	·17	—	·30	—	·07	·23	12
13	—	·16	·29	—	—	—	·01	—	—	·19	·09	—	13
14	—	·10	·15	—	—	—	—	—	—	·14	·09	—	14
15	—	—	·12	—	—	—	—	·01	·12	·03	—	—	15
16	—	·11	·01	—	—	—	·01	—	·15	—	—	—	16
17	—	—	·12	—	—	—	—	—	·	—	—	·15	17
18	—	·01	—	—	—	—	·26	—	—	·01	—	·37	18
19	—	—	·03	—	—	—	·66	—	—		·10	·10	19
20	—	·32	·03	—	—	·03	—	—	—		—	·12	20
21	—	·42	—	—	—	·26	·05	·49	—	·16	—	·08	21
22	—	·05	—	—	·18	·16	·01	·07	—	·10	—	—	22
23	—	—	·07	—	·09	—	—	—	—	·10	—	—	23
24	·01	·02	·12	—	—	—	·04	·08	—	·13	·03	—	24
25	·05	—	·06	—	—	—	·17	·24	—	·26	·02	·16	25
26	—	—	—	—	—	—	—	·06	—	·06	·16	·30	26
27	·03	—	—	—	—	—	—	—	—	—	·16	·21	27
28	—	·07	·11	—	·02	—	·04	—	—	·08	·02	·90	28
29	·01		·05	—	·12	—	—	—	—	·20	·06	—	29
30	—		·01	—	—	·04	—	—	—	·05	·32	—	30
31	·13		—		—		·19	—		·04		·59	31
Total	·71	1·98	2·24	1·16	1·45	2·69	3·31	1·66	1·13	1·55	2·63	5·23	YEAR'S TOTAL 25·74
Rain Days.	9	15	19	9	11	11	18	13	6	14	16	19	160

W. 7,500, XI. ·12

est 05 2494

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
1916

Kept at Knightwick Sanatorium
in the County of Worcester
by H. Gordon Smith

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Knightwick
Diameter of Rain Gauge 5 in. Howard
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·24	·08	·03	–	–	–	·04	·03	·31	·28	–	·14	1
2	·14	·27	·15	·25	·11	·12	–	1·48	–	·27	–	~~·14~~	2
3	·64	·13	–	·01	–		·55	·32	–	–	–	·31	3
4	–	·02	–	–	–		·57	·01	–	–	–	·70	4
5	–	·46	–	–	–			·04	–	·03	–	·48	5
6	·11	·03	–	·15	–		·55	·02	–	–	–	·07	6
7	·06	·27	–	·05	–		·06	·06	–	–	–	·28	7
8	·24	·36	–	·07	–			–	–	–	·12	–	8
9	·25	·15	–	·10	–			·01	–	–	·18	·36	9
10	·29	–	·09	[illegible]	–			·03	–	·01	–	–	10
11	–	–	–	·06	·07			–	–	–	1·19	·01	11
12	·06	–	–	·10	·51			·03	–	·06	·92	–	12
13	–	·53	–	–	·81			·14	–	–	–	·04	13
14	–	–	–	–	–			·06	·09	·01	–	·41	14
15	·39	–	–	–	·09		·03	–	–	–	·07	·03	15
16	·11	·31	–	–	·46		1·56	·01	–	–	–		16
17	–	·23	–	–	·60			–	–	–	–		17
18	·03	·40	·05	–	–			–	–	–	–		18
19	–	·01	–	–	·10		·06	–	–	–			19
20	·05	–	–	·07	–			–	–	–		·12	20
21	–	–	–	–	–		·12	–	·01	·10		·03	21
22	·24	–	·32	·17	–		·27	–	·01	–		·24	22
23	·03	·10	–	–	–		·35	–	–	1·25		·33	23
24	–	–	·08	·02	–	·01	·19	–	·45	·65		·33	24
25	–	–	–	–	–	·50	·20	–	–	–		·26	25
26	–	·03	–	–	–		·48	–	·01	–		·41	26
27	–	·09	·02	–	–		·28	–	–	·35		·08	27
28	–	·15	–	–	–		–	·08	·12	·06		–	28
29	–	×	–	–	–	·21	·12	·01	–	–		–	29
30	·06	×	–	·32	–	·11	–	·02	–	·41		·18	30
31	–	×	–	×	–	×	·13	–	×	·86	×	·33	31
Total	2·94	3·62	0·74	1·37	2·75	0·95	5·56	2·35	1·00	4·34	2·48	5·14	YEAR'S TOTAL 33·24
Rain Days.	16	18	7	12	8	5	17	16	7	13	5	21	145

W. 8,000. X. 14.

2427

FORM A.
BRITISH RAINFALL.
5 JAN 1917

REGISTER OF RAINFALL IN 1916.

Kept at Knightwick Sanatorium

in the County of Worcester

by H. Gordon Smith

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Knightwick G.W.R.

Diameter of Funnel of Rain Gauge 5. in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·08.	—	·01	—	·03	·09.	·14	—	—	·18	·12	—	1
2	·32	·04	·16	—	·20	—	·09.	—	·07	·58	·04	—	2
3	—	·79.	—	·01	·10	·01	·01	—	·07	·18	·09.	—	3
4	·11	·14	—	—	·39.	·33	—	—	—	—	·89.	—	4
5	—	—	—	—	·34	·07	·02	—	—	·04	—	—	5
6	—	·31	·10	—	·18	·07	·62	—	—	·07	·35	—	6
7	—	—	·10	—	·03	—	·11	—	—	·06	·32	·18.	7
8	·02	—	·02	—	·24	·09	—	—	—	·07	·02	·24	8
9	—	—	—	—	·12	·09.	—	—	—	—	·01	—	9
10	—	·39	·11	·02	·02	·05	—	—	—	·06	—	—	10
11	—	·05		—	·01	·06	—	—	·01	—	—	·21	11
12	·03	·13	·07	·08	·51	—	·14	—	—	·01	—	—	12
13	—	·17	·09	—	—	—	·13	·36	—	—	—	·02	13
14	—	·47	—	·02	·03	—	—	·32	—	—	—	—	14
15	—	·34	·19	·19	·19	—	—	·10	—	·08	—	—	15
16	—	—	—	·15	·01	—	·19	·18	—	·04	—	—	16
17	·06	·17	—	·10	—	—	—	—	·34	·37	—		17
18	~~0~~	·04	·04	·05	—	—	—	—	·18	—	·50	·20	18
19	·07	—	·38	·15	—	—	—	—	~~·07~~	—	·12	—	19
20	·01	—	·61	—	—	—	—	—	—	—	·04	·26	20
21	—	—	·38	—	·12	—	·39	—	—	—	—	—	21
22	—	—	—	·09	—	·04	—	—	—	~~2~~·13	—	·47	22
23	·02	·38	·01	·05	—	—	—	·12	—	·05	·02	·29.	23
24	—	·56	—	—	·55	—	—	·08	—	·21	—	·12	24
25	—	·03	—	—	—	—	—	·09	—	·08	·18	—	25
26	·02	—	—	—	·02	·09	—	·11	—	·43	—	—	26
27	·03	·19	·74	—	—	—	—	·01	·28	·34	—	—	27
28	—	·40	·23	—	—	—	—	—	·01	·10	—	·09.	28
29	—	·25	—	—	—	·21	—	·70	—	·30	—	·11	29
30	—		—	—	—	·05	—	—	—	·16	—	—	30
31	—		—		—		—	—		·41		·02	31
Total	0·77	4·85	3·24	0·91	3·09	1·25	1·84	2·07	0·96	3·95	2·70	2·21	YEAR'S TOTAL 27·84
Rain Days.	11	18	16	11	18	13	10	10	7	22	13	12	161
W. 8,000. X. 15.		5·62	8·86	9·77	12·86	14·11	15·95	18·02	18·98	22·93	25·63	27·84	

crd p. auth

2311

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL

7. JAN 1918

Kept at Knightwick Sandstone

in the County of Worcs.

by H. Gordon Smith.

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Knightwick G.W.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—		·07	·16	—	·18	—	·65	·25	—	·06	—	1
2	—		—	·02	—	·04	—	·06	—	—	·08	—	2
3	—	·03	—	·11	—	—	—	·04	—	·23	·01	—	3
4	—		·24	—	—	—	—	·01	—	·12	~~·12~~	—	4
5	·13		·28	·17	—	—	—	—	·04	·17	·12	—	5
6	—		—	—	—	·35	—	—	—	·05	·10	—	6
7	·27		—	—	—	—	·08	—	~~0~~	·05	—	—	7
8	·49		? ·33	·14 ~~·08~~	—	—	·29	·53	·07	·20	·16	·06	8
9	—		—	·05	·16	—	—	·52	·05	·14	·09	—	9
10	·35		·28	·09	·31	—	—	·15	·03		—	—	10
11	·06		·11	·09	—	—	—	·01	—	·19	—	—	11
12	·03		—	·01	·29	—	—	—	—	·18	·03	—	12
13	—		—	·01	—	—	—	·02	·05	·07	—	—	13
14	—		·34	·18	—	—	—	·29	—	—	—	·01	14
15	·02		—	—	—	—	·21	·02	—	·03	—	·11	15
16	·02		—	·15	—	·09	—	—	—	—	—	·25	16
17	—	·04	—	·07	·55	—	·37	·29	·12	·07	—	·02	17
18	—	·03	—	·01	·08	—	·30	·06	1·06	·01	—	—	18
19	·06	·32	·29	—	—	·55	—	—	—	—	—	—	19
20	—	·20	·19	—	·59	·25	·16	—	·10	—	·02	—	20
21	—	·01	·32	—	·09	·06	—	·02	—	·02	·01	—	21
22	—	—	·04	—	—	·04	—	·08	·02	·03	—	—	22
23	—	·14	—	—	·08	—	—	·21	—	·10	—	—	23
24	—	·01	—	—	—	·11	·13	—	—	·20	·09	—	24
25	—	—	·05	—	—	—	—	—	—	·04	·08	—	25
26	—	·02	—	—	—	—	—	·65	·14	—	—	—	26
27	—	—	—	—	1·57	·19	·47	·58	—	—	—	—	27
28	—	—	·15	—	—	·16	—	·12	—	—	—	·03	28
29	—	—	·02	—	—	·10	·01	—	—	·49	—	·31	29
30	—	✕	—	—	—	—	·01	·27	—	·03	·03	—	30
31	—	✕	·19	✕	—	✕	—	·07	✕	·01	✕	—	31
Total	1·43 ✓	[illegible] ✓	[illegible] ✓	1·26 ✓	3·72 ✓	2·12 ✓	2·03 ✓	4·65 ✓	1·93 1·83	2·43 ✓	·88 ✓	·79 ✓	~~24·91~~ Year's Total 24·84
Rain Days.	9 ✓	9 ✓	15 ✓	14 ✓	9 ✓	12 ✓	10 ✓	21 ✓	11 ✓	21 ✓	13 ✓	7 ✓	151 ✓

W. 8,000, VIII. 16

11

FORM A.
BRITISH RAINFALL
10 I. 19

REGISTER OF ~~RAINFALL~~ [illegible] IN 1918

Kept at Knightwick Sanatorium.
in the County of Worcestershire
by H. Gordon-Smith.

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station Knightwick G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level c300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·02	—	·02	·07	—	—	·08	—	·01	·75	—	1
2	—	·01	—	·02	—	—	—	·19 ~~·08~~	·02	·02	·01	·07	2
3	—	—	—	·01	·21	—	—	·03	—	—	·24	—	3
4	—	—	·01	—	—	—	—	—	·55	·21	·57	·44	4
5	—	·03	—	·01	·25	—	—	·06	·41	·15	·01	·01	5
6	—	·46	·02	·16	—	·05	—	—	·31	·32	—	—	6
7	·02	·07	—	—	·14	·01	—	—	·08	·14	·16	·02	7
8	·01	·14	—	—	—	—	—	—	·20	·10	·03	·01	8
9	·02	·35	—	·23	—	·21	·07	—	·34	—	—	·04	9
10	·05	·02	—	·18	—	—	·38	—	·22	·13	—	·09	10
11	—	—	·04	·06	·02	—	·12	—	·15	·02	—	·01	11
12	—	—	·14	·02	·10	—	·04	—	·12	—	—	—	12
13	—	·02	—	—	—	—	—	—	·02	—	—	·02	13
14	·32	—	·06	—	—	—	·03	—	·10	·05	—	·13	14
15	snow ·91	—	—	·11	—	—	·36	—	·38	—	—	·15	15
16	·15	—	—	·74	—	·05	—	—	·02	·03	—	·12	16
17	·18	—	—	—	—	·01	·04	·03	·34	·08	—	—	17
18	·33	—	—	—	—	·40	·24	·01	·64	—	—	·29	18
19	floods ·09	·01	·14	—	—	—	·03	—	0·66	—	—	—	19
20	·21	·04	—	·31	—	·03	—	—	·06	—	·01	·08	20
21	·04		—	·54	·15	—	·07	—	·17	·05	·01	·10	21
22	—		—	—	·11	—	·18	—	·28	·01	·02	·12	22
23	·02		—	—	·42	—	·24	—	·01	—	—	—	23
24	·01	·13	—	—	—	—	·15	—	·03	·02	·06	—	24
25	—		—	—	—	·02	·10	—	·05	—	—	—	25
26	—		—	—	—	—	·22	·38	·05	·02	·07	·11	26
27	—	·04	—	—	—	—		—	·18	—	·03	·03	27
28	—	·09	·19	—	—	·03	—	·19	—	—	·09	·04	28
29	—	✗	·09	—	—	—	—	—	·99	—	—	—	29
30	—	✗	·27	—	—	—	—	—	—	—	·05	·07	30
31	—	✗	·33	✗	—	✗	—	—	✗	—	✗	—	31
Total	2·36	1·43	1·29	2·41	1·47	·81	2·27	·97	6·38	1·36	2·11	1·95	YEAR'S TOTAL 24·81
Rain Days.	14	14	10	13	9	9	15	8	26	16.	16.	20.	169

W. 8,000, IX. 17.

2166

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1919

Kept at Knightwick Sanatorium
in the County of Worcestershire
by H. Gordon-Smith

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Knightwick G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·35	·01	·02	—	·21	in ½ hr ·70	·07	—	— ·05	·06	·01	·35	1
2	·05	—	—	—	—	—	·11	·02	— ·08	·01	·08	·06	2
3	—	—	·02	—	·03	·02	·17	—	— ·02	—	—	·12	3
4	·43	—	·40	—	—	·14	·16	·08	·12	—	—	·05	4
5	—	snow ·39	·02	—	·06	—	—	—	·25	·01	—	·22	5
6	·04	·03	·12	—	·08	—	—	—	·01	—	·15	·11	6
7	·16	—	·19	·06	·05	—	—	—		—	·06	—	7
8	·21	—	·05	·18	—	·05	—	—		—	—	—	8
9	·11	—	·02	·02	—	—	—	—		—	·01	—	9
10	—	—	·56	·01	—	—	—	—		—	—	·26	10
11	·01	—	·78 flood	—	·04	—	·52	—		·01	—	—	11
12	—	—	·12	·02	—	·16	—	—	·06	·11	·03	—	12
13	·08	—	—	·15	—	—	~~0~~	—	·23	·03	—	—	13
14	·20	—	—	·21	—	—	·07	—	·22	—	·05	·06	14
15	·31	—	—	·04	·25	—	—	—	—	·04	—	·26	15
16	·20	1·05	—	·01	·01	—	—	·11	—	—	·05	—	16
17	·04	·76	—	—	—	·03	—	—	—	—	—	—	17
18	—	—	·62	—	—	—	·04	·14	—	—	—	·05	18
19	·19	·29	·83 flood	—	—	·15	·83	·24	·18	—	·11	—	19
20	·32	·01	·37	—	—	—	·01	·16	·09	—	·06	·20	20
21	—	·37	·01	—	—	·01	·23	—	·02	—	·01	·09	21
22	—	·06	—	—	—	—	·06	—	—	—	—	·12	22
23	—	—	—	—	—	—	—	·02	·31	·80	—	·03	23
24	—	—	—	·07	—	·03	—	—	—	·53	·25	·14	24
25	·06	—	—	·04	·08	·03	—	·27	—	·01	—	·01	25
26	—	—	·09	·24	—	·01	—	·31	·07		—	—	26
27	·16	—	·01	·53	—	—	—	·39	—		—	—	27
28	·10	—	snow ·09	—	—	—	·01	·61	—		·01	·27	28
29	—	—	—	·10	—	—	—	—	—	·31	snow ·47	·16	29
30	·02	╳	—	·08	—	·10	—	·05	—	·02	—	·22	30
31	—	╳	·08	╳	—	╳	—	—	╳	·01	╳	·01	31
Total	3·04	2·97	4·40	1·76	·81	1·43	2·28	2·40	1·71	1·95	1·35	2·81	YEAR'S TOTAL 26·91
Rain Days	19	9	19	15	9	12	12	12	14	13	14	20	168

W, 6,500, VII. 18. w w o

2084

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920

Kept at Knightwick Sanatorium
in the County of Worcestershire
by H Gordon Smith

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Knightwick G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·20	·21	—	·30		·61	·36		·31	1
2	·08	—	—	·17	—	—	·05	·03	·05	·12		·08	2
3	—	—	—	·07	·02	—	1·60	—	·18	·37		—	3
4	—	—	—	·04	—	—	·07	·33	~~·18~~ ·01	·24		—	4
5	—	—	·11	·09	·11	—	·60	·04	·01	·30		—	5
6	—	—	·11	—	·09	—	·12	—	—	·20		—	6
7	—	—	·05	·10	·02	—	·25	—	—	—		·03	7
8	·21	·06	—	·67	·05	—	·43	—	—	·02		·01	8
9	·32	·03	—	·36	—	—	·06	—	—	—		—	9
10	·46	·05	·06	·05	—	—	·09	—	—	—	·05	—	10
11	·17	·01	·06	·28	·30	·26	·17	—	—	—	·01	—	11
12	·15	·02	·02	·27	—	·20	·01	—	—	—	·07	·05	12
13	·01	—	·20	·18	—	·86		—	—	—	—	—	13
14	—	·03	·81	·22	—	·16	·02	—	·26	·03	·23	—	14
15	—	·09	·01	·47	—			—	—	·02	—	—	15
16	—	—	·01	·19	·02		·15	—	·07	·48	·03	—	16
17	·01	—	—	·03	·25			—	·80	·15		—	17
18	·09	—	—	—	·10		·01	·14	·50	—	—	·01	18
19	—	·49	—	·23	·01	·80		·01	·01	—	—	—	19
20	·04	·02	—	·25	—			—	—	—	—	·02	20
21	—	·01	—	—	—		·25	—	—	—	—	·10	21
22	·03	—	—	·06	—		—	·07	—	·02	—	—	22
23	—	—	—	—	—		·45	·04	—	·01	—	·55	23
24	·01	—	·14	—	—		—	—	—	—	·24	·15	24
25	—	·01	·23	·08	—		·51	—	—	—	—	·01	25
26	·30	—	·27	·01	—		·04	—	—	~~·02~~	·09	·05	26
27	·10	·01	·11	·02	·09	·27	·02	—	—	~~·02~~	—	·47	27
28	1·23	—	·14	—	·34		—	—	—	—	—	·02	28
29	·16	—	·11	—	·07	·02	·13	—	—	—	—	·42	29
30	·01	X	·18	·15		·16	·07	—	—	—	·26	·15	30
31	·05	X	·01	X	·58	X	·01	—	X	·30	X	·04	31
TOTAL	3·43	0·83	2·63	4·19	1·74	2·78	5·34	0·66	1·72	2·62	0·98	2·47	YEAR'S TOTAL 29·34
Days with ·01 in. or more	18	12	18	23	15	12	23	7	9	14	8	17	176
	13	4	14	20	11	7	17	5	5	9	6	11	122

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

REGIST 1

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

WORCESTER
~~MALVERN~~
MADRESFIELD
COURT GDNS.

1911 - 1918

Kept at Madresfield
in the County of Worce
by N. Crump

8 in.
Ground 2 ft. 6 in.
Sea Level 125 ft.
9.0 a.m.
Name Malvern Link
Distance 2 Direction W,

IMPORTANT NOTE.—Rain the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.09	.11								.04	1
2	.02			.06	.07		.02	.08		.10	.03	.02	2
3					.41			.07			.04		3
4	.02		.14	.93				.01	.08	.03	.02	.38	4
5	.07		.02					.05			.17	.01	5
6	.40		.03	.06						.02	.04	.50	6
7											.12		7
8	.08		.16								.24	.22	8
9	.12		.05	.01							.05	.20	9
10	.02	.06	.36								.35	.38	10
11	.16										.52	.05	11
12			.46						.04		.11		12
13									.32		.03	.48	13
14			.01									.84	14
15		.03	.02								.16	.08	15
16						.08				.02	.13	.12	16
17						.12				.04	.25	.34	17
18		.28		.11		.07				.20		.32	18
19	.01	.01				.15			.23	.01	.02	.06	19
20	.02	.08	.04	.01				.03	.13			.64	20
21		.18	.04					.34	.06	.37		.04	21
22	.01	.01	.02							.14		.41	22
23		.22	.20			.43			.13	.05		.18	23
24		.07		.07		.40		.10		.05		.08	24
25		.21		.06		.02		.02	.01	.04		.14	25
26		.11		.25	.15	.03		.04		.21	.19	.14	26
27		.10	.18	.16				.30	.21			.11	27
28		.21		.11							.25		28
29				.07		.18	.32		.30	.16			29
30				.07	.04	.01	.09	.10		.21	.01	.02	30
31					.33					.06		.01	31
Total	.93	1.57	1.82	1.18	1.00	1.49	0.43	1.14	1.51	1.71	2.73	5.81	TOTAL for year 21.32
No. of Rain Days		2.50	4.32	5.50	6.50	7.99	8.42	9.56	11.07	12.78	15.51	21.32	153
	11	13	15	14	15	10	3	11	10	16	19	26	

9,000, IX. '10.

REGIST 1

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

Kept at Madresfield Court Gdns
in the County of Worcester
by N. Crump

RAIN GAUGE	Diameter of top	8 in.
	Height of top above Ground	2 ft. 6 in.
	" " " Sea Level	125 ft.

Time of Observation 9 a.m.

Nearest Railway Station: Name Malvern Link; Distance 2 Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.09	.11								.04	1
2	.02			.06	.07		.02	.08		.10	.03	.02	2
3					.41			.07			.04		3
4	.02		.14	.93				.01	.08	.03	.02	.38	4
5	.07		.02					.05			.17	.01	5
6	.40		.03	.06						.02	.04	.50	6
7											.12		7
8	.08		.16								.24	.22	8
9	.12		.05	.01							.05	.20	9
10	.02	.06	.36								.35	.38	10
11	.16										.52	.05	11
12			.46						.04		.11		12
13									.32		.03	.48	13
14			.01									.84	14
15		.03	.02								.16	.08	15
16						.08				.02	.13	.12	16
17						.12				.04	.25	.34	17
18		.28		.11		.07				.20		.32	18
19	.01	.01				.15			.23	.01	.02	.06	19
20	.02	.08	.04	.01				.03	.13			.64	20
21		.18	.04					.34	.06	.37		.04	21
22	.01	.01	.02							.14		.41	22
23		.22	.20			.43			.13	.05		.18	23
24		.07		.07		.40		.10		.05		.08	24
25		.21		.06		.02		.02	.01	.04		.14	25
26		.11		.25	.15	.03		.04		.21	.19	.14	26
27		.10	.18	.16				.30	.21			.11	27
28		.21		.11							.25		28
29				.07		.18	.32		.30	.16			29
30				.07	.04	.01	.09	.10		.21	.01	.02	30
31					.33					.06		.01	31
Total	.93	1.57	1.82	1.18	1.00	1.49	0.43	1.14	1.51	1.71	2.73	5.81	TOTAL for year 21.32
No. of Rain Days		2.50	4.32	5.50	6.50	7.99	8.42	9.56	11.07	12.78	15.51	21.32	153
	11	13	15	14	~~15~~ 5	10	3	11	10	16	19	26	

9,000, IX. '10.

Wrote re Aug 3. [·07] 10 III 13 JC. Card by obs 11.III.13

Ex DL

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL.

3 JAN 1913

Kept at Madresfield Court Gardens

in the County of Worcester

by Will^m Crump. V-M-H.

RAIN GAUGE
Pattern Negretti & Zambra
Diameter of top 8 in.
Height of top above Ground 2 ft. 6 in.
" " " Sea Level 125 ft.

Time of Observation 9. a. m

Nearest Railway Station
Name Malvern Link
Distance 2 miles Direction West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·07			·78	·12	·02	·01	·15		·09	1
2			·22		·01	·36	·26						2
3	·01		·03		·01	·10	·03	·67 ·67	·02		·03	·05	3
4	·16		·68		·15	·73		·04			·16		4
5	·19	·14	·18		·04	·09		·23	·02		·01	·02	5
6	·06	·15			·03	·25	·18	·89				·02	6
7		·23	·06			·35		·35				·04	7
8	·38	·09	·19		·05	·08		·26	·12			·04	8
9	·06		·48	·05		·34		·12				·16	9
10	·05	·03				·12		·11			·16		10
11	·07	·03	·01			·09		·05			·06	·49	11
12	·02	·37	·13	·01	·07		·03						12
13								·12				·03	13
14	·08		·45		·05	·01		·03	·02				14
15	·15	·05	·06	·01	·33	·16		·01				·20	15
16	·94		·09		·12	·01		·10			·02		16
snow 17	1·30		·13			·02		·44		·14	·03	·43	17
18	·19		·04				·10	·15			·01		18
19	·12	·03			·01	·01		·50				·02	19
20	·02		·19				·35	·62		·37	·01		20
21	·02	·02	·22		·89		·10	·80		·43			21
22	·39	·08			·58	·24	·33	·20		·01		·07	22
23	·24	·19	·29			·07	·13	·37		·01	·02	·18	23
24	·09					·17	·01	·04		·01			24
25	·01	·01				·25		·94		·01	·40	·59	25
26		·06	·01				·34	·80		·60	·20	·22	26
27						·30	·35			·89		·17	27
28		·11				·03	·47	·65	·14	·23	·31	·38	28
29		·17	·02			·19	·29	·12	·47	·22		·01	29
30			·02		·02	·03	·07	·04		·18			30
31			·07		·10		·48	·02				·07	31
Total	4.55	1.76	3.64	0.07	2.46	4.78	3.64	8.69 8·69	0.80	3.25	1.42	3.28	TOTAL for year 38.34
No. of Rain Days.	21	16	22	3	15	24	17	28	7	13	13	20	199

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
JAN 1914

Ex JL

REGISTER OF RAINFALL IN 1913

Kept at Madresfield Court Gardens

in the County of Worcester

by Wm Crump V.M.H.

RAIN GAUGE
Pattern Negretti & Zambra
Diameter of top 8 in.
Height of top above Ground 2 ft. 6 in.
" " " Sea Level 125 ft.

Time of Observation 9.0 a.m

Nearest Railway Station
Name Malvern Link
Distance 2 Direction N.S.W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01		.12	.07	.14				.87		.03		1
2	.02	.24	.01	.15			.02		.06	.59	.04		2
3	.07		.03		.65							.06	3
4	.91	.03			.35					.68	.05	.19	4
5	.06				.02	.08	.09		.84	.20	.10	.01	5
6	.03	.03	.18		.28	.15	.19		.02	.23	.04	.37	6
7		.19			.17	.01	.03			.45	.25	.01	7
8		.08			.10	.07				.46			8
9		.29	.02		.14	.18		.52			.13		9
10	.14	.01		.14	.08		.02	.05	.30	.02	.07		10
11	.78	.01		.34	.02			.11		.12	.70		11
12		.02			.44	.01					.38		12
13	.03	.07	.09					.01	.16	.09	.41		13
14	.15	.01	.48	.03				.07	.05				14
15	.13	.01	.64	.59				.01					15
16	.10		.75	.06				.90	.06		.02		16
17	.03		.07	.23			.17		.09				17
18			.31	.11			.04		.12				18
19	.11		.20			.06	.02		.13	.01	.19		19
20	.18		.26	.09	.01				.03	.02	.16		20
21			.30	.29	.10	.07	.10	.03					21
22	.45		.71	.01		.06		.11	.44				22
23	.02		.08					.03	.02			.03	23
24	.02			.02					.03		.04		24
25				.11									25
26				.62				.36		.03		.20	26
27	.02	.03		.25	.12					.03			27
28	.27		.15	.28	.03					.18			28
29	.01		.33	.47				.07		.08			29
30	.22		.01					.05		.62	.14		30
31	.02		.11		.02					.04			31
Total	3.78	1.02	4.85	3.86	2.67	0.69	0.68	2.32	3.22	3.85	2.75	0.87 30.56	TOTAL for year 30.56
No. of Rain Days.	23	13	20	18	16	9	9	13	15	17	16	7	176

W. 8,000, X. '11.

[illegible] 1.IV.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

8 - JAN 15

Kept at Madresfield Court Gardens
in the County of Worcester
by William Crump

Lat. 52° 8' N. Long. 2° 16' W.
Time of Observation 9·0 a.m.
Nearest Railway Station Malvern Link G.W.R.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level 125 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01		·02			1·04	·25			·05	·09	1
2			·02			·01	·31	·09			·58	·46	2
3				·09	·23		·06	·11			·01	·03	3
4	·24			·11	·04		·09	·07			·37	·71	4
5	·07		·05	·19	·14		·23				·18		5
6		·08		·29	·04		·01				·04	·08	6
7	·01	·14	·25		·25	·05	·12	·11	·11			·22	7
8			·09	·01	·05	·72	·02	·05			·01	·01	8
9	·09	·02	·21	·35	·06	1·44		·04	·23			·01	9
10	·01	·15	·02	·38	·02	·01			·22				10
11		·09	·26	·05	·15	·18					·13	·54	11
12		·14	·19				·32		·24	·15	·09	·16	12
13	·01	·12	·35				·02		·13	·26	·11	·44	13
14	·02	·11	·22				·01			·02	·14	·01	14
15	·02	·01	·16					·13	·11		·11		15
16	·01								·15				16
17	·02	·19	·09									·16	17
18		·01	·01				·21			·05		·30	18
19			·07				·54		·13		·05	·10	19
20		·43	·03			·04						·24	20
21		·21			·14	·58		·27					21
22		·05	·01		·08	·01		·06		·17			22
23		·01	·14				·03			·12			23
24		·02	·24	·03			·01	·05		·13	·09	·17	24
25	·09		·23	·02			·09	·17		·23	·05	·31	25
26			·01					·03		·04	·03	·11	Read 1dy. fwd. 26
27	·02										·23	1·02	27
28		·06	·12							·03	·06		28
29	·01		·13							·22	·11		29
30			·04		·11					·05	·45	·49	30
31	·08					·06	·19			·02		·02	31
Total	·70	1·85	2·94	1·54	1·31	3·10	3·30	1·43 1·48	1·32	1·49	2·89	5·68	YEAR'S TOTAL 27·55
Rain Days.	14	18	23	11	12	10	17	13	8	13	20	22	181

W.7,000, XI. 13

refused also for ? 28.III.16 ~~W~~ ML cnd ly Obr 31.III.16 2493

FORM A. BRITISH RAINFALL

19 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Madresfield Court Gardens
in the County of Worcester
by William Crump

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Malvern Link G.W.R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level 125 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·13	·07	·02		·30		·02	·05	·03	·21	·03	·04	1
2	·12	·14	1·03	·20		·15		1·42		·23		·09	2
3	·95	·09	·01	·10	·10		·85	·26				·22	3
4	·01	·02			·05		·57	·01				·70	4
5	·01	·48		·02			·03	·09		·04		·44	5
6	·15	·01		·19			·42					·12	6
7	·06	·39		·02	·03		·04	·06				·39	7
8	·31	·33		·01							·09		8
9	·02	·05		·11							·17	·34	9
10	·26			·03						·07		·02	10
11			·06	·02	·03						1·17	·03	11
12	·05			·22	·38			·04		·04	·80		12
13					·82			·69				·03	13
14		·27						·09	·07	·02		·32	14
15	·25	·03		·01	·09			·39				·15	15
16	·05	·36			·34		·90	·01				·04	16
17		·25			1·04			·08				·02	17
18		·65	·09										18
19	·01	·02			·07		·09						19
20	·15			·06			~~·30~~					·10	20
21	·11	·02					·09			·14		·03	21
22	·08		·30	·15			·30					·26	22
23			·10			·02	·34			1·22		·29	23
24			·05	·03			·35		·41	·80		·20	24
25			·01			·47	·53			·05		·17	25
26		·03					·50					·46	26
27		·02				·01	·09			·39		·06	27
28		~~1·07~~ ·17				·11		·20	·12			·01	28
29						·39	·11	·02			·08	·06	29
30	·09	✕				·04				·27	·09	·17	30
31	·03	✕		✕		✕	·09	·01	✕	·63	✕	·31	31
Total	2·84	~~4·08~~ 3·35	1·67	1·17	3·25	1·19	5·32	3·42	0·63	4·11	2·43	5·07	YEAR'S TOTAL ~~35·18~~ 34·45
Rain Days.	19	~~18~~ 19	9	14	11	7	17	15	4	13	7	27	162

W. 8,000. X. 15.

ex dry

2426

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

12 JAN 1917

Kept at Madresfield Court Gdns

in the County of Worcester

by William Crump

Lat. Long.

Time of Observation 9 - a.m

Nearest Railway Station Malvern Link

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 2 ft. 6 in.

" " " " Sea Level 125 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08		·02		·02	·04	·24			·17	·22		1
2	·55	·07	·2		·22	·07	·04			·65	·04		2
3		·66			·03				·1	·25	·09		3
4	·21	·15		·02	·46	·26	·12		·04		·44		4
5	·02		·04		·34	·01	·61			·05	·08		5
6	·01	·20	·05		·17	·13	·16			·12	·34		6
7	·01		·07		·06						·18	·15	7
8	·02		·03		·24	·05				·09	·03	·26	8
9			·01		·20	·27			·01		·01		9
10		·4	·07	·04	·01	·11				·06			10
11		·08	·06	·1	·01	·09						·27	11
12	·02	·02	·04	·01	·35		·23						12
13		·26	·09					·23					13
14		·40	·02	·01	·02			·21				·02	14
15		·23	·28	·02	·16			·18					15
16		·02		·21	·06		·12	·36					16
17	·09	·12		·1	·1			·01	·33	·53		·23	17
18	·01	·04	·04	·02				·01	·1		·5		18
19	·06		·33	·12							·08		19
20	·08		·5	·03							·05	·21	20
21			·62	·23	·1		·26	·01				·25	21
22						·03				·18		·43	22
23		·3		·04				·12			·02	·28	23
24		·16	·06			·01		·04		·25		·13	24
25		·02	·3		·43	·02		·15		·07			25
26	·05	·08	·04		·01	·07			·03	·08	·28		26
27	·04	·12	·86					·05	·29	·32			27
28		·46	·1		·02	·14				·14		·16	28
29		·18						1·26		·63		·06	29
30		X				·21				·35			30
31		X		X		X			X	·3	X	·03	31
Total	1·25	3·97	3·83	·95	3·01	1·51	1·78	2·63	·90	4·24	2·36	2·48	YEAR'S TOTAL 28·91
Rain Days.	14	20	22	13	20	15	8	12	7	17	14	13	175

W. 8,000, VIII. 16

2310

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Madresfield Court Gardens

in the County of Worcester

by Wm Crump.

Lat. 52° 8′ Long. 2° 16′

Time of Observation 9 0 a.m.

Nearest Railway Station Malvern Link G. W. R.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 2 ft. 6 in.

" " " " Sea Level 125 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			0.08	0.06		0.16		0.70	0.05		0.10		1
2				0.10		0.12		0.12			0.05		2
3		0.02						0.03		0.31			3
4	0.03		0.2					0.02		0.17			4
5	0.17	0.02	0.15	0.30					0.04	0.15	0.15		5
6			0.10			0.48				0.06	0.25		6
7	0.26					0.01	0.21			0.22			7
8	0.47	0.01		0.13		0.03	0.42	0.61		0.40	0.21	0.14	8
9			0.18	0.03	0.16			0.87	0.08	0.04	0.05		9
10	0.25		0.30	0.10	0.45			0.19					10
11			0.16	0.15	0.01			0.08		0.10	0.01		11
12					0.27					0.16			12
13			0.11	0.02	0.02			0.05	0.05	0.10			13
14	0.09		0.22	0.03				0.10					14
15					0.06		0.03	0.02		0.03		0.1	15
16		0.01		0.12			0.08					0.4	16
17		(0.02)		0.06	0.70	0.13	0.36	0.14	0.~~09~~ 10	0.09			17
18		0.02			0.02		0.27	0.02	1.30				18
19	0.03	0.34	0.26			0.11			0.02				19
20		0.18	0.17		0.62	0.06	0.29		0.01		0.01		20
21			0.22		0.06	0.05		0.04		0.02	0.02		21
22						0.01		0.05	0.01	0.08			22
23		0.17			0.11			0.2		0.02		0.03	23
24		0.01				0.07		0.07		0.21	0.08		24
25			0.11							0.04			25
26					0.26	0.02		0.28	0.14		0.11		26
27					1.58	0.04	0.11	0.61					27
28			0.18			0.27		0.11				0.03	28
29			0.02			0.43	0.07			0.41		0.26	29
30	0.01	×					0.11	0.35		0.09			30
31	0.01	×	0.06	×		×		0.15	×	0.01	×		31
Total	1.32	0.80	2.52	1.10	4.32	1.99	1.95	4.81	1.80	2.71	1.04	0.96	YEAR'S TOTAL 25.32
Rain Days.	9	10	16	11	13	15	10	22	10	20	11	6	153

W. 8,000, IX. 17.

10

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at Madresfield Court Gardens
in the County of Worcester
by William Crump

Lat. 52" 8 Long. 2" 16.
Time of Observation 9 a. m.
Nearest Railway Station Malvern Link.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level 125 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.
X

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·03		·02	·10			·08			·42		1
2		·04		·21				·22		·02		·08	2
3		·03	·01	·08	·22			·14	·54		·12		3
4		·05	·01					·02	·22	·11	·52	·36	4
5		·01	·02	·02	·21			·02	·17	·09		·01	5
6	·02	·35	·01	·06		·05			·12	·13		·03	6
7		·13			·19				·17	·04	·24		7
8		·08							·22	·15		·06	8
9		·16		·17		·10	·01		·23	·06		·02	9
10	·09			·12			·18		·08	·04		·08	10
11			·01	·08	·11		·05		·06			·06	11
12			·18		·15		·19		·04				12
13				·01	·02		·09		·09	·02		·04	13
14	·21		·06				·08		·41	·09		·05	14
15	1·52			·19			·20		·01			·25	15
16	·21			1·02		·16			·25			·04	16
17	·11		·01	·03		·15	·05		·04	·06		·06	17
18	·35					·37	·23		·51	·01		·50	18
19	·12	·03	·16				·12			·08			19
20	·15	·06		·25		·02			·16			·07	20
21	·10			·48		·01	·06		·37	·01		·12	21
22	·02				·13		·09		·05	·02		·12	22
23	·04				·53		·38		·01		·09		23
24		·13					·03	·02	·08	·02	·04		24
25						·02	·07	·47		·02	·01		25
26							·33		·04	·02	·06	·13	26
27		·02						·14	·11		·05	·01	27
28		·19	·31	·03							·04	·07	28
29			·04						1·12		·01	·10	29
30		X	·35					·04		·01	·04	·05	30
31		X	·22	X		X		·06	X		X		31
Total	2·94	1·31	1·39	2·77	1·66	0·88	2·16	1·21	5·10	1·00	1·64	2·31	YEAR'S TOTAL 24·37
Rain Days.	12	14	13	15	9	8	16	10	24	19	12	22	174

W, 6,500, VII. 18. W W C

RE

MALVERN

CHURCH ST

1911 - 1919

FORM A2.
BRITISH RAINFALL.

16 JAN 1912

Kept at The Counc ns.

in the County of Worc n.

d 1 ft. — in

evel 350 ft.

by Wm O Sborne Great Malvern

ce ½ Mile Direction S.E.

IMPORTANT NOT result entered to the previous day. If an Ob rule, he is earnestly requested to add the rea the space provided for it at the end of thi of rain, the selection and placin Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03		·07	·06				·12			·04		1
2				·09	·10		·04	·09		·12	·05	·08	2
3					·45				·03			·01	3
4	·02		·17	·05					·05	·04	·22	·50	4
5	·11		·05	·01				·08		·02	·05		5
6	·37		·08	·09							·10	·67	6
7											·25		7
8	·10		·18								·09	·32	8
9	·13		·04								·39	·23	9
10		·13	·40								·01	·58	10
11	·17	—									·61	·03	11
12			·63						·05		·14		12
13									·31	·01	·02	·38	13
14			·02									·93	14
15		·04	·03								·22	·15	15
16			·01			·09				·02	·12	·10	16
17				·01		·10					·19	·39	17
18		·29	·05	·14		·11				·04		·33	18
19	·01	·01		·02		·26			·27	·34	·01	·12	19
20	·01	·06	·04	·02					·12	·01		·66	20
21		·17	·05					·50	·06	·36		·09	21
22		·01	·02	·04		·02				·20		·42	22
23		·18	·20			·62			·17	·05		·22	23
24		·07		·03		·53		·16		·09		·09	24
25		·22	·01	·07		·03		·05		·03		·12	25
26		·14		·20	·32	·03		·06		·24	·20	·13	26
27		·13	·17	·16				·42	·24		·04	·11	27
28		·21		·16							·26		28
29				·18		·23	·18	·01	·23	·20			29
30			·06	·08	·07	·07	·09	·01		·28	·01		30
31					·36					·08			31
Total	·95	1·66	2·28	1·41	1·30	2·09	·31	1·50	1·53	2·13	3·02	6·66	TOTAL for year 24·84
No. of Rain Days.	9	13	19	17	5	11	3	10	10	17	20	23	157

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
16 JAN 1912

R

ns.

Kept at The Counc

in the County of Wor

by Wm Osborne Thorp.

n.
d 1 ft. – in.
" " " Sea Level 350 ft.

Time of Observation 9 AM.

Nearest Railway Station { Name Great Malvern
Distance ½ Mile Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03		·07	·06				·12			·04		1
2				·09	·10		·04	·09		·12	·05	·08	2
3					·45				·03			·01	3
4	·02		·17	·05					·05	·04	·22	·50	4
5	·11		·05	·01				·08		·02	·05		5
6	·37		·08	·09							·10	·67	6
7											·25		7
8	·10		·18								·09	·32	8
9	·13		·04								·39	·23	9
10		·13	·40								·01	·58	10
11	·17										·61	·03	11
12			·63						·05		·14		12
13									·31	·01	·02	·38	13
14			·02									·93	14
15		·04	·03								·22	·15	15
16			·01			·09				·02	·12	·10	16
17				·01		·10					·19	·39	17
18		·29	·05	·14		·11				·04		·33	18
19	·01	·01		·02		·26			·27	·34	·01	·12	19
20	·01	·06	·04	·02					·12	·01		·66	20
21		·17	·05					·50	·06	·36		·09	21
22		·01	·02	·04		·02				·20		·42	22
23		·18	·20			·62			·17	·05		·22	23
24		·07		·03		·53		·16		·09		·09	24
25		·22	·01	·07		·03		·05		·03		·12	25
26		·14		·20	·32	·03		·06		·24	·20	·13	26
27		·13	·17	·16				·42	·24		·04	·11	27
28		·21		·16							·26		28
29				·18		·23	·18	·01	·23	·20			29
30			·06	·08	·07	·07	·09	·01		·28	·01		30
31					·36					·08			31
Total	·95	1·66	2·28	1·41	1·30	2·09	·31	1·50	1·53	2·13	3·02	6·66	TOTAL for year 24·84
No. of Rain Days.	9	13	19	17	5	11	3	10	10	17	20	23	157

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

11 JAN 1913

Kept at The Council Offices Malvern
in the County of Worcester
by Wm Osborne Thorp

Lat. 52° 8′ N Long. 2° 18′ W.
Time of Observation 9 AM.
Nearest Railway Station Gt Malvern G.W.Ry
Diameter of Rain Gauge five in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·12			·56	·14	·01	·01	·23		·07	1
2		·01	·24	·02		·51	·26						2
3	·02		·03		·02	·17	·03	·89	·02		·02	·04	3
4	·22		·69		·17	·76		·01			·19		4
5	·18	·13	·20		·07	·15		·26	·03		·01	·02	5
6	·18	·15			·04	·14	·10	·98				·01	6
7	·01	·25	·06		·06	·44		·08				·03	7
8	·30	·13	·20			·05	·04	·23	·01			·02	8
9	·05		·47	·06		·27		·13				·21	9
10	·07	·06		·01		·06	·01	·22			·12		10
11	·06	·05				·06		·13			·04	·50	11
12	·02	·46	·12		·09	·11						·01	12
13	·01					·01		·50				·03	13
14	·09		·55		·05			·06		·01			14
15	·23	·07	·06	·02	·34	·23		·01				·23	15
16	1·07		·09		·01	·01		·12		·10		·01	16
17	1·43		·22			·03		·48			·04	·34	17
18	·27		·06					·19		·04			18
19	·14	·05			·02		·14	·84		·02	·01	·03	19
20	·02	·02	·22				·31	·02		·37	·02		20
21		·09	·21		1·08		·01	·87		·37			21
22	·45		·04		·55	·13	·46	·27				·08	22
23	·25	·23	·31			·08	·11	·35			·04	·18	23
24	·12					·23	·06	·05				·13	24
25						·31		·95			·43	·41	25
26		·08	·01				·34	·83		·65	·20	·24	26
27		·01				·37	·48			·78		·19	27
28		·13				·06	·60	·67	·19	·27	·37	·40	28
29		·21	·03			·42	·25	·14	·57	·22		·01	29
30			·04			·03	·08			·21			30
31			·06		·09		·55	·04		·01		·08	31
Total	5·19	2·13	4·03	·11	2·59	5·19	3·97	9·33	·83	3·28	1·49	3·27	YEAR'S TOTAL 41·41
Rain Days.	21	17	22	4	13	24	18	27	6	13	12	23	200

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.
3 FEB 1914

REGISTER OF RAINFALL IN 1913

Kept at The Council Offices Malvern

in the County of Worcester Ex BR

by Wm Osborne Thorp

Lat. 52° 8' N Long. 2° 18' W

Time of Observation 9 A.M.

Nearest Railway Station Gt Malvern G.W.Ry.

Diameter of Rain Gauge five in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·13	·04	·19				·86		·04		1
2	·01	·15	·02	·18			·02		·08	·54	·05		2
3	·07		·03		·71					·14		·07	3
4	1·07				·30				1·04	·89	·04	·20	4
5	·13	·03			·02	·15	·10			·26	·18		5
6	·03	·04	·18		·34	·16	·27			·36	·08	·43	6
7		·23			·26	·04	·05			·67	·25	·01	7
8		·09			·13	·05		·02		·28			8
9		·30	·02		·11	·19	·07	·45	·37		·16		9
10	·14			·13	·08			·07		·04	·10		10
11	·70			·31	·04			·07		·04	·84		11
12					·50						·40		12
13	·02		·10			·01		·01	·16		·37		13
14	·17		·52	·03				·06	·04	·12			14
15	·12	·09	·57	·63					·06		·02		15
16	·17	·01	·76	·05				·67	·01				16
17	·03	·01	·09	·06			·17		·04				17
18			·34	·10			·08		·20				18
19	·17		·17		·02	·03	·03		·22				19
20	·21		·17	·12			·11			·07	·22		20
21			·35	·21	·12			·04			·21		21
22	·60		·68			·10		·19	·43				22
23			·01			·05		·05	·02		·04	·07	23
24	·03			·06									24
25				·15					·04	·01			25
26		·02		·73				·43				·22	26
27	·01		·06	·28	·05					·02			27
28	·32		·11	·31	·03					·29		·02	28
29	·01		·41	·47				·07		·14			29
30	·23									·72	·18		30
31	·02		·13		·02			·05		·03			31
Total	4·26 ✓	·97 ✓	4·85 ✓	3·86 ✓	2·92 ✓	·78 ✓	·90 ✓	2·18 ✓	3·57 ✓	4·62 ✓	3·18 ✓	1·02 ✓	YEAR'S TOTAL 33·11 ✓
Rain Days.	21	10	20	17	16	9	9	13	14	17	16	7	169 ✓

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.
9 - JAN 1915

Kept at Council Offices Malvern
in the County of Worcester
by Wm. Osborne Thorp.

Lat. 52° 8 N Long. 2° 18 W
Time of Observation 9 a m.
Nearest Railway Station Gt Malvern
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 350'-O.D. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·02		·04			1·11	·27			·04	·08	1
2	·					·01	·41	·13			·63	·42	2
3	·			·10	·28	~~0~~	·10	·09				·03	3
4	·28			·15	·04		·16	·12			·52	·49	4
5	·06		·06	·20	·15		T.S. ·79 ~~·74~~				·13	~~·13~~	5
6	·03	·08	~~·29~~		·05		·02		02		·05	·12	6
7		·19	·29	·25	·25	·09	·13	·12				·22	7
8			·10		·04	·73		·07	·23			·05	8
9	·09	·01	·22	·31	·09	1·43		·09					9
10	·05	·18		·41	·03	·02			·32				10
11		·12	·26	·06	·20	·20					·16	·58	11
12		·21	·20				·19		·25		·09	·17	12
13		·14	·35				·04		·19	·18	·11	·51	13
14	·01	·14	·22							·28	·16		14
15	·02	·02	·13					·12	·10	·01	·09		15
16			·02				·06		·22				16
17	·01	·21	·21						·07			·16	17
18							·22			·06		·42	18
19			·09				1·00				·02	·10	19
20		·44	·05			·06						·28	20
21		·18				T.S. ·48		T.S ·29		·14		·12	21
22		·05	·02		·21		·03	·08		·08			22
23			·15		·07					·16			23
24			·32					·05		·18	·05		24
25	·08		·18	·02			·12	·20		·29	·02	·08	25
26								·05		·06	·30	·35	26
27	·03		~~·16~~							·06	·08	·13	27
28		·10	·16		·05					·02	·11	snow ·15	28
29		~~·10~~	·14		·10					·23	·12	[illegible]	29
30			·06			·09				·07	·45	·54	30
31	·11						·23			·05		·03	31
Total	·77	2·09	3·23	1·54	1·56	3·11	4·46	1·68	1·40	1·87	3·13	6·03	YEAR'S TOTAL 30·87
Rain Days.	11	15	20	9	13	9	15	13	8	15	18	21	167

W. 8,000. X. 14.

2487

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
21 JAN 1916

Kept at Council Offices Malvern
in the County of Worcester.
by Wm. Osborne Thorp. C.E.

Lat. 52° 8′ N Long. 2° 18′ W
Time of Observation 9 a.m.
Nearest Railway Station Great Malvern
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·16	·09	·06		·32		·07	·05	·04	·22	·03	·03	1
2	·14	·13	·15	·20		·19		1·78		·29		·11	2
3	1·00	·11	·03	·11	·16		·88	·42				·23	3
4		·02		·01	·06		·24					·78	4
5		·60					·01	·10		·07		·55	5
6	·18	·02		·19			·44					·13	6
7	·07	·43		·02			·05	·09				·43	7
8	·27	·44						·02			·08		8
9	·23	·05		·13							·15	·37	9
10	·21		·10	·03						·02		·03	10
11	~~·78~~		·09	·02	·04						1·14	·03	11
12	·10	·01		·16	·51			·06		·06	·65		12
13		·29			·82			T.S. ·83				·03	13
14		·03						·33	·08	·02		·37	14
15	·24	~~·38~~			·11		·03	·11			·11	·18	15
16	·08	·38		·02	·41		1.09	·03					16
17		·27	·01		1·08			·06				·02	17
18	·03	·48	·04										18
19		·01			·10		·10						19
20	·14			·07								·11	20
21	·13	·01					·11			·14		·03	21
22	·08	·01	·35	·13			·42					·24	22
23	·03	·09	·07			·02	·23			1·09		·24	23
24			·12	·03			·39			·92		·23	24
25						·44	T.S ·74		·41	·06		·20	25
26		·01					·44					·46	26
27		·03					·13			·33		·05	27
28		·10				·17		·16	·16				28
29		╳				·20	·12	·03			·08	·07	29
30	·08	╳				·03				·31	·07	·23	30
31	·02	╳		╳		╳	·11	·01	╳	·62	╳	·33	31
Total	3·19	3·61	1·02	1·12	3·61	1·05	5·60	4·08	·69	4·15	2·31	5·48	YEAR'S TOTAL 35·91
Rain Days.	18	22	10	13	10	6	18	15	4	13	8	25	162

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
25. JAN 1917

Kept at Council Offices. Malvern

in the County of Worcester.

by Wm. Osborne Thorp.

Lat. 52°.8′ N Long. 2° 18′ W

Time of Observation 9 a.m.

Nearest Railway Station Gr Malvern.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·09		·03.s		·02	·08	·17			20	21		1
2	·45	·06	·26.s		·22		·02		·03	74	03		2
3	·	·77			·06	·01			·03	28	14		3
4	·24	·22		·01	·46	·30	·01		·04		61		4
5	·02		·04 s		·38	·02	·20			10	12		5
6	·03	·17	·07.s		·22	·12	·76			15	36		6
7	·~~07~~		·10 s		·08		·22			10	22	18	7
8	·02		·05 s		·23	·11					02	30	8
9					·25	·18				02	02		9
10		·49	·10.s	·04	·02	·21			·01	05			10
11	·01	·08	·07s	·15	·02	·13			·02			01	11
12	·05	·04	·05 s	·02	·26		·28			03		27.s	12
13		·30	·16 s					·29					13
14		·46.s	·06s		·05			·01		04	01	01.s	14
15		·24.s	·26s	·05	·20			·39		03			15
16		·02		·25	·12		·14	·53		03			16
17	·11	·16		·05					·42	47			17
18		·04	·04					·01	·12	05	·46.s	·18 s	18
19	·03		·35	·09							·22 s		19
20	·08		·55	·08							03	20	20
21	·01		·41	·51	·11		·25					27	21
22				·02		104				15		49	22
23	·02	·49.s		·03				·14		05	01	27	23
24		·20.s	·09		·63	·05		·05		25		13	24
25		·06.s	·21			·02		·23		07	21		25
26	·04	·11.s	·05			·07		·04		10	06		26
27	·07	·14.s	1·09.s			·06		·07	·03	30			27
28		·67.s	·12 s			·10			·36	15		15	28
29		·18.s				·26		1·26	·10	46		06	29
30		✕				·01				32		05	30
31		✕		✕		✕		01	✕	26	✕		31
Total	1·27	4·90	4·16	1·30	3·33	1·77	2·05	3·03	1·16	4·40	2·73	2·57	YEAR'S TOTAL 32·67
Rain Days.	15	20	21	12	17	17	9	12	10	24	16	14	187

W. 8,000, VIII. 16

"S" = melted snow.

2305

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at The Council Offices, Malvern

in the County of Worcestershire

by Wm Osborne Thorp.

Lat. 52° 8' N Long. 2° 18' W

Time of Observation 9 am

Nearest Railway Station Gt Malvern S. E.

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·03	·09	·15		·19		·92	·05		·09		1
2				·07		·12		·05		·01	·11		2
3	·01	·02		·05				·05		·39			3
4		·03	·23	·22				·02		·21			4
5	·15		·20			·01			·03	·24	·10		5
6			·05			·43				·12	·20		6
7	·28						·39	·16		·29			7
8	4·8		·02	·12		·01	·48	·56		·39	·18		8
9			·23	·04	·19			1·08	·14	·12	·07		9
10	·33		·37	·12	·43			·20				·16	10
11	·08		·15	·15						·11	·02		11
12	·03				·26			·12		·19			12
13			·09	·02				·01	·08	·23			13
14								·08		·02			14
15			·19		·10			·07		·04		·18	15
16		·03		·14			·11	·05				·29	16
17	·02			·09	·70	·14	·40	·19	·12	·08			17
18		·02			·11		·29		1·28				18
19	·04	·37	·35			·22			·01				19
20	·01	·19	·13		·90	·23	·38		·01				20
21		·03	·26		·06	·09		·05		·03	·03		21
22			·02			·04		·08		·10			22
23		·18			·11	·01		·18		·06	·01		23
24			·03			·09		·10		·19	·05		24
25		·05	·06			·09			·01	·04	·07		25
26					·11	·17		·38	·15	·01	·05		26
27					1·32		·15	·82			·02		27
28			·17			·24		·14				·03	28
29			·01			·39	·09	·02		·38		·29	29
30		✕					·10	·39		·13		·01	30
31		✕	·13	✕	·02	✕		·12	✕	·02	✕		31
Total	1·43	·95	2·78	1·17	4·31	2·47	2·39	5·84	1·88	3·40	1·00	·96	YEAR'S TOTAL 28·58
Rain Days.	10	10	19	11	12	16	9	24	10	23	13	6	163

W. 8,000, IX. 17.

121

5

FORM A.
BRITISH RAINFALL.
18

REGISTER OF RAINFALL IN 1918

Kept at Council Offices. Malvern

in the County of Worces.

by Wm. Osborne Thorp.

Lat. Long.

Time of Observation

Nearest Railway Station as

Diameter of Funnel of Rain Gauge before in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01		·02	·09			·10		·02	·60	·05	1
2		·04		·09				·31		·01		09	2
3		·04		·02	·26			·04	·59		·11		3
4		·04	·01					·02	22	14	·58	·41	4
5				·03	·22			·03	28	11		·02	5
6	·02	·35	·02	07		·05			42	16		·02	6
7		·14		01	·24				12	05	24	01	7
8		·08							15	10		·05	8
9		·16		30		·21			27	13		·01	9
10	·08			17			·19		04	09		·10	10
11			·01	14	·08		·05		10		03	·06	11
12			·18	~~03~~	·12		·38		04				12
13				03	·02		·11		11	02		08	13
14	·28		·09				·13		50	13		07	14
15	1·29			17			·26				01	31	15
16	·25			1.06		·06			27	05		05	16
17	·12			05	·06	·05	·10		05	07		07	17
18	·37					·57	·19		66			47	18
19	·12	·02	·18				·14			10		05	19
20	·17	·07		56		·03	·01		17		~~01~~		20
21	·11			28		·03	·08		42	01	01	14	21
22					·04		·12		06	03		14	22
23	·04				·62		·49		19		03		23
24		·12						·02		02	05		24
25						·03	·20	·57		02	01		25
26							39			02	08	16	26
27			·32					18	10		07	02	27
28		·16	·05	03							07	11	28
29									1.04	01		04	29
30		×	·37					06				06	30
31		×	07	×		×		03	×		×		31
Total	2·85	1·23	1·30	3·03	1·75	1·03	2·84	1·36	5·80	1·29	1·89	2·59	YEAR'S TOTAL 26.96
Rain Days.	11	12	10	16	10	8	15	10	21	20	13	24	170

W, 6,500, VII. 18. W W C

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

JAN 20

Kept at Council Offices Malvern

in the County of Worcester

by Wm. Osborne Thorp

Lat. 52° 8′ N Long. 2° 18′ W.

Time of Observation 9 a.m

Nearest Railway Station Gt. Malvern

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

„ „ „ „ Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·37		02		08	02	14		06	18		43	1
2	13				04		34		16		09	15	2
3	59		13		02	18	02		03		17	18	3
4	12	07	38				27	04	25		02	20	4
5	02	43	13		10		03		35		~~05~~	29	5
6	03	03	12		39						05	05	6
7	25		26	13	14						09		7
8	26		04	08									8
9	11		03	12 ~~12~~		04							9
10	10		57							03		27	10
11			66		03		60			02		03	11
12			06	05		21			07	07	04	01	12
13				14					15	07		03	13
14	19	02		24			07		05	01		04	14
15	26	05		09	19					03		40	15
16	24	1·15						21			07		16
17		·76			01	04					07	01	17
18			66		22		02	16			02	04	18
19	31	·30	1·17			13	1·47	47	30		10	01	19
20	45	·02	39			03	·33	11	09		14	08	20
21		44	03					02	04			09	21
22		03					02		45			14	22
23										·89	02		23
24				06	02	04				·76	11	07	24
25	09			13	10	02		25				06	25
26	04		09	19		03		10	08			32	26
27	23		01	64				70			03	11	27
28	06		14					38	04		38	34	28
29				09				02		33	15	21	29
30	05	X		11		18		09		03	07	39	30
31	01	X	04	X		X	02		X	02	X		31
TOTAL	3·91	3·30	4·93	2·07	1·34	0·92	3·33	2·55	2·12	2·44	1·62	3·95	YEAR'S TOTAL 32·48
Days with ·01 in. or more	21	11	19	13	12	11	12	12	14	12	17	25	179

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

MALVERN

BRITISH CAMP RES

WORCESTER

1911 - 1919.

FORM A2.
BRITISH RAINFALL.
16 JAN 1912

R

Kept at British Camp ... rs ... in.

in the County of Wo ... nd ft. 11 in.

Level 677 ft.

by Wm Osborne ... 1.

...e Malvern Wells (Midland Rly)

...ance 2 MILES Direction N.E.

IMPORTANT NO... result entered to the previous day. If an O... l rule, he is earnestly requested to add the re... in the space provided for it at the end of th... t of rain, the selection and plac... n Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03		·05	·07			·01	·12			·05	·02	1
2	·01			·11	·10		·01	·12		·13	·07	·07	2
3				·01	·48				·02	··	·02	·02	3
4	·01		·16	·04				·01	·04	·02	·25	·45	4
5	·08		·05	·05				·10		·02	·05		5
6	·22		·22	·02							·10	·81	6
7	·01										·22		7
8	·17		·15								·06	·30	8
9	·12		·01								·38	·24	9
10	·02	·13	·39								·02	·56	10
11	·11										·65		11
12			·54						·05		·11	·01	12
13									·38		·02	·41	13
14		·02	·02								·01	·90	14
15			·01							·02	·17	·11	15
16						·08				·02	·20	·10	16
17				·01		·20				·01	·22	·38	17
18		·40	·04	·16		·07				·06		·38	18
19	·02	·01		·03		·48			·25	·27	·01	·09	19
20	·02	·08	·06	·03					·08	·02		·75	20
21		·11	·09					·38	·03	·45		·10	21
22		·01	·11	·04		·03				·19	·01	·44	22
23	·01	·14				·53	·01		·20	·06		·12	23
24		·11		·04		·50		·13		·28		·09	24
25		·14	·01	·10		·05		·08	·02	·13		·08	25
26		·17		·22	·16	·04		·07		·21	·26	·15	26
27		·13	·12	·08				·44	·28		·06	·10	27
28		·16		·16							·25		28
29			·01	·11		·20	·15	·01	·22	·26	·01		29
30			·07	·02	·07	·04	·12	·24		·28	·01	·03	30
31					·27					·02		·01	31
Total	·83	1·61	2·11	1·30	1·08	2·22	·30	1·70	1·57	2·45	3·21	6·72	TOTAL for year 25·10
No. of Rain Days.	13	13	18	18	5	11	5	11	11	18	24	26	173

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
16 JAN 1912

R

Kept at British Camp Reservoir, Malvern

in the County of Worcester

by Wm Osborne Thorp.

RAIN GAUGE
Pattern Symons
Diameter of top 5 in.
Height of top above Ground ft. 11 in.
" " " Sea Level 677 ft.

Time of Observation 9 A.M.

Nearest Railway Station
Name Malvern Wells (Midland Rly)
Distance 2 MILES Direction N. E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03		·05	·07			·01	·12			·05	·02	1
2	·01			·11	·10		·01	·12		·13	·07	·07	2
3				·01	·48				·02		·02	·02	3
4	·01		·16	·04				·01	·04	·02	·25	·45	4
5	·08		·05	·05				·10		·02	·05		5
6	·22		·22	·02							·10	·81	6
7	·01										·22		7
8	·17		·15								·06	·30	8
9	·12		·01								·38	·24	9
10	·02	·13	·39								·02	·56	10
11	·11										·65		11
12			·54						·05		·11	·01	12
13									·38		·02	·41	13
14		·02	·02								·01	·90	14
15			·01							·02	·17	·11	15
16						·08				·02	·20	·10	16
17				·01		·20				·01	·22	·38	17
18		·40	·04	·16		·07				·06		·38	18
19	·02	·01		·03		·48			·25	·27	·01	·09	19
20	·02	·08	·06	·03					·08	·02		·75	20
21		·11	·09					·38	·03	·45		·10	21
22		·01	·11	·04		·03				·19	·01	·44	22
23	·01	·14				·53	·01		·20	·06		·12	23
24		·11		·04		·50		·13		·28		·09	24
25		·14	·01	·10		·05		·08	·02	·13		·08	25
26		·17		·22	·16	·04		·07		·21	·26	·15	26
27		·13	·12	·08				·44	·28		·06	·10	27
28		·16		·16							·25		28
29			·01	·11		·20	·15	·01	·22	·26	·01		29
30			·07	·02	·07	·04	·12	·24		·28	·01	·03	30
31					·27					·02		·01	31
Total	·83	1·61	2·11	1·30	1·08	2·22	·30	1·70	1·57	2·45	3·21	6·72	TOTAL for year 25·10
No. of Rain Days.	13	13	18	18	5	11	5	11	11	18	24	26	173

W. 8,000, X. '11.

Ex JL

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
1 JAN 1913

Kept at British Camp Reservoir

in the County of Worcester

by Wm Osborne Thorp

RAIN GAUGE
Pattern Symons.
Diameter of top five in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 677 ft.

Time of Observation 9 AM

Nearest Railway Station
Name Malvern Wells (MRy)
Distance 2 Miles Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·14		·01	·41	·21	·01	·01	·36		·07	1
2		·01	·19	·03		·34	·26	·10					2
3	·01		·07		·02	·16	·32	·88	·02		·02		3
4	·16		·57		·18	1·04					·21		4
5	·18	·08	·28		·07	·20		·24	·04		·01	·03	5
6	·13	·20			·05	·17	·18	·73	·01		·02		6
7	·02	·20	·10		·06	·43		·05				·08	7
8	·27	·10	·16			·09	·05	·22	·01			·05	8
9	·04	·02	·42	·03		·13	·01	·09				·20	9
10	·09	·10	·01			·03	·01	·10			·08		10
11	·07	·04	·02			·04		·08			·01	·48	11
12	·03	·43	·14	·02	·11	·11	·01					·10	12
13	·02	·01						·17	·01	·01			13
14	·11		·60		·09			·09					14
15	·27	·09	·03	·03	·34	·15		·02				·14	15
16	1·03		·07		·01	·05		·10		·08		·01	16
17	1·20		·21		·01	·04		·57			·03	·41	17
18	·25	·02	·07					·28		·01		·01	18
19	·14	·01			·03		·16	·51		·02	·01	·04	19
20	·03	·04	·25				·23	·18		·34	·13		20
21		·13	·29		1·15		·03	·78		·45			21
22	·41		·06		·94	·03	·39	·30		·01		·05	22
23	·29	·34	·30			·07	·18	·39			·02	·27	23
24	·12	·02				·22	·03	·05			·01	·17	24
25						·28	·01	·81			·32	·35	25
26		·06					·37	·89		·68	·36	·20	26
27		·02	·01			·39	·54			·89		·25	27
28		·07	·01			·03	·81	·69	·09	·34	·30	·40	28
29		·18	·03			·09	·25	·38	·69	·25		·01	29
30			·07			·04	·10			·24			30
31			·08		·32		·50	·04		·01		·04	31
Total	4·87	2·17	4·18	·11	3·39	4·54	4·65	8·75	·88	3·69	1·53	3·36	TOTAL for year 42·12
No. of Rain Days.	21	21	25	4	15	23	21	27	8	14	14	21	214

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
-3 FEB 1914

REGISTER OF RAINFALL IN 1913

Kept at The British Camp Reservoir
in the County of Worcester [illegible]
by Wm Osborne Thorp

Lat. 52° 3′ N. Long. 2° 20′ W.
Time of Observation 9 AM
Nearest Railway Station Malvern Wells (M. Ry.)
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground one ft. — in.
" " " " Sea Level 677 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·14	·04	·37				·66		·07		1
2	·02	·19	·02	·16			·02		·15	·69	·08	·01	2
3	·11		·09		·63							·05	3
4	·96	·01			·36				·85	·87	·06	·22	4
5	·15	·02			·03	·26	·09			·26	·11	·02	5
6	·06	·10	·15		·29	·11	·37			·43	·11	·47	6
7	·01	·32			·23	·10	·04			·85	·18	·03	7
8	·01	·10			·14	·09		·03		1·12		·01	8
9		·30	·03		·13	·15	·01	·19	·33		·11		9
10	·12			·12	·05			·12		·06	·18		10
11	·57			·31	·06					·07	·69		11
12					·41						·51		12
13	·02		·09		·03			·01	·15		·32		13
14	·17		·51	·07				·03	·04	·14			14
15	·15	·06	·73	·63					·16		·01		15
16	·09		·57	·05				·32	·18				16
17	·04	·01	·14	·09			·17		·02				17
18	·07		·39	·09			·06		·06		·02		18
19	·11		·16			·03	·07		·14				19
20	·21		·21	·13			·11			·05	·32		20
21			·29	·29	·12			·07			·25		21
22	·34		·65			·12		·18	·42				22
23			·10			·03		·02	·03		·06	·06	23
24	·04			·06				·03					24
25				·12					·05	·02	·01	·01	25
26		·04		·83				·39				·20	26
27	·01	·02	·06	·35	·01					·03			27
28	·37		·08	·30	·04				·01	·38		·01	28
29	·02		·34	·65				·15		·11			29
30	·24									·67	·10		30
31			·15					·03		·04			31
Total	3·89	1·17	4·90	4·29	2·90	·89	·94	1·57	3·25	5·79	3·19	1·09	YEAR'S TOTAL 33·87
Rain Days.	23	11	20	17	15	8	9	13	15	16	18	11	176

W.7,000, XI. 13

Ex D L

FORM A.
BRITISH RAINFALL.
9 - JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at British Camp Res. Malvern

in the County of Worcester

by Wm. Osborne Thorp.

Lat. 52.3 N Long. 2.20 W

Time of Observation 9 a.m.

Nearest Railway Station Malvern Wells

Diameter of Rain Gauge 8.05" in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 677.00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·06		·05	~~·25~~		1·25	·30			·06	·15	1
2						·03	·36	·11			·66	·40	2
3				·11	·25		·10	·01				·03	3
4	·22			·15	·07		·15	·08			·60	·57	4
5	·04		·05	·09	·35		T.S. ·44				·11		5
6	·02	·08			·04				~~·14~~		·04	·09	6
7		·19	·24	·11	·26	·14	·13	·15	·14		~~·08~~	·14	7
8			·09		·01	·87	·05	·07				·01	8
9	·08	·02	·26	·38	·11	1·27	~~·44~~	·11	·21				9
10	·04	·22		·40	·03	·08			·30				10
11		·12	·25	·03	·13	·36						·49	11
12		·20	·20				·11		·24		·09	·21	12
13		·16	·42				·03		·17	·13	·08	·44	13
14	·01	·24	·29							·35	·05		14
15	·02	·06	·18					·09	·03	·02	·15		15
16							·03		·15		·06		16
17		·24	·17						·04			·15	17
18							·24			·04		·32	18
19			·15				·85	T.S. ·15			·03	·13	19
20		·47	·04			·07						·22	20
21		·21				T.S. ·20	·02	·03		·13		·12	21
22		·06	·06		·21		·04	·08		·12			22
23		·02	·16		·01					·16			23
24		·02	·23	·02	~~·06~~			·06		·15	·05		24
25	·11		·15					·21		·26	·03	·08	25
26							·01	·06		·06	·21	·37	26
27	·05		·02							·02	·16	·14	27
28		·13	·22		·06					·01	·08	·99	28
29	·03		·13		·14					·17	·14		29
30						·11		·01		·10	·48	·59	30
31	·20						·25			·05		·02	31
Total	·82	2·50	3·31	1·34	1·67	3·13	4·06	1·52	1·28	1·77	3·08	5·66	YEAR'S TOTAL 30·14
Rain Days.	11	17	19	9	13	9	16	15	8	15	18	21	171

W. 8,000. X. 14.

[illegible] 27·III·16

2486

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

21 JAN 1916

Kept at British Camp Res Malvern

in the County of Worces.

by Wm Osborne Thorp. C.E. Malvern

Lat. 52°. 3' N Long. 2° 20 W

Time of Observation 9 a.m.

Nearest Railway Station Malvern Wells M.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 677 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·15 ~~·11~~	·10	·03		·30		·19	·08	·05	·24	·02	04	1
2	·17 ~~·27~~	·22	·15	·19		·23		1·33		·30		15	2
3	·75 ~~·01~~	·09	03	·11	·25		·58	·60				20	3
4	~~·22~~	·02		·02	·03		·27					59	4
5	~~·02~~	·53			·02		·11	·09		06		50	5
6	·22 ~~·01~~	·01		·23			·54	·08				09	6
7	·07	·39		·02			·01	·10				56	7
8	·25 ~~·04~~	·33					·02	·03			·04		8
9	·16	·05		·13								34	9
10	·17		·12	·06						05	·18		10
11	~~·02~~		·10	·03	·05								11
12	·12 ~~·03~~	·03		·15	·44					08	1·00		12
13		·29			·95			·18			·84	04	13
14		·02						·25	·09	01		37	14
15	·28				·11		·01	·12			(·10) ~~·04~~	17	15
16	·01	·36		·03	·40		·81	·03				05	16
17	~~·12~~	·13	·01		1·21			·09				02	17
18	·02	·45	·01							02			18
19		·03			·10		·12						19
20	·22			·10								12	20
21	·14						·15			14		05	21
22	·15	08	·30	·03			·28					27	22
23	·02	05	·13			09	·04			1·10		30	23
24			·08	·04			·42			1·02		24	24
25						·57	·26		·46	·05		22	25
26		05					·54		~~·46~~			54	26
27		04					·12			·38		06	27
28	·08	09				05		·12	·22			04	28
29		X				·08	·45	·03			·09	07	29
30	·08	X				·29	·08			·16	·09	22	30
31	·02	X		X		X	·12	·04	X	·76	X	39	31
Total	3·00	3·36	0·96	1·15	3·86	1-31	5·12	3·17	0·82	4·37	2·36	5·64	YEAR'S TOTAL 35·12
Rain Days.	18	21	10	13	11	6	20	15	4	14	8	25	165

W. 8,000. X. 15.

Eso Def

2420

FORM A.
BRITISH RAINFALL.

23. JAN.

REGISTER OF RAINFALL IN 1916

Kept at British Camp Reservoir

in the County of Worces.

by Wm. Osborne Thorp. C.E.

Lat. 52°.3′ Long. 2°.20′ W.

Time of Observation 9 a.m.

Nearest Railway Station Malvern Wells. M.R.

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 677 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·11		·03		·06	·09	·15			·13	·14		1
2	·27	·04	·26		·29		·05		·02	·65	·15		2
3	·01	·80			·06	·03			·03	·28	·09		3
4	·22	·16			·48	·45			·07		·52		4
5	·02	·01	04		·52	·10	·05			·13	·14		5
6	·01	·16	07	·03	·21	·10	·77			25	·46		6
7			10		·08	~~·01~~	·20			15	·21	19	7
8	·04		05		·25	·01 ~~·13~~					02	27	8
9			01		·15	·14				06	03		9
10		·45	10		·01	·04	·06		·04	05			10
11	·02	·04	07	·13	·05	·21			·03				11
12	·03		05		·29	~~·05~~	·26			05		01	12
13		·30	16			~~·01~~	·01	·53			·02	19	13
14		·27	06		·04			·04		12	·03	01	14
15		·31	26	·07	·36			·22		03			15
16		·01		·28	·03		·30	·60					16
17	·12	·12		04					·37	24			17
18		04	04					·01	·16	05	15	26	18
19	·07		35	·15							·17		19
20	·04		55	·02							03	22	20
21	·02		41	·29	·10		·10					17	21
22				05	·04	·05				17		50	22
23		·50	01	03				·14		07	02	16	23
24		·20	09	02	·42	·01		·06		23		08	24
25		·09	18					·26		03	25		25
26	·03	·12	08			·05		·01		08	03		26
27	·05	·06	1·12			·18		·18	·03	22			27
28		·21			·01			~~1·21~~	·37	15		12	28
29		·15				·32		1·21	·05	23		11	29
30		✕				·03				16		05	30
31		✕		✕		✕		·01	✕	21	✕		31
Total	1·06	4·04	4·09	1·11	3·45	1·81	1·95	3·27	1·17	3·74	2·46	2·34	YEAR'S TOTAL 30·49
Rain Days.	15	20	22	11	19	15	~~1·05~~ 10	12	10	23	17	14	188

W. 8,000, VIII. 16

2304

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917.

21 1918

Kept at The British Camp Reservoir

in the County of Worcestershire

by Wm Osborne Thorp. C.E.

Lat. 52° 3' N. Long. 2° 20' W.

Time of Observation 9 AM.

Nearest Railway Station Malvern Wells (M.R.)

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 677 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·03	·06	·14		·23		1·03	·10		·13		1
2				·12				·12		·01	·07		2
3	·01	·03		·11				·04		·40			3
4		·06	·16					·02		·19			4
5	·15		·12	·19		·02			·01	·16	·08		5
6			·02			·34				·10	·24		6
7	·23						·14	·21		·14	·03		7
8	·19		·02	·13		·03	·50	·49		·42	·18	·11	8
9			·26	·04	·20			1·14	·17	·06	·03		9
10	·38		·33	·09	·53			·25		·04			10
11	·05		·16	·15	·02			·11		·10	·02		11
12	·01			·01	·26					·15	·01		12
13			·08	·04				·07	·06	·02			13
14			·16	·11				·10		·02			14
15					·05			·04		·07		·09	15
16	·02	·05		·22			·06			·01		·11	16
17		·01	·01	·10	·68	·04	·39	·22	·08	·05			17
18		·03			·01	·01	·22		1·20	·01			18
19	·01	·48	·21			·11			·01				19
20	·01	·20	·13		·67	·17	·06		·05				20
21		·02	·30		·02	·05		·03		·02	·06		21
22		·01	·01			·13		·08		·04			22
23		·18			·11			·37		·02	·01		23
24		·02	·02			·08		·07		·17	·02		24
25		·12	·04						·01		·03		25
26					·12	·09		·39	·15		·05		26
27					1·19	·08	·07	·77			·01		27
28			·16			·47		·10				·02	28
29			·01			·44	·07			·58		·30	29
30		X					·12	·37		·11		·01	30
31		X	·09	X	·04	X	·01	·10	X	·03	X	·02	31
Total	1·06	1·24	2·35	1·45	3·90	2·29	1·64	6·12	1·84	2·92	·97	·66	YEAR'S TOTAL 26·44
Rain Days.	10	13	20	13	13	15	10	22	10	24	15	7	172

W. 8,000, IX. 17.

4

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
29 3.19

Kept at British Camp Res. Malvern Wells

in the County of Worces.

by Wm. Osborne Thorp.

Lat. .... Long. .... as before

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·04	·05			09			·46	08	1
2		·05		·03				44		04		04	2
3		03		05	·34			01	51		07	01	3
4		05	03					03	13	11	43	40	4
5				02	24			01	21	10	~~23~~	02	5
6	·03	40	02	11		10			19	14		04	6
7		14		03	26				14		23	02	7
8		08							07	10		03	8
9	·04	11		32		16	06		22	11		02	9
10	·04			10			25		09	07		12	10
11			03	04	03		05		04		03	06	11
12			22	01	10		22						12
13				~~21~~	02		09		09	04		10	13
14	·29		08	~~83~~			09		56	12		05	14
15	1.10		02	21			24				01	24	15
16	24			·83		09			32	02		10	16
17	23			07		05	12		15	06		10	17
18	39					41	10		67			53	18
19	10	03	22	02			28			03		01	19
20	14	08		40		04	02		17		01		20
21	11			26		02	06		57	05		12	21
22					05		12		13	04		14	22
23	03				47		17				03		23
24		11						02	04	02	05		24
25				04		03	41 } T.S.	52		03	01		25
26							1.25 }			03	06	13	26
27			37			01	03	22	07		08	02	27
28		07	07	02							06	06	28
29									1.07			04	29
30		✗	34					02				11	30
31		✗	14	✗		✗		01	✗		✗		31
Total	2.74	1.15	1.54	2.60	1.56	·91	3.56	1.37	5.44	1.11	1.53	2.59	YEAR'S TOTAL 26.10
Rain Days.	12	11	11	18	9	9	17	10	20	17	13	25	172

2159

8 JAN 20

Form A/1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at British Camp Res. Malvern
in the County of Worces.
by Wm. Osborne Thorp

Lat. 52° 3′ N. Long. 2° 20′ W.
Time of Observation 9. 0 a.m.
Nearest Railway Station Malvern Wells.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 677 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	38		02		12		11		06	16		43	1
2	11	01	02		02		27		32		14	10	2
3	48		07		02	·19	02		04		15	16	3
4	11	05	37				13	04	25		02	16	4
5	03	34	23		10		14		31			22	5
6	01	03	11		19						02	07	6
7	17		27	16	11						11		7
8	25		04	03	02							~~19~~	8
9	12		03	10	05	04					06	~~02~~	9
10	~~07~~		55							02		19 ~~03~~	10
11			48				50			02		02 ~~06~~	11
12			21	06		29			04	07		03	12
13	07			11					13	01		06	13
14	22	02		22			10		02			08	14
15	19	01		10	16					01		36	15
16	24	1·01			~~16~~			06			07		16
17		·85			07	03					08	01	17
18			59		03		02	08	04		02	05	18
19	20	29	92			14	1·54	56	13		06	02	19
20	39	03	53			01	10	12	03		10	05	20
21		44	05									08	21
22		05	~~11~~				01		32			15	22
23										98	03		23
24						05				82	11	09	24
25	08			10	09			35				04	25
26	04		11	14		03		04	05			28	26
27	26		03	63				64				07	27
28	06		14					37			37	35	28
29				11				03		29	03	19	29
30	05			10		17		13		05	11	51	30
31	02						01			03			31
Total	3·48	3·13	4·77	1·86	0.98	0·95	2·95	2·42	1·74	2·46	1·48	3·77	Year's Total 29·99
Days with ·01 in. or more	21	12	19	12	12	9	12	11	13	11	16	25	173

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

accumulation Feb 18 - Mar 17 redistributed by [illegible]

FORM A.
BRITISH RAINFALL
25 FEB 1915

2383

MALVERN

CLARENCE RD.

1914 - 20

REGIS

Kept at Olicana, [illegible] ... Malvern

in the County of Worce...

... 5 in.

by Samuel So...

...ound 1 ft. — in.

...a Level 300 ft.

IMPORTANT NOTE ... result entered to the previous day. If an Obs... ...al rule, he is earnestly requested to add the readi... ...n the space provided for it at the end of this ... ...t of rain, the selection and placing of rain gauges, and particulars ... ...h Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	Reading not taken from 18 Feby to 17 March, when 2·45 was found to have collected — (1·70) of this estimated for March.	—	—	—	1·09	·27	—	—	·04	·04	1
2	—	—		—	—	—	·41	·09	—	—	·61	·39	2
3	—	—		·12	·27	—	·09	·10	—	—	·01	·02	3
4	·27	·02		·15	·14	—	·11	·10	—	—	·53	·45	4
5	·06	—		·16	·08	—	·69	—	—	—	·13	—	5
6	·03	—		—	·05	—	—	—	—	—	·04	·11	6
7	—	·24		·24	·24	·08	·13	·13	—	—	·01	·18	7
8	—	—		—	·04	·70	·04	·03	including all from 8th inst.	—	—	·04	8
9	·09	—		·30	·08	1·38	—	·06		—	—	—	9
10	·04	·18		·37	·02	·03	—	—		—	—	—	10
11	—	·11		·06	·18	·20	—	—		—	·12	·55	11
12	—	·20		—	—	—	·21	—		—	·12	·17	12
13	—	·12		—	—	—	·02	—	·97	·17	·07	·49	13
14	—	·11		—	—	—	·01	—	—	·23	·13	·01	14
15	·04	·01		—	—	—	—	·11	·06	·02	·06	—	15
16	—	—		—	—	—	·05	—	·20	—	—	—	16
17	—	·20	·20	—	—	—	—	—	·06	—	—	·16	17
18	—	Reading not taken estimated at (·75)	·03	—	Reading not taken from 18th to 28th when ·28 was registered and for 28th.	·04	·20	—	—	·05	—	·36	18
19	·02		—	—		—	·94	—	—	—	·03	·10	19
20	—		·09	—		·04	—	—	—	—	accumulated	·27	20
21	—		—	—		·55	—	·36	—	·13		·13	21
22	—		—	—		—	·02	·06	—	·07		—	22
23	—		—	—		—	·01	—	—	·15		—	23
24	—		·52	—		—	·01	·04	—	·18	·04	—	24
25	·07		·17	—		—	·10	·19	—	·27	·02	·06	25
26	—		—	—		—	—	·04	—	·05	·34	·33	26
27	·03		—	—		—	—	—	—	—	—	·13	27
28	—		—	—	·28	—	—	—	—	—	·19	·84	28
29	—		·31	—	·08	—	—	—	—	·24	·09	·25	29
30	—	✕	·05	—	·01	·10	—	—	—	·07	·45	·52	30
31	·09	✕	—	✕	—	✕	·20	—	✕	·04	✕	·04	31
Total	·74	est^d ~~[illegible]~~ (1·94)	est^d ~~3·37~~ (3·07)	1·40	1·47	3·12	4·33	1·58	1·29	1·67	3·03	5·64	YEAR'S TOTAL 29·28
Rain Days.	10	...	...	7		9	18	13		13		23	

W. 8,000. X. 14.

accumulation Feb 18 – Mar
redistributed by [illegible]

REGIS

FORM A.
BRITISH RAINFALL.
25 FEB 1915

Kept at Olicana, Great Malvern
in the County of Worcestershire
by Samuel Bottomley.

Time of
Nearest Railway Station Malvern
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	Reading not taken from 18th Feby to 17th March, when 2·45 was found – (1·70) of this estimated for March	—	—	—	1·09	·27	—	—	·04	·04	1
2	—	—		—	—	—	·41	·09	—	—	·61	·39	2
3	—	—		·12	·27	—	·09	·10	—	—	·01	·02	3
4	·27	·02		·15	·14	—	·11	·10	—	—	·53	·45	4
5	·06	—		·16	·08	—	·69	—	—	—	·13	—	5
6	·03	—		—	·05	—	—	—	—	—	·04	·11	6
7	—	·24		·24	·24	·08	·13	·13	—	—	·01	·18	7
8	—	—		—	·04	·70	·04	·03	including all from 8th incl.	—	—	·04	8
9	·09	—		·30	·08	1·38	—	·06		—	—	—	9
10	·04	·18		·37	·02	·03	—	—		—	—	—	10
11	—	·11		·06	·18	·20	—	—		—	·12	·55	11
12	—	·20		—	—	—	·21	—		—	·12	·17	12
13	—	·12		—	—	—	·02	—	·97	·17	·07	·49	13
14	—	·11		—	—	—	·01	—	—	·23	·13	·01	14
15	·04	·01		—	—	—	—	·11	·06	·02	·06	—	15
16	—	—		—	—	—	·05	—	·20	—	—	—	16
17	—	·20	·20	—	—	—	—	—	·06	—	—	·16	17
18	—		·03	—	Reading not taken from 18th to 28th when ·28 was registered out for 28th	·04	·20	—	—	·05	—	·36	18
19	·02	Reading not taken estimated at (·75)	—	—		—	·94	—	—	—	·03	·10	19
20	—		·09	—		·04	—	—	—	—	accumulated	·27	20
21	—		—	—		·55	—	·36	—	·13		·13	21
22	—		—	—		—	·02	·06	—	·07		—	22
23	—		—	—		—	·01	—	—	·15		—	23
24	—		·52	—		—	·01	·04	—	·18	·04	—	24
25	·07		·17	—		—	·10	·19	—	·27	·02	·06	25
26	—		—	—		—	—	·04	—	·08	·34	·33	26
27	·03		—	—		—	—	—	—	—	—	·13	27
28	—		—	—	·28	—	—	—	—	—	·19	·84	28
29	—		·31	—	·08	—	—	—	—	·24	·09	·25	29
30	—	╳	·05	—	·01	·10	—	—	—	·07	·45	·52	30
31	·09	╳	—	╳	—	╳	·20	—	╳	·04	╳	·04	31
Total	·74	estd. ~~1·60~~ (1·94)	estd. ~~3·37~~ (3·07)	1·40	1·47	3·12	4·33	1·58	1·29	1·67	3·03	5·64	YEAR'S TOTAL 29·28
Rain Days.	10	...	...	7		9	18	13		13		23	

W. 8,000. X. 14.

ex rgs

2400

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
3 - JAN 1916

Kept at Olicana, Malvern,
in the County of Worcestershire
by Samuel Bottomley.

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Great Malvern
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·12	—	·06	—	·30	—	·08	·05	·05	·18	·03	·06	1
2	·14	·19	·14	·17	—	·18	—	1·77	·01	·29	—	·10	2
3	1·14	·09	·02	·12	·18	—	·72	·48	—	·01	—	·23	3
4	·01	·03	—	—	·04	—	·39	·01	—	—	—	·75	4
5	·01	·57	—	—	·01	—	·01	·08	—	·06	—	·55	5
6	·17	·02	—	·18	—	—	·43	·01	—	—	—	·11	6
7	·06	·40	—	·02	—	—	·03	·09	—	—	—	·44	7
8	·22	·42	—	—	—	—	—	·02	—	—	·06	—	8
9	·26	·05	—	·11	—	—	—	·02	—	—	·15	·36	9
10	·19	—	·08	·04	—	—	—	—	—	·02	—	—	10
11	·01	—	—	·02	·04	—	—	—	—	—	1·07		11
12	·08	·03	—	·15	·49	—	—	·08	—	·06	·75		12
13	·01	·25	—	—	·82	—	—	·86	—	—	—		13
14	—	·04	—	—	—	—	—	·35	—	—	—	·44	14
15	·21	—	—	—	·10	—	—	·15	·06	—	·08	·16	15
16	·07	·36	—	·02	·37	—	1·08	·03	—	—	—	·01	16
17	·01	·25	—	—	1·10	—	—	·08	—	—	—	·01	17
18	—	·47	·07	—	—	—	—	—	—	·02	—	—	18
19	—	·02	—	—	·09	—	·09	—	—	—	—	—	19
20	·15	—	—	·06	—	—	—	—	—	—	—	·09	20
21	·12	—	—	—	—	—	·10	—	—	·12	·01	·04	21
22	·08	·01	·34	·10	—	—	·38	—	·01	—	—	·26	22
23	·02	·05	·06	—	—	·03	·21	—	—	·95	—	·19	23
24	—	—	·11	·03	—	—	·47	—	·40	1·00	—	·21	24
25	—	—	·01	—	—	·44	·65	—	—	·05	—	·19	25
26	—	·05	—	—	—	—	·48	—	—	—	—	·44	26
27	—	·02	—	—	—	—	·14	—	—	·32	—	·04	27
28	—	·08	—	—	—	·12	—	·16	·15	—	—	·01	28
29	—	×	—	—	—	·19	·16	·01	—	·01	·07	·06	29
30	·07	×	—	·01	—	·03	·01	—	—	·25	·03	·20	30
31	·02	×	—	×	—	×	·10	—	×	·63	×	·31	31
Total	3·17	3·40	0·89	1·03	3·54	0·99	5·53	4·25	0·68	3·97	2·25	5·26	YEAR'S TOTAL 34·96
Rain Days.	22	20	9	13	11	6	18	17	6	15	9	25	171

W. 8,000. X. 15.

axrg3

2424

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
10 JAN 1917

Kept at Olicana, Malvern
in the County of Worcester
by Samuel S. Bottomley.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Great Malvern
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07		·03				·14			accumulated since 19 Sept.	·18		1
2	·42		·27		·22		·02		·03				2
3	·01	·76			·02	·01			·02		·14		3
4	·22	·22		·02	·49	·28	·02		·04		·52		4
5	·02	·01	·03		·37		·22		·01		·10		5
6		·17	·02		·21	·12	·75				·34		6
7	·01		·07	·01	·07		·22				·21	·15	7
8	·02		·12		·21	·07					·02	·29	8
9		·01	·01		·24	·17			·01		·02		9
10		·45	·01	·03	·01	·17						·01	10
11	·01	·10	·15	·15	·02	·11			·02			·30	11
12	·05	·04	·04	·03	·25		·26			2·00	·01		12
13		·26	·18					·25		·01			13
14		·18	·05		·04			·01		·02	·01		14
15		·49	·25	·04	·21		·01	·34		·03			15
16		·02		·22	·11		·12	·67		·03			16
17	·09	·14		·06					·39	·45			17
18	·01	·05	·03	·02				·02	·11	·05	·38	·19	18
19			·34	·09					—	·01	·33	·02	19
20	·08	·01	·55	·09							·02	·20	20
21	·01		·36	·02	·10		·26		accumulated up to 13th Oct.			·25	21
22			·01			·03				·14	·01	·40	22
23	·01	·30		·03				·12		·04	·01	·36	23
24		·19	·09	·01	·57	·08		·04		·22		·12	24
25	·01	·03	·21			·02		·21		·05	·20	·01	25
26	·03	·11	·07			·06		·03		·07	·06		26
27	·06	·14	1·13			·06		·06		·35		·01	27
28		·56	·07			·10				·15		·12	28
29		·18				·25		1·26		·49		·04	29
30	·01	X	·01		·05	·01				·25		·01	30
31		X		X		X		·01	X	·25	X	·04	31
Total	1·14	4·42	4·10	0·82	3·19	1·54	2·02	3·02	0·63	4·61	2·56	2·52	YEAR'S TOTAL 30·57
Rain Days.	18	22	24	14	17	15	10	12			17	17	

W. 8,000, VIII. 16

2308

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

4. JAN 1918

Kept at Clarence Road, Malvern

in the County of Worcester

by Samuel Bottomley.

Lat. .... Long. .... as before

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	·12	—	·17	—	·90	·02	—		—	1
2	·01	—	—	·06	—	·13	—	·06	—	—		—	2
3	—	—	—	·05	—	—	—	·05	—	·41		—	3
4	—	·02	·19	·01	—	—	—	·03	—	·19	·50	—	4
5	·15	—	·16	·20	—	—	—	·01	·03	·23		—	5
6	—	—	·05	·01	—	·44	—	—	—	·07		—	6
7	·26	—	—	—	—	·01	·36	—	—	·29	·01	·01	7
8	·53	—	—	·11	—	·01	·49	·69	—	·36	·04	·13	8
9	—	—	·19	·05	·15	—	—	1·17	·12	·10	·06	·01	9
10	·29	—	·35	·11	·46	—	—	·19	·01	·01	·01	—	10
11	—	—	·18	·14	·01	—	—	·11	—	·09	·01	—	11
12	·12	—	—	·02	·25	—	—	·01	—	·18	·01	—	12
13	·01	—	·08	·01	—	—	—	·07	·06	·20	—	—	13
14	—	—	·19	·02	—	—	—	·07	—	·04	—	—	14
15	·01	—	·01	·01	·09	—	·01	·06	—	·03	—	·08	15
16	—	—	—	·16	—	—	·10	—	—	·01	—	·36	16
17	·02	—	—	·08	·67	·11	·36	·16	·09	·06	—	—	17
18	·01	—	—	·01	·08	·01	·29	·01	1·20	·01	—	—	18
19	·02	·44	·33	—	·01	·18	—	—	·08	—	—	—	19
20	·01	·18	·13	—	·92	·25	·46	—	·02	—	·01	—	20
21	—	·03	·26	—	·07	·10	—	·24	—	·03	·02	·01	21
22	—	·01	·02	—		·04	—	·07	·01	·06	·01	—	22
23	—	·16	—	—		·02	—	·16	—	·08		—	23
24	—	·01	·01	—		·08	—	·07	—	·17		—	24
25	—	·04	·05	—	1·48	—	—	·05	—			—	25
26	—	·01	·01	—		·06	—	·37	·15			—	26
27	—	—	—	—		·18	·10	·79	—		·17	—	27
28	—	·08	·15	—		·20	—	·13	—	·49		·04	28
29	—		·02	—	—	·40	·09	·02	—			·27	29
30	—		—	—	—	—	·09	·31	—			·01	30
31	—		·12		·03		—	·11				—	31
Total	1·44	0·98	2·50	1·17	4·22	2·39	2·35	5·91	1·79	3·11	0·95	0·92	YEAR'S TOTAL 27·73
Rain Days.	12	10	19	17	(14)	17	10	26	11	(25)	(18)	9	(188)

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

1

Kept at Oleana, Malvern

in the County of Worcester

by Samuel Bottomley.

Lat. Long. —

Time of Observation 9 a.m.

Nearest Railway Station Gt Malvern

as before

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 300 — ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
		·02											
1		·04	·01	·03	·07			·08		}	·56		1
2		·02		·04				·33	·01	} ·04		·07	2
3		·06	·01	·03	·25			·03	·56		·10		3
4			·01	·01				·02	·17	·12	·54	·38	4
5		·34	·01	·02	·21			·03	·31	·08		·02	5
6	·02	·13	·02	·06	·01	·05			·58	·14		·02	6
7	·01	·07		·02	·24	·01			·07	·03	·23	·01	7
8		·14			·01				·17	·09		·05	8
9	·01	[illegible]		·29	}	·20			}	·11	·01	·01	9
10	·07			·14	}		·19		}	·07		·08	10
11	·01			·12	} ·19		·05		}	·01	·03	·05	11
12	·01	·01	·19	·01	}		·34		}				12
13				·02	}		·09		}	·02		·07	13
14	·26		·09				·10		}	·10		·05	14
15	snow 1·30		·01	·14	·01		·24		}	·01	·01	·28	15
16	snow ·18			1·03		·05	·01		}	·04	·01	·05	16
17	·10		·01	·04	·04	·06	·05	·01	}	·06		·07	17
18	·35			·01		·53	·25		}	·01		·43	18
19	·11		·17	·01			·13		}	·10		·01	19
20	·10	·07		·32		·03	·02		}			·05	20
21	·11	·01		·52		·04	·06		} 3·83	·01		·13	21
22	·01				·04		·10		}	·03	·01	·13	22
23	·04				·58		·35		}		·03	·01	23
24	·01	·10					·02	·01	}	·01	·05		24
25					·01	·03	·18	·56	}	·03			25
26							·38	·01	}	·02	·07	·14	26
27								·16	}	·01	·06	·02	27
28		·17	·30	·03		·01		·01	}		·06	·09	28
29			·06						}			·04	29
30		✕	·37					·05	}	·01	·04	·05	30
31		✕	·14	✕		✕		·03	✕		✕		31
Total	2·70	1·18	1·40	2·89	1·66	1·01	2·56	1·33	5·70	1·15	1·81	2·31	YEAR'S TOTAL 25·70
Rain Days.	17	13	14	20		10	17	13		24	15	25	

W, 6,500, VII. 18. w w c

24 B1 2163

7 JAN 20

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Great Malvern
in the County of Worcester
by Samuel Bottomley

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Great Malvern
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 300 — ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·36	·01	·02	·01		·01	·13	—	·05	·16	—		1
2	·13	—	—	—		—	·31	—	·15	—	·08		2
3	snow ·60	—	·12	—		·17	·02	—	·03	—	·17	·94	3
4	snow ·10	snow ·07	·38	—		·02	·24	·02	·18	—	·02		4
5	·06	snow ·40	·12	—		—	·03	—	·34	—	—	·27	5
6	·02	·02	·09	—		—	—	—	·01	—	·05	·05	6
7	·22	—	·25	·14	·76	—	—	—	—	—	·09	·02	7
8	·24	—	·04	·04		·03	—	—	—	—	·01	·01	8
9	·09	—	·04	·11		—	—	—	—	—	—	—	9
10	—	—	·55	·02		—	—	—		—	·01		10
11	·01	—	·60	—		—	·58	—		—	—	·25	11
12	—	—	·06	·01		·19	—	—	·22	·11	snow ·01	·02	12
13	·08	—	—	·12		—	—	—		·09	·01	·03	13
14	·16	·02	—	·22	—	—	·06	—		·02	—	·05	14
15	·37	·06	—	·06	·16	—	—	—	—	·04	—	·36	15
16	·11	1·13	—	·01	—	—	—	·18	—	—	·06	·01	16
17	—	snow ·72	—	·05	·02	·04	—	—	—	—	·06	·01	17
18	—	—	·64	—	·05	—	·02	·17	—	—	·01	·03	18
19	·32	·29	1·11	—	—	·12	1·46	·49	·25	—	·05	·02	19
20	·40	·02	·48	—		·01	·02	·07	·09	—	·21	·07	20
21	·01	·44	·02	—		·03	·32	·02	·02	—	·01	·08	21
22	·01	·02	·02	—		·01	·02	—	·45	—	·01	·14	22
23	—	—	—	—		·02	—	·01	—	·86	·02	·01	23
24	·01	—	—	·05	·08	·02	—	—	·01	·75	·10	·06	24
25	·07	—	—	·10		·02	—	·22	—	·01	·01	·06	25
26	·05	—	·08	·16		·03	—	·09	·06	—	—	·31	26
27	·19	—	·02	snow ·65		·03	—	·66	·04	—		·10	27
28	·07	—	·13	·01		·01	—	·39	—	—	·56	·34	28
29	·05	—	—	·08	—	·02	—	·01	—	·31		·19	29
30	—	X	—	·10	—	·16	—	·09	—	·04		·40	30
31	—	X	·06	X	—	X	·02	·01	X	·03	X	·01	31
Total	3·73	3·20	4·83	1·94	1·07	0·94	3·23	2·43	1·90	2·42	1·55	3·84	Year's Total 31·08
Days with ·01 in. or more	24	12	20	18		18	13	14		11			

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

2082

5 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920

Kept at Clarence Rd. Malvern

in the County of Worcester,

by Samuel Bottomley

Lat. Long. as before.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	'02	'28	'29	—	'25	—	'01	'19	—	'24	1
2	'06	—	'01	'18	—	—	'08	'06	'06	'10	—	'10	2
3	'05	'02	—	'14	'13	'04	'93	—	'11	'55	—	'01	3
4	—	—	—	'06	'01	—	'02	'21	'01	'22	—	—	4
5	—	—	'06	'13	'17	—	'32	'05	—	'20	—	—	5
6	—	—	'31	—	'06	—	'06	—	'01	'32	—	—	6
7	—	—	'05	'17	'02	—	'12	—	—	'01	—	'01	7
8	'24	'06	—	'53	'14	—	'68	'04	—	'01	—	—	8
9	'24	'02	—	'31	—	—	'17	'06	—	'01	—	'01	9
10	'55	'14	'05	'10	—	'20	'12	—	—	—	'07	'01	10
11	'18	'01	'07	'29	'31	'18	'09	'01	—	—	—	—	11
12	'15	'01	—	'23	—	'83	'03	—	—	—	'04	—	12
13	'01	'03	'41	'12	—	—	—	—	—	—	—	Snow '02	13
14	'02	'01	Snow '52	'44	—	'03	'03	'01	'53	'08	'18	—	14
15	'01	'12	'28	'46	—	—	'02	—	'10	'05	'07	—	15
16	—	'01	'01	'08	'05	'65	'23	—	'09	'52	'03	—	16
17	'01	—	—	'01	'09	'02	—	—	'78	'24	—	'02	17
18	'15	—	—	'04	'08	—	—	'19	'43	'01	—	'02	18
19	'03	'26	—	'26	'01	'13	—	'02	'02	—	—	'01	19
20	'03	'13	—	'30	—	'14	—	—	'01	—	—	'06	20
21	—	—	—	+	—	—	'08	—	—	—	—	'02	21
22	'01	—	—	'13 +✓	—	'01	'02	'05	—	—	—	'20	22
23	—	'01	—	'01	—	—	'37	'08	—	—	—	'36	23
24	—	—	'19	'01	—	—	—	—	—	—	—	'13	24
25	—	'07	'06	'02	—	'02	'65	—	—	—	'02	'01	25
26	'14	—	'23	'01	—	—	'01	—	—	'01	'12	'05	26
27	'34	'04	'15	'06	'03	'35	'01	—	—	—	'01	'68	27
28	✓+	—	'10	'01	'40	—	'02	—	—	—	—	'01	28
29	✓+ 1·20	'01	'09	—	'04	—	'18	—	—	—	'09	'51	29
30	+	X	'42	'17	—	'09	'13	—	'21	—	'26	'11	30
31	✓+	X	'05	X	'05	X	'02	—	X	'11	X	'02	31
TOTAL	3·42	0·95	3·08	4·55	1·88	2·69	4·61	0·78	2·37	2·63	0·89	2·61	YEAR'S TOTAL 30·46 ✓
Days with ·01 in. or more	21	16	19	28	16	13	25	11	13	16	10	22	210
Days with ·04 in. or more	13	7	16	21	12	9	16	8	8	11	7	10	138

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

2382

MALVERN.

1914 – 20

78 27 08

FORM A.
BRITISH RAINFALL.

4 JAN 1915

REGISTE

Kept at Malvern

in the County of Worceste

by E. W. Harris: The F

lvern

in.

one ft. in.

377 ft.

IMPORTANT NOTE.—Ra … t entered to the previous day. If an Observer … , he is earnestly requested to add the reading at … year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	0·02	–	0·03	–	–	1·18	0·26	–	–	0·04	0·08	1
2	–	–	–	–	0·01	0·01	0·39	0·11	–	–	0·63	0·44	2
3	–	–	–	0·10	0·27	–	0·09	0·06	–	–	01	0·03	3
4	0·29	–	–	0·15	0·04	–	0·10	0·11	–	–	53	0·47	4
5	0·05	–	0·05	0·19	0·16	–	0·60	–	–	–	13	–	5
6	0·04	0·08	–	–	0·04	–	0·02	–	–	–	0·05	0·07	6
7	–	0·20	0·29	0·21	0·25	0·06	0·13	0·13	0·03	–	~~0·05~~	0·22	7
8	–	–	0·10	0·02	0·04	0·66	0·03	0·06	–	–	–	0·05	8
9	0·27	0·01	0·21	0·28	0·08	1·51	–	0·07	0·23	–	–	–	9
10	0·06	0·19	–	0·41	0·03	0·03	–	–	0·31	–	0·01	–	10
11	–	0·17	0·23	0·06	0·16	0·18	–	–	0·01	–	0·15	0·60	11
12	–	0·20	0·20	–	–	–	0·21	–	0·23	–	0·08	0·18	12
13	–	0·14	0·31	–	–	–	0·02	–	0·17	0·17	0·11	0·52	13
14	–	0·13	0·35	–	–	–	–	–	–	0·27	0·14	0·01	14
15	0·02	0·03	0·11	–	–	–	–	0·12	0·07	0·01	0·11	–	15
16	–	–	0·01	–	–	–	0·06	–	0·21	–	–	–	16
17	–	0·20	0·21	–	–	–	–	–	0·06	–	–	0·15	17
18	–	–	0·01	–	–	–	0·19	–	–	0·06	–	0·39	18
19	–	–	0·07	–	–	–	0·99	0·01	–	–	0·18	0·08	19
20	–	0·45	0·03	–	–	0·05	–	–	–	–	–	0·28	20
21	–	0·17	0·01	–	–	0·45	–	0·22	–	0·01	–	0·11	21
22	–	0·03	0·02	–	0·20	–	0·03	0·07	–	0·08	–	–	22
23	–	–	0·12	–	0·07	–	–	0·05	–	0·15	–	–	23
24	–	0·01	0·33	–	–	–	–	–	–	0·18	0·04	–	24
25	0·09	–	0·17	–	–	–	0·03	0·20	–	0·19	0·02	0·07	25
26	–	–	–	–	–	–	0·01	0·04	–	–	0·28	0·35	26
27	0·02	–	–	–	–	–	–	–	–	0·05	0·17	0·14	27
28	–	0·10	0·14	–	0·05	–	–	–	–	0·02	0·12	1·13	28
29	–	×	0·16	–	0·10	–	–	–	–	0·22	–	–	29
30	–	×	0·07	–	0·01	0·10	–	–	–	0·07	0·47	0·54	30
31	0·12	×	–	×	–	×	0·21	–	×	0·04	×	0·02	31
Total	0·96	2·13	3·20	1·45	1·51	3·05	4·29	1·51	1·32	1·52	3·27	5·93	YEAR'S TOTAL 30·14
Rain Days.	9	16	22	9	15	9	17	14	9	14	19	22	175

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Malvern
in the County of Worcester
by E. W. Harris: The High School

N Lat. 52° 8′ W Long. 2° 18′
Time of Observation 9·0 a.m.
Nearest Railway Station Great Malvern
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground one ft. in.
" " " " Sea Level 377 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	0·02	–	0·03	–	–	1·18	0·26	–	–	0·04	0·08	1
2	–	–	–	–	0·01	0·01	0·39	0·11	–	–	0·63	0·44	2
3	–	–	–	0·10	0·27	–	0·09	0·06	–	–	01	0·03	3
4	0·29	–	–	0·15	0·04	–	0·10	0·11	–	–	53	0·47	4
5	0·05	–	0·05	0·19	0·16	–	0·60	–	–	–	13	–	5
6	0·04	0·08	–	–	0·04	–	0·02	–	–	–	0·05	0·07	6
7	–	0·20	0·29	0·21	0·25	0·06	0·13	0·13	0·03	–	– ~~0·05~~	0·22	7
8	–	–	0·10	0·02	0·04	0·66	0·03	0·06	–	–	–	0·05	8
9	0·27	0·01	0·21	0·28	0·08	1·51	–	0·07	0·23	–	–	–	9
10	0·06	0·19	–	0·41	0·03	0·03	–	–	0·31	–	0·01	–	10
11	–	0·17	0·23	0·06	0·16	0·18	–	–	0·01	–	0·15	0·60	11
12	–	0·20	0·20	–	–	–	0·21	–	0·23	–	0·08	0·18	12
13	–	0·14	0·31	–	–	–	0·02	–	0·17	0·17	0·11	0·52	13
14	–	0·13	0·35	–	–	–	–	–	–	0·27	0·14	0·01	14
15	0·02	0·03	0·11	–	–	–	–	0·12	0·07	0·01	0·11	–	15
16	–	–	0·01	–	–	–	0·06	–	0·21	–	–	–	16
17	–	0·20	0·21	–	–	–	–	–	0·06	–	–	0·15	17
18	–	–	0·01	–	–	–	0·19	–	–	0·06	–	0·39	18
19	–	–	0·07	–	–	–	0·99	0·01	–	–	0·18	0·08	19
20	–	0·45	0·03	–	–	0·05	–	–	–	–	–	0·28	20
21	–	0·17	0·01	–	–	0·45	–	0·22	–	0·01	–	0·11	21
22	–	0·03	0·02	–	0·20	–	0·03	0·07	–	0·08	–	–	22
23	–	–	0·12	–	0·07	–	–	0·05	–	0·15	–	–	23
24	–	0·01	0·33	–	–	–	–	–	–	0·18	0·04	–	24
25	0·09	–	0·17	–	–	–	0·03	0·20	–	0·19	0·02	0·07	25
26	–	–	–	–	–	–	0·01	0·04	–	–	0·28	0·35	26
27	0·02	–	–	–	–	–	–	–	–	0·05	0·17	0·14	27
28	–	0·10	0·14	–	0·05	–	–	–	–	0·02	0·12	1·13	28
29	–	✕	0·16	–	0·10	–	–	–	–	0·22	–	–	29
30	–	✕	0·07	–	0·01	0·10	–	–	–	0·07	0·47	0·54	30
31	0·12	✕	–	✕	–	✕	0·21	–	✕	0·04	✕	0·02	31
Total	0·96	2·13	3·20	1·45	1·51	3·05	4·29	1·51	1·32	1·52	3·27	5·93	YEAR'S TOTAL 30·14
Rain Days.	9	16	22	9	15	9	17	14	9	14	19	22	175

W. 8,000. X. 14.

Section **A** for the entry of Daily Observations

Station No. 2382

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~14

Kept at MALVERN, FREE LIBRARY

in the County of WORCESTERSHIRE

COPY

Diameter of funnel of gauge .... in.
Height of top of gauge above ground .... ft. .... in.
Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
MMS	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	†	
1		05		08			300	66			10	20		1
2					03	03	99	28			160	112		2
3				26	69		23	15			03	08		3
4	74			38	10		26	28			135	119		4
5	13		13	48	41		153				33			5
6	10	20			10		05				13	18		6
7		51	74	53	64	15	33	33	08			56		7
8			26	05	10	168	08	15				13		8
9	69	03	53	71	20	384		18	59					9
10	15	48		104	08	08			79		03			10
11		43	59	15	41	46			03		38	153		11
12		51	51				53		59		20	46		12
13		36	79				05		43	43	28	132		13
14		33	89							69	36	03		14
15	05	08	28					31	18	03	28			15
16			03				15		53					16
17		51	53						15			38		17
18			03				48			15		99		18
19			18				252	03			46	20		19
20		114	08			13						71		20
21		43	03			114		56		03		28		21
22		08	05		51		08	18		20				22
23			31		18			13		38				23
24		03	84							46	10			24
25	23		43				08	51		48	05	18		25
26							03	10			71	89		26
27	05									13	43	36		27
28		26	36		13					05	31	287		28
29		X	41		26					56				29
30		x	18		03	26				18	119	137		30
31	31	x		x		x	53		x	~~0~~10	x	05		31
TOTAL	24·5	~~53·8~~ 43	81·8	36·8	38·7	77·7	109·2	38·5	33·7	38·7	83·2	150·8	Year's Total 767·4	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

21089

FORM A.
BRITISH RAINFALL.
5-FEB 1916

REGISTER OF RAINFALL IN 1915

Kept at Malvern
in the County of Worcester
by E. W. Harris

Lat. 52°8′ Long. 2°18′
Time of Observations 6·0 p.m & 9·0 a.m.
Nearest Railway Station Great Malvern
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground one ft. – in.
" " " " Sea Level 377 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	4·5	2·1	1·5	–	7·6	–	1·7	1·0	0·9	5·3	0·8	0·8	1
2	3·0	3·3	3·6	4·8	–	4·6	–	44·7	–	7·2	–	2·6	2
3	26·4	2·8	0·6	2·9	3·9	–	22·6	11·4	–	0·3	–	6·1	3
4	–	0·7	–	0·4	1·9	–	6·7	0·2	–	–	–	19·6	4
5	0·3	15·8	–	0·1	–	–	0·4	1·6	–	1·7	–	14·0	5
6	4·5	0·7	–	4·5	–	–	10·4	0·3	–	–	–	2·5	6
7	1·8	10·6	–	0·3	–	–	1·4	1·9	–	–	–	11·0	7
8	6·5	10·9	–	–	–	–	–	–	–	–	1·6	–	8
9	5·4	1·2	–	2·8	–	–	–	–	–	–	4·3	9·5	9
10	5·8	–	2·2	1·0	–	–	–	–	–	0·6	–	1·0	10
11	–	–	3·0	0·5	1·1	–	–	–	–	–	27·6	0·3	11
12	2·3	–	–	3·8	12·5	–	–	1·2	–	1·3	16·7	0·4	12
13	–	7·6	–	–	20·5	–	–	21·2	–	–	–	0·6	13
14	–	0·5	–	–	–	–	–	8·1	1·8	0·3	–	9·3	14
15	6·1	–	–	–	2·2	–	–	1·2	–	–	3·0	4·8	15
16	1·8	9·1	–	0·5	10·0	–	30·4	1·1	–	–	–	0·3	16
17	–	6·1	–	–	26·8	–	–	1·1	–	–	–	0·2	17
18	0·7	11·7	0·3	–	–	–	–	–	–	–	–	–	18
19	–	0·4	–	–	2·2	–	1·6	–	–	–	–	–	19
20	3·4	–	–	1·5	–	–	–	–	–	–	–	2·6	20
21	1·2	0·3	–	–	–	–	2·4	–	–	3·2	–	1·1	21
22	0·2	0·2	8·8	2·8	–	–	11·1	–	0·2	–	–	6·1	22
23	0·9	1·9	1·4	–	–	0·7	6·1	–	0·1	28·6	–	5·8	23
24	–	–	1·3	–	–	–	8·9	–	10·2	22·3	–	6·0	24
25	–	–	–	–	–	10·9	17·8	–	0·2	1·5	–	4·9	25
26	–	0·4	–	–	–	–	11·1	–	–	–	–	11·5	26
27	–	0·8	–	–	–	–	3·0	–	–	7·9	–	0·5	27
28	–	2·2	–	–	–	4·0	–	3·7	3·6	0·3	–	0·1	28
29	–		–	–	–	4·7	2·6	0·5	–	–	2·1	1·5	29
30	2·0		–	0·1	–	0·6	0·1	0·1	–	7·8	1·8	5·8	30
31	0·6		–		–		2·6	0·3		15·6		8·7	31
Total	77·4	89·3	22·7	26·0	88·7	25·5	140·9	99·6	17·0	103·9	54·9	137·6	YEAR'S TOTAL 886·5
Rain Days.	~~14~~ 19	~~13~~ 21	~~7~~ 9	~~8~~ 12	10	~~4~~ 6	~~16~~ 17	~~12~~ 16	~~3~~ 6	~~11~~ 15	~~7~~ 8	~~20~~ 27	~~123~~ 166

W. 8,000. X. 15.

copy

2423

FORM A.
BRITISH RAINFALL.

8 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Malvern

in the County of Worcester

by E. W. Harris F. R. Met. Soc.

N Lat. 52°8′ W Long. 2°18′

Time of Observation 9.0 a.m.

Nearest Railway Station Great Malvern

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground one ft. — in.

" " " " Sea Level 377 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	1·9	—	0·9	—	0·6	1·6	4·0	—	—	3·7	5·2	—	1
2	11·1	1·5	6·1	—	5·0	—	0·9	—	0·9	19·9	0·6	—	2
3	—	19·4	—	—	0·4	0·4	—	—	0·4	7·2	3·7	—	3
4	5·8	5·6	—	0·2	12·8	7·8	0·5	—	0·9	0·2	15·7	—	4
5	0·5	0·1	1·1	—	9·5	0·1	4·0	—	—	2·2	3·5	—	5
6	0·6	4·1	0·9	—	5·2	2·8	19·6	—	—	3·7	9·2	—	6
7	—	0·2	1·9	—	1·7	—	5·7	—	—	2·9	5·4	4·0	7
8	0·5	—	1·1	—	5·9	2·8	—	—	—	0·1	0·4	7·7	8
9	—	—	0·3	—	6·3	4·6	—	—	—	0·5	0·6	—	9
10	—	12·3	2·1	0·9	0·3	4·7	—	—	—	1·3	0·2	—	10
11	0·3	2·2	1·8	3·8	0·8	3·1	—	—	0·4	—	—	7·4	11
12	1·2	0·9	1·2	0·6	6·9	—	6·9	0·1	—	0·7	—	—	12
13	—	7·2	4·2	—	—	—	—	6·7	—	—	—	—	13
14	—	12·1	0·9	—	1·1	—	—	0·2	—	0·7	—	—	14
15	—	6·1	6·8	1·2	4·4	—	0·4	9·5	—	0·7	—	—	15
16	—	0·4	0·2	6·4	3·1	—	3·3	13·5	—	0·8	—	—	16
17	2·8	3·8	—	1·2	—	—	0·1	—	10·1	11·9	—	—	17
18	—	1·1	0·9	0·2	—	—	—	0·3	2·8	1·3	9·6	4·2	18
19	0·4	—	9·0	2·2	—	—	—	0·3	—	—	8·3	—	19
20	2·1	—	12·9	2·1	—	—	—	—	—	—	0·7	5·2	20
21	0·5	—	9·6	12·5	2·8	—	6·6	—	—	—	—	6·4	21
22	—	—	0·2	—	—	0·9	—	—	—	3·6	—	12·5	22
23	0·4	7·4	—	0·9	—	—	—	3·3	—	1·1	0·3	4·5	23
24	—	3·9	2·6	0·5	15·3	1·3	—	1·2	—	6·2	—	3·1	24
25	—	1·4	5·2	—	—	0·6	—	5·4	0·1	1·5	5·2	0·2	25
26	0·9	2·2	1·0	—	—	1·5	—	1·4	0·8	2·2	1·5	—	26
27	2·0	3·9	14·5	—	—	1·7	—	1·7	9·2	8·4	—	0·2	27
28	0·1	12·1	2·3	—	—	2·6	—	—	2·8	4·2	—	3·8	28
29	—	4·6	—	—	—	6·2	—	30·7	—	11·3	—	1·6	29
30	—	X	—	—	—	0·3	—	—	—	7·8	—	—	30
31	—	X	—	X	—	X	—	—	X	6·4	X	1·3	31
Total	31·1	112·5	87·7	32·7	82·3	43·0	52·0	74·3	28·4	110·5	70·1	62·1	YEAR'S TOTAL 786·7
Rain Days.	15	~~20~~ 21	~~22~~ 24	~~11~~ 13	17	16	10	~~11~~ 12	9	~~24~~ 25	~~15~~ 16	~~12~~ 14	~~182~~ 192

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Malvern
in the County of Worcester
by E. W. Harris F.R. Met. Soc.

N Lat. 52°8' W Long. 2°18'
Time of Observation 9·0 am
Nearest Railway Station Great Malvern
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground one ft. in.
" " " " Sea Level 377 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	1·9	3·9	–	4·6	–	23·8	1·3	–	3·0	–	1
2	–	–	0·2	1·8	–	2·9	–	0·8	–	0·4	2·9	–	2
3	0·3	0·3	–	1·4	–	–	–	1·2	–	8·6	0·2	–	3
4	–	0·8	6·2	–	–	–	–	0·6	–	5·5	–	0·3	4
5	3·8	–	4·9	5·2	–	0·3	–	–	0·8	5·6	2·4	–	5
6	–	–	–	–	–	11·6	–	–	–	2·2	5·0	–	6
7	6·7	–	1·1	–	–	–	9·4	4·1	–	–	–	–	7
8	12·9	–	–	2·8	–	0·3	12·0	13·2	–	9·9	4·1	4·2	8
9	–	–	–	1·2	4·5	–	–	28·9	3·4	2·4	1·9	–	9
10	7·8	–	9·5	2·9	13·2	–	–	4·8	0·1	–	0·2	–	10
11	2·0	–	3·7	4·0	0·2	–	–	2·7	–	2·4	0·4	–	11
12	1·2	–	–	–	7·2	–	–	0·4	–	4·8	–	–	12
13	0·1	–	2·0	0·3	–	–	–	1·3	1·7	4·9	–	–	13
14	–	–	4·8	0·5	–	–	–	1·4	–	0·5	–	–	14
15	–	–	0·2	–	2·3	–	0·4	1·0	–	0·9	–	4·3	15
16	–	1·0	–	3·4	–	–	2·9	–	–	0·1	–	7·9	16
17	–	–	–	–	18·0	3·7	10·4	4·7	2·7	1·9	–	–	17
18	0·8	0·6	–	0·5	3·1	–	6·7	0·3	32·9	–	–	–	18
19	0·3	9·4	5·6	–	–	5·4	–	–	0·6	–	–	–	19
20	–	5·5	5·8	–	24·5	6·8	8·9	–	0·3	–	0·2	–	20
21	–	0·7	5·6	–	1·7	1·9	–	2·0	–	0·8	0·8	–	21
22	–	0·3	0·8	–	–	1·0	–	1·8	0·3	2·2	–	–	22
23	–	4·3	–	–	2·7	0·3	–	4·8	–	1·5	0·3	0·1	23
24	–	0·5	–	–	–	2·1	–	2·2	–	4·7	0·9	–	24
25	–	1·0	1·4	–	–	–	–	–	–	0·9	1·9	–	25
26	–	–	–	–	2·1	2·3	–	9·1	3·7	0·4	1·2	–	26
27	–	0·1	–	–	33·9	1·5	3·8	20·8	–	–	0·4	–	27
28	–	0·1	3·8	–	–	5·8	–	3·2	–	–	–	–	28
29	–	✕	0·3	–	–	8·9	2·2	0·6	–	9·8	–	6·6	29
30	–	✕	–	–	–	–	2·0	9·6	–	3·3	–	–	30
31	–	✕	3·4	✕	0·6	✕	–	3·1	✕	0·5	✕	–	31
Total	35·9	24·6	61·2	27·9	114·0	59·4	58·7	146·4	47·8	74·2	25·8	23·4	YEAR'S TOTAL 699·3
Rain Days.	9	11	~~16~~ 18	12	13 ~~12~~	16	10	25	10	22	16 ~~13~~	5	~~167~~

167

W. 8,000, IX. 17.

FORM A.
BRITISH RAINFALL.

17.1.19

REGISTER OF RAINFALL IN 1918

Kept at Malvern

in the County of Worcester

by E. W. Harris F. R. Met. Soc.

Lat. 52° 8" N. Long. 2° 18" W.

Time of Observation 9h & 18h

Nearest Railway Station Great Malvern

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 377 ~~4~~ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

mm

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	0·4	–	0·7	1·9	–	–	2·2	0·4	0·7	16·0	0·2	1
2	–	1·1	–	3·1	–	–	–	7·7	–	0·6	–	2·4	2
3	–	0·8	0·2	0·6	6·5	–	–	1·0	14·8	0·1	2·6	0·2	3
4	–	1·4	0·2	0·2	–	–	–	0·4	5·6	3·2	14·4	10·7	4
5	–	–	0·3	0·9	5·2	–	–	0·7	7·0	2·7	–	0·7	5
6	0·6	9·2	–	1·6	–	1·5	–	0·1	11·3	4·0	–	0·9	6
7	–	3·7	–	0·3	5·0	–	–	–	2·5	1·2	5·9	0·3	7
8	–	2·1	–	–	–	–	–	–	3·3	2·4	–	0·6	8
9	0·3	3·9	–	3·6	–	4·9	0·2	–	6·4	3·2	0·2	0·4	9
10	1·8	0·2	–	3·7	–	–	4·8	–	2·1	2·4	–	2·5	10
11	0·2	–	0·4	3·7	2·0	–	1·2	–	2·4	–	0·7	1·5	11
12	0·2	0·2	4·6	0·2	3·4	–	8·7	–	0·9	–	–	0·1	12
13	–	–	–	0·7	0·4	–	2·6	–	2·4	0·6	–	2·0	13
14	6·8	–	2·0	–	–	–	2·9	–	12·6	3·3	–	1·4	14
15	19·2	–	–	4·5	–	–	6·7	–	–	–	–	7·7	15
16	5·6	–	–	24·7	–	1·4	0·2	0·3	7·3	1·1	–	1·7	16
17	3·3	–	0·2	11·1	1·6	1·6	2·5	0·2	1·2	1·5	–	1·7	17
18	9·9	–	–	[illegible]	–	10·3	3·7	–	16·6	0·1	–	11·1	18
19	3·0	0·5	4·5	–	–	–	3·4	–	0·2	2·5	–	0·2	19
20	4·5	1·8	–	6·2	–	0·7	0·2	–	3·6	0·2	–	0·8	20
21	3·0	–	–	15·3	–	0·8	1·9	–	10·9	–	–	3·3	21
22	0·2	–	–	–	0·9	–	2·7	–	1·3	–	–	3·4	22
23	1·2	–	–	–	13·7	–	13·4	–	0·2	–	1·1	–	23
24	–	2·6	–	–	–	–	0·4	0·5	4·2	0·4	1·3	–	24
25	0·1	–	–	0·4	0·1	0·8	4·5	14·4	–	0·7	–	–	25
26	–	–	–	–	–	–	9·0	2·7	–	0·6	2·0	3·9	26
27	0·1	0·1	0·4	–	–	–	–	2·1	2·1	–	1·5	0·3	27
28	–	3·6	7·9	0·9	–	0·3	–	–	–	–	1·8	2·6	28
29	–	✗	1·5	–	–	–	–	–	25·5	0·1	–	0·8	29
30	–	✗	9·9	–	–	–	–	1·3	–	0·3	1·3	1·3	30
31	–	✗	3·9	✗	–	✗	–	0·7	✗	–	✗	–	31
Total	60·0	31·6	36·0	72·4	40·7	22·3	69·0	34·3	144·8	31·9	48·8	62·7	YEAR'S TOTAL 654·5
Rain Days.	~~12~~ 15	~~12~~ 14	~~8~~ 13	~~16~~ 19	10	~~8~~ 9	~~15~~ 18	~~11~~ 13	~~22~~ 24	~~17~~ 19	~~11~~ 12	~~24~~ 26	~~167~~ 192

W. 8,000, IX. 17.

Ex. H76

2162

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

24 JAN 20

Kept at Malvern
in the County of Worcester
by E. W. Harris F. R. Met. Soc.

Lat. 52° 8′ N Long. 2° 18′ W
Time of Observation 9h.
Nearest Railway Station Great Malvern
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 377 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	8·1	0·4	0·6	–	1·6	0·6	3·2	–	1·2	4·2	0·2	10·4	1
2	2·8	–	0·2	–	0·9	–	9·0	–	4·4	–	2·0	2·7	2
3	6·7	–	3·1	–	0·7	4·8	0·7	–	0·3	–	4·1	5·6	3
4	3·4	1·5	9·7	–	–	0·4	5·5	1·1	4·6	–	0·5	5·3	4
5	0·3	10·6	2·8	–	2·5	–	0·7	–	9·1	–	–	7·2	5
6	0·3	0·7	2·6	–	9·2	–	–	–	–	–	1·2	1·3	6
7	5·9	–	7·0	3·3	3·3	–	–	–	–	–	2·4	0·5	7
8	6·7	–	0·7	1·4	–	0·8	–	–	–	–	0·2	–	8
9	2·7	–	1·0	2·8	–	–	–	–		–	–	–	9
10	–	–	14·6	0·3	–	–	–	–	–	0·7	–	6·7	10
11	0·2	–	16·4	–	0·8	–	15·6	–	–	0·8	–	0·7	11
12	–	–	2·1	0·2	–	4·9	–	–	0·8	1·4	0·5	0·4	12
13	2·3	–	–	3·2	–	–	–	–	3·6	1·7	–	0·9	13
14	4·8	0·7	–	5·1	–	–	1·7	–	1·1	0·3	–	1·2	14
15	9·1	1·5	–	1·9	4·3	–	–	–	–	0·9	–	10·3	15
16	3·5	28·9	–	–	–	–	–	5·6	–	–	1·6	–	16
17	0·1	16·0	–	1·3	0·9	1·1	–	–	–	–	1·9	0·3	17
18	–	–	17·0	–	6·0	–	0·5	3·1	–	–	0·4	1·3	18
19	7·4	8·0	27·5	–	–	3·5	37·9	12·3	7·9	–	2·6	0·2	19
20	11·4	0·7	11·9	–	–	0·9	0·2	2·8	2·1	–	3·5	2·4	20
21	0·4	11·5	0·9	–	–	0·2	7·6	–	0·6	–	0·3	1·9	21
22	–	0·8	–	–	–	–	0·4	0·3	11·5	–	–	4·0	22
23	–	–	–	–	–	0·2	–	0·2	–	22·2	0·5	–	23
24	–	–	–	1·5	0·4	0·6	–	–	–	19·5	2·7	2·6	24
25	2·0	–	–	2·7	2·5	0·6	–	5·6	–	0·2	0·2	0·2	25
26	1·0	–	2·2	5·3	–	0·9	–	2·5	1·6	–	–	7·7	26
27	5·1	–	0·3	13·7	–	–	–	21·2	0·5	–	0·9	2·3	27
28	1·6	–	3·4	–	–	–	–	7·0	–	–	8·3	9·0	28
29	1·3	╳	–	2·1	–	0·3	–	0·2	–	7·6	4·7	5·7	29
30	0·2	╳	–	2·7	–	3·9	–	2·1	–	0·9	2·0	9·6	30
31	–	╳	1·2	╳	–	╳	0·5	0·1	╳	1·8	╳	–	31
TOTAL	84·3	81·3	125·2	47·5	33·1	23·7	83·5	64·1	49·3	62·2	40·7	100·4	YEAR'S TOTAL 798·3 ✓
Days with 0·2 mm. or more	23	12	20	15	12	15	13	13	14	13	21	26	197 ✓

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

FORM A. 2. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

18 JAN 1921

Kept at Malvern
in the County of Worcester
by E. W. Harris F.R. Met. Soc.

Lat. 52° 8′ N Long. 2° 18′ W
Time of Observation 9h
Nearest Railway Station Great Malvern
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 347 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	–	–	0·6	7·1	7·6	–	6·4	–	0·6	3·6	–	6·9	1
2	0·6	–	0·2	4·4	0·3	–	2·1	1·7	1·6	2·8	–	3·2	2
3	2·3	0·5	–	3·3	1·5	0·6	24·8	0·1	3·1	15·5	–	0·3	3
4	–	–	0·4	1·7	–	–	0·2	5·8	0·3	6·3	–	–	4
5	–	–	3·4	4·0	4·6	–	8·0	0·9	–	11·8	–	–	5
6	–	–	8·1	–	2·0	–	2·3	–	–	1·6	–	–	6
7	–	–	1·6	4·5	0·3	–	3·7	–	–	–	–	–	7
8	5·9	1·5	–	14·1	3·2	–	17·6	1·1	–	–	–	–	8
9	6·1	0·4	–	8·3	–	–	3·8	0·6	–	–	–	–	9
10	14·8	3·9	1·5	1·9	–	5·7	3·6	–	–	–	1·9	–	10
11	5·5	–	2·0	9·3	8·0	5·0	2·1	–	–	–	–	0·2	11
12	4·1	0·7	–	6·2	0·1	21·9	1·5	–	–	–	1·2	–	12
13	0·3	0·8	10·5	3·1	–	–	–	–	–	–	–	0·8	13
14	0·8	0·3	11·9	11·4	–	0·9	1·0	0·2	14·6	2·5	4·7	–	14
15	0·2	3·3	9·5	14·3	–	9·3	0·1	–	2·7	0·9	1·9	–	15
16	–	0·2	0·4	2·5	1·6	9·2	5·4	–	2·3	13·8	0·8	–	16
17	0·3	–	–	–	2·7	0·3	0·1	0·1	21·5	5·8	–	0·2	17
18	4·0	–	–	0·9	1·8	0·1	0·1	4·2	11·2	–	–	0·6	18
19	0·4	4·0	–	6·1	0·3	3·0	–	0·3	1·1	–	–	0·3	19
20	0·8	6·0	–	10·0	–	4·3	–	–	0·2	–	–	1·6	20
21	–	–	–	0·9	–	–	2·7	–	–	–	–	0·4	21
22	0·3	–	–	2·4	–	–	0·6	2·2	–	–	–	4·9	22
23	0·1	–	–	0·2	–	–	10·2	0·7	–	–	–	9·6	23
24	0·1	–	5·5	0·2	–	–	–	–	–	–	–	3·5	24
25	0·1	1·9	1·9	0·4	–	0·6	15·5	–	–	–	–	–	25
26	3·8	–	5·6	–	–	0·1	0·2	–	–	–	3·7	1·2	26
27	8·5	1·1	4·8	1·5	0·9	8·9	0·3	–	–	–	–	17·4	27
28	24·4	–	3·3	–	9·9	0·1	0·6	–	–	–	–	0·3	28
29	4·5	–	2·6	–	0·6	0·2	6·2	–	–	–	3·1	14·0	29
30	0·2	✕	10·5	1·9	–	2·4	1·7	–	7·5	–	6·7	2·8	30
31	1·7	✕	0·9	✕	1·1	✕	0·4	–	✕	3·6	✕	0·6	31
TOTAL	89·8 ✓	24·6 ✓	85·2 ✓	120·6 ✓	46·5 ✓	72·6 ✓	121·2 ✓	17·9 ✓	66·7 ✓	68·2 ✓	24·0 ✓	68·8 ✓	YEAR'S TOTAL 806·1 ✓
Days with 0·2 mm. or more	21	13 ✓	20 ✓	25 ✓	16 ✓	14 ✓	24 ✓	10 ✓	12 ✓	11 ✓	8 ✓	19 ✓	193 ✓
Days with 1·0 mm. or more	12 ✓	7 ✓	15 ✓	20 ✓	11 ✓	9 ✓	18 ✓	5 ✓	9 ✓	10 ✓	7 ✓	10 ✓	133 ✓

(44,284). 10/19. (52,639). Wt.10,000—359. 1000. 7/20. Gp.132. A.&E.W.

[illegible] entd by A 2087

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Malvern (MO)
in the County of Worcestershire
by Alfred Mander, F.C.S.

Lat. 52° 8' N Long. 2° 18' W
Time of Observation 9h & 18h
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
„ „ „ „ Sea Level 377 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	-	-	0.6	7.1	7.6	-	6.4	-	0.6	3.6	-	6.9	1
2	0.6	-	0.2	4.4	0.3	-	2.1	1.7	1.6	2.8	-	3.2	2
3	2.3	0.5	-	3.3	1.5	0.6	24.8	0.1	3.1	15.5	-	0.3	3
4	-	-	0.4	1.7	-	-	0.2	5.8	0.3	6.3	-	-	4
5	-	-	3.4	4.0	4.6	-	8.0	0.9	-	11.8	-	-	5
6	-	-	8.1	-	2.0	-	2.3	-	-	1.6	-	-	6
7	-	-	1.6	4.5	0.3	-	3.7	-	-	-	-	-	7
8	5.9	1.5	-	14.1	3.2	-	17.6	1.1	-	-	-	-	8
9	6.1	0.4	-	8.3	-	-	3.8	0.6	-	-	-	-	9
10	14.8	3.9	1.5	1.9	-	5.7	3.6	-	-	-	1.9	-	10
11	5.5	-	2.0	9.3	8.0	5.0	2.1	-	-	-	-	0.2	11
12	4.1	0.7	-	6.2	0.1	21.9	1.5	-	-	-	1.2	-	12
13	0.3	0.8	10.5	3.1	-	-	-	-	-	-	-	0.8	13
14	0.8	0.3	11.9	11.4	-	0.9	1.0	0.2	14.6	2.5	4.7	-	14
15	0.2	3.3	9.5	14.3	-	9.3	0.1	-	2.7	0.9	1.9	-	15
16	-	0.2	0.4	2.5	1.6	9.2	5.4	-	2.3	13.8	0.8	-	16
17	0.3	-	-	-	2.7	0.3	0.1	0.1	21.5	5.8	-	0.2	17
18	4.0	-	-	0.9	1.8	0.1	0.1	4.2	11.2	-	-	0.6	18
19	0.4	4.0	-	6.1	0.3	3.0	-	0.8	1.1	-	-	0.3	19
20	0.8	6.0	-	10.0	-	4.3	-	-	0.2	-	-	1.6	20
21	-	-	-	0.9	-	-	2.7	-	-	-	-	0.4	21
22	0.3	-	-	24	-	-	0.6	2.2	-	-	-	4.9	22
23	0.1	-	-	0.2	-	-	10.2	0.7	-	-	-	9.6	23
24	0.1	-	5.5	0.2	-	-	-	-	-	-	-	3.5	24
25	0.1	1.9	1.9	0.4	-	0.6	15.5	-	-	-	-	-	25
26	3.8	-	5.6	-	-	0.1	0.2	-	-	-	3.7	1.2	26
27	8.5	1.1	4.8	1.5	0.9	8.9	0.3	-	-	-	-	17.4	27
28	24.4	-	3.3	-	9.9	0.1	0.6	-	-	-	-	0.3	28
29	4.5	-	2.6	-	0.6	0.2	6.2	-	-	-	3.1	14.0	29
30	0.2		10.5	1.9	-	2.4	1.7	-	7.5	-	6.7	2.8	30
31	1.7		0.9		1.1		0.4	-		3.6		0.6	31
TOTAL	89.8 ✓	24.6 ✓	85.2 ✓	120.6 ✓	46.5 ✓	72.6 ✓	121.2 ✓	17.9 ✓	66.7 ✓	68.2 ✓	24.0 ✓	68.8 ✓	YEAR'S TOTAL 806.1
Days with 0·2 mm. or more	21 ✓	13	20 ✓	25 ✓	16 ✓	14 ✓	24 ✓	10 ✓	12 ✓	11 ✓	8 ✓	19 ✓	193
	15	8	15	20	11	9	18	5	9	10	7	10	134

(44,284). Wt 21,558—2,58. 500. 10/19. Gp. 132. C.&E.W.

Copied from M 3202.

WORCESTER.

MALVERN.

"HAYES BANK"

1920

FORM A. 1. METEOROLOGI… ORGANIZATION.

REGI… 1920.

16 JAN 1921

Kept at Hayes Bank …ong
9 am
…tion Malvern Wells Grid
in the County of Worce… of Rain Gauge 4 in.
by G.M. Arch… …ge above Ground 1 ft. in.
„ Sea Level 190 ft about

IMPORTANT NOTE.—Rain should be measured daily … result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		7		5	8	4	9	2		26	17	25	1
2			1	25	31		31		1	26			2
3				13	1		26	2	7	8			3
4	12			17	6	2	82		10	~~4~~8		12	4
5				7			1	20	2	29			5
6			17	16	19		26	6		20			6
7			35		6		12			29			7
8			5	16	2		10						8
9	30	8		47	12		60	1					9
10	24	15		39			9	5					10
11	50		4	10		16	24				5		11
12		~~13~~	8	28	32	19	8						12
13	35	1		21			2				3		13
14	2		30	17									14
15		3	76	25		90	2	2	38		19		15
16	3	11		85		19	4		21		6		16
17			2	8	8	36	27		11		2	7	17
18				1		1						1	18
19	11	~~38~~			16		2	17	1·22				19
20		35		40		7		2	1			6	20
21				35		18			1			3	21
22				2			6					20	22
23				11			1	4				35	23
24							43					1,3	24
25		9	19	2									25
26			7	1		2	71	1				7	26
27	19						2				13	64	27
28	37	4	14	8	3	30	1					1	28
29	1·07		8	1	19	1					11	50	29
30	16	✕	11	1	3		10				24	13	30
31		✕	51	✕		✕	9		✕		✕	3	31
TOTAL	·07 ~~[illegible]~~ 3·48	~~·93~~ ·86	·05 ~~2·83~~ 2·88	·08 ~~4·81~~ 4·86	·04 ~~1·76~~ 1·74	·09 ~~2·28~~ 2·50	·02 ~~4·46~~ 4·725	~~·67~~ ·69	·26 ~~2·12~~ 2·38	~~1·86~~ 1·69	·95	2·60	YEAR'S TOTAL 29·13
Days with ·01 in. or more	13 12 10	8 9 7	16 13	20	11	9	17 18	10 11 5	11 10	6 7	9 8	15 11	166 125

(14283). Wt 21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOG ORGANIZATION.

JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Hayes Bank · Malvern
in the County of Worcester
by G M · Archdale

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Malvern Wells Gwd
Diameter of Funnel of Rain Gauge 4 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 190 ft about

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		7		5	8	4	9	2		26	12	25	1
2			1	25	31		31		1	26			2
3				13	1		26	2	7	8			3
4	12			17	6	2	82		10	~~4~~8		12	4
5				7			1	20	2	29			5
6			12	16	19		26	6		20			6
7			35		6		12			29			7
8			5	16	2		10						8
9	30	8		47	12		60	1					9
10	24	15		39			9	5					10
11	50		4	10		16	24				5		11
12		~~13~~	8	28	32	19	8						12
13	35	1		21			2				3		13
14	2		30	17									14
15		3	76	25		90	2	2	38		19		15
16	3	11		85		19	4		21		6		16
17			2	8	8	36	27		11		2	7	17
18				1		1						1	18
19	11	~~38~~			16		2	17	1·22				19
20		35		40		7		2	1			6	20
21				35		18			1			3	21
22				2			6					20	22
23				11			1	4				35	23
24							43					13	24
25		9	19	2									25
26			7	1		2	71	1				7	26
27	19						2				13	64	27
28	37	4	14	8	3	30	1					1	28
29	1·07		8	1	19	1					11	50	29
30	16	✕	11	1	3		10				24	13	30
31		✕	51	✕		✕	9		✕		✕	3	31
TOTAL	·07 ~~[illegible]~~ 3·48	~~·93~~ ·86	·05 ~~2·83~~ 2·88	·08 ~~4·81~~ 4·86	·04 ~~1·76~~ 1·724	·09 ~~2·[illegible]~~ 2·50	·02 ~~4·[illegible]~~ 4·725	~~·67~~ ·69	·26 ~~2·[illegible]~~ 2·37	~~1·86~~ 1·60	·95	2·60	YEAR'S TOTAL 29·13
Days with ·01 in. or more	13 12 11 10	8 9 6 7	16 14 13	20	11	9	17 18	10 11 5	11 7 6	6 9 6 7	9 8	15 11	166 125

(44283). Wt 21,958—218. 7500. 10/19. Gp.132. A.&E.W.

MALVERN

HORNYOLD RD

1911- 1920

FORM A2.
BRITISH RAINFALL.

1 - JAN 1912

RE

Kept at EIRIANYA ... n. ... n.

d 1 ft. . in.

in the County of Wor ... evel 448 ft.

by Rev: T. Wolsele ... Malvern Link

ce 1in. Direction [illegible]

IMPORTANT NOT ... result entered to the previous day. If an Ob ... rule, he is earnestly requested to add the read ... the space provided for it at the end of thi ... of rain, the selection and placi ... Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
0

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01		.06		.03		[illegible]	.14			.02		1
2	.01		.01	.10	.08	[illegible]	.04	.04		.13	.05	.07	2
3					.47					.01	.03		3
4	.01		.16	.05			[illegible]	.01	.07	.04	.17	.40	4
5	.07		.03				[illegible]	.08		.03	.03		5
6	.32		.07	.08							.10	.56	6
7											.30		7
8	.09		.20								.09	.30	8
9	.12		.02								.30	.22	9
10		.10	.38								.02	.65	10
11	.13										.57	.05	11
12			.57						.04	.01	.15		12
13									.29		.02	.42	13
14	.02	.01										.90	14
15		.03	.03								.18	.15	15
16			.01			.10				.02	.11	.66	16
17						.12					.20	.43	17
18		.30	.02	.15		.08				.04		.37	18
19		.02		.02		.18			.31	.34	.01	.17	19
20	.02	.06	.03	.01					.10	.02		.67	20
21		.16	.04	.01				.44	.07	.37		.08	21
22		.01	.02	.03		.02				.14		.38	22
23		.28	.19			.80				.01		.17	23
24		.05		.02		.48		.10		.08		.07	24
25		.22		.04		.02			.01	.03		.13	25
26		.10	.01	.17	.25	.02		.05		.24	.16	.12	26
27		.12	.15	.15				.38	.24		.02	.10	27
28		.22		.18							.27	.01	28
29				.07		.15	.12		.25	.18	.01		29
30			.04		.04	.01	.09	.03		.34			30
31	80				.44					.05			31
Total	.80	1.68	2.04	1.08	1.31	1.98	.25	1.24	1.38	2.08	2.81	6.54	TOTAL for year 23.19
No. of Rain Days	10	14	19	14	5	11	3	9 ~~8~~	9	18	21	23	~~156~~ 157

9,000, IX. '10.

RE

FORM A2.
BRITISH RAINFALL.
1 - JAN 1912

Kept at EIRIANVA. North Malvern

in the County of Worcester.

by Rev. T. Wolseley Lewis. M.A. Oxon.

RAIN GAUGE { Diameter of top 5 in.
Height of top above Ground 1 ft. . in.
" " " Sea Level 493 ft.

Time of Observation 9 A. M.

Nearest Railway Station { Name Malvern Link
Distance 1m. Direction N.[illegible]

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01		.06		.03		~~[illegible]~~	.14			.02		1
2	.01		.01	.10	.08	~~[illegible]~~	.04	.04		.13	.05	.07	2
3					.47					.01	.03		3
4	.01		.16	.05			~~[illegible]~~	.01	.07	.04	.17	.40	4
5	.07		.03				~~[illegible]~~	.08		.03	.03		5
6	.32		.07	.08							.10	.56	6
7											.30		7
8	.09		.20								.09	.30	8
9	.12		.02								.30	.22	9
10		.10	.38								.02	.65	10
11	.13										.57	.05	11
12			.57						.04	.01	.15		12
13									.29		.02	.42	13
14	.02	.01										.90	14
15		.03	.03								.18	.15	15
16			.01			.10				.02	.11	.06	16
17						.12					.20	.43	17
18		.30	.02	.15		.08				.04		.37	18
19		.02		.02		.18			.31	.34	.01	.17	19
20	.02	.06	.03	.01					.10	.02		.67	20
21		.16	.04	.01				.44	.07	.37		.08	21
22		.01	.02	.03		.02				.14		.38	22
23		.28	.19			.50				.01		.17	23
24		.05		.02		.48		.10		.08		.07	24
25		.22		.04		.02			.01	.03		.13	25
26		.10	.01	.17	.25	.02		.05		.24	.16	.12	26
27		.12	.15	.15				.38	.24		.02	.10	27
28		.22		.18							.27	.01	28
29				.07		.15	.12		.25	.18	.01		29
30			.04		.04	.01	.09	.03		.34			30
31	80				.44					.05			31
Total	.80	1.68	2.04	1.08	1.31	1.98	.25	1.24	1.38	2.08	2.81	6.54	TOTAL for year 23.19
No. of Rain Days	10	14	19	14	5	11	3	9 ~~8~~	9	18	21	23	~~156~~ 157

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

1 JAN 1913

~~W~~ J.C.

REGISTER ~~OF~~ RAINFALL IN 1912

Kept at EIRIANVA N. Malvern

in the County of Worcester

by Wolseley Lewis. M.A. Oxon

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. . in.
" " " Sea Level 498 ft.

Time of Observation 9. A.M.

Nearest Railway Station
Name Malvern Link
Distance 1m. Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.15			.73	.16	.01	.01	.18		.07	1
2			.25	.02	.01	.45	.22					.01	2
3	.02		.02		.01	.20	.03	1.0	.02		.01	.04	3
4	.21		.62		.17	.50		.01			.19		4
5	.19	.09	.15		.08	.08		.28	.01		.01	.01	5
6	.16	.15	.01		.03	.22	.11	1.09	.01			.02	6
7		.27	.01		.07	.50		.12				.03	7
8	.31	.15	.24			.04	.02	.25				[illegible]	8
9	.05	.01	.54	.05		.28	.01	.15				.21	9
10	.05	.06	.01	.02		.05		.15			.11	.01	10
11	.07	.03	.01			.03	.02	.11			.05	.52	11
12	.02	.46	.11		.07	.13	.01						12
13	.01	.01	.01					.45				.03	13
14	.08		.52		.03			.03		.02		.01	14
15	.25	.07	.05	.01	.37	.20		.01				.21	15
16	1.00	.01	.08		.02	.01		.12		.12	.01		16
17	1.25		.17			.03		.50			.03	.36	17
18	.25		.04					.15		.03			18
19	.25	.02	.01		.01		.12	.94		.01		.03	19
20	.02	.01	.21				.22	.03		.32	.01	.01	20
21		.01	.21		1.05		.03	.75		.35		0	21
22	.40	.08	.03		.55	.06	.46	.25				.10	22
23	.28	.20	.30		.01	.05	.10	.38		.01	.05	.14	23
24	.13	.01	.01			.23	.07	.05				.19	24
25			.01			.33		.95			.48	.40	25
26		.06	.01				-35 .35	.88		.65	.26	.28	26
27		.01				.39	45 .45			.90		.18	27
28		.09					.50	.62	.18	.28	.36	.36	28
29		.18	.03			.52	25 .25	.13	.63	.25		.02	29
30			.03			.03				.22			30
31			.03		.08		.50	.02		.01		.04	31
Total	5.00	1.98	3.87	.10	2.56	5.36	3.69	9.43	.86	3.35	1.57	3.33	TOTAL for year 41.10
No. of Rain Days.	20	21	29	4	15	22	19	27	6	14	12	24	213

W. 8,000, X. '11.

√

Ex DL

REGISTER OF RAINFALL IN 1913.

FORM A.1
BRITISH RAINFALL
2 - JAN 1914

Kept at EIRIANVA. North Malvern.

in the County of Worcester

by Wolseley Lewis.

Lat. 52.8 Long. 2.18

Time of Observation 9 A.M.

Nearest Railway Station M. Link 1 mile (barely)

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 492 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1		.01	.12	.03	.07				.90		.05	.01	1
2	.02	.15	.04	.09			.01		.06	.61	.04		2
3	.05	.01	.02		.73				.01	.25		.06	3
4	.90	.01	.01		.25				1.25	.92	.03	.20	4
5	.10	.01	.01		.02	.15	.09		.01	.38	.13	.01	5
6	.03	.05	.18		.36	.14	.33			.36	.08	.42	6
7	.01	.26			.26	.05	.05			.70	.22	.01	7
8		.11			.16	.00		.02		.22			8
9		.32	.02		.17	.20	.07	.41	.31		.16	.01	9
10	.08			.12	.06		.01	.09		.04	.11		10
11	.65			.30	.02			.10		.02	.80		11
12					.51					.01	.40		12
13	.01	.01	.10					.01	.14		.39		13
14	.16	.01	.52	.03				.05	.03	.10			14
15	.16	.07	.50	.70				.02	.05		.01		15
16	.16		.83	.05				.23	.01				16
17	.03	.02	.08	.16			.16		.07				17
18			.35	.09			.03		.06		.02		18
19	.18		.15			.01	.05		.20				19
20	.19		.20	.12						.04	.27		20
21			.33	.19	.10		.10				.25		21
22	.53		.65	.01		.10		.26	.41				22
23	.03		.04			.03		.03	.03		.04	.03	23
24	.02			.04				.08					24
25				.12					.03		.01	.01	25
26		.02		.70				.41	.01	.01		.22	26
27				.25	.20					.01			27
28	.30		.15	.32	.03					.35		.01	28
29	.02	.	.43	.50				.07		.16			29
30	.25	.								.70	.15		30
31	.02	.	.15		.01			.04		.02			31
Total	3.90	1.06	4.88	3.82	2.95	.74	.90	1.75	3.58	4.80	3.16	.99	YEAR'S TOTAL 32.53
Rain Days.	22	14	21	18	15	8	10	14	17.	18.	18	11	186 186

W. 7,500, XI. 12

cwdly B. 1.IV.15

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.
5 JAN 1915

Kept at EIRIANVA, N. MALVERN
in the County of WORCESTER
by T. Wolseley Lewis M.A. Geol.

Lat. 52.11 N. Long. 2.15 W
Time of Observation 9 A.M
Nearest Railway Station Malvern Link
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. • in.
" " " " Sea Level 498 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.03		.02			.85	.25			.05	.05	1
2					.02	.01	.42	.12			.60	.40	2
3				.09	.26		.08	.03			.01	.04	3
4	.35			.11	.04		.08	.17			.50	.47	4
5	.07		.05	.20	.14		.53				.14		5
6		.07		.01	.04		.01				.05	.09	6
7	.01	.20	.30	.25	.25	.07	.12	.10			0	.22	7
8			.08	.02	.02	.64	.01	.05	.01		0	.04	8
9	.08		.25	.27	.07	1.33		.09	.22		0		9
10	.05	.18	.01	.40	.02	.03			.28		0		10
11		.10	.25	.04	.18	.17					.17	.55	11
12		.23	.19			.01	.08		.23		.08	.18	12
13		.16	.30				.01		.17	.18	.15	.50	13
14		.13	.19							.25	.13	.81	14
15	.03	.01	.14					.05	.09	.02	.10	.01	15
16	.01		.01				.01		.20				16
17	.02	.20	.16						.12			.17	17
18			.01				.17			.07		.40	18
19			.05				.98				.02	.09	19
20		.35	.02			.05	.01					.31	20
21		.19	.01			.30		.09		.16		.08	21
22		.02	.01		.23		.02	.06		.06			22
23			.10		.07		.01			.15			23
24			.33				.01	.04		.16	.05		24
25	.08		.20				.09	.19		.27	.02	.07	25
26							.01	.08		.04	.22	.35	26
27	.03									.01	.07	.12	27
28		.10	.13		.05					.03		.90	28
29	.01		.10		.10					.22	.10		29
30			.08		.01	.09				.08	.45	.50	30
31	.14						.20			.04		.01	31
Total	.88	1.97	2.97	1.41	1.55	2.70	3.70	1.32	1.32	1.74	2.92	6.37	YEAR'S TOTAL 28.85 28.85
Rain Days.	12	14	23	10	15	10	20	13	8	15	18	23	181

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
1. JAN 1916

Kept at Tiricawa, W. Malvern
in the County of Worcester
by Wolseley Lewis

Lat. 52.4 N. Long. 2.15 W
Time of Observation 9 A.M.
Nearest Railway Station M Link 1 mile S.E.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 495 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.19	.05	.04		.31		.06	.05	.03	.21	.03	.03	1
2	.10	.16	.17	.17		.16		1.65	.01	.28		.10	2
3	.88	.13	.02	.11	.15		.95			.01		.25	3
4	.03	.02		.01	.05		.65	.32				.75	4
5		.65			.01		.05	.01		.06		.52	5
6	.15	.03		.18			.66	.08				.18	6
7	.07	.42		.04			.04	.01				.36	7
8	.27	.42		.01				.06			.06		8
9	.22	.06		.10				.01	—		.16	.36	9
10	.23		.07	.04						.02	.01	.07	10
11			.16	.01	.03					.01	1.03	.02	11
12	.08			.14	.46	—				.03	.63		12
13	.01	.28			.82			.03	.07			.03	13
14		.03						1.10		.02		.35	14
15	.23				.08			.19			.11	.16	15
16	.07	.34			.36		1.30	.03				.01	16
17		.26		.01	1.01			.02				.01	17
18	.02	.55	.02					.01					18
19		.02			.09		.08						19
20	.15											.10	20
21	.12	.01		.06			.11			.13		.03	21
22	.06	.01	.35				.65					.28	22
23	.04	.07	.04	.11		.01	.19			.95		.25	23
24			.07	—			.47		.40	.98		.17	24
25				.02	—	.43	.40			.04		.30	25
26		.02					.46			.01		.48	26
27		.02	.01				.10			.30		.07	27
28		.09				.17	[illegible]	[illegible]	.13	.01	[illegible]	.91	28
29				—		.24	.03	.16			.07	.07	29
30	.08	X				.02				.30	.06	.20	30
31	.02	X		X		X	.10		X	.61	X	.35	31
Total	3.02	3.72	.95	1.01	3.37	1.03	6.30	3.73	.64	3.97	2.16	5.51	YEAR'S TOTAL 35.41
Rain Days.	20	21	10	14	11	6	17	15	5	17	9	27	172

W. 8,000. X. 14.

2425

FORM A.
BRITISH RAINFALL.
2 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Eirianva N. Malvern
in the County of Worcester
by Wolseley Lewis

Lat. 52.11. N. Long. 2.15 W.
Time of Observation 9 . AM.
Nearest Railway Station M Link 1 m. NE
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. . in.
" " " " Sea Level 498. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.11		.02			.07	.12			.15	.19		1
2	.55	.05	.21		.20		.05		.03	.71	.02		2
3		.75			.03					.26	.01		3
4	.23	.20		.01	.48	.28	.05			.01	.62		4
5	.01	.01	.03		.36	.01	.13		.02	.08	.16		5
6	.02	.17	.05		.20	.10	.70			.14	.45		6
7			.10		.09		.23			.11	.18	.16	7
8	.01		.04		.20	.07					.03	.29	8
9		[illegible]	.01		.26	.22				.02	.02	.01	9
10		.45	.08	.02	.01	.15				.07			10
11		.07	.05	.02	.02	.10						.30	11
12	.04	.01	.04	.03	.27		.25		.01	.01			12
13		.32	.15					.31					13
14		.47	.05		.03					.02	.01	.01	14
15		.22	.26	.04	.15			.27		.01			15
16		.01	.01	.21	.07		.10	.56		.02			16
17	.08	.15		.06			.01	.01		.45			17
18		.03	.03					.01	.40	.08	.55	.15	18
19	.03		.35	.06					.10	.03	.17		19
20	.06		.50	.05							.04	.13	20
21			.35	.29	.10		.20					.13	21
22				.02		.03				.13		.53	22
23		.35		.03				.10		.07	.02	.16	23
24		.24	.08		.57	.01		.04		.26			24
25		.03	.18		.07	.02		.23		.08	.21	.11	25
26	.05	.09	.05		.01	.07		.01	.03	.10	.05		26
27	.05	.12	.54			.08		.05	.33	.36		.02	27
28		.50	.10			.09			.02	.14		.12	28
29		.16				.24		1.0	.01	.43		.67	29
30		✕				.02		.01		.30			30
31		✕		✕		✕			✕	.24	✕	.05	31
Total	1.25	4.42	3.28	.94	3.12	1.56	1.84	2.60	.95	4.20	2.73	2.24	YEAR'S TOTAL 29.13
Rain Days.	12	21	23.	12	18	16	10	12	9	25	16	15	189

W. 8,000. X. 14.

230

FORM A2.
BRITISH RAINFALL.

2. JAN 1918

and for [illegible]

REGISTER OF RAINFALL IN 1917.

Kept at Eirianva North Malvern

in the County of Worcester.

by J Wolseley Lewis.

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 495 ft.

Time of Observation 9. AM

Nearest Railway Station
Name Malvern Link
Distance 1m Direction NE.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.02	.07	.15		.20		.93	.18		.09		1
2				.07		.16		.05		.01	.09		2
3				.06						.33	.01		3
4		.03	.28					.05		.13			4
5	.16		.19	.23					.03	.18	.19		5
6			.05			.43				.10	.17	[illegible]	6
7	.28						.30			.26			7
8	.36		.02	.10			.42	.61		.39	.20	.15	8
9			.23	.03	.15			.54	.15	.08	.04		9
10	.39		.36	.14	.50			.18					10
11	.08		.15	.14				.11		.09	.03		11
12	.03				.25					.15			12
13	.02		.06	.02				.05	.05	.14			13
14			.22					.15					14
15				.02	.08		.03	.01		.04		.20	15
16	.03			.13			.11			.03		.30	16
17				.10	.08	.15	.35	.22	.09	.08			17
18					.17		.28	.02	1.23				18
19	.04	.40	.34			.25			.03				19
20		.20	.05		.80	.28	.20				.01		20
21		.03	.24		.10	.05		.03		.01	.03		21
22			.03			.03		.04	.01	.08			22
23		.23			.11			.27		.02	.01	.01	23
24		.02				.10		.49		.20	.03		24
25		.03	.04							.04	.05		25
26					.05	.04		.40	.13		.04		26
27					1.40	.07	.13	.77			.01		27
28			.14			.29		.13				.93	28
29		X	.02			.34	.06	.2		.40		.30	29
30		X					.06	.31		.08		.02	30
31		X	.13					.18		.02			31
Total	1.37	.96	2.62	1.19	4.29	2.39	1.94	5.16	1.90	2.86	1.00	1.91	TOTAL for year ~~26.69~~ 26.69
No. of Rain Days.	9	8	18	12	11	13	10	22	9	22	15	7 =	156

W. 8,000, X. '11.

Exd. E.F.E.

9

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL
2.1.19

*Kept at** Eiriana. North Malvern.
in the County of Worcester
by T. Wolseley Lewis.

Lat. 52.11 N. Long. 2.15 W
Time of Observation 9. am.
Nearest Railway Station M.L.k Im. VS.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. . in.
" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.02	.07			.07		.01	.66		1
2				.15				.28		.02			2
3		.04	.01	.02	.25			.05	.50		.12	.10	3
4		.03						.01	.24	.10	.62	.45	4
5			.02	.03	.20			.01	.35	.13	[illegible]	.04	5
6	.02	.38	.02	.08					.22			.03	6
7	.02	.15			.23	.04			.09	.18	.25		7
8		.04							.20	.09	.15		8
9		.15		.30		.20	.02		.25	.11	.01		9
10	.05			.18			.16		.06	.10 .19		.15	10
11			.01	.14	.10		.13		.08		.02	.04	11
12			.16		.11		.18		.07				12
13			[illegible]	.01	.11		.10		.08	.01		.07	13
14	.23		.16				.12		.40	.08		.34	14
15	.77			.11			.27		.02			.09	15
16	.20			.96		.04			.26	.03		.04	16
17	.13		.02	.03		.05	.08		.04	.05		.06	17
18	.37					.70	.11		.75			.40	18
19	.09	.02	.16				.06		.01	.08			19
20	.20	.05		.58		.02			.15				20
21	.10			.20		.02	.07		.45	.01		.17	21
22					.08		.11		.13	.01	.03	.10	22
23	.04				.50		.28		.01				23
24		.10					.03		.10		.06		24
25							.12	.64		.03			25
26							.32			.02	.05	.15	26
27				.03				.14	.10			.01	27
28		.10	.35								.10	.10	28
29			.05						.95			.03	29
30		X	.34					.03			.02	.03	30
31		X	.18	X		X		.03	X		X		31
Total	2.22	1.06	1.48	2.84	1.65	1.07	2.18	1.26	5.47	1.06	1.94	2.40	YEAR'S TOTAL 24.63
Rain Days.	12	10	12	15	9	7	16	9	24	17.	11	~~20~~	~~162~~

19 161

W. 8,000, IX. 17.

2164

REGISTER OF RAINFALL IN 1919.

FORM A.
BRITISH RAINFALL.

Ex. H96

Kept at Eiviama North Malvern
in the County of Worcester
by Wolseley Lewis

Lat. 52.11 N Long. 2.15 W
Time of Observation 9. A.M.
Nearest Railway Station Malvern Link 1 Mile S.E
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 498. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.36		.02		.09	.02	.09		.05	.20	.02	.38	1
2	.12	.02			.02		.42		.13	.01	.06	.12	2
3	.55		.12		.01		.02		.07		.16	.09	3
4	.15	.06	.37			.18	.25	.08	.23			.15	4
5		.48	.08		.07		.03		.39		.02	.20	5
6		.03	.18		.27						.05	.06	6
7	.25		.23	.14	.10							.01	7
8	.26		.04	.23		.03							8
9	.09			.12									9
10			.61							.02		.30	10
11			.63		.02		.63			.01	.01	.03	11
12			.03			.15			.04	.06	.01		12
13	.09			.17					.15	.03		.03	13
14	.18	.01					.08		.03	.01		.06	14
15	.34	.06		.29	.18					.01		.41	15
16	.18	1.11						.20		.01	.07		16
17		.40			.08	.03	.02				.07		17
18			.65		.10			.08			.07	.04	18
19	.27	.29	1.13			.15	1.45	.50	.20		.10		19
20	.40		.33					.04	.08		.09	.08	20
21	.01	.47	.03	.03			.25	.01	.03		.08	.03	21
22		.03				.02	.05		.41			.13	22
23										.80	.01		23
24				.05		.02				.76	.09	.02	24
25	.07			.08	.09			.20			.01	.04	25
26	.03		.08	.20				.08	.06			.30	26
27	.16			.13				.53	.02		.05		27
28	.08		.13	.01				.54			.12	.30	28
29	.03			.07				.03		.30		.23	29
30		╳		.08		.15		.07		.03	.50	.33	30
31		╳		╳		╳			╳		╳	.02	31
Total	3.62	3.36	4.66	2.10	1.03	.75	3.29	2.36	1.89	2.25	1.45	3.36	YEAR'S TOTAL 30.12
Rain Days.	19	11	16	13	11	9	11.	12	14	13.	18.	24 3	170

W. 8,000, VIII. 16

.2083

E & M Z

REGISTER OF RAINFALL IN 1920

FORM A.
BRITISH RAINFALL.

8 JAN 1921

Kept at EIRIANVA. N. Malvern
in the County of Worcester
by T. Wolseley Lewis

Lat. 52.11.N Long. 2.15.W
Time of Observation 9. A.M.
Nearest Railway Station M. Link 1 M. N.E.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. ~~in.~~
" " " " Sea Level 498 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.22	.27		.20		.06	.17		.27	1
2			—	.14			.14		.13	.10		.10	2
3	.11			.09	.07	.02	1.10			.65			3
4				.07				.23		.26			4
5			.13	.14	.16		.33	.03		.30			5
6			.30		.09		.15			.20			6
7			.13	.15			.15						7
8	.23	.08		.54	.14		.60						8
9	.30			.30			.10						9
10	.49	.08	.07	.04			.15				.06		10
11	.22	.01	.07	.35	.30	.40	.09						11
12	.16	.02		.26		.84					.05		12
13		.01	.38	.14				.17					13
14	.04	.03	.57	.26		.03		.02	.45	.11	.17		14
15		.12		.59		.40	.02		.07	.01	.06		15
16				.15	.04	.35	.23		.10	.49			16
17					.16				.90	.22			17
18	.15				.06				.45				18
19				.26		.07			.06				19
20		.38		.29		.30					.06	.12	20
21				.04			.09	.03					21
22	.03			.09				.05				.20	22
23							.40					.35	23
24			.20									.15	24
25		.07	.08				.55						25
26	.16		.25								.17	.07	26
27	.15		.14	.09	.02	.32						.70	27
28	.88	.03	.18		.40							.03	28
29	.25		.10		.03	.01	.23		.23		.10	.65	29
30		X	.50	.12		.10					.26	.10	30
31	.07	X	.03	X	.03	X			X	.15	X	.03	31
Total	3.24	.83	3.13	4.33	1.77	2.84	4.53	.53	2.45	2.66	.93	2.77	YEAR'S TOTAL 30.01
Rain Days.	14	10	15	21	13	11	16	6	9.	11	8	12	~~146~~
	13	5	14	21	10	8	15	3	9	10	8	10	126

W. 8,000, IX 17.

WORCESTER
— MALVERN
DAVENHAM GDNS.
1911 – 1914

FORM A2.
BRITISH RAINFALL.

5 JAN 1912

REGIS 11

Kept at Davenham
in the County of Worceste
by C. A. Bayfo

as before in.
bove Ground ft. in.
„ Sea Level ft.

Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	[illegible]		·06	·04				·12			·03	·01	1
2	·02			·07	·07		·07	·07		·10	·04	·04	2
3					·40				·02	·01	·04		3
4	·03		·17	·04					·05	·02	·18	·41	4
5	·16		·03	·01				·06		·02	·04		5
6	·31		·06	·06							·09	·48	6
7	·01										·22		7
8	·08		·21								·09	·25	8
9	·12		·07								·31	·16	9
10	·02	·11	·32								·02	·41	10
11	17										·56	·06	11
12			·62						·05		·11		12
13									·29		·02	·35	13
14			·02									·79	14
15		·03	·03								·15	·14	15
16			·01			·07				·01	·10	·65	16
17						·06					·18	·33	17
18		·28	·03			·09				·04		·25	18
19		·01		·11		·22			·25	·33	·01	·09	19
20	·02	·06	·03	·02					·11	·01		·64	20
21		·16	·05					·48	·06	·30		·07	21
22		·01	·02	·04		·04				·16		·35	22
23		·20	·20			·48			·16	·04		·13	23
24		·06	·01	·02		·47		·12				·08	24
25		·20	·02	·05		·03				·02		·13	25
26		·12		·16	·22	·03		·06		·21	·18	·11	26
27		·10	·14	·17				·35	·25		·03	·08	27
28		·19		·17							·24		28
29				·11		·18	·10		·25	·14	·01		29
30			·04	·03	·06	·03	·07	·03		·23			30
31					·39					·65		·01	31
Total	·84	1·53	2·14	1·10	1·14	1·70	·24	1·29	1·49	1·69	2·65	5·42	TOTAL for year
No. of Rain Days.	10	13	20	15	5	11	3	8	10	16	21	24	21.23

W. 8,000, X. '11.

156

✓

REGIS 9 11

FORM A2.
BRITISH RAINFALL.

5 JAN 1912

Kept at Daventham Gardens
in the County of Worcestershire
by C. A. Bayford

RAIN GAUGE
Pattern
Diameter of top ______ in.
Height of top above Ground ______ ft. ______ in.
" " Sea Level ______ ft.
Same as before

Time of Observation

Nearest Railway Station
Name
Distance ______ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	~~[illegible]~~		·06	·04				·12			·03	·01	1
2	·02			·07	·07		·07	·07		·10	·04	·04	2
3					·40				·02	·01	·04		3
4	·03		·17	·04					·05	·02	·18	·41	4
5	·06		·03	·01				·06		·02	·04		5
6	·31		·06	·06							·09	·48	6
7	·01										·22		7
8	·08		·21								·09	·25	8
9	·12		·07								·31	·16	9
10	·02	·11	·32								·02	·41	10
11	17										·56	·06	11
12			·62						·05		·11		12
13									·29		·02	·35	13
14			·02									·79	14
15		·03	·03								·15	·14	15
16			·01			·07				·01	·10	·05	16
17						·06					·18	·33	17
18		·28	·03			·09				·04		·25	18
19		·01		·11		·22			·25	·33	·01	·09	19
20	·02	·06	·03	·02					·11	·01		·64	20
21		·16	·05					·48	·06	·30		·07	21
22		·01	·02	·04		·04				·16		·35	22
23		·20	·20			·48			·16	·04		·13	23
24		·06	·01	·02		·47		·12				·08	24
25		·20	·02	·05		·03				·02		·13	25
26		·12		·16	·22	·03		·06		·21	·18	·11	26
27		·10	·14	·17				·35	·25		·03	·08	27
28		·19		·17							·24		28
29				·11		·18	·10		·25	·14	·01		29
30			·04	·03	·06	·03	·07	·03		·23			30
31					·39					·05		·01	31
Total	·84	1·53	2·14	1·10	1·14	1·70	·24	1·29	1·49	1·69	2·65	5·42	TOTAL for year
No. of Rain Days.	10	13	20	15	5	11	3	8	10	16	21	24	21.23

5-6

W. 8,000, X. '11.

Cwd for quilts 7.III.13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

6 JAN 1913

Kept at Lavenham Gardens
in the County of Worcester
by C. A. Bayford

Lat. Long.
Time of Observation Same as before
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			.08			.70	.19	.01	.01	.20		.05	1
2			.20	.02		.50	.22						2
3	.02		.03		.01	.16	.08	.77	.03		.01	.03	3
4	.19		.59		.15	.79		.01			.17		4
5	.16	.09	.20		.05	.09		.24	.01		.01	.01	5
6	.16	.14	.01		.08	.18	12 .72	1.04				.03	6
7		.22	.04		.04	.44		.20				.01	7
8	.23	.10	.15			.08	.03	.24				.02	8
9	.06	.01	.47	.07		.28		.14				.19	9
10	.05	.04	.01	.02		.06		.15			.11	.46	10
11	.05	.05	.01			.06		.09			.04	.01	11
12	.02	.47	.09		.08	.08	.01					.03	12
13	.01		.01					.45		.01			13
14	.07	.01	.49		.04	.01		.03		.02			14
15	.18	.05	.07	.02	.35	.20		.01		.09		.22	15
16	.81	.01	.06		.02	.02		.09				.01	16
17	1.10		.20			.02		.45			.04	.35	17
18	.34	.01	.06					.17		.04			18
19	.13	.03			.01		.13	.66		.01	.01	.02	19
20	.02		.18				.30	.02		.33	.01		20
21	.01	.01	.16		1.03		.01	.82		.36			21
22	.44	.07	.02		.54	.14	.44	.22				.07	22
23	.27	.20	.27			.04	.09	.34			.04	.14	23
24	.10	.01				.22	.04	.05				.15	24
25	.01					.26		.97			.46	.36	25
26		.06	.01				.32	.84		.59	.26	.21	26
27		.01				.32	.43			.68		.16	27
28		.10				.06	.46	.55	.17	.37	.32	.37	28
29		.15	.04			.36	.24	.11	.51	.18		.02	29
30			.02			.02	.06			.19			30
31			.05		.06		.48	.03		.01		.07	31
Total	4.43	1.84	3.52	0.13	2.41	4.99 ~~5.17~~	3.60	8.73	0.78	3.08 ~~2.78~~	1.48	2.99	YEAR'S TOTAL 37.93 37.93
Rain Days.	22	21	26	4	13	24	18	27	5	14	12	23	209

W. 7,500, XI. '12

✓

REGISTER OF RAINFALL IN 1913

Ex. H[illegible]

FORM A.
BRITISH RAINFALL.

10 JAN 1914

Kept at Davenham Gardens

in the County of Worcestershire 1

by C. A. Bayford

~~Lat.~~ Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

Same as before

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.09	.04	.12				.95	.t	.03	.01	1
2	.01	.16	.02	.13			.02		.06	.65	.03		2
3	.04		.04		.68					.13		.07	3
4	.97				.30				1.28	.99	.03	.21	4
5	.12	.02			02	.11	.09		.03	.22	.14	.01	5
6	.02	.03	16		.31	.17	26			.34	.08	.37	6
7		.19			.19	.03	.05			.63	.21	.02	7
8		.07			.09	.08				.31			8
9		.28	02		.09	.13	.08	.47	.31		.13	.02	9
10	.10			12	.06		.01	.06		.04	.08		10
11	.61			29	.03			.33		.03	.88		11
12					.40					01	.42	01	12
13	.03	.03	.09					.01	.14		.37		13
14	.10		.50	.03				.06	.03	.09			14
15	.11	.16	.47	.56					.05		.02		15
16	.13		.76	.06				.56					16
17	.03	.02	.08	.14		.01	.17		.05				17
18	01		.26	08			.06		.11		.01		18
19	.13		.17			.02	.02		.18				19
20	.18		.22	.08			.11			.04	.16		20
21			39	.17	.11			.08			.21		21
22	.39		.65	.01		.07		.18	.39		.04		22
23	.02		03			.05		.03	.02				23
24	.02			05				.01					24
25				.17					03	.02			25
26		02		.56				.42				.22	26
27			.05	.21	.16					.01			27
28	.28		.10	28	.03					.21		.02	28
29	.01		.36	44				.05		.13			29
30	.22		.12							.88	.13		30
31	.03				03			.04		.03			31
Total	3.56	0.88	4.58	3.42	2.62	.67	.87	1.95	3.63	4.76	2.97	0.96	YEAR'S TOTAL 30.84
Rain Days.	22	10	20	18	15	9	10	13	14	18	17	10	170

Exc D L

REGISTER OF RAINFALL IN 1914

Kept at Davenham Gardens

in the County of Worcestershire

by C. A. Bayford

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

Same as before

FORM A.
BRITISH RAINFALL.
12 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		02	01	03			1.02	23			04	05	1
2			0'		01	01	42	08			56	36	2
3				08	23		08	04			01	03	3
4	30			11	04		08	11			45	44	4
5	04		04	20	15		60				10		5
6	06	06			04		06				05	06	6
7		14	29	27	25	08	12	10	02		01	23	7
8			09		04	43	05	04				03	8
9	08	02	22	24	08	1.39		05	22				9
10	04	14		40	02	03			25			01	10
11		10	19	05	19	18					14	45	11
12	02	15	14				17		21		08	15	12
13		10	24				02		16	17	09	50	13
14		10	18							27	10	01	14
15	03	02	15				02	09	09	02	10		15
16			02						19				16
17	02	20	20						04			.11	17
18		01	02				14			05		.43	18
19			05				82				02	08	19
20		38	03			04						26	20
21		15				36		18		13		8	21
22		03			20		03	07		06			22
23			10		10		01			15			23
24		02	26				01	05		16	04		24
25	04		17	02			10	15		21	02	06	25
26			01				12	03		04	19	25	26
27	04									01	05	09	27
28		07	11		04					02	10	1.22	28
29	01		10		08					24	06		29
30		X	05			09				06	42	40	30
31	08	X		X	01	X	18		X	04	X	.01	31
Total	0.82	1.71	2.70	1.40	1.48	291	3.98	125	121	165	2.63	5.31	YEAR'S TOTAL 27.03
Rain Days.	12	17	22	9	15	9	19	13	8	15	20	23	182

W. 8,000. X. 14.

FORM A2.
BRITISH RAINFALL.
19 JAN 1912

MARTLEY REC.
WORCESTER
1911 - 1920

F

Kept at Mar
in the County of
by Rev James

in.
und 1 ft. — in.
Level 230 ft.
.m daily
me Knightwick
stance 3½ m Direction S.S.W.

IMPORTANT N…
previous day. If an
requested to add the r
for it at the end of
the selection and pla
Organization are given
Dr. H. R. Mill, 62, Camden Square, London, N.W.

e result entered to the
sal rule, he is earnestly
in the space provided
nt of rain,
sh Rainfall
plication to

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·06	·03	·01						·07		1
2				·04	·04		·03	·11		·10	·05	·04	2
3					·49			·11	·06			·09	3
4			·18	·02 s				·02	·09		·11	·36	4
5	·07		·03	·01 s				·07		·03	·02	·01	5
6	·30		·06								·06	·34	6
7											·32		7
8	·09		·20								·07	·25	8
9	·07		·03								·22	·14	9
10	·04	·13	·31									·37	10
11	·18		·01								·49	·03	11
12		·01	·38						·09		·11		12
13									·16		·02	·40	13
14		·01	·01 s									·76	14
15		·03	·04			·01					·13	·06	15
16			·02			·07					·10	·05	16
17			·03		·10	·18					·21	·50	17
18		·28	·03	·07		·08			·57	·03		·31	18
19		·04		·08		·37	·07			·27	·04	·11	19
20		·08		·03				·09	·10	·05		·63	20
21		·14	·06					·67		·20		·15	21
22			·08	·01		·03				·12		·27	22
23		·09	·20			·57			·16	·05		·09	23
24		·17		·06		·35		·13		·05		·13	24
25		·12		·04		·02				·02		·17	25
26		·14		·22	·18	·01	·07	·07		·20	·20	·11	26
27		·16	·16	·15				·45	·15			·11	27
28		·23		·20							·25		28
29				·09		·14	·18	·07	·18	·19			29
30			·05	·13						·19		·02	30
31					·25					·03			31
Total	·75	1.63	1·94	1.18	1.07	1.83	·35	1.79	1.56	1.53	2·47	5·50	TOTAL for year 21.60
No. of Rain Days.	76	14	19	15	6	11	4	10	9	14	17	26 25	152

150

W. 8,000, X. '11.

R

FORM A2. BRITISH RAINFALL. 19 JAN 1912

Kept at Martley Rectory

in the County of Worcester

by Rev James F. Hastings

RAIN GAUGE	Pattern	
	Diameter of top	5 in.
	Height of top above Ground	1 ft. — in.
	" " " Sea Level	230 ft.

Time of Observation 9 a.m daily

Nearest Railway Station — Name Knightwick — Distance 3½ m — Direction S.S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·06	·03	·01						·07		1
2				·04	·04		·03	·11		·10	·05	·04	2
3					·49			·11	·06			·09	3
4			·18	·02 s				·02	·09		·11	·36	4
5	·07		·03	·01 s				·07		·03	·02	·01	5
6	·30		·06								·06	·34	6
7											·32		7
8	·09		·20								·07	·25	8
9	·07		·03								·22	·14	9
10	·04	·13	·31									·37	10
11	·18		·01								·49	·03	11
12		·01	·38						·09		·11		12
13									·16		·02	·40	13
14		·01	·01 s									·76	14
15		·03	·04			·01					·13	·06	15
16			·02			·07					·10	·05	16
17			·03		·10	·18					·21	·50	17
18		·28	·03	·07		·08			·57	·03		·31	18
19		·04		·08		·37	·07			·27	·04	·11	19
20		·08		·03				·09	·10	·05		·63	20
21		·14	·06					·67		·20		·15	21
22			·08	·01		·03				·12		·27	22
23		·09	·20			·57			·16	·05		·09	23
24		·17		·06		·35		·13		·05		·13	24
25		·12		·04		·02				·02		·17	25
26		·14		·22	·18	·01	·07	·07		·20	·20	·11	26
27		·16	·16	·15				·45	·15			·11	27
28		·23		·20							·25		28
29				·09		·14	·18	·07	·18	·19			29
30			·05	·13						·19		·02	30
31					·25					·03			31
Total	·75	1.63	1.94	1.18	1.07	1.83	·35	1.79	1.56	1.53	2.47	5.50	TOTAL for year 21.60
No. of Rain Days.	~~7~~6	14	19	15	6	11	4	10	9	14	17	~~26~~ 25	~~152~~ 150

W. 8,000, X. '11.

ex F.6

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL. 2 JAN 1913

Kept at Martley Rectory
in the County of Worcester
by Rev James. F. Hastings

Lat. 52° 24' N Long. 2.19 W
Time of Observation 9.a.m
Nearest Railway Station Knightwick G.W.R
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			.16		.01	.60	.20	.05	.03	.07		.08 s	1
2			.19		.01	.81	.22					.02	2
3	.01	.05 s	.10		.24	.16	.05	.87	.04		.01	.06	3
4	.15	.02	.58		.22	.86		.05			.15		4
5	.15	.27 s	.26		.37	.03		.34			.01		5
6	.26		.02		.01	.18	.22	1.16	.03				6
7		.22	.03		.08	.48	.01	.36				.01	7
8	.32	.12	.19			.10	.11	.20	.07			.01	8
9			.74	.05		.48		.25				.29	9
10	.07	.03		.05		.04	.01	.06			.13		10
11		.07				.04		.03			.15	.55	11
12	.11	.25	.12		.13		.01						12
13						.01		.20				.05	13
14	.07		.55		.06	.09		.05	.02	.01			14
15	.11	.08	.04		.46	.19		.01				.13	15
16	.35		.10		.09			.14		.07	.01		16
17	1.70 s		.16			.06		.39			.03	.30	17
18	.18 s		.06					.10					18
19	.14		.02				.12	.32		.03		.03	19
20	.03	.07	.21			.05	.02	.04		.21	.02		20
21	.02	.05	.28		1.11			.64		.30			21
22	.08	.12			.50	.05	.47	.29		.03		.12	22
23	.68	.12	.34			.04	.22	.37				.12	23
24	.08		.01			.39	.06	.13			.07	.17	24
25						.29		.82		.01	.38	.38	25
26		.10					.28	1.18		.76		.39	26
27						.41	.58			.82	.26	.31	27
28		.09	.05			.05	.45	.66	.16	.34	.39	.27	28
29		.08				.22	.19	.05	.67	.12	.01	.07	29
30					.04	.19	.05			.09			30
31			.10		.47		.48	.07		.01		.05	31
Total	4.51	1.74	4.31	.10	3.80	5.82	3.75	8.83	1.02	2.87	1.62	3.41	YEAR'S TOTAL 41.78
Rain Days.	18	16	22	2	15	24	19	27	7	14	13	20	197

W. 7,500, XI. '12

FORM A.
BRITISH RAINFALL.

8 JAN 1914

DS

REGISTER OF RAINFALL IN 1913

Kept at Martley Rectory
in the County of Worcester
by Rev James F. Hastings

Lat. 52"24'N Long. 2.19 W
Time of Observation 9 am
Nearest Railway Station Knightwick
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·09	·09	·07				·84		·04		1
2	·01	·24	·03	·11					·05	·56	·23		2
3	·03		·03		·63					·03		·12	3
4	1·10				·25				·22	·70	·03	·22	4
5	·05	·06	·01		·03	·32	·20		·07	·28	·05	·05	5
6	·04	·07	·17		·35	·12	·36			·45		·37	6
7		·18			·13 ·15	·04	·03			·76	·24		7
8	·01	·13			·17	·08	·04	·10		·32	·	·01	8
9		·41	·04		·16	·26		·25	~~·17~~		·11	·01	9
10	·14			·15	·09			·04	·17	·07	·09		10
11	·76s			·37	·14			·03		·09	·84		11
12		·01			·23						·35		12
13		·01	·17					·02	·17		·45		13
14	·14	·01	·47	·10				·07		·14			14
15	·05	·06	·62	·71				·01	·07		·11		15
16	·05		·68s	·06									16
17	·02	·02s	·12s	·08		·04	·23						17
18	·03		·17	·08	·01		·08		·10				18
19	·14		·13				·03		·14				19
20	·10		·37	·10						·11	·20		20
21			·28	·24	·07		·10	·10			·24		21
22	·49		·65			·14		·23	·41	·07			22
23	·01		·03					·12	·04		·07	·01	23
24	·08			·02						·02			24
25				·13					·07		·01		25
26		·02		·57	·23							·24	26
27	·03	·01	·65	·21	·05			·37		·03			27
28	·27		·25	·33	·10					·19		·02	28
29	·01		·56	·57				·01		·12		·01	29
30	·24									·54	·14		30
31	·03		·21					·07		·08			31
Total	3·83	1·23	5·13	3·92	2·71	1·00	1·07	1·42	2·35	4·56	3·20	1·06	YEAR'S TOTAL 31·48
Rain Days.	23	13	21	17	16	7	8	13	12	18	16	10	174

W.7,000, XI. 13

Cmd for arith 1.IV.15 ~~W~~ DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
JAN 191

Kept at Martley Rectory
in the County of Worcester
by Rev James F. Hastings

Lat. 52"24' Long. 2·19 W.
Time of Observation 9. a.m
Nearest Railway Station Knightwick G.W.R
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						·03	·49	·16			·04	·08	1
2							·25	·18			·57	·30	2
3			·01	·12	·22		·08	·08				·07	3
4	·26		·01	·09	·08		·11	·11			·57	·44	4
5	·05		·07	·15	·39		·44				·19		5
6	·05	·08		·09	·04		·04				·01	·13	6
7		·13	·35	·05	·23	·13	·24	·11	·06			·30	7
8			·03	·04	·07	·58	·05	·07				·15	8
9	·14	·02	·17	·25	·04	1·30		·04	·15				9
10	·06	·06	·02	·30	·09	·11			·23				10
11		·07	·24	·05	·05	·12			·01		·07	·48	11
12		·23	·20				·21		·42		·11	·26	12
13		·16	·26				·02		·06	·21	·14	·45	13
14		·12	·12							·15	·11	·03	14
15		·03	·13					·02	·07	·02	·07		15
16									·05				16
17	·01	·11	·14						·11			·20	17
18							·23				·06	·29	18
19			·03				·69		·03	·03		·07	19
20		·28	·07			·07						·24	20
21		·33	·02			·06	·03	·49		·17		·10	21
22		·05			·13	·20	·03	·11		·10			22
23		·04	·08		·11			·05		·05			23
24			·12				·08	·04		·17	·03		24
25	·10		·04				·08	·24		·30	·03	·21	25
26		·01	·02					·13		·02		·29	26
27	·05									·03	·26	·22	27
28		·09	·13		·04					·09	·09	·73	28
29	·01		·09		·14					·22	·07	·25	29
30		✕	·02		·02	·09				·05	·32	·44	30
31	·13	✕		✕		✕	·21		✕	·03	✕	·03	31
Total	·86	1·81	2.37	1·14	1·65	2.69	3·28	1·83	1·19	1·64	2·74	5.76	YEAR'S TOTAL 26·96
Rain Days.	10	16	23	9	14	10	17	14	10	15	17	23	178

2·74 26·96

W. 8,000. X. 14.

2897

FORM A. BRITISH RAINFALL. 13 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Martley Rectory
in the County of Worcester
by Rev James F. Hastings

Lat. 52" 24" Long. 2" 19' W
Time of Observation 9 a.m
Nearest Railway Station Knightwick
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·25	·18	·08		·28		·01	·02	·28	·23	·02	·07	1
2	·12	·15	·16	·16		·11		1·26		·26		·10	2
3	·90	·12	·02	·09	·02		·67	·10		·01		·19	3
4		·03			·08		·87	·22				·75	4
5	·01	·33		·02				·06		·03		·44	5
6	·13	·01		·18			·47	~~·08~~				·10	6
7	·07	·27		·08			·12	·08				·25	7
8	·21	·37		·12			·03	·02			·07		8
9	·17	·18		·12							·20	·38	9
10	·28		·10	·04				·02			·02		10
11			·01	·03	·13						1·14	·04	11
12	·08	·03		·22	·46			·08		·08	1·01	·01	12
13	·01	·46			·95			·17				·07	13
14		·05						·13	·10	·02		·31	14
15	·38				·10			·10		·03	·10	·11	15
16	·06	·28			·33		1·81					·02	16
17		·23	·02		·74							·02	17
18		·34	·05										18
19		·04			·12		·07						19
20	·06			·13								·10	20
21	·12						·12			·11		·03	21
22	·15		·29	·18			·25					·22	22
23	·05	·06	·05				·41			1·17		·36	23
24			·03	·03			·24		·45	·75		·22	24
25						·65	·08			·05		·20	25
26		·06					·55					·40	26
27		·13					·50			·32		·11	27
28		·16						·10	·12	·03		·02	28
29						·17	·15	·05			·06	·07	29
30	·07	✕		·01		·26	·06	·01		·33	·05	·06	30
31		✕		✕		✕	·11	·02	✕	·80	✕	·38	31
Total	3·12	3·48	·81	1·41	3·21	1·19	6·52	2·44	·95	4·22	2·67	5·03	YEAR'S TOTAL 35·05
Rain Days.	18	20	10	14	10	4	18	16	4	15	9	27	165

W. 8,000. X. 15.

cwd for auth

2430

REGISTER OF RAINFALL IN 19~~17~~ 16

FORM A.
BRITISH RAINFALL.
5 JAN 1917

Kept at Martley Rectory
in the County of Worcester
by Rev James F. Hastings

Lat. 52" 24' N Long. 2" 19' W
Time of Observation 9 a.m
Nearest Railway Station Knightwick
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·10				·05	·10	·13		·04	·16	·18		1
2	·33		·20		·20		·09			·72	·04		2
3		·64			·03	·01	·03		·06	·18	·10		3
4	·17	·16			·47	·33	·03		·03	·04	·50		4
5	·02	·30	·05		·35	·04	·11			·04	·35		5
6	·03		·05		·18	·03	·57			·06	·28		6
7			·08		·05		·12			·08	·31	·18	7
8	·02		·06		·20					·06	·01		8
9			·02		·19	·15				·01	·01	·23	9
10		·41	·04	·05	·03	·24	·03			·05			10
11		·12	·06	·08	·02	·12						·18	11
12	·03	·10	·05		·43		·13	~~·40~~		·02			12
13		·22	·13	·05			·25	·40					13
14		·39	·02	·01	·04					·12	·02	·05	14
15		·33	·22	·06	·20		·03	·13					15
16		·05	·01	·25	·04		·20	·46		·03			16
17	·06	·16		·09				·15	·34	·39			17
18		·05	·05	·07					·20		·30	·13	18
19	·06		·41	·12				·03			·25	·01	19
20	·06		·54								·05	·25	20
21			·43	·04	·12		·16						21
22				·04		·04				·15		·59	22
23	·02	·20	·04	·03						·05	·03	·27	23
24		·12	·05		·60			·17		·22		·17	24
25		·03	·06					·11		·08	·18		25
26	·04	·07	·01			·07		·11	·01	·34	·03		26
27	·04	·14	·41					·08	·23	·31		·02	27
28		·25	·07			·08			·02	·06		·10	28
29		·15				·19				·39		·18	29
30		×				·03		·68		·11			30
31		×		×		×			×	·18	×	·01	31
Total	·98	3·89	3·06	·89	3·20	1·43	1·82 1·82	2·32	·93	3·85 3·85	2·64	2·37	YEAR'S TOTAL 27·39 27·38
Rain Days.	13	19	23	12	17	13	13	10	8	24	16	14	182

W. 8,000, VIII. 16

2314

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL
5. JAN 1918

Kept at Martley Rectory
in the County of Worcester
by Rev James F. Hastings

Lat. 52' 24" N Long. 2' 19" W
Time of Observation 9. am
Nearest Railway Station Knightwick
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·06	·12 s		·17		·66	·20		·07	·02 s	1
2				·03 s		·07		·02			·08		2
3		·01 s		·15 s				·02		·20			3
4			·21 s	·02 s				·05		·19			4
5	·15		·24 s	·17 s					·04	·14	·08		5
6	·01		·06 s			·35				·05	·12		6
7							·04	·14		·07	·01		7
8	·22			·12 s			·23	·28		·28	·13	·07	8
9	·59		·09 s	·03 s	·13			·33	·11	·09	·11		9
10	·32		·42	·11 s	·20			·13	·03	·02	·03		10
11	·11		·14	·10 s	·02			·03		·17	·03		11
12	·07			·04 s	·29			·01		·18			12
13	·01		·02	·03					·06	·10			13
14	·01 s		·30	·20				·03		·05		·03	14
15	·03 s				·13		·07	·54		·05		·11	15
16		·05		·10		·13		·05				·19	16
17		·01		·07	·55	·06	·35	·17	·09	·10			17
18	·03 s	·05		·02	·04		·37		1·07	·01			18
19	·03	·46	·39 s			·45			·02		·01		19
20	·01	·22	·11 s		·69	·18	·22						20
21			·18 s		·08	·12		·03	·14	·03	·03		21
22			·03 s		·07	·04		·09	·04	·08			22
23		·20				·02		·24		·09	·01		23
24					·11	·40	·43	·05		·18	·07	·01	24
25			·09					·56		·07			25
26		·15			·18				·11	·05	·11		26
27					1·65	·17	·59	·61		·03			27
28			·14			·20		·13				·03	28
29			·01			·10	·04			·46		·30	29
30		X	·16 s					·34		·03	·09		30
31		X		X		X		·08	X		X	·01	31
Total	1·59	1·15	2·65	1·31	4·14	2·46	2·34	4·59	1·91	2·72	·98	·77	YEAR'S TOTAL 26·61
Rain Days.	13	8	17	15	13	14	9	23	11	24	15	9	171

W. 8,000, IX. 17.

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1918

Kept at Martley Rectory
in the County of Worcester
by Rev James F Hastings

Lat. 52' 24" N Long. 2' 19" W
Time of Observation 9 am
Nearest Railway Station Knightwick
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·05	·09						·64		1
2		·01		·01				·28		·04	·01	·06	2
3		·05		(·03)	·25			·06	·50		·48		3
4		·02						·04	·55	·19	·49	·45	4
5		·02		·03	·26	·05		·09	·20	·18		·02	5
6	·03	·47	·02	·16		·02			·02	·26		·02	6
7	·01	·09		·01	·13				·18	·11	·18		7
8	·01	·18							·29	·07		·05	8
9	·06	·43		·22		·18	·17		·24	·13			9
10	·08			·10			·40		·06	·06		·12	10
11	·01	·02		·05	·02		·21		·08		·03	·06	11
12	·03	·02	·21		·11		·17		·06				12
13					·02		·05		·13	·05		·03	13
14	(·04)		·04	·01			·12		·35	·10		·13	14
15	·80 s			·20			·24		·06	·03		·30	15
16	·22 s			·72		·07	·09	·01	·39			·15	16
17				·02		·06	·06		·84			·15	17
18	·57					·38	·17		1·25			·29	18
19	·03		·18				·05		·02	·10			19
20	·20	·05		·28		·05	·01		·18			·10	20
21	·06			·45	·08	·01	·07		·28			·10	21
22					·10		·17		·01			·18	22
23					·55		·12		·03				23
24	·06	·13					·10		·06	·03	·04		24
25					·01	·07	·13	·37			·10		25
26							·47		·03	·02	·09	·10	26
27								·23	·15		·05		27
28		·02	·21								·10	·05	28
29		·09	·22						·95			·01	29
30		X	·23						·01		·06	·08	30
31		X	·42	X		X		·13	X		X	·06	31
Total	2·21	1·60	1·53	2·34	1·62	·89	2·80	1·21	6·92	1·37	2·27	2·51	YEAR'S TOTAL 27·27
Rain Days.	14	14	8	15	11	9	18	8	26	14	12	21	170

W. 6,500, VII. 18. W W C

+ Rl

2170

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Martley Rectory
in the County of Worcester
by Rev James F. Hastings

Lat 52′ 24″ N Long 2′ 19″ W
Time of Observation 9.am
Nearest Railway Station Knightwick 3m
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·29	·01 s			·10		·12		·06	·08		·30	1
2	·10				·03		·13		·06		·13	·07	2
3	·31 s		·12		·04	·05	·26		·04		·13	·10	3
4	·08	·02	·30		·08	·14	·01		·11			·10	4
5		·21 s			·13		·06	·08	·30			·21	5
6	·05	·05	·20									·21	6
7			·10	·07	·04						·09	·03	7
8	·36		·07	·12		·07							8
9	·12		·03	·08									9
10			·66	·03						·02	·01	·18	10
11	·02		·85	·01	·05		·47			·03		·01	11
12	·05		·09	·03		·13			·04	·12	·02 s		12
13	·10			·21					·20	·11		·02	13
14	·22	·01		·10					·30	·01	·04 s	·06	14
15	·28	·02		·06	·40		·11			·15		·25	15
16	·25	·83		·01				·10				·01	16
17	·08	·53		·01	·03	·04					·11	·01	17
18	·02		·63				·07	·15				·07	18
19	·05	·30	·93			·15	1·14	·30	·10		·08		19
20	·51	·05	·30			·05	·04	·13	·10			·10	20
21		·40	·02				·31		·02		·04	·10	21
22		·06				·01			·32		·01	·13	22
23						·03	·07	·07		·80		·05	23
24								·45		·57		·11	24
25	·08			·13	·11	·06			·05	·03	·23		25
26	·01		·10	·14				·13				·23	26
27	·16 s			·71 s				·34	·04		·07	·07	27
28			·08 s	·01				·63		·34	·02 s	·26	28
29	·04			·12		·01				·03	·31 s	·14	29
30				·09		·11		·05		·04	·05	·21	30
31													31
TOTAL	3·18	2·49	4·48	1·93	1·01	·85	2·79	2·43	1·74	2·33	1·34	3·03	YEAR'S TOTAL 27·60
Days with ·01 in. or more	21	12	15	17	10	12	12	11	14	13	15	25	177

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

2088

4 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Martley Rectory
in the County of Worcester
by Rev James F. Hastings

Lat. 52′ 14″ N Long. 2′ 19″ W
Time of Observation 9 a.m.
Nearest Railway Station Knightwick
Diameter of Funnel of Rain Gauge ·5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·19	·22		·32	·01	·04	·13		·35	1
2	·05			·10			·08	·02	·06	·10		·11	2
3	·08	·03		·08	·05		1·15	·04	·17	·45		·02	3
4	·01			·10			·02	·30	·02	·27			4
5			·12	·06	·12		·45	·04		·38		·01	5
6			·10		·10		·12			·26			6
7			·09s	·14			·15					·01	7
8		·06		·70	·06		·62						8
9	·21	·03		·38			·06						9
10	·30	·05	·05	·07		·20	·11				·07		10
11	·50		·06	·35	·30	·28	·10	·04					11
12	·21	·01	·07	·22		·73	·01	·01			·08	·02	12
13	·15		·22	·14							·03	·08	13
14	·04	·05	·58s	·20		·33	·03		·25	·04	·24		14
15	·01	·09	·26	·43	·01	·12	·02		·01	·48			15
16				·19	·13	·25	·14		·04		·03		16
17	·02		·01	·21	·04			·01	·78	·12		·04	17
18	·14			·02	·15	·02	·04	·13	·62			·01	18
19	·07	·22s		·01		·10							19
20	·03	·24s		·21		·15			·02	·03		·05	20
21		·01		·26			·26					·06	21
22	·03			·01		·02	·01	·07				·03	22
23		·01		·06			·31	·06				·44	23
24			·25					·01			·01	·20	24
25		·03	·23	·04			·62				·01	·02	25
26	·15		·23	·07			·08				·09	·05	26
27	·20		·10	·01	·13	·25	·01				·02	·43	27
28	1·07s	·03	·14	·02	·40	·03	·01				·02	·09	28
29	·12		·14	·02	·11						·08	·47	29
30	·02	✕	·22	·15	·08	·10	·12		·23		·10	·10	30
31	·05	✕		✕	·04	✕	·01		✕	·41	✕	·10	31
Total	3·46	·86	2·82	4·44	1·94	2·58	4·85	·74	2·24	2·67	·78	2·69	Year's Total 30·07
Days with ·01 in. or more	·21	13	17	28	15	13	25	12	11	11	12	21	199
Days with ·04 in. or more	·15	6	15	22	14	10	17	7	8	10	6	14	~~134~~ 144

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

WORCESTER

MOSELEY.

"17, PROSPECT RD".

1911 – 1912

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

REGIST

Kept at 17, Prospect Rd, M

in the County of Worcester

by Rev. F. O. Lane

…und

5 in.

…e Ground 1 ft. - in.

Sea Level 550 ft.

a.m.

Name Kings Heath

Distance ½m. Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 9 a.m 0·00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	·03	-	-	-	-	·05	-	-	·03	·01	1
2	-	-	-	-	·18	-	-	·10	-	·15	·04	·05	2
3	-	-	-	-	·38	-	-	-	-	-	·06	·03	3
4	·04	·01	·12	·04*	·01	-	-	·03	-	·16	·21	·21	4
5	·37	-	·04	·01*	-	-	-	·02	-	·04	·03	-	5
6	·19	-	·01	-	-	-	-	·02	-	-	·05		6
7	·05	-	-	-	-	-	-	-	-	-	·22		7
8	·18	-		-	-	-	-	-	-	-	·02		8
9	·03	-	·62	-	-	-	-	-	-	-	·41		9
10	·02	·09		-	-	-	-		-	-	-		10
11	·19	-	-	-	-	-	-		-	-	·35		11
12	-	-	·45*	-	-	-	-		·06	-	·35	2·80	12
13	-	-	·12*	-	-	-	-		·10	-	·03		13
14	-	·06	-	-	-	-	-		-	-	-		14
15	-	·06	·02	-	-	-	-		-	·01	·13		15
16	-	-	-	-	-	·13	-		-	·01	·14		16
17	-	-	·14*	-	-	·15	-		-	-	·21	·80	17
18	-	·35	-	·01	-	·16	-		-	·03	-		18
19	-	·02	-	·01	-	·46	-	1·67	·31	·24	·17	·12	19
20	·01	·09	-	·02	-	-	-		·10	·09	-	·38	20
21	-	·25	·03	-	-	-	-		-	·52	-	·04	21
22	-	·01	-	·01	-	·11	-		-	·20	-	·36	22
23	-	·16	·26	-	-	·09	-		·32	·08	-	·29	23
24	-	·09	-	·03	-	·39	-		·01	·25	-	·26	24
25	-	·05	·01*	·08	·16	·05	-		-	-	-	·06	25
26	-	·06	-	·30	-	-	·07		-	·24	·19*	·14	26
27	-	·28	·10	·18	·01	-	-		·26	-	·15*	·13	27
28	-	·27	-	·18	-	-	-		-	-	·10	·05	28
29	-		-	·04	-	·15	·16		·36	·19	·01	·01	29
30	-		-	·04	-	·08	-		-	·15	·01	·01	30
31	-		·12		-		-			·06		-	31
Total	1·08	1·85	2·07	0·95	0·74	1·77	0·23	1·89	1·52	2·42	2·91	5·75	TOTAL for year 23·78
No. of Rain Days.	9	15	16	13	5	10	2!	—	8	16	21	—	

W. 8,000, X. '11.

* as snow

REGIS IN 1911

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

Kept at 17 Prospect Rd, Moseley

in the County of Worcester 5

by Rev. F. O. Lane

Rain Gauge
Pattern round
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 550 ft.

Time of Observation 8 a.m.

Nearest Railway Station
Name Kings Heath
Distance ½ m. Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 9 a.m
0·00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·03	–	–	–	–	·05	–	–	·03	·01	1
2	–	–	–	–	·18	–	–	·10	–	·15	·04	·05	2
3	–	–	–	–	·38	–	–	–	–	–	·06	·03	3
4	·04	·01	·12	·04*	·01	–	–	·03	–	·16	·21	·21	4
5	·37	–	·04	·01*	–	–	–	·02	–	·04	·03	–	5
6	·19	–	·01	–	–	–	–	·02	–	–	·05		6
7	·05	–	–	–	–	–	–	–	–	–	·22		7
8	·18	–		–	–	–	–	–	–	–	·02		8
9	·03	–	}·62	–	–	–	–	–	–	–	·41		9
10	·02	·09		–	–	–	–		–	–	–		10
11	·19	–	–	–	–	–	–		–	–	·35		11
12	–	–	·45*	–	–	–	–		·06	–	·35	}2·80	12
13	–	–	·12*	–	–	–	–		·10	–	·03		13
14	–	·06	–	–	–	–	–		–	–	–		14
15	–	·06	·02	–	–	–	–		–	·01	·13		15
16	–	–	–	–	–	·13	–		–	·01	·14		16
17	–	–	·14*	–	–	·15	–		–	–	·21	}·80	17
18	–	·35	–	·01	–	·16	–		–	·03	–		18
19	–	·02	–	·01	–	·46	–	}1·67	·31	·24	·17	·12	19
20	·01	·09	–	·02	–	–	–		·10	·09	–	·38	20
21	–	·25	·03	–	–	–	–		–	·52	–	·04	21
22	–	·01	–	·01	–	·11	–		–	·20	–	·36	22
23	–	·16	·26	–	–	·09	–		·32	·08	–	·29	23
24	–	·09	–	·03	–	·39	–		·01	·25	–	·26	24
25	–	·05	·01*	·08	·16	·05	–		–	–	–	·06	25
26	–	·06	–	·30	–	–	·07		–	·24	·19*	·14	26
27	–	·28	·10	·18	·01	–	–		·26	–	·15*	·13	27
28	–	·27	–	·18	–	–	–		–	–	·10	·05	28
29	–		–	·04	–	·15	·16		·36	·19	·01	·01	29
30	–		–	·04	–	·08	–		–	·15	·01	·01	30
31	–		·12		–		–			·06		—	31
Total	1·08	1·85	2·07	0·95	0·74	1·77	0·23!	1·89	1·52	2·42	2·91	5·75	TOTAL for year 23·18
No. of Rain Days.	9	15	16	13	5	10	2!	—	8	16	21	—	

W. 8,000, X. '11.

* as snow

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL. 6 - JAN 1913

Kept at 17 Prospect Rd, Moseley

in the County of Worcester 5

by the Rev. F. O. Lane

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
„ „ „ Sea Level 550 ft. approx

Time of Observation 8 a.m

Nearest Railway Station
Name Kings Heath
Distance ½ m. Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	* ·01	·10	–	–	·17	·15		·01	–	–	* ·16	1
2	–	* ·01	·10	·01	·01	·10	·57		–	–	–	·02	2
3	·07	–	·02	–	·29	·15	·27		·01	–	–	·07	3
4	·15	–	·66	–	·03	1·00	–		–	–	·20	–	4
5	* ·15	* ·08	·35	–	·01	·16	–		·03	–	·02	–	5
6	* ·50	·20	·01	–	–	·23	–		·02	–	–	·10	6
7	–	·18	–	–	·08	·15	–		–	–	–	–	7
8	* ·35	·23	·31	·03	–	·04	·23		·11	–	–	·09	8
9	·03	·07	·37	·13	–	·20	–		–	–	–	·32	9
10	·11	–	·01	–	–	·67	–	4·76	·01	–	·30	–	10
11	·03	·07	–	–	–	·10	·01		–	–	·03	·57	11
12	·05	·31	·18	–	·11	·08	–		–	–	·01	–	12
13	·01	·04	–	–	–	–	·03		–	–	·01	·01	13
14	·14	–	·51	–	–	·05	–		–	·01	–	–	14
15	·12	·05	·16	–	·32	·32	–		–	–	–	·15	15
16	·50	–	·28	–	·08	·01	–		–	·08	–	–	16
17	* 1·09	–	·29	–	–	·13	–		–	–	·07	·48	17
18	* ·49	–	·02	–	–	–	–		–	·02	–	–	18
19	–	·05	–	–	·01	·01	·20		·01	·04	·04	·01	19
20	·03	–	·20	–	–	–	·07		–	·22	–	–	20
21	–	·01	·30	–	1·01	–	–		–	·46	–	–	21
22	* ·28	·15	–	–	·45	·14	·31		–	–	–	·10	22
23	·20	·08	·28	–	–	·02	·24		–	–	·09	·10	23
24	·17	·01	·01	–	–	·16	·03	·05	–	–	–	·33	24
25	–	–	–	–	–	·61	–	·35	–	–	·20	·39	25
26	–	·07	·04	–	–	·03	·40	·62	–	·60	·35	·27	26
27	–	–	–	–	–	·23	·26	–	–	·88	·01	·20	27
28	–	·11	–	–	–	·03	·25	·69	·09	·21	·57	·41	28
29	–	·02	–	–	–	·17	·19	·01	·46	·17	–	·02	29
30	–		·03	–	·14	·11	·07	–	–	·04	* ·01	–	30
31	–		·09		·14		·46	·06		·02		·11	31
Total	4·47	1·75	4·32	0·17	2·68	5·07	3·74	6·54	0·75	2·75	1·91	3·91	TOTAL for year 38·06
No. of Rain Days.	19	19	22	3	13	26	17	–	9	12	14	20	—

W. 8,000; X. '11.

* as snow

FORM A2.
BRITISH RAINFALL.
20 JAN 1912

REG

MOSELEY
CHANTRY RD

1911 - 1912

Kept at "Boscobel" Cha
late
in the County of Worcest
now in the City of B
by G. F. Lyndon

in.
ound 1 ft. ~~in.~~
Level 442 ft.
a m
me Moseley
stance Direction

IMPORTANT NOTE.- … e result entered to the previous day. If an Obser … al rule, he is earnestly requested to add the readin … in the space provided for it at the end of this … nt of rain, the selection and placing … sh Rainfall Organization are given in " … plication to Dr. H. R. Mill, 62, Camde

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·020	·020				·050			·020		1
2			·005	·040	·210		·040	·100		·130	·040	·040	2
3				·020	·360				·060	·020	·050	·030	3
4	·020		·125		·010			·030	·040	·150	·120	·200	4
5	·150		·030					·030		·010	·030		5
6	·460		·020					·020			·030	·410	6
7											·220		7
8	·150		·150								·015	·400	8
9	·050		·090	·005							·435	·170	9
10	·010	·100	·370		·015			·020				·520	10
11	·210	·005									·325	·005	11
12			·350						·050		·360		12
13			·110						·080		·020	·330	13
14		·050									·005	·940	14
15		·040	·020							·005	·110	·050	15
16						·110				·005	·150	·140	16
17			·170	·005		·140					·210	·240	17
18		·360		·010		·090				·085		·325	18
19		·030				·400	·005	·015	·230	·240	·150	·065	19
20	·005	·100		·020				·250	·100	·005		·400	20
21	·005	·205	·050					·240		·480		·055	21
22			·050	·015		·080		·005		·220		·380	22
23		·170	·200			·080	·020		·280	·100		·210	23
24	·005	·075		·030		·400		·040		·240		·180	24
25		·040	·020	·090	·175	·040		·040		·020		·050	25
26		·110		·325			·020	·120		·230	·330	·140	26
27		·180	·100	·170				·630	·300		·020	·130	27
28		·270		·180							·100	·045	28
29				·050		·150	·145		·445	·150	·005	·015	29
30			·010	·050		·080		·250	·005	·190	·005	·010	30
31			·110		·010					·050			31
Total	1·065	1·435	2·000	1·030	·480	1·540	·230	1·840	1·590	2·330	2·450	5·510	TOTAL for year 22·430
No. of Rain Days.	7	13	18	13	6	10	4	14	9	15	19	25	153

W. 8,000, X. '11.

/

REG

FORM A2.
BRITISH RAINFALL.
20 JAN 1912

Kept at "Boscobel" Chantry Road Moseley
late in the County of Worcestershire 5
now in the City of Birmingham
by G. F. Lyndon J.P.

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 442 ft.

Time of Observation 9·00 a m

Nearest Railway Station
Name Moseley
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·020	·020				·050			·020		1
2			·005	·040	·210		·040	·100		·130	·040	·040	2
3				·020	·360				·060	·020	·050	·030	3
4	·020		·125		·010			·030	·040	·150	·120	·200	4
5	·150		·030					·030		·010	·030		5
6	·460		·020					·020			·030	·410	6
7											·220		7
8	·150		·150								·015	·400	8
9	·050		·090	·005							·435	·170	9
10	·010	·100	·370		·015			·020				·520	10
11	·210	·005									·325	·005	11
12			·350						·050		·360		12
13			·110						·080		·020	·330	13
14		·050									·005	·940	14
15		·040	·020							·005	·110	·050	15
16						·110				·005	·150	·140	16
17			·170	·005		·140					·210	·240	17
18		·360		·010		·090				·085		·325	18
19		·030				·400	·005	·015	·230	·240	·150	·065	19
20	·005	·100		·020				·250	·100	·005		·400	20
21	·005	·205	·050					·240		·480		·055	21
22			·050	·015		·080		·005		·220		·380	22
23		·170	·200			·080	·020		·280	·100		·210	23
24	·005	·075		·030		·400		·040		·240		·180	24
25		·040	·020	·090	·175	·040		·040		·020		·050	25
26		·110		·325			·020	·120		·230	·330	·140	26
27		·180	·100	·170				·630	·300		·020	·130	27
28		·270		·180							·100	·045	28
29				·050		·150	·145		·445	·150	·005	·015	29
30			·010	·050		·080		·250	·005	·190	·005	·010	30
31			·110		·010					·050			31
Total	1·065	1·735	2·000	1·030	·780	1·570	·230	1·840	1·590	2·330	2·750	5·510	TOTAL for year 22·430
No. of Rain Days.	7	13	18	13	6	10	4	14	9	15	19	25	153

W. 8,000, X. '11.

Exe DL

FORM A2.
BRITISH RAINFALL.

7-JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at "Boscobel" Chantry Road Moseley
Late *in the County of* Worcestershire B'ham
by G. F. Lyndon

RAIN GAUGE: Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 472 ft.
Time of Observation 9·0 am
Nearest Railway Station: Name Moseley MR
Distance ______ Direction ______

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·005	·120			·190	·130	·015	·020			·130	1
2		·010	·070	·010	·035	·100	·560	·005				·030	2
3	·060		·060		·085	·130	·250	·900	·015			·060	3
4	·150		·620		·200	1·110		·120			·235		4
5	·170	·095	·310		·015	·130		·200	·060		·025		5
6	·330	·190	·010		·005	·280		·450	·045		·005	·070	6
7		·180	·010		·060	·150		·100				·030	7
8	·390	·220	·290	·050		·050	·190	·170	·120			·050	8
9	·030	·070	·380	·150		·200		·160				·320	9
10	·050	·010	·005	·005		·640		·100	·020		·355	·005	10
11	·070	·110	·005			·180		·015			·035	·555	11
12	·050	·290	·180		·105	·010					·035	·005	12
13	·020	·030					·030				·020		13
14	·160		·520			·055		·105					14
15	·190	·040	·130		·330	·285		·010				·120	15
16	·510	·005	·220		·110	·020		·080		·090			16
17	1·370		·290			·130		·545			·080	·525	17
18	·250		·040					·075		·040	·040		18
19	·150	·055	·005		·030	·005	·210	·550	·005	·045	·015		19
20	·050		·170		·015	·010	·070	·040		·270	·005		20
21		·005	·265		1·080			·430		·420			21
22	·300	·130			·480	·170	·280	·400		·005		·120	22
23	·200	·095	·260			·015	·310	·290			·080	·080	23
24	·170	·005	·010			·200	·030	·070			·010	·270	24
25		·015				·390		·330			·230	·385	25
26		·080	·040			·030	·380	·640		·570	·370	·275	26
27						·230	·250			·860	·010	·180	27
28		·110	·010			·100	·240	·650	·100	·220	·600	·380	28
29		·010	·005			·200	·200	·020	·420	·165	·040	·030	29
30			·015		·150	·220	·030		·015	·055			30
31	·020		·100		·145		·470	·080				·080	31
Total	4·690	1·760	4·140	·215	2·845	5·230	3·630	6·550	·820	2·740	2·190	3·700	TOTAL for year 38·510
No. of Rain Days.	21	~~18~~ 20	23 25	3 4	14	26 27	16	26 11	~~9~~ 10	10	~~16~~ 17	19 20	201 210

W. 8,000, X. '11.

Total Rainfall for the year 38·510 inches

NETHERTON
LODGE FARM RES
WORCESTER
1911- 1920

FORM A2.
BRITISH RAINFALL.
11 MAY 1912

RE

Zambra

Kept at Lodge Far
in.

nd 1 ft. - in.

in the County of Worces
Level 445 ft.

by G. R. Jebb (B'gha
Windmill End
nce 2 miles Direction E.

IMPORTANT NOT result entered to the previous day. If an O l rule, he is earnestly requested to add the rea n the space provided for it at the end of th of rain, the selection and plac Rainfall Organization are given in "Rules for Rainfall Observers," cation to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.	·02	.	.	.	.	·08	.	.	·01	.	1
2	·02	.	·02	.	·09	.	·05	·14	.	·06	·10	·04	2
3	.	.	.	·02	·24	.	.	.	.	·02	·09	·02	3
4	·02	.	·13	·01	·04	·48	.	·06	·06	·04	·11	·39	4
5	·10	.	·05	.	.	.	.	·05	.	·02	·02	.	5
6	·25	.	·04	.	.	.	.	·04	.	.	·04	·22	6
7	·01	.	.	.	.	.	.	.	.	.	·17	.	7
8	·16	.	·16	.	.		.	.	.	.	·12	·28	8
9	.	.	·03	.	.	.	.	.	.	.	·50	·11	9
10	·05	·09	·18	.	.	.	.	.	.	.	.	·30	10
11	·12	.	.	.	.	.	.	.	.	.	·23	·02	11
12	.	.	·41	.	.	.	.	.	·18	.	·17	.	12
13	.	.	·02	.	.	.	.	·05	·05	.	·02	·35	13
14	.	·02	·01	.	.	.	.	.	.	.	.	·65	14
15	.	·02	·04	.	.	.	.	.	.	.	·06	·10	15
16	.	.	·05	.	.	.	.	.	.	.	·03	·04	16
17	.	.	·01	.	.	·71	.	.	.	.	·21	·30	17
18	.	·18	.	·02	.	·17	.	.	.	·02	.	·20	18
19	.	.	.	.	.	·42	·01	·03	·28	1·10	·17	·10	19
20	.	·12	.	·03	.	·01	.	·32	·10	.	.	·42	20
21	.	·13	·02	.	.	.	.	·45	.	·20	.	·02	21
22	.	.	·02	.	.	·03	.	.	.	·09	.	·29	22
23	.	·10	·11	.	.	·06	.	.	·26	·09	.	·16	23
24	.	·06	.	·05	.	·43	.	·07	.	·23	.	·08	24
25	.	.	·01	·13	·06	·04	.	·03	.	.	.	·03	25
26	.	·13	.	·14	·03	·06	.	·16	.	·18	·23	·08	26
27	.	·14	·16	·08	.	.	.	·35	·27	.	·05	·15	27
28	.	·19	.	·17	.	.	.	.	.	.	·18	·05	28
29	.		.	·01	.	·12	·17	.	·28	·12	·02	.	29
30	.		.	·02	.	·14	.	·03	.	·14	.	.	30
31	.		·15		·04		.	.		·02		.	31
Total	·73	1·18	1·64	·68	·50	2·67	·23	1·86	1·48	2·33	2·53	4·40	TOTAL for year 20·23
No. of Rain Days	8	11	20	11	6	12	3	14	8	14	20	24	151

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
11 MAY 1912

R

Kept at Lodge Farm Reservoir
in the County of Worcestershire 2
by G. R. Jebb (B'gham Canal Company)

RAIN GAUGE
Pattern Negretti & Zambra
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 445 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Windmill End
Distance 2 miles Direction E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.	·02	.	.	.	.	·08	.	.	·01	.	1
2	·02	.	·02	.	·09	.	·05	·14	.	·06	·10	·04	2
3	.	.	.	·02	·24	.	.	.	.	·02	·09	·02	3
4	·02	.	·13	·01	·04	·48	.	·06	·06	·04	·11	·39	4
5	·10	.	·05	.	.	.	.	·05	.	·02	·02	.	5
6	·25	.	·04	.		.	.	·04	.	.	·04	·22	6
7	·01	.	.	.	.	.	.	.	.		·17	.	7
8	·16	.	·16	.	.	.	.	.	.	.	·12	·28	8
9	.	.	·03		.	.	.	.	.	.	·50	·11	9
10	·05	·09	·18	.	.	.	.	.	.	.		·30	10
11	·12	.	.	.	.	.	.	.	.	.	·23	·02	11
12	.	.	·41	.	.		.	.	·18	.	·17	.	12
13	.	.	·02	.	.	.	.	·05	·05	.	·02	·35	13
14	.	·02	·01	.	.	.	.	.	.	.	.	·65	14
15	.	·02	·04	.	.	.	.	.	.	.	·06	·10	15
16	.	.	·05	.	.	.	.	.	.	.	·03	·04	16
17	.	.	·01	.	.	·71	.	.	.	.	·21	·30	17
18	.	·18	.	·02	.	·17	.	.	.	·02	.	·20	18
19	.	.	.	.	.	·42	·01	·03	·28	1·10	·17	·10	19
20	.	·12	.	·03		·01	.	·32	·10	.	.	·42	20
21	.	·13	·02	.	.	.	.	·45	.	·20	.	·02	21
22	.	.	·02	.	.	·03	.	.	.	·09	.	·29	22
23	.	·10	·11	.	.	·06	.	.	·26	·09	.	·16	23
24	.	·06	.	·05	.	·43	.	·07	.	·23	.	·08	24
25	.	.	·01	·13	·06	·04	.	·03	.	.	.	·03	25
26	.	·13	.	·14	·03	·06	.	·16	.	·18	·23	·08	26
27	.	·14	·16	·08	.	.	.	·35	27	.	·05	·15	27
28	.	·19	.	·17	.	.	.	.	.	.	·18	·05	28
29	.		.	·01	.	·12	·17	.	·28	·12	·02	.	29
30	.		.	·02	.	·14	.	·03	.	·14	.	.	30
31	.		·15		·04		.	.		·02		.	31
Total	·73	1·18	1·64	·68	·50	2·67	·23	1·86	1·48	2·33	2·53	4·40	TOTAL for year 20·23
No. of Rain Days	8	11	20	11	6	12	3	14	8	14	20	24	151

9,000, IX. '10.

BRITISH RAINFALL FORM A.

25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Lodge Farm Reservoir,

in the County of Worcestershire 2

by Birmingham Canal Navigation

Lat. 52° 28′ 58″ N Long. 2° 5′ 28″ W.

Time of Observation 9 am

Nearest Railway Station Windmill End

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 445 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·	·	·18	·	·	·20	·08	·	·02	·	·	·10	1
2	·	·	·13	·	·04	·14	·33	·	·		·	·03	2
3	·04	·	·07	·	·03	·13	·22	·53	·01	·	·03	·07	3
4	·10	·	·52	·	·14	1·12	·	·14	·	·	·22	·	4
5	·14	·03	·29	·	·02	·22	·	·30	·06	·	·03	·	5
6	·18	·17	·02	·	·	·10	·	·17	·	·	·	·02	6
7	·	·15	·01	·	·04	·36	·	·02	·	·	·	·	7
8	·15	·14	·17	·03	·	·03	·15	·14	·10	·	·	·	8
9	·03	·07	·33	·08	·	·45	·	·16	·	·	·	·39	9
10	·	·	·01	·	·	·24	·	·24	·	·	·42	·02	10
11	·09	·13	·	·	·	·15	·	·04	·	·	·10	·53	11
12	·03	·25	·13	·	·05	·02	·	·	·	·	·01	·	12
13	·	·09	·	·	·	·	·	·	·	·01	·01	·01	13
14	·10	·	·62	·	·	·05	·	·13	·02	·	·	·	14
15	·11	·04	·26	·	·35	·29	·	·03	·	·	·	·06	15
16	·46	·	·13	·	·10	·02	·	·13	·	·09	·	·	16
17	·66	·	·12	·	·	·10	·	·49	·	·	·16	·54	17
18	·63	·	·03	·	·	·	·	·05	·	·	·05	·01	18
19	·12	·06	·	·	·04	·	·32	·81	·	·08	·01	·01	19
20	·01	·	·07	·	·02	·	·09	·04	·	·24	·02	·	20
21	·	·01	·19	·	·60	·	·	·46	·	·45	·01	·	21
22	17	·07	·	·	1·31	·22	·19	·36	·	·	·	·17	22
23	·20	·04	·23	·	·	·04	·16	·30	·	·	·07	·	23
24	·11	·	·03	·	·	·21	·02	·07	·	·	·03	·18	24
25	·	·	·	·	·	·20	·	·59	·	·	·14	·23	25
26	·	·21	·	·	·	·	·30	·65	·	·47	·28	·08	26
27	·	·02	·02	·	·	·38	·35	·	·	·69	·	·15	27
28	·	·05	·01	·	·	·03	·15	·54	·08	·20	·60	·29	28
29	·	·02	·	·	·	·27	·10	·03	·46	·08	·05	·03	29
30	·01		·02	·	·10	·01	·04	·01	·	·06	·	·01	30
31	·		·06	·	·41		·36	·06		·02		·04	31
Total	3·34	1·49	3·65	·11	3·25	4·98	2·86	6·49	·75	2·39	2·24	2·97	YEAR'S TOTAL 34·52 ✓
Rain Days.	19	17	24	2	14	24	15	26	7	11	18	21	198 ✓

W. 7,500, XI. ·12

Exd DL

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 31 JAN 1914

Kept at Lodge Farm Reservoir

in the County of Worcestershire

by A.W. Willet (Birmingham Canal Co)

2

Lat. 52° 28' 58" N Long. 2° 5' 28" W.

Time of Observation 9 am

Nearest Railway Station Windmill End

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 445 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·02	·05	·06	·15	·	·	·	·58	·	·03	·	1
2	·02	·08	·03	·21	·	·01	·	·	·	·27	·07	·	2
3	·08	·	·13	·	·42	·	·	·	·02	·08	·	·09	3
4	·93	·02	·03	·	·23	·	·01	·	·	·02	·02	·31	4
5	·15	·02	·	·	·33	·13	·07	·	·05	·83	·02	·02	5
6	·02	·	·13	·	·24	·40	1·11	·	·	·17	·	·18	6
7	·	·11	·	·	·16	·19	·04	·	·	·37	·11	·02	7
8	·01	·06	·02	·	·13	·38	·	·13	·	·30	·	·	8
9	·	·31	·05	·03	·03	·32	·07	·15	·11	·	·07	·03	9
10	·03	·	·	·11	·	-	·	·02	·	·	·07	·	10
11	·65	·	·02	·25	·	·04	·	·08	·	·04	·54	·	11
12	·	·	·	·	·01	·	·	·	·	·	·48	·	12
13	·04	·	·21	·	·	·	·	·06	·21	·	·22	·	13
14	·08	·	·76	·04	·	·	·	·	·04	·14	·04	·	14
15	·10	·03	·64	·56	·	·	·06	·	·10	·	·05	·01	15
16	·	·01	·51	·02	·	·	·	·	·03	·	·	·	16
17	·04	·	·11	·08	·	·03	·04	·	·07	·	·	·01	17
18	·01	·	·19	·05	·14	·	·06	·	·14	·	·01	·	18
19	·10	·	·08	·03	·01	·01	·04	·	·07	·	·	·	19
20	·16	·	·11	·03	·	·	·02	·	·	·02	·15	·	20
21	·	·	·22	·06	·02	·	·04	·04	·	·	·18	·	21
22	·35	·	·64	·	·01	·05	·	·40	·39	·	·	·	22
23	·02	·	·01	·	·	·09	·	·06	·03	·	·05	·01	23
24	·14	·	·	·02	·	·	·	·04	·	·	·	·	24
25	·	·	·	·06	·	·	·	·	·04	·	·	·	25
26	·	·04	·	·44	·	·	·	·18	·	·03	·	·18	26
27	·	·	·03	·41	·	·	·	·	·	·17	·	·	27
28	·20	·	·15	·30	·10	·	·	·	·	·13	·	·07	28
29	·01	–	·54	·46	·	·	·	·02	·	·08	·01	·02	29
30	·27	–	·	·01	·	·	·	·	·	·44	·09	·	30
31	·	–	·19	–	·03	–	·	·	–	·02	·	·	31
Total	3·41	·70	4·85	3·23	1·98	1·65	1·56	1·18	1·88	3·11	2·21	·95	YEAR'S TOTAL 26·71
Rain Days.	21	10	23	20	14	11	11	11	14	16	18	12	1·81

W.7,000, XI. 13

referred 6.IV.15

corrd by Obsr 7.IV.15 —W DL

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

13 JAN 1915

Kept at Lodge Farm Reservoir

in the County of Worcestershire 2

by A W Willet (Birmingham Canal Company)

Lat. 52° 28′ 58″ N Long. 2° 5′ 28″ W

Time of Observation 9 am

Nearest Railway Station Windmill End

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 445 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·01	—	·01	—	·03	·38	·17	—	·02	·01	·03	1
2	—	—	—	—	—	—	·09	·36	—	·03	·34	·33	2
3	—	—	·02	·03	·13	—	·12	·04	—	—	·01	·05	3
4	·16	—	·04	·11	·07	—	·02	·11	—	—	·63	·55	4
5	~~·01~~ ·10	—	·10	·07	·02	·03	·44	—	—	—	·08	—	5
6	·02	·04	—	—	·03	·04	·12	—	—	—	·09	·06	6
7	—	·08	·31	·02	·03	·18	·21	·13	—	—	—	·11	7
8	·01	—	—	·06	·14	·74	·07	·06	·01	—	—	·10	8
9	·36	·01	·04	·26	·05	1·20	—	·06	—	—	—	—	9
10	·07	·09	·02	·17	·06	·03	—	—	·18	—	—	—	10
11	—	·09	·23	·07	·05	·03	—	—	—	—	·22	·54	11
12	—	·23	·12	—	—	—	·37	—	·29	—	·05	·28	12
13	·01	·13	·18	—	—	—	·03	—	·04	·08	·19	·29	13
14	—	·06	·08	—	—	—	—	—	·03	·31	·12	·08	14
15	·02	·01	·06	—	—	—	—	·02	·05	·02	·01	—	15
16	—	—	·09	—	—	—	·03	—	·04	—	—	·02	16
17	·01	·21	·17	—	—	—	·03	—	·04	—	—	·18	17
18	—	—	—	—	—	—	·27	—	·03	·14	—	·59	18
19	—	·01	—	—	—	—	·38	—	·14	—	·08	·05	19
20	—	·36	·08	—	—	·07	·10	—	—	·01	—	·27	20
21	—	·31	·04	—	—	·42	·32	·04	—	·13	—	·28	21
22	—	·01	·03	—		·07	·04	·15	—	·18	—	—	22
23	—	·12	·08	—	·42	·03	—	—	—	·06	—	—	23
24	—	·06	·01	·02	·19	—	·06	·14	—	·03	·06	—	24
25	·10	—	·03	—	—	—	·04	·23	—	·33	·04	·15	25
26	—	—	·32	—	—	—	·04	·25	—	·11	·18	·23	26
27	·06	—	·02	—	—	—	—	—	—	·03	·49	·42	27
28	—	·05	·11	—	·13	—	·04	—	—	·03	·18	·96	28
29	—		·06	—	·09	—	—	—	—	·23	·08	—	29
30	—	✕	·01	—	—	·05	—	—	—	·01	·45	·38	30
31	·08	✕	—	✕	02	✕	·22	—	✕	·02	✕	·01	31
Total	1·00	1·88	2·25	·82	1·43	2·92	3·42	1·76	·85	1·77	3·31	5·96	YEAR'S TOTAL 27·37
Rain Days.	12	18	24	10	14	13	22	13	10	18	19	23	196

W. 8,000. X. 14.

6X MF

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

15. JAN 1916

Kept at Lodge Farm Reservoir

in the County of Worcestershire

by A. W. Willet. C.E. (B'ham Canal Company)

Lat. 52° 28′ 58″ N Long. 2° 5′ 28″ W

Time of Observation 9 a m

Nearest Railway Station Windmill End

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 445. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·77	·08	·08	–	·25	–	–	·06	·07	·11	–	–	1
2	·03	·06	·25	·11	–	·12	–	·43	–	·18	–	·07	2
3	·91	·03	·07	·11	·01	–	·62	–	–	–	–	·12	3
4	·02	·02	–	–	·02	–	·96	·05	–	–	–	·77	4
5	·01	·68	–	·02	–	·02	–	·03	–	·01	–	·32	5
6	·10	·10	–	·22	–	–	·89	·23	–	–	–	·08	6
7	·10	·38	–	–	·04	–	·57	·15	–	–	–	·27	7
8	·07	·28	–	–	–	–	–	·02	–	–	·12	–	8
9	·11	·09	–	·19	–	–	–	·03	–	–	·25	·35	9
10	·19	–	·07	·02	–	–	·03	–	–	–	–	–	10
11	·02	–	–	·08	·26	–	·14	–	–	–	·81	·04	11
12	·08	–	–	·18	·21	–	–	·31	–	·08	·89	–	12
13	·02	·39	–	–	·63	–	–	·07	–	–	·03	·05	13
14	·07	–	–	–	–	–	·12	·19	·05	–	–	·38	14
15	·23	–	–	–	·06	–	·09	·12	–	·01	·07	·12	15
16	·07	·38	–	–	·22	–	1·98	–	–	–	–	·01	16
17	–	·24	·01	–	·24	–	–	–	–	–	–	–	17
18	–	·29	·06	–	–	–	–	–	–	–	–	–	18
19	–	·02	·01	–	·04	–	·15	–	–	–	–	–	19
20	·20	–	–	·11	–	–	–	–	–	–	–	·06	20
21	·21	–	–	–	–	–	·15	–	–	·03	–	·04	21
22	·08	–	·26	·07	–	–	·16	–		–	–	·05	22
23	·02	·12	·02	–	–	·13	·31	–	–	·44	–	·26	23
24	–	–	·03	·01	–	–	·05	–	·22	·30	–	·17	24
25	–	–	–	–	–	·44	·15	–	–	–	–	·36	25
26	–	·05	–	–	–	–	·37	–	·21	–	–	·25	26
27	–	·09	–	–	–	–	·21	–	–	·36	–	·08	27
28	–	·14	–	–	–	–	·01	·22	·04	–	–	–	28
29	–		–	–	–	·01	·08	·05	–	–	·05	·05	29
30	·04	X	–	·02	–	·19	·08	–	–	·20	·07	·05	30
31	·03	X	–	X	–	X	·07	–	X	·06	X	·41	31
Total	2·78	3·36	86	1·14	1·98	·91	7·19	1·96	59	1·78	2·23	4·36	YEAR'S TOTAL 29·14
Rain Days.	22	18	10	12	11	6	21	14	5	11	8	23	161

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
2. MAR 1917

Kept at Lodge Farm [illegible]
in the County of Worcestershire
by A. Willet [illegible]

Lat. 52°28′58″N Long. 2°5′28″W
Time of Observation 9 am
Nearest Railway Station Windmill End
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. [illegible] in.
" " " " Sea Level 445. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10	·01	·07	–	–	·08	·16	–	–	·08	·20	–	1
2	·16	·01	·19	–	·14	·01	·45	–	·07	·61	·19	–	2
3	–	·41	–	–	–	·01	–	–	·01	·18	·07	–	3
4	·18	·11	–	·04	·58	·11	–	–	·01	·03	·42	–	4
5	·01	–	–	–	·17	·14	·11	–	–	·09	·15	–	5
6	·02	·17	·04	–	·31	·06	·53	–	–	·10	·35	–	6
7	·08	–	·10	–	·09	–	·19	–	–	·10	·11	·20	7
8	·05	–	·05	–	·26	–	–	–	–	·10	·06	·21	8
9	–	–	·01	–	·20	–	–	–	–	–	·01	–	9
10	–	·37	·08	·07	·01	–	–	–	T	·01	–	–	10
11	·06	·15	·04	·12	–	·25	–	–	·02	–	–	·14	11
12	–	·04	·03	–	·19	–	·08	–	T	·03	–	–	12
13	·02	·16	·07	·03	–	–	·55	·13	–	–	–	·02	13
14	–	·23	–	·11	·01	–	–	·36	–	·02	–	–	14
15	–	·19	·38	·04	·11	–	·11	·06	·01	·11	–	–	15
16	–	·01	·05	·25	·02	–	–	·22	T	–	–	–	16
17	·02	·17	–	·11	–	–	·01	·01	·42	·12	–	–	17
18	–	·06	·02	·11	–	–	–	·03	·12	·07	·68	·17	18
19	·02	–	·10	·12	–	·01	–	·07	·05	–	·33	–	19
20	·01	–	·29	·01	–	–	–	·06	T	–	·10	·19	20
21	–	–	·16	·04	·10	–	·07	–	–	–	–	·24	21
22	–	–	–	·02	–	·02	–	–	–	·08	–	·27	22
23	·01	·09	–	–	–	–	–	·08	–	–	·04	·21	23
24	–	·25	–	–	·10	–	–	·11	–	·19	–	·19	24
25	–	·09	·18	–	·07	–	–	·07	·02	·07	·30	–	25
26	·03	·10	–	–	–	·05	–	·05	·28	·17	·07	–	26
27	–	·14	·40	–	–	·03	–	·65	·10	·23	–	·01	27
28	–	·26	·08	–	·08	–	–	–	T	·07	–	·12	28
29	–	·20	–	–	–	·11	–	·47	–	·21	–	·07	29
30	–	X	–	–	–	·11	–	–	–	·10	–	–	30
31	–	X	–	X	–	X	–	·01	X	·25	X	·13	31
Total	·77	3·05	[illegible]	1·07	[illegible]	·99	2·26	2·38	1·11	3·02	3·08	2·17	YEAR'S TOTAL [illegible]
Rain Days.	14	21	19	13	16	13	10	15	11	23	15	14	184

W. 8,000, VIII. 16

FORM A.
BRITISH RAINFALL.

18 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Lodge Farm Reservoir
in the County of Worcestershire
by A.W. Willet C.E. (B'ham Canal Co.)

Lat. 52°26'58"N Long. 2°5'28"W
Time of Observation 9 a.m.
Nearest Railway Station Windmill End
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 445 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·06	·02	–	·15	–	·87	·34	–	·04	·19	1
2	–	–	–	·02	–	·07	–	·04	–	–	·03	·05	2
3	–	·08	–	·22	–	–	–	–	–	·32	·03	·01	3
4	·11	–	·09	–	–	–	–	·11	–	·64	–	–	4
5	·20	–	·06	·15	–	–	–	–	·01	·15	·06	–	5
6	·01	–	·09	–	–	·83	–	–	–	·09	·17	–	6
7	·30	–	–	–	–	·03	–	·03	–	·10	–	·11	7
8	·37	–	–	·17	–	–	·06	1·03	–	·35	·20	·16	8
9	–	–	·10	·08	·18	–	–	·30	–	·11	·35	–	9
10	·30	–	·23	·06	·36	–	–	·14	·06	·01	–	–	10
11	·17	–	·17	·11	–	–	–	–	–	·15	·01	–	11
12	·01	–	–	–	·35	–	–	·08	·01	·16	·01	–	12
13	–	–	–	·06	–	–	–	·17	–	–	–	–	13
14	·05	–	·10	·11	–	–	–	·99	·02	–	–	·07	14
15	·02	–	–	–	·06	–	·26	·05	–	·03	–	·10	15
16	·01	·16	–	·08	–	–	·03	·06	–	–	–	·28	16
17	–	–	–	·11	·45	·15	·40	·25	·18	·08	–	–	17
18	·01	–	·02	·05	·07	–	·41	·07	·90	·04	–	–	18
19	·03	·22	·38	–	·01	·30	–	–	·01	–	–	–	19
20	–	·15	·04	–	·32	·09	·07	·12	·12	–	·14	·07	20
21	–	·01	·14	–	·11	·03	–	·04	–	·03	·07	–	21
22	–	–	·01	–	–	·08	–	·06	·05	·11	–	–	22
23	–	·14	–	–	·16	–	–	·05	–	·09	–	–	23
24	–	–	·01	–	–	·55	·14	·11	–	·21	·04	–	24
25	–	·10	·09	–	–	–	–	–	–	–	·02	–	25
26	–	–	–	–	–	·19	–	·41	·15	–	·27	–	26
27	–	–	–	–	1·33	·22	·68	·58	–	–	·01	–	27
28	–	·07	·05	–	–	–	–	·10	–	–	–	·04	28
29	–		·04	–	–	·05	·03	·20	–	·32	–	·29	29
30	–		–	–	–	–	·15	·29	–	·04	·02	–	30
31	–		–		–		–	·13		–		·05	31
Total	1·59	·87	1·68	1·24	3·40	2·74	2·23	6·28	1·85	3·03	1·47	1·30	YEAR'S TOTAL 27·68
Rain Days	13	8	17	13	11	13	10	25	11	19	16	12	168

W. 8,000, IX. 17.

EX 948

38

FORM A2. BRITISH RAINFALL.

15.1.19

REGISTER OF RAINFALL IN 1918

Kept at Lodge Farm Reservoir

in the County of Worcestershire

by A. W. Willet C.E. (B'ham Canal Co)

Rain Gauge
Pattern Negretti & Zambra
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 445 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Windmill End
Distance 2 mls Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·	·	·20	·18	·	·	·	·	·02	·31	·	1
2	·	·02	·	·08	·	·	·	·08	·	·01	·04	·10	2
3	·	·	·	·	·20	·	·	·69	·47	·	·02	·	3
4	·	·03	·01	·	·	·	·	·03	·76	06	·41	·44	4
5	·	·		·01	·27	·	·	·11	·12	·03	·	·	5
6	·	·13	·	·18	·	·15	·	·	·01	·11	·	·	6
7	·	·07	·	·10	·06	·03	·	·	·21	·07	·18	·	7
8	·01	·18	·	·02	·	·	·	·	·13	·13	·	·	8
9	·	·45	·	·08	·	·18	·18	·	·31	·26	·	·03	9
10	·07	·02	·	·07	·	·	·25	·	·08	·05	·02	·06	10
11	·		·01	·	·11	·	·28	·	·34	·	·	·07	11
12	·	·04	·09	·	·08	·	·04	·	·	·	·	·	12
13	·	·	·	·01	·17	·05	·01	·	·15	·06	·	·04	13
14	·39	·	·	·	·	·01	·08	·	·17	·07	·	·14	14
15	·44	·	·	·35	·	·08	·21	·	·03	·	·	·20	15
16	·09	·	·	·48	·	·08	·	·03	·28	·	·	·02	16
17	·31	·	·		·73	·02	·06	·	·50	·09	·	·10	17
18	·36	·	·	·	·	·14	·29	·	·99	·	·	·34	18
19	·05	·04	·12	·04	·	·	·03	·	·	·06	·	·23	19
20	·13	·06	·	·64	·	·06	·	·	·18	·	·01	·18	20
21	·07	·	·	·41	·15	·	·08	·	·34	·	·	·08	21
22	·	·	·	·	·07	·	·07	·02	·01	·01	·	·29	22
23	·	·	·	·	·50	·03	·04	·	·09	·	·	·64	23
24	·	·12	·	·	·	·03	·14	·03	·04	·	·16	·	24
25	·	·	·	·	·	·04	·20	·60	·	·	·06	·	25
26	·	·	·	·	·	·	·23	·06	·04	·02	·05	·05	26
27	·	·02	·	·	·	·	·	·31	·22		·14	·07	27
28	·	·09	·29	·	·	·	·	·		·	·14	·11	28
29	·		·07	·	·	·	·	·	·75	·	·	·01	29
30	·		·29	·	·	·	·	·06	·	·	·13	·21	30
31	·		·25		·		·	·		·		·	31
Total	1·92	1·27	1·13	2·67	2·52	·90	2·19	2·02	6·22	1·05	1·67	2·81	TOTAL for year 26·37
No. of Rain Days.	10	13	8	14	11	13	16	11	23	15	13	21	168

W. 8,000, X. '11.

2196

JAN 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Lodge Farm Reservoir
in the County of Worcestershire
by A. W. Willet C.E. (B'ham Canal Co)

Lat. 52° 28' 58" Long. 2. 5. 7.
Time of Observation 9 a.m.
Nearest Railway Station Windmill End
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 445 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·30	·01	·02	·02	·12	·	·35	·	·02	·18	·02	·25	1
2	·10	·	·08	·	·	·	·07	·	·08	·01	·15	·	2
3	·40	·	·02	·	·04	·08	·40	·	·14		·13	·08	3
4	·08	·01	·27	·		·08	·05	·06	·17	·	·	·17	4
5	·02	·16	·	·	·	·	·	·	·27	·	·	·08	5
6	·01	·01	·09	·	·54	·	·	·	·	·	·	·07	6
7	·25	·	·15	·06	·	·	·	·	·	·	·03	·	7
8	·14	·	·05	·07	·	·04	·	·	·	·	·	·	8
9	·03	·	·	·06	·	·	·	·	·	·	·	·	9
10	·	·	·58	·01	·	·	·	·	·	·02	·	·16	10
11	·	·	·81	·	·02	·	·32	·	·	·03	·	·01	11
12	·03	·	·39	·	·	·28	·	·	·02	·09	·03	·	12
13	·09	·	·	·25	·	·	·03	·	·16	·25	·	·02	13
14	·26	·	·	·13	·	·	·11	·	·30	·01	·	·05	14
15	·52	·09	·01	·40	·	·	·	·	·	·08	·01	·17	15
16	·05	·97	·	·02	·	·	·	·11	·	·	·13	·01	16
17	·	·37	·	·	·02	·03	·03	·	·	·	·13	·01	17
18	·	·03	·31	·	·	·	·01	·27	·	·	·	·11	18
19	·08	·17	·58	·	·	·20	1·32	·40	·09	·	·01		19
20	·20	·03	·31	·	·	·01	·14	·20	·17	·	·23	·08	20
21	·	·22	·02	·	·	·01	·28	·02	·03	·	·01	·11	21
22	·	·35	·	·	·	·	·01	·	·29	·	·	·48	22
23	·	·	·	·	·	·16			·	·66	·	·06	23
24	·	·	·	·01	·	·01	·	·	·	·99	·09	·16	24
25	·16	·	·	·04	·16	·17	·	·41	·	·	·02	·03	25
26	·	·	·09	·17	·	·03	·	·02	·16	·	·01	·26	26
27	·13	·	·03	·33	·	·	·	·12	·01		·01	·	27
28	·07	·	·01	·	·	·01	·	·58	·	·	·	·17	28
29	·12	×	·04	·10	·	·05	·	·02	·	·45	·07	·16	29
30	·	×	·01	·17	·	·19	·	·03	·	·03	·08	·22	30
31	·	×	·07	×	·	×	·	·	×	·01	×	·01	31
TOTAL	3·04	2·42	3·94	1·84	·90	1·35	3·12	2·24	1·91	2·81	1·16	2·93	YEAR'S TOTAL 27·66
Days with ·01 in. or more	20	12	21	15	6	15	13	12	14	13	17	24	182

2102

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

15 JAN 1921

Kept at Lodge Farm Reservoir
in the County of Worcestershire
by A. W. Willet C. E. (B'ham Canal Co)

Lat 52° 28' 58" Long 2' 5' 7'
Time of Observation 9 a.m.
Nearest Railway Station Windmill End
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 445 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	·	·01	·12	·15	·	·20	·	·12	·16	·	·19	1
2	·	·	·	·03	·	·	·27	·	·07	·07	·	·07	2
3	·04	·08	·	·08	·	·01	·75	·02	·12	·34	·	·	3
4	·	·	·02	·11	·	·	·02	·31	·03	·24	·	·	4
5	·	·	·03	·02	·08	·	·22	·10	·10	·75	·	·	5
6	·	·	·15	·01	·06	·	·14	–	·	·41	·	·	6
7	·	·	·02	·07	·02	·	·09	·	·	·	·	·	7
8	·42	·06	·	·47	·18	·	·24	·	·	·	·	·	8
9	·23	·01	·	·31	·	·	·06	·14	·	·	·	·	9
10	·32	·04	·07	·08	·	·	·06	·	·	·	·06	·	10
11	·03	·	·05	·16	·39	·22	·02	·05	·	·	·	·	11
12	·17	·02	·08	·21	·	·62	·01	·40	·	·	·08	·15	12
13	·08	·01	·17	·31	·	·03	·	·	·	·	·01	·01	13
14	·01	·01	·61	·10	·	·09	·03	·	·25	·05	·09	·	14
15	·	·10	·20	·23	·	·16	·03	·	·11	·04	·	·	15
16	·	·	·	·10	·01	·48	·18	·	·07	·46	·	·	16
17	·01	·	·	·	·08	·	·	·01	·50	·02	·	·02	17
18	·26	·		·	·09	·	·11	·10	·23	·	·	·	18
19	·02	·62	·	·32	·	·05	·	·	·03	·	·	·	19
20	·	·05	·	·32	·	·14	·	·	·	·	·	·01	20
21	·	·	·	·07	·	·	·28	·	·	·	·	·07	21
22	·		·	·10	·	·	·	·10	·	·	·	·02	22
23	·	·	·	·01	·	·	·22	·08	·	·	·	·30	23
24	·	·	·12	·04	·	·	·	·02	·	·	·	·12	24
25	·	·01	·19	·05	·12	·	·47	·01	·	·	·	·	25
26	·12	·	·13	·01	·	·	·09	·	·	·	·02	·07	26
27	·18	·	·02	·21	·63	·21	·01	·	·	·	·04	·39	27
28	·80	·	·11	·07	·28	·04	·01	·	·	·	·	·07	28
29	·08	·	·18	·	·32	·12	·03	·	·	·	·07	·32	29
30	·	×	·	·11	·05	·07	·01	·	·18	·	·08	·10	30
31	·06	×	·03	×	·	×	·04	·	×	·33	×	·02	31
TOTAL	2·83	1·01	2·19	3·72	2·46	2·24	3·59	1·34	1·81	2·87	·45	1·93	YEAR'S TOTAL 26·44
Days with ·01 in. or more	16	11	18	27	14	13	25	12	12	11	8	16	183
Days with ·04 in. or more	12	6	12	22	12	11	16	8	10	10	6	11	136

WORCESTER.

WEST HEATH.

"NORTHFIELD"

1911-1912

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

REG 1911

Kept at West Heath House

in the County of Worc

by Prof. Adrian J Bro

top 5 in.

p above Ground 1 ft. – in.

„ Sea Level ft.

ation { Name Northfield
Distance 1 mile Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·02	–	–	–	–	·07	–	–	·02	–	1
2	·01	–	·01	·05	·12	–	·01	·12	–	·08	·08	·02	2
3	·01	–	–	–	·36	–	–	–	·07	·02		·03	3
4	·01	–	·17	·04	–	–	–	·06	·05	·12	·20	·18	4
5	·44	–	·03	–	–	–	–	·05	–	·02	·01	–	5
6		–	·03	–	–	–	–	·03	–	–	·05	·43	6
7	·02	–	–	–	–	–	–	–	–	–	·23	–	7
8	·14	–	·20	–	–	–	–	–	–	–	·01	·39	8
9	·06	–	·02	–	–	–	–	–	–	–	·46	·16	9
10	·03	·07	·49	–	–	–	–	·03	–	–	–	·35	10
11	·23	–	–	–	–	–	–	–	–	–	·29	·02	11
12	–	–	·48	–	–	–	–	–	·05	–	·27	–	12
13	–	–		–	–	–	–	·25	·10	–	·02	·39	13
14	–	·10	·01	–	–	–	–	–	–	–	–	·85	14
15	–	·04	·01	–	–	–	–	–	–	·01	·11	·06	15
16	–	–	–	–	–	·12	–	–	–	–	·16	·11	16
17	–	–	·02	·01	–	·25	–	–	–	–	·22	·21	17
18	–	·40	–	·02	–	·20	–	–	–	·05	·01	·31	18
19	–	·02	–	–	–	·30	·06	–	·40	·22	·21	·10	19
20	–	·15	–	·05	–	·01	–	·21	·17	·01	–	·51	20
21	–	·15	·05	–	–	–	–	·33	–	·35	–	·10	21
22	–	–	·01	·01	–	·09	–	–	–	·18	–	·37	22
23	·01	·12	·18	–	·01	·06	–	–	·46	·07	–	·16	23
24	–	·10	–	·06	–	·42	–	·09	–	·21	–	·11	24
25	–	·06	·01	·06	·09	·07	–	–	–	·01	–	·05	25
26	–	·09	–	·37	·01	·02	–	·07	–	·24	·29	·11	26
27	–	·42	·10	·19	·02	–	–	·59	·22	–	·02	·16	27
28	–		–	·20	–	–	–	–	–	–	·17	·03	28
29	–		·01	·03	–	·14	·17	·02	·33	·20	·01	–	29
30	–		·01	·01	–	·08	–	·10	–	·13	·01	·01	30
31	–		·16		·03		–	–		·07		–	31
Total	0·96	1·72	2·02	1·10	0·64	1·76	0·24	2·02	1·85	1·99	2·85	5·21	TOTAL for year 22·36
No. of Rain Days.	10 (?11)	12 (?13)	20 (?21)	13	7	12	3	14	9	17	~~21~~ (?23)	25	~~163~~ 166

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

REG[illegible] 1911

Kept at West Heath House, Northfield

in the County of Worcester 5

by Prof. Adrian J Brown, F.R.S.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name Northfield
Distance 1 mile Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·02	–	–	–	–	·07	–	–	·02	–	1
2	·01	–	·01	·05	·12	–	·01	·12	–	·08	·08	·02	2
3	·01	–	–	–	·36	–	–	–	·07	·02		·03	3
4	·01	–	·17	·04	–	–	–	·06	·05	·12	·20	·18	4
5	·44	–	·03	–	–	–	–	·05	–	·02	·01	–	5
6		–	·03	–	–	–	–	·03	–	–	·05	·43	6
7	·02	–	–	–	–	–	–	–	–	–	·23	–	7
8	·14	–	·20	–	–	–	–	–	–	–	·01	·39	8
9	·06	–	·02	–	–	–	–	–	–	–	·46	·16	9
10	·03	·07	·49	–	–	–	–	·03	–	–	–	·35	10
11	·23	–	–	–	–	–	–	–	–	–	·29	·02	11
12	–	–	·48	–	–	–	–	–	·05	–	·27	–	12
13	–	–		–	–	–	–	·25	·10	–	·02	·39	13
14	–	·10	·01	–	–	–	–	–	–	–	–	·85	14
15	–	·04	·01	–	–	–	–	–	–	·01	·11	·06	15
16	–	–	–	–	–	·12	–	–	–	–	·16	·11	16
17	–	–	·02	·01	–	·25	–	–	–	–	·22	·21	17
18	–	·40	–	·02	–	·20	–	–	–	·05	·01	·31	18
19	–	·02	–	–	–	·30	·06	–	·40	·22	·21	·10	19
20	–	·15	–	·05	–	·01	–	·21	·17	·01	–	·51	20
21	–	·15	·05	–	–	–	–	·33	–	·35	–	·10	21
22	–	–	·01	·01	–	·09	–	–	–	·18	–	·37	22
23	·01	·12	·18	–	·01	·06	–	–	·46	·07	–	·16	23
24	–	·10	–	·06	–	·42	–	·09	–	·21	–	·11	24
25	–	·06	·01	·06	·09	·07	–	–	–	·01	–	·05	25
26	–	·09	–	·37	·01	·02	–	·07	–	·24	·29	·11	26
27	–	·42	·10	·19	·02	–	–	·59	·22	–	·02	·15	27
28	–		–	·20	–	–	–	–	–	–	·17	·03	28
29	–		·01	·03	–	·14	·17	·02	·33	·20	·01	–	29
30	–		·01	·01	–	·08	–	·10	–	·13	·01	·01	30
31	–		·16		·03		–	–		·07		–	31
Total	0·96	1·72	2·02	1·10	0·64	1·76	0·24	2·02	1·85	1·99	2·85	5·21	TOTAL for year 22·36
No. of Rain Days.	10 (?11)	12 (?13)	20 (?21)	13	7	12	3	14	9	17	~~21~~ (?23)	25	~~163~~ 166 (?167)

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

9- JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at West Heath, Northfield

in the County of Worcester 5

by

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Northfield M.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	·05	·09	–	–	·17	·05	–	·02	–	–	·14	1
2	–	–	·07	·01	–	·13	·45	·02	–	–	–	·03	2
3	·06	–	·02	–	·08	·12	·27	·66	·05	–	–	·10	3
4	·12	–	·62	–	·23	1·06	–	1·02	–	–	·21	·01	4
5	·18	·07	·40	–	·03	·03	–	·30	·09	–	·03	·03	5
6	·26	·17	·01	–	·04	·33	–	·40	–	–	·01	·12	6
7	–	·17	–	–	·08	·19	·01	·16	·01	–	–	·03	7
8	·25	·20	·32	·03	–	·07	·17	·20	·08	–	–	·05	8
9	·05	·07	·46	·08	–	·28	–	·22	–	–	–	·39	9
10	·03	–	·01	–	–	·28	–	·07	·02	–	·32	·01	10
11	·11	·10	·01	–	–	·13	–	·06	–	–	·09	·54	11
12	·04	·26	·20	–	·11	·03	–	–	–	–	·02	·01	12
13	·01	·04	–	–	–	–	–	–	·01	·01	·02	–	13
14	·17	–	·63	–	–	·07	–	·11	–	·04	–	–	14
15	·16	·06	·25	–	·33	·37	–	·01	–	–	–	·13	15
16	·53	–	·27	–	·06	·02	–	·10	–	·11	–	–	16
17	·92	–	·22	–	–	·17	–	·65	–	–	·09	·52	17
18	·24	–	·03	–	–	–	–	·12	–	·04	·05	–	18
19	·04	·07	·02	–	·04	–	·20	·58	–	·02	·01	–	19
20	·02	–	·12	–	–	–	·08	·07	–	·23	·01	–	20
21	–	·02	·31	–	·91	–	–	·45	–	·49	–	–	21
22	·24	·17	–	–	·62	·32	·23	·35	–	·01	–	·18	22
23	·15	–	·36	–	·01	·02	·30	·20	–	–	·07	·15	23
24	·10	·09	·01	–	·01	·21	·01	·06	–	–	–	·16	24
25	·01	·01	–	–	–	·55	–	·30	–	–	·17	·40	25
26	–	·05	·03	–	–	–	·24	·93	–	·61	·27	·30	26
27	–	–	–	–	–	·37	·27	–	–	·81	–	·17	27
28	–	·09	–	–	–	·05	·28	·73	·07	·25	·50	·38	28
29	–	·02	·04	–	–	·17	·17	·04	·43	·22	·07	·08	29
30	–		·02	–	·21	·04	·06	·03	–	·09	–	–	30
31	–		·17		·30		·42	·10		·02		·11	31
Total	3·69	1·71	4·69	0·12	3·06	5·18	3·21	7·94	0·78	2·95	1·94	4·04	YEAR'S TOTAL 39·31
Rain Days.	21	18	25	3	15	24	16	27	9	14	16	23	211

W. 7,500, XI. 12

DL

381

FORM A2.
BRITISH RAINFALL.

26 JAN 1912

R

OMBERSLEY
HOLT LOCK
WORCESTER
1911 - 1920

Kept at *Holt-L*
in the County of *Wor*
by *W. J. Dadge*

in.
und ft. in.
Level ft.
e
ance Direction

IMPORTANT NO … e result entered to the previous day. If an … al rule, he is earnestly requested to add the re … in the space provided for it at the end of th … of rain, the selection and plac … Rainfall Organization are given i … ication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·09	·04				·06					1
2					·05			·11		·17	·11		2
3					·26				·04	·02	·05	·10	3
4			·15	·05					·18	·04	·11	·33	4
5	·12		·03					·12					5
6	·34		·05								·15	·34	6
7											·30		7
8	·12		·19								·07	·31	8
9	·08										·32	·10	9
10		·14	·25									·45	10
11	·15										·38		11
12			·35						·09		·10		12
13									·12			·45	13
14		·02										·92	14
15		·03	·07								·12	·09	15
16						·04					·11	·05	16
17					·17	·09					·18	·30	17
18		·34	·04	·06		·18				·07	·01	·26	18
19				·02		·45			·54	·22	·03	·08	19
20		·09	·04	·03				·43	·09	·02		·53	20
21		·14	·05					·52		·19		·12	21
22			·05							·11		·38	22
23		·14	·22			·18			·19	·04		·14	23
24	·03	·09		·05		·30		·18		·09		·12	24
25		·05		·07		·03						·15	25
26		·13		·21	·12					·25	·22	·10	26
27		·13	·15	·07				·44	·11		·05	·12	27
28		·19		·18							·23		28
29		×		·06		·14	·11		·23	·20			29
30		×	·04		·07	·04	·03	·22		·16			30
31		×	·02	×	·05	×			×		×		31
Total	·84	1·49	1·79	·84	·72	1·45	·14	2·08	1·59	1·58	2·54	5·44	TOTAL for year 20·50
No. of Rain Days	6	12	16	11	6	9	2	8	9	13	17	21	130

9,000, IX. '10.

DL

351

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

R

Kept at Holt-Lock

in the County of Worcestershire

by W. J. Dadge

Rain Gauge	Pattern
	Diameter of top ... in.
	Height of top above Ground ... ft. ... in.
	" " " Sea Level ... ft.
Time of Observation	
Nearest Railway Station	Name
	Distance ... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·09	·04				·06					1
2					·05			·11		·17	·11		2
3					·26				·04	·02	·05	·10	3
4			·15	·05					·18	·04	·11	·33	4
5	·12		·03					·12					5
6	·34		·05								·15	·34	6
7											·30		7
8	·12		·19								·07	·31	8
9	·08										·32	·10	9
10		·14	·25									·45	10
11	·15	—									·38		11
12			·35						·09		·10		12
13									·12			·45	13
14		·02										·92	14
15		·03	·07								·12	·09	15
16						·04					·11	·05	16
17					·17	·09					·18	·30	17
18		·34	·04	·06		·18				·07	·01	·26	18
19				·02		·45			·54	·22	·03	·08	19
20		·09	·04	·03				·43	·09	·02		·53	20
21		·14	·05					·52		·19		·12	21
22			·05							·11		·38	22
23		·14	·22			·18			·19	·04		·14	23
24	·03	·09		·05		·30		·18		·09		·12	24
25		·05		·07		·03						·15	25
26		·13		·21	·12					·25	·22	·10	26
27		·13	·15	·07				·44	·11		·05	·12	27
28		·19		·18							·23		28
29		×		·06		·14	·11		·23	·20			29
30		×	·04		·07	·04	·03	·22		·16			30
31		×	·02	×	·05	×			×		×		31
Total	·84	1·49	1·79	·84	·72	1·45	·14	2·08	1·59	1·58	2·54	5·44	TOTAL for year 20·50
No. of Rain Days	6	12	16	11	6	9	2	8	9	13	17	21	130

9,000, IX. '10.

81 377

FORM A2.
BRITISH RAINFALL.

25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Holt Lock, Droitwich
in the County of Worcestershire
by W. J. Dadge

Rain Gauge	Pattern
	Diameter of top ... in.
	Height of top above Ground ... ft. ... in.
	,, ,, ,, Sea Level ... ft.
Time of Observation	
Nearest Railway Station	Name
	Distance ... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·19			·43	·14		·04	·05		·12	1
2			·09			·35	·20						2
3			·03		·55	·10	·07	·56	·04			·04	3
4	·09		·52	—	·22	·66		·12			·22		4
5	·22	·07	·22		·08	·09		·50					5
6	·20	·15	·04			·19		·52				·04	6
7		·25			·09	·68		·17					7
8	·32	·15	·17			·11	·07	·27					8
9	·03		·44			·50		·22				·34	9
10	·04					·20		·03			·12		10
11		·04				·08					·15	·45	11
12		·22	·10		·12							·03	12
13													13
14	·15		·54		·12	·09		·11					14
15	·09	·07	·05		·38	·15		·01				·11	15
16	·68		·09			·05		·13		·07			16
17	1·20		·10			·06		·48			·05	·31	17
18	·16		·06					·12					18
19	·14		·03				·35	·65				·03	19
20	·03		·15					·02		·20			20
21			·23		·80			·47		·32			21
22	·40	·16			·72	·42	·25	·28				·12	22
23	·18	·11	·38			·02	·55	·42			·10	·14	23
24	·15		·02			·42	·04	·09				·22	24
25						·32		·48			·27	·40	25
26		·07	·04				·18	1·16		·72	·24	·35	26
27						·42	·35			·74		·22	27
28		·05—				·07	·30	·51	·15	·28	·40	·25	28
29		/				·60	·22	·07	·62	·14		·03	29
30		×	·05		·03	·16	·09			·14			30
31		×	·04	×	·20	×	·42	·08	×	·05	×	·07	31
Total	4·08	1·34	3·58	·00	3·31	6·17	3·23	7·47	·85	2·71	1·55	3·27	TOTAL for year 37·56
No. of Rain Days.	16	11	22		11	23	14	24 23	4	10	8	18	161

W. 8,000, X. '11.

82 ✓ 389

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

28 JAN 1914

Kept at Holt Lock

in the County of Worcestershire

by W. J. Dadge

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.04	.12	.09	.32				.65		.06		1
2				.08					.07	.65	.18		2
3	.04		.03		.60							.10	3
4	1.05				.22					.22		.30	4
5	.05	.05			.02	.20	.25		.07	.35	.05	.04	5
6	.04	.06	.09		.35	.11	.30			.25		.34	6
7		.11		.02	.11	.05	.02			.58	.22		7
8		.09			.08	.12		.10		.45			8
9		.44	.03		.15	.17	.03	.17	.10		.07		9
10	.10			.17				.04		.04	.08		10
11	.85			.32				.30			.72		11
12					.22						.35		12
13	.03		.10						.15		.35		13
14	.14		.43	.05				.12		.15			14
15	.10		.46	.52					.20		.09		15
16			.55	.02				.04					16
17			.18	.13			.19						17
18			.16	.09							.02		18
19	.15		.09				.09		.10				19
20	.12		.23	.12						.09	.19		20
21			.26	.09	.14		.12	.08			.17		21
22	.52		.60			.15		.10	.42	.05			22
23			.05			.09		.07	.04		.06		23
24	.08												24
25				.11							.03		25
26		.07		.48	.18			.34				.25	26
27			.05	.16						.05			27
28	.27		.18	.31	.09					.50		.10	28
29		×	.45	.45				.02		.12			29
30	.26	×								.52	.11		30
31		×	.12	×		×		.07	×		×		31
Total	3.60	.86	4.18	3.21	2.48	.89	1.00	1.45	1.80	4.02	2.75	1.13	YEAR'S TOTAL 27.57
Rain Days.	15	7	19	17	12	7	7	12	9	14	16	6	141

W. 7,500, XI. ·12

8L/ [illegible] 1.IV.15

373

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Holt Lock

in the County of Worcestershire

by W. J. Dadge

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·03			·62	·18				·07	1
2							·11	·14			·45	·30	2
3				·02	·19		·08	·10			·03	·03	3
4	·15			·10	·08		·06	·07			·43	·42	4
5	·10		·09	·13	·25		·45				·19		5
6	·05	·06		·06	·03		·04					·09	6
7		·15	·32		·20	·18	·32	·12	·07			·22	7
8			·04			·32	·02	·03				·13	8
9	·16		·12	·37	·10	1·03		·04	·10				9
10		·07		·15	·05	·02			·18				10
11		·08	·26	·05		·10					·16	·35	11
12		·17	·17				·32		·32		·07	·22	12
13		·12	·22						·05	·22	·13	·38	13
14		·09	·15							·15	·07	·04	14
15			·07						·03	·05	·05		15
16			·04						·12		—		16
17		·12	·10									·20	17
18							·23					·35	18
19							·52			·07	·06	·07	19
20		·22	·02			·06						·27	20
21		·27					·10	·15		·13		·10	21
22		·05	·12		·22	·10		·07		·11	—		22
23		·03	·08		·06	·03	·06			·12			23
24			·09	·05				·07			·05		24
25	·11		·04					·35		·34		·17	25
26			·03					·15			·10	·23	26
27	·05									·04	·09	·14	27
28		·10	·10		·12					·09		1·00	28
29	·02	×	·09		·22					·15	·04		29
30		×	·03		—	·15				·03	·25	·45 1·82	30
31	·07	×		×		×	·26		×		×		31
Total	·71	1·53	2·18	·96	1·52	1·99	3·19	1·47 1·47	·87	1·50	2·17	5·23	YEAR'S TOTAL 23·32
Rain Days.	8	13	20	9	11	9	14	12	7	12	15	21	151

W.7,000, XI. 13

81

2497
~~363~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Holt Lock

in the County of Worcestershire

by W. J. Dadge

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·18	·07	·05		·18			·12	·39	·18			1
2	·04	·15	·18	·22		·11		·85		·14		·07	2
3	·55	·07	·05	·05			1·02	·10				·22	3
4		·03			·06		·84	·18				·79	4
5		·53						·07				·38	5
6	·12	·04		·19			·65	·03				·08	6
7	·07	·32		·03			·22	·07				·29	7
8	·12	·35		·12			·03				·07		8
9	·12	·15		·06							·25	·42	9
10	·24									·04			10
11			·07	·04	·15						·86	·04	11
12	·07			·06	·44			·14		·08	·72		12
13		·35			·58			·10				·05	13
14		·07					·09	·14	·10			·40	14
15	·25				·07		·07	·29			·09	·09	15
16	·07	·16			·44		1·46						16
17		·14	·05		·45								17
18		·19											18
19					·07		·07						19
20	·07			·04								·12	20
21	·12						·06		·07			·04	21
22	·07		·25	·15			·30			·09		·17	22
23	·04						·45			·92		·29	23
24			·04				·25		·43	·52		·14	24
25						·58	·15					·21	25
26		·03					·40					·32	26
27		·10					·06			·35		·07	27
28		·19					·07	·07	·12				28
29		X				·12	·63	·04				·05	29
30	·07	X				·15	·21			·28	·07	·15	30
31		X		X		X	·07		X	·50	X	·35	31
													YEAR'S TOTAL
Total	2·20	2·94	·69	·96	2·44	·96	7·10	2·20	1·11	3·10	2·06	4·74	30·50
Rain Days.	16	17	7	10	9	4	20	13	5	10	6	22	139

W. 8,000. X. 14.

82

2431
326

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
30 JAN 1917

Kept at Holt Lock
in the County of Worcestershire
by W. J. Dadge

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.07		.05		.03	.13	.06			.20	.03		1
2	.30		.15		.25		.22		.03	.64	.09		2
3		.55			.04				.12	.16	.23		3
4	.12	.12		.04	.46	.23	.97				.35		4
5					.18	.08				.04	.08		5
6		.22	.07		.17	.03	.60			.03	.29		6
7			.05		.05					.18	.22	.23	7
8			.02		.11						.04	.18	8
9					.24	.10							9
10		.42	.03	.04	.03	.14				.04			10
11		.05	.07	.03								.20	11
12		.10	.06		.25		.07						12
13		.20	.15					.36					13
14		.40			.05			.16		.12			14
15		.35	.24	.06	.17		.07	.66		.05			15
16		.04		.25	.07		.17	.09					16
17	.04	.18						.08	.34	.32			17
18		.07	.32	.06					.17		.35	.19	18
19	.04		.10	.38				.06			.18		19
20	.03		.39	.04				.04			.07	.15	20
21			.23		.09							.20	21
22					.04	.04	.13			.15		.45	22
23		.30		.03				.16		.07		.18	23
24		.20	.04	.12	.25			.13		.20		.07	24
25		.04	.04					.11		.08	.18		25
26	.03	.05	.75			.08		.09		.12			26
27		.10	.04						.19	.35			27
28		.15			.05	.07				.10		.18	28
29		.10				.20		.73		.45		.14	29
30		✕				.04				.08		.06	30
31		✕		✕		✕		.04	✕	.21	✕	.03	31
Total	.63	3.64	2.80	1.05	2.53	1.14	2.29	2.71	.85	3.59	2.11 2.16	2.26	YEAR'S TOTAL 25.80 25.59
Rain Days.	7	19 20	18	10	18	11	8	13	5	20	12	13	154

W. 8,000. X. 15.

81 Amade

2315
3-0

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

9 APR 1918

Kept at Holt Lock

in the County of Worcestershire

by W. J. Dadge

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·09	·07		·07		·62	·20				1
2				·08				·07				·03	2
3		·07		·13						·10			3
4			·18					·09		·40			4
5	·20		·15	·20					·04	·10	·15		5
6			·20			·50				·04	·08		6
7	·23									·12			7
8	·28			·07			·22	·43	·16	·25	·12	·12	8
9			·15		·20			·50		·07	·18		9
10	·45		·25	·10				·14			·16		10
11	·12		·10	·10	·45			·05	·04	·10	·05		11
12	·07			·05	·28			·05		·22			12
13			·04					·04	·03				13
14			·18	·18				·18					14
15	·02				·05		·10	·05		·04		·07	15
16				·12			·03			·07		·32	16
17					·45	·60	·35	·25	·12	·12			17
18		·04			·05		·25	·05	1·00				18
19		·45	·42		·40	·35			·07				19
20		·22	·04		·05	·10	·14		·05				20
21		·03	·16			·05		·06					21
22									·03	·14			22
23		·18			·12			·07		·10			23
24						·25	·20			·13	·10		24
25		·05	·09						·05		·10		25
26						·04		·60			·09		26
27					1·40	·10	·52	·50					27
28			·09			·15		·08					28
29		X				·05		·05		·39		·14	29
30		X					·07	·46		·04			30
31		X	·10	X		X		·07	X		X		31
Total	1·37	1·04	2·24	1·10	3·45	2·26	1·88	4·41	1·79	2·43	1·03	·68	YEAR'S TOTAL 23·68
Rain Days.	7	7	15	10	10	11	9	21	11	17	9	5	132

76

W. 8,000, VIII. 16

8L

15
~~293~~

FORM A.
BRITISH RAINFALL.
30 . 1 19

REGISTER OF RAINFALL IN 1918

Kept at Holt Lock

in the County of Worcestershire

by W. J. Dadge

Lat. ________ Long. ________

Time of Observation ________

Nearest Railway Station ________

Diameter of Funnel of Rain Gauge ________ in.

Height of top of Gauge above Ground ________ ft. ________ in.

" " " " Sea Level ________ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·04			·12						·55		1
2		·03		·03				·07		·04		·05	2
3					·28			·13	·55		·15		3
4		·08						·07	·50	·12	·60	·40	4
5					·39				·18	·12			5
6		·40		·14		·05		·09	·07	·25			6
7		·06			·13				·85	·05	·11		7
8		·12							·15	·12		·04	8
9		·35		·12		·15	·05		·25	·15			9
10	·04	·03		·05			·25		·07	·04		·17	10
11	·05			·10			·15		·07				11
12			·15		·12		·03		·05				12
13									·11	·04		·05	13
14	·35						·14		·30	·10		·11	14
15	·95			·17			·30		·07	·03		·23	15
16	·12			·55					·35			·05	16
17	·25				·30	·21	·25		·75	·10		·05	17
18	·35					·33	·15		1·10			·17	18
19	·10		·14				·03			·07		·02	19
20	·12	·07		·40		·05			·10			·10	20
21	·07			·42	·14		·10		·22			·08	21
22					·66		·10			·15		·24	22
23					·45		·18		·03		·07		23
24		·10					·14		·03		·10		24
25							·11	·33					25
26							·66				·10		26
27		·03						·22	·22		·08	·10	27
28		·17	·17								·09	·05	28
29			·07						·82		·01		29
30			·35								·06	·03	30
31			·32										31
Total	2·40	1·48	1·20	1·98	2·59	·79	2·64	·91	6·84	1·38	1·92	1·94	YEAR'S TOTAL 26·07
Rain Days.	10	12	6	9	9	5	15	6	22	14	11	17	136

W. 8,000, IX. 17.

82

217
~~272~~

REGISTER W OF Dt RAINFALL IN 1919

and [illegible]

FORM A.
BRITISH RAINFALL.

Kept at Holt Lock

✓ *in the County of* Worcestershire

by W. J. Dadge, H Prupdee

Lat. ______ Long. ______

Time of Observation ______

Nearest Railway Station ______

Diameter of Funnel of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·25		·02		·10		12		·04	·09	·01	·28	1
2	·11						·41		·03	·04	·07	·03	2
3	·40		·08			·07	·12		·05		·10	·08	3
4	·10		·30		·03	·09	·41	·06	·09			·09	4
5	·05		·03		·10		·01		·39			·20	5
6		·35	·13		·17							·20	6
7	·30		·16	·09	·01						·05		7
8	·19		·06			·06							8
9	·06			·07									9
10			·62								·01	·12	10
11			·78		·02		·42			·02		·01	11
12	·09		·13			·08				·11	·01	·02	12
13	·08								·10	·14			13
14	·25	·02		·16			·06		·31	·05			14
15	·23	·07	·03	·27	·14			·20		·03		·22	15
16	·14	·76		·02									16
17	·03	·35				·03					·10		17
18			·64				·02	·09	·01			·07	18
19	·14	·30	·94			·16	1·18	·22	·06		·06		19
20	·33	·02	·24				·01	·17	·03			·02	20
21		·34	·02			·01	·27	·01	·02		·02	·17	21
22		·06					·02		·29			·16	22
23						·01				·75		·05	23
24				·03		·03				·47	·20	·04	24
25	·10			·04	·08	·09		·58				·02	25
26			·09	·07		·04	17	·08	·05			·25	26
27	·10			·57		·03		·43			·05	·06	27
28	·12							·52			·02	·24	28
29				·13				·01		·27	·20	·13	29
30		X		·10		·11		·07		·02	·03	·20	30
31		X	·10	X		X	·03		X		X		31
Total	3·07	2·27	4·37	1·55	·65	·81	3·25	2·44 ~~·73~~	1·47	1·99	·93	2·66	YEAR'S TOTAL 25·46 ~~23·73~~
Rain Days.	19	9	17	11	8	13	14	12	13	11	14	22	163

23·75
66

W, 6,500. VII. 18. w w c

347

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Ombersley, Holt Lock

in the County of Worcestershire

by E. J. Bradley.

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge ....in.

Height of top of Gauge above Ground ....ft. ....in.

" " " " Sea Level ....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·01	·14	·15		·29		·03	·25		·29	1
2				·09			·13		·06	·06		·09	2
3	·08	·01		·04	·03		1·81		·09	·52			3
4	·02		·01	·06			·01	·30	·02	·24			4
5			·06		·07		·40	·03	·01	·38			5
6			·11	·01	·07		·10			·31			6
7			·03	·11			·11						7
8	·20	·05		·65	·05		·48						8
9	·31	·01		·35			·03	·11					9
10	·44	·03	·05	·01		·15	·11				·03		10
11	·10		·05	·22	·31	·26	·07	·02					11
12	·13	·01		·16		·61		·03			·08		12
13	·02		·19	·09		·04					·01	·06	13
14	·02		·64	·21		·27	·04		·26	·02	·18		14
15	·01	·07	·02	·28		·35					·03		15
16				·17	·02	·05	·14		·06	·40	·01		16
17	·01			·49	·08				·71	·09		·02	17
18	·13			·01	·09		·07	·13	·45				18
19	·02	·30		·17		·09			·03			·01	19
20	·02	·19		·19		·15			·01			·04	20
21							·23	·01				·04	21
22	·05			·07			·02	·05				·09	22
23							·26	·03				·30	23
24			·08					·01				·14	24
25		·02	·11	·05	·02		·72					·01	25
26	·07		·21	·01							·07	·04	26
27	·13		·05	·05	·12	·26						·36	27
28	·72		·05		·34	·01	·01					·05	28
29	·07		·23		·07	·01	·13				·08	·46	29
30	·01	×	·05	·17	·02	·09	·01		·22		·17	·20	30
31	·03	×		×	·01	×			×	·74	×	·03	31
TOTAL	2·59	·69	1·85	3·80	1·45	2·34	5·17	·72	1·95	3·01	·66	2·23	YEAR'S TOTAL 26·46
Days with ·01 in. or more	~~21~~	~~9~~	~~17~~	~~24~~	~~15~~	~~13~~	~~21~~	~~10~~	~~12~~	~~10~~	~~9~~	~~17~~	~~178~~
	12	4	15	20	10	11	16	4	7	9	5	13	124

(44,283). Wt. 21,958—218. 7500. 10/19. Gp.132. A.&E.W.

2452

FORM A.
BRITISH RAINFALL.

2 JAN 1917

2418

WORCESTER, PEDMORE

1916 – 20

REGIS

Kept at Pedmo

in the County of Wo

by Tom Graze

5' 25" W

W.

rbridge Jn

uge 5 in.

round — ft. 6 in.

Sea Level 340 ft.

IMPORTANT NOT e result entered to the previous day. If an Ob sal rule, he is earnestly requested to add the read in the space provided for it at the end of this paragraph. nt of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·13	—	·07	—	·02	·08	·13	—	—	·09	·10	—	1
2	·22	—	·18	—	·18	·04	·48	—	·08	·08	·30	—	2
3	—	·02	·01	—	—	—	—	—	·01	·68	·08	·02	3
4	·12	·47	—	·08	·47	·15	·20	—	·06	·20	·50	—	4
5	—	·15	·01	—	·19	·18	·13	—	—	·03	·29	—	5
6	·05	·15	·10	—	·31	·09	·38	—	—	·08	·31	—	6
7	—	—	·11	—	·08	·01	·24	—	—	·10	·16	·21	7
8	·05	—	·05	—	·33	—	—	—	—	—	—	·22	8
9	·01	—	·02	—	·24	·06	—	—	·01	·06	·02	·04	9
10	·06	·27	·07	·07	·03	—	—	—	—	·03	—	—	10
11	·01	·18	·06	·13	·01	·38	—	—	·04	—	—	·24	11
12	·01	·07	·05	·02	·26	—	·13	—	—	·04	—	—	12
13	·05	·16	·11	·06	—	·99	·16	·19	—	—	—	·04	13
14	—	·41	—	·03	·03	—	—	·10	—	·03	·02	—	14
15	—	·26	·42	·04	·19	—	·15	·14	·01	·12	—	—	15
16	—	·02	·02	·25	·04	—	·04	·27	—	·04	—	—	16
17	—	·19	—	·08	—	—	—	·02	·41	·18	—	—	17
18	·01	·08	·05	·11	—	—	—	·05	·14	·10	·45	·19	18
19	·01	—	·15	·18	—	—	—	—	·03	·04	·39	—	19
20	·04	—	·49	·01	—	—	—	·08	—	—	·06	·15	20
21	—	—	·15	·02	·10	—	·18	—	—	—	—	·22	21
22	—	·02	—	·02	·05	—	—	—	—	·09	—	—	22
23	·02	·45	·02	—	—	·04	—	·11	—	·03	·04	·68	23
24	—	·66	—	—	·01	—	—	·12	—	·23	—	·2[illegible]	24
25	—	·10	·12	—	·17	—	—	·09	—	·09	·23	·[illegible]2	25
26	·05	·15	—	—	·03	·10	—	·13	·41	·17	·03	—	26
27	·01	·14	·98	—	—	·02	—	·18	·15	·22	—	·02	27
28	—	·35	·08	—	·05	—	—	—	—	·09	·02	·14	28
29	—	13	—	—	—	·19	—	·45	—	·24	—	·09	29
30	—	X	—	—	—	·02	—	·02	—	·07	—		30
31	—	X	—	X	—	X	—	·03	X	·23	X	·09	31
Total	·85	4·43	3·32	1·10	2·79	2·35	2·22	1·98	1·35	3·36	3·00	2·57	YEAR'S TOTAL 29·32
Rain Days.	16	21	22	14	20	14	11	15	11	26	16	16	202

W. 8,000. X. 15.

2452

REGI

FORM A.
BRITISH RAINFALL.
2 JAN 1917

Kept at Pedmore
in the County of Worcestershire
by Tom Grazebrook.

Lat. 52°26'15" Long. 2°8'25" W
Time of Observation 9 am.
Nearest Railway Station Stourbridge Jn
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft. 6 in.
" " " " Sea Level 340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·13	–	·07	–	·02	·08	·13	–	–	·09	·10	–	1
2	·22	–	·18	–	·18	·04	·48	–	·08	·08	·30	–	2
3	–	·02	·01	–	–	–	–	–	·01	·68	·08	·02	3
4	·12	·47	–	·08	·47	·15	·20	–	·06	·20	·50	–	4
5	–	·15	·01	–	·19	·18	·13	–	–	·03	·29	–	5
6	·05	·15	·10	–	·31	·09	·38	–	–	·08	·31	–	6
7	–	–	·11	–	·08	·01	·24	–	–	·10	·16	·21	7
8	·05	–	·05	–	·33	–	–	–	–	–	–	·22	8
9	·01	–	·02	–	·24	·06	–	–	·01	·06	·02	·04	9
10	·06	·27	·07	·07	·03	–	–	–	–	·03	–	–	10
11	·01	·18	·06	·13	·01	·38	–	–	·04	–	–	·24	11
12	·01	·07	·05	·02	·26	–	·13	–	–	·04	–	–	12
13	·05	·16	·11	·06	–	·99	·16	·19	–	–	–	·04	13
14	–	·41	–	·03	·03	–	–	·10	–	·03	·02	–	14
15	–	·26	·42	·04	·19	–	·15	·14	·01	·12	–	–	15
16	–	·02	·02	·25	·04	–	·04	·27	–	·04	–	–	16
17	–	·19	–	·08	–	–	–	·02	·41	·18	–	–	17
18	·01	·08	·05	·11	–	–	–	·05	·14	·10	·45	·19	18
19	·01	–	·15	·18	–	–	–	–	·03	·04	·39	–	19
20	·04	–	·49	·01	–	–	–	·08	–	–	·06	·15	20
21	–	–	·15	·02	·10	–	·18	–	–	–	–	·22	21
22	–	·02	–	·02	·05	–	–	–	–	·09	–	–	22
23	·02	·45	·02	–	–	·04	–	·11	–	·03	·04	·68	23
24	–	·66	–	–	·01	–	–	·12	–	·23	–	·2[illegible]	24
25	–	·10	·12	–	·17	–	–	·09	–	·09	·23	·[illegible]2	25
26	·05	·15	–	–	·03	·10	–	·13	·41	·17	·03	–	26
27	·01	·14	·98	–	–	·02	–	·18	·15	·22	–	·02	27
28	–	·35	·08	–	·05	–	–	–	–	·09	·02	·14	28
29	–	13	–	–	–	·19	–	·45	–	·24	–	·09	29
30	–	X	–	–	–	·02	–	·02	–	·07	–		30
31	–	X	–	X	–	X	–	·03	X	·23	X	·09	31
Total	·85	4.43	3·32	1.10	2.79	2.35	2·22	1.98	1·35	3·36	3·00	2·57	YEAR'S TOTAL 29·32
Rain Days.	16	21	22	14	20	14	11	15	11	26	16	16	202

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

Kept at Pedmore
in the County of Worcester
by J. Grazebrook

Lat. 52° 26′ 15″ Long. 2° 8′ 25″ W
Time of Observation 9 oclock A.M.
Nearest Railway Station Stourbridge Junc
Diameter of Funnel of Rain Gauge 5″ in.
Height of top of Gauge above Ground – ft. 6″ in.
" " " " Sea Level 340 (340) ft.

12 JAN 19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	.09	.10	–	.09	–	.94	.66	–	.06	– .28	1
2	–	–	.02	.16	–	.12	–	.07	–	–	–	– .07	2
3	–	.08	–	.29	–	–	–	.10	–	.28	–	– –	3
4	–	.04	.23	–	–	–	–	.09	–	.50	–	– –	4
5	.29	–	.15	.18	–	–	–	–	.05	.13	.07	~~.29~~ –	5
6	[illegible]	–	.40	.09	–	.45	–	–	–	.15	.19	~~–~~ –	6
7	.31	–	–	–	–	–	–	–	–	.10	.06	~~.31~~ .03	7
8	.52	–	–	–	–	–	.11	.66	–	.41	.24	~~.52~~ .14	8
9	–	–	.16	.11	.21	–	–	.36	–	.20	–	~~–~~ –	9
10	.37	–	.26	.13	.37	–	–	.18	.06	.02	.21	~~.37~~ –	10
11	.09	–	.14	.14	–	–	–	.03	.04	.15	–	~~.09~~ ~~–~~	11
12	–	–	.04	.02	.38	–	–	.01	.01	.14	.02	~~–~~ .02	12
13	.03	–	–	.04	–	–	–	.07	.10	–	–	~~.03~~ –	13
14	.05	–	.12	.25	–	–	–	.85	–	.02	–	~~.05~~ .05	14
15	.04	–	–	–	.08	–	.62	.03	–	.02	–	~~.04~~ .10	15
16	–	.11	–	.14	–	–	–	–	–	–	–	~~–~~ .38	16
17	.02	.02	.03	–	.48	.35	.30	.23	.21	.08	–	~~.02~~ –	17
18	.03	.02	–	.06	.07	–	.36	.02	.86	.02	–	~~.03~~ –	18
19	.04	.22	.37	.06	.03	.44	–	–	.03	–	.01	~~.04~~ –	19
20	–	.15	.21	–	.55	.05	.70	–	.08	–	.07	~~–~~ –	20
21	–	.03	.01	.02	.06	.08		.03	–	.02	.06	~~–~~ –	21
22	.01	–	–	–	–	.02		.09	.05	.15	–	~~.01~~ –	22
23	–	.18	–	–	.17	–		.05	–	.05	–	–	23
24	–	–	.02	–	–	.54	.29	.10	–	.15	.03	.06	24
25	–	.10	.10	–	–	–		–	–	.02	–	–	25
26	–	–	–	–	–	.04		.38	.22	.05	.15	–	26
27	–	–	–	–	1.92	.16	.68	.55	–	–	–	–	27
28	–	.02	.04	–	–	.05		.08	–	–	–	.27	28
29	–		–		–	.06	.04	.08	–	.35	.04	–	29
30	–	×	–		–	–	.09	.26	–	.03		.02	30
31	–	×	.07	×		×		–	×	–	×	.03	31
Total	1.80	.97	2.46	1.79	4.32	2.45	3.19	5.26	2.31	3.04	1.21	1.45	YEAR'S TOTAL 30.25
Rain Days.	12	11	18	15	11	13	9	23	12	22	13	12	171

1.24

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

3. 1. 19

Kept at Pedmore Nr. Stourbridge
in the County of Worcester
by J. Hazebrook

Lat. 52°26 Long. 2.8.25
Time of Observation 9. oclock.
Nearest Railway Station Stourbridge Junc.
Diameter of Funnel of Rain Gauge 5″ in.
Height of top of Gauge above Ground ~~6″~~ ft. 6 in.
" " " " Sea Level 340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02			.24	.19						.40	.01	1
2		.05		.18				.10					2
3		.02			.16			.43	.41			.14	3
4		.03	.02					.03	.73		.53	.49	4
5					.33			.07	.13			.01	5
6		.23	.01	.14		.11			.03	.19		.04	6
7		.05		.06	.10	.03			.62	.03	.25		7
8		.17							.12	.12		.02	8
9	.03	.31				.19	.27		.38	.08		.08	9
10		.02		.13			.46		.08	.36		.09	10
11	.07			.02	.07		.22		.16	.06		.06	11
12		.03	.11		.14		.18		.01				12
13					.18	.01	.03		.16	.07		.05	13
14	.36						.08		.17	.11		.12	14
15	.93			.21			.24		.03			.20	15
16	.15			.48		.07		.01	.31			.06	16
17	.32		.01				.06		.47	.08		.08	17
18	(.42)		.20			.21	.17		1.01			.27	18
19	.07	.05					.05					.15	19
20	.13	.10		.66		.07			.21	.06		.15 ~~.07~~	20
21	.09			.41	.07	.01	.07		.35			07 ~~.23~~	21
22	.01				.06		.09		.01			23 ~~.03~~	22
23					.60		.05		.08		.06	.03	23
24		.12					.05	.03	.03		.13		24
25						.07	.11	.44			.03		25
26	.02						.26	.10		.04	.05	.05	26
27	.02	.04						.33			.14	.06	27
28		.16	.25			.03		.01			.15	.09	28
29												.06	29
30		×	.42						(.99)		.08	.14	30
31		×	.32	×		×		.11	×	.04	×		31
Total	2.64	1.38	1.34	2.53	1.90	.80	2.39	1.66	6.49	1.24	1.82	2.75	YEAR'S TOTAL 26.94
Rain Days.	14	14	8	10	10	10	16	11	22	12	10	25	162

W. 8,000, IX. 17.

2193

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Pedmore

in the County of Worcester

by J. Glazebrook

Lat. 52° 26 Long. 2. 8. 25

Time of Observation

Nearest Railway Station Stourbridge Junc

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground – ft. 6" in.

" " " " Sea Level 340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·26		·03		·13		·24		-	·15	·01	·26	1
2	·13		·08				·05		×		·16		2
3	·34		·06		·05		·26		×		·11	·07	3
4	·05		·27				·10	·11	×			·10	4
5		·28			·03		·01		×			·09	5
6	·03		·11		·42							·04	6
7	·35		·11	·08	·02						·07	·02	7
8	·17		·08	·08		·04					·01		8
9	·05			·23						·03			9
10			·53									·10	10
11	·06		·74		·05		·31						11
12	·08		·40	·06		·28				·12	·02	·01	12
13	·31			·24			·03		×	·22		·03	13
14	·60			·23			·04		×	·04		·04	14
15	·07	·11		·26					1·00	·05		·24	15
16		1·16						·17			·13	·01	16
17		·55		·02		·02	·03	·28			·09	·01	17
18		·19	·44				·03		·01		·03	·08	18
19	·13		·80			·16	·91	·28	·06				19
20	·30	·06	·33			·05	·12	·24	·10		·20	·09	20
21		·28	·05				·06	·07	·03		·01	·12	21
22		·23	·01						·27			·42	22
23						·07		·03		·75	·10	·03	23
24				·04						·63		·08	24
25	·09				·15	·05		(·46)			·03	·06	25
26			·12	·11		·04		·03	12		·01	·20	26
27	·22		·04	·60		·02		}	·01		·05	·04	27
28	·05		·05					·77				·22	28
29				·11		·06		·01		·39	·13	·19	29
30				·17		·15		·06		·04	·11	·22	30
31	·06		·08				·01			·01		·03	31
TOTAL	3·35	2·86	4·33	2·23	·85	·94	2·20	2·51	1·60	2·43	1·27	2·80	YEAR'S TOTAL 2~~8~~7·37 27·37
Days with ·01 in. or more	19	8	19	13	7	11	14	12	(13)	11	17	26	(170)

away from Home, no daily record taken only total quantity

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Pedmore Nr Stourbridge

in the County of Worcester

by T. Grazebrook

Lat. 52'. 26N Long. 2. 8. 25

Time of Observation 9 oclock

Nearest Railway Station Stourbridge Junction

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 6" ~~ft~~ in.

" " " " Sea Level 340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. .40

Records taken in **Millimetres** should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.18	.21		.24			.24		.23	1
2			.01	.06			.13		.10	.10		.13	2
3	.10	.08		.03	.01	.01	.62	.01	.17	.43			3
4			.04	.15			.03	.35	.03	.33		.01	4
5			.04		.11		.32	.04	.08	.71			5
6		.01	.13		.06		.20	.03		.63			6
7			.07	.06			.13					.03	7
8	.25	.06		.38	.20		.38	.01					8
9	.30			.31			.08	.15	.01		.09		9
10	.38	.08	.05	.03			.12						10
11	.09		.05	.23	.34	.18	.06						11
12	.14	.04	.07	.21		.71	.03	.59			.09	.13	12
13	.08	.03	.21	.27							.04		13
14	.01		.78	.13		.06	.05		.19	.06	.10		14
15		.09	.19	.24		.33	.01		.11		.05		15
16			.01	.10		.29		+✓	.09	.51			16
17	.02		.02		.10		.19		.59	.05			17
18	.24			+	.09		.03	+✓	.32			.02	18
19	.02	.69		+✓		.05		+✓ .33	.05				19
20	.02	.11		+✓ away during these days		.16		+				.01	20
21	.01			+✓			.28	+✓ away during these days.				.12	21
22	.04	.01		+✓ .68			.01	+✓				.04	22
23				+			.25	+				.35	23
24	.02		.11	+								.13	24
25	.01	.02	.20	.03	.19		.52	.02				.01	25
26	.12		.13	.12								.05	26
27	.13		.04		.46	.21	.05				.10	.45	27
28	1.01		.18	.03	.39	.06	.03					.10	28
29	.07				.22	.08	.03				.13	.33	29
30				.12	.08	.08			.23		.13	.14	30
31	.05				.01		.02	.05		.56		.03	31
TOTAL	3.12	1.22	2.33	3.36	2.47	2.22	3.81	1.58	1.97	3.62	.73	2.31	YEAR'S TOTAL 28.74
Days with ·01 in. or more	21	11	18	25	14	12	24	16	12	10	8	18	189
Days with ·04 in. or more	14	7	15	19	12	11	16	10	10	10	8	12	144

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

WORCESTER.

PENDOCK.

"LITTLERIDGE"

1918 – 1920

REGISTE 3

FORM A. BRITISH RAINFALL.

Kept at Littleridge - P 2°16'30"W

3.1.18

am Tewkesbury

in the County of Worcest

ain Gauge 5 in.

by Lady Fooke

ove Ground 1 ~~1~~ ft. ½ in.

Sea Level 85 ft.

IMPORTANT NOTE.—R d the result entered to the previous day. If an Observer universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following. .03

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.07		.11	.16	.09				.04			.14	1
2				.011				.12		.03	.24		2
3		.05						.33					3
4		.04	.005	.06	.22				.45		.1	.04	4
5		.04						.04	.08	.05	.54	.25	5
6		.03			.24				.093				6
7	.03	.15		.03						.2		.07	7
8		.09	—		.3	.12			.07		.2	.01	8
9	.002		—	—					.05	.15		.02	9
10	.03			.23		.16			.25	.12			10
11	.03			.05			.4		.05	.12		.14	11
12			.01	.03			.1		.04			.06	12
13		.04	.23		.13		.29						13
14							.08		.09			.13	14
15	.18		.11			.04			.42	.15			15
16	1.0			.4			.36		.01			.31	16
17	.2			.77			.02		.23	.07		.05	17
18	.19			.07					.05			.05	18
19	.3					.3	.2		.4			.6	19
20	.09	.04	.21	.04		.01	.07		.002	.1		.04	20
21	.12	.05		.33		.03			.16	.02			21
22	.08			.3		.001	.13		.19	.03		.11	22
23	.04						.14		.26	.03		.21	23
24	.02				.4		.2		.01				24
25		.12					.04		.03		.1		25
26							.37	.51		.04			26
27							.45			.04	.1	.17	27
28						.04		.22	.08		.1	.06	28
29			.26						1.30		.08		29
30			.04										30
31			.43							.02		0.15	31
	-	.11	.16	.09	-	-	-	.07	-	-	.14	.03	YEAR'S TOTAL
Total	~~2.322~~ 2.31	~~.65~~ .76	~~1.405~~ 1.46	~~2.481~~ 2.41	~~1.38~~ 1.29	~~.401~~ .70	~~2.85~~ 2.85	~~1.22~~ 1.29	~~4.385~~ 4.31	~~1.14~~ 1.17	~~1.46~~ 1.60	~~2.61~~ 2.50	~~22.634~~ 22.65
Rain Days.	~~14~~ 13	~~10~~ 11	9	13	~~6~~ 5	~~8~~ 7	14	~~5~~ 6	~~22~~ 21	15	~~8~~ 9	19	~~142~~ 142

W. 8,000, IX. 17.

WD

REGIST[redacted]3

2°16'30"W.

3.1.19

FORM A.
BRITISH RAINFALL.

Kept at Littleridge - Pendock

in the County of Worcester

by Lady Hooker.

Time of Observation 9 a.m

Nearest Railway Station Tewkesbury

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ~~ft~~ ft. ½ in.

" " " " Sea Level 85 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. .03

Date	Jan	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.07		.11	.16	.09				.07			.14	1
2	—		—	.011				.12		.03	.24		2
3		.05						.33					3
4	—	.04	.005	.06	.22				.45		.1	.04	4
5		.04						.04	.08	.05	.54	.25	5
6		.03			.24				.093				6
7	.03	.15	—	.03	—					.2		.07	7
8		.09	—		.3	.12		—	.07		.2	.01	8
9	.002		—		—				.05	.15		.02	9
10	.03		—	.23		.16			.25	.12			10
11	.03			.05			.4		.05	.12		.14	11
12			.01	.03			.1		.04			.06	12
13		.04	.23		.13		.29						13
14							.08		.09			.13	14
15	.18		.11			.04			.42	.15			15
16	1.0			.4			.36		.01			.31	16
17	.2			.77			.02		.23	.07		.05	17
18	.19			.07					.05			.05	18
19	.3					.3	.2		.4			.6	19
20	.09	.04	.21	.04		.01	.07		.002	.1		.04	20
21	.12	.05		.33		.03			.16	.02			21
22	.08			.3		.001	.13		.19	.03		.11	22
23	.04						.14		.26	.03		.21	23
24	.02				.4		.2		.01	—			24
25		.12					.04		.03		.1		25
26							.37	.51		.04			26
27							.45			.04	.1	.17	27
28						.04		.22	.08		.1	.06	28
29			.26						1.30		.08		29
30		✕	.04										30
31		✕	.43	✕		✕			✕	.02	✕	0.15	31

	Jan	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	YEAR'S TOTAL
	—	.11	.16	.09	—	—	—	.07	—	—	.14	.03	
Total	~~2.322~~	~~.65~~	~~1.405~~	~~2.481~~	~~1.38~~	~~.401~~	~~2.85~~	~~1.22~~	~~4.385~~	~~1.14~~	~~1.46~~	~~2.61~~	~~22.634~~
	2.31	.76	1.46	2.41	1.29	.70	2.85	1.29	4.31	1.17	1.60	2.50	22.65
Rain Days.	~~14~~	~~10~~	9	13	~~6~~	~~8~~	14	~~5~~	~~22~~	15	~~8~~	19	~~143~~
	13	11			5	7		6	21		9		142

W. 8,000, IX. 17.

corrd for WD

8 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Littleridge Pendock
in the County of Worcester
by Lady Hooker.

Lat 52° 0' 26" N. Long 2° 16' 30" W.
Time of Observation 9 a.m.
Nearest Railway Station Tewkesbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 85 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	.04			.15		.13	.05	.06		.02	.08	1
2	.25		.03	.15	.12	.06	.12			.13		.4	2
3	.18	.03					.13		.63	.01	.12	.11	3
4	.7		.06		.06	.03			.04		.14	.16	4
5	.15	.12	.51				.2	.09	.3			.16	5
6	.02	.31	.21		.17				.21			.22	6
7	.05	.03	.1		.11						.05	.03	7
8	.21		.32		.18						.12		8
9	.16		.04	.21		.19					.03		9
10	.15		.03	.13									10
11			.45	.02						.03	.04	.18	11
12	.02		.4		.05		.5			.03		.03	12
13			.2			.28				.06	.03		13
14	.05			.22					.05	.04		.05	14
15	.2	.03							.03	.03		.04	15
16	.23	.035		.25	.14					.01			16
17	.17	.85		.02							.07	.32	17
18		.5									.11		18
19			.57				.07	.09			.04	.05	19
20	.12	.28	.75			.15	1.34	.38	.07		.05	.03	20
21	.41	.03	.22			.04		.17	.08		.09	.03	21
22	.002	.43	.05				.22		.01				22
23		.09							.23			.22	23
24								.03		1.2	.05		24
25				.05		.07				.86	.14	.13	25
26	.1			.05	.09			.23		.02			26
27			.15	.19		.04		.05	.06			.25	27
28	.25			.52				.52	.01			.052	28
29	.05		.18					.57			.28	.29	29
30				.08				.01		.21	.07	.23	30
31								.17		.11		.3	31
TOTAL	.07 ~~3.502~~ 3.542	– ~~2.805~~ 2.735	– 4.24	.15 ~~1.89~~ 2.04	– ~~1.04~~ .92	.13 ~~.86~~ .99	.05 ~~2.41~~ 2.63	.06 ~~2.36~~ 2.37	– ~~1.81~~ 1.75	.02 ~~2.44~~ 2.26	.08 ~~1.48~~ 1.54	~~3.362~~ 3.282	YEAR'S TOTAL ~~28.859~~ 28.829
Days with ·01 in. or more		12 ~~13~~	14	13 ~~12~~	8 ~~9~~	9 ~~8~~	8	12	12 ~~13~~	14 ~~16~~	17	21 ~~22~~	~~165~~ 164

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Max Daily Fall 1.34 on July 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Littleridge - Pendock

in the County of Worcestershire

by Lady Hooker.

Lat. 52° 0' 26" N Long. 2° 16' 30"

Time of Observation 9 a.m.

Nearest Railway Station Tewkesbury

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 85 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·04

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.05			.11		.11	.07		.35	.12	.32	1
2			.03	.32	.21	.04	.2			.06		.22	2
3	.04			.15	.02		.53	.03	.07	.06		.1	3
4		.03		.13	.06		.6	.02	.07	.32			4
5				.07			.02	.22		.2			5
6			.14	.06	.13		.2	.13		.3			6
7			.2		.1		.21			.26			7
8			.051	.14			.08				.03		8
9	.23	.09		.5	.04		.41			.005			9
10	.16			.25			.07	.1					10
11	.55	.05	.02	.07		.15	.17				.04		11
12	.12	.02	.08	.26	.36	.15	.07						12
13	.17	.02		.17	.005	.8	.07				.03		13
14	.05		.3	.2									14
15			.61	.3		.26	.02		.26	.14	.13		15
16		.06	.05	.47		.25				.05			16
17	.01		.02	.02	.07	.31	.22		.26	.31			17
18					.15	.05			.72	.23		.1	18
19	.13			.02	.07			.2	.58				19
20		.25		.47		.24		.05	.05				20
21	.06			.17		.24			.005			.11	21
22				.04									22
23	.01			.13		.05		.06				.21	23
24	.01						.3	.05				.35	24
25			.18	.015							.03	.13	25
26		.08	.31	.02		.1	.53						26
27	.14	.06	.2			.03	.03						27
28	.47	.01	.1	.06	.12	.31	.03					.4	28
29	.8		.07		.21	.02	.05						29
30	.28		.1	.08	.08	.03	.13				.05	.41	30
31	.05		.2				.01					.15	31
	.05	—		.11	—	.11	.07	—	.35	.12	.32	.04	27.801
TOTAL	~~3.28~~ 3.33	~~.72~~ .67	2.661	~~4.115~~ 4.225	~~1.735~~ 1.625	~~3.03~~ 3.14	~~4.06~~ 4.02	~~.93~~ .86	~~2.015~~ 2.365	~~2.285~~ 2.055	~~.43~~ .63	~~2.5~~ 2.22	YEAR'S TOTAL ~~27.761~~
Days with ·01 in. or more	18 ~~17~~	10 ~~11~~	14	~~21~~ 25	13 ~~14~~	17 ~~16~~	22	9 ~~10~~	8 ~~7~~	11	9	11	~~167~~ 168
Days with ·04 in. or more	15/14	6 ~~7~~	14 ~~13~~	~~20~~ 21	13 ~~14~~ 12	~~13~~ 14	17	7 ~~8~~	8 ~~7~~	11	4	11	140 ~~139~~

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

WORCESTER.
— PERSHORE
~~BRICKLEHAMPTON~~.
"THE POPLARS"
1911 – 1914

Cor. for w

Ymade

REGIS 911 annual

FORM A2.
BRITISH RAINFALL.

4 - JAN 1912

Kept at The Poplars, B — op 5 in.
above Ground 1 ft. 6 in.
in the County of Worc — ", Sea Level 104 ft.
circle, 9 a.m.
by J. B. Dowson a — ion { Name Pershore
Distance 4½ m Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
Nil

Date. average	Jan. 1.14" in.	Feb. 1.16" in.	March. 1.68" in.	April. ~~2.08~~ in.	May. 1.71" in.	June. 2.87" in.	July. 1.85" in.	Aug. 2.35" in.	Sept. 1.32" in.	Oct. 3.34" in.	Nov. 1.88" in.	Dec. 2.49" in.	Date
1			0.16	~~[illegible]~~	0.07						0.04		1
2			0.05					0.04				0.01	2
3					0.10			0.23		0.13	0.04	0.03	3
4					.30 0.30				0.03				4
5			0.16							0.05	0.36	0.23	5
6	0.11		0.06	0.09				0.35		0.01	0.03		6
7	0.39		0.01								0.07	0.68	7
8	0.01										0.12		8
9	0.10		0.18								0.06	0.11	9
10	0.12										0.25	0.04	10
11	0.04	0.17	0.52					0.06			0.14	0.19	11
12	0.17										0.52		12
13			0.43								0.15		13
14									0.43	0.03	0.03	0.32	14
15											0	0.33	15
16		0.03	0.06								0.07		16
17						0.20					0.30	0.11	17
18					R	0.08					0.15	0.39	18
19		0.34		0.04		0.14				0.05		0.33	19
20									0.10	0.19	0.06	0.03	20
21		0.06		0.01				0.07	0.04			0.46	21
22		0.08						0.24	0.03	0.44		0.08	22
23			0.04					0.02			0.01	0.58	23
24		0.12	0.16						0.15	0.09		0.08	24
25		0.06				0.04		0.12		0.46		0.11	25
26		0.15		0.09	0.13	0.04		0.03		0.01		0.08	26
27		0.17		0.22	0.03	R		0.02		0.22	0.16	0.10	27
28		0.18	0.16	0.10				0.40	0.26		0.04	0.14	28
29				0.19							0.08		29
30				0.07		0.22	0.03	0.01	0.11	0.15			30
31			0.05		0.06					0.13		0.02	31
Total	– ~~1.03~~	·16 ~~1.30~~	– ~~2.08~~	·07 ~~0.81~~	~~0.69~~	~~1.22~~	~~0.03~~	– ~~1.29~~	– ~~1.15~~	·04 ~~1.90~~	– ~~2.58~~	– ~~4.24~~	TOTAL for year 18.38
No. of Rain Days	7 1.03	11 ~~10~~ 1.52	12 ~~13~~ 1.92	9 ~~8~~ ·88	6 ~~5~~ ·62	[illegible] 1.22	1 ·03	12 1.29	9 1.15	14 ~~13~~ 1.94	19 ~~20~~ 2.54	22 4.24	~~124~~

9,000, IX. '10.

Average of 5 years 1906-10 at Poplars. 18.38 128

S made

Cor. for

REGI 9 11

FORM A2.
BRITISH RAINFALL.

4 - JAN 1912

Kept at The Poplars, Bricklehampton

in the County of Worcestershire 3

by J. B. Dowson and J. F. Miller.

Rain Gauge: Pattern Funnel
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 104 ft.

Time of Observation circa 9 a.m.

Nearest Railway Station: Name Pershore
Distance 4½ m. Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. Nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
average	1.14"	1.16"	1.68"	2.08"	1.71"	2.87"	1.95"	2.35"	1.31"	3.34"	1.88"	2.49"	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			0.16	~~[illegible]~~	0.07						0.04		1
2			0.05					0.04				0.01	2
3					0.10			0.23		0.13	0.04	0.03	3
4					130 0.30				0.03				4
5			0.16							0.05	0.36	0.23	5
6	0.11		0.06	0.09				0.05		0.01	0.03		6
7	0.39		0.01								0.07	0.68	7
8	0.01										0.12		8
9	0.19		0.18								0.06	0.11	9
10	0.12										0.25	0.04	10
11	0.04	0.17	0.52					0.06			0.04	0.19	11
12	0.17										0.52		12
13			0.46								0.15		13
14									0.43	0.03	0.03	0.32	14
15											0	0.33	15
16		0.03	0.06								0.07		16
17						0.20					0.30	0.11	17
18					R	0.08					0.15	0.39	18
19		0.34		0.04		0.14				0.05		0.13	19
20									0.10	0.19	0.06	0.03	20
21		0.06		0.01				0.07	0.04			0.46	21
22		0.08						0.24	0.03	0.44		0.08	22
23			0.07					0.02			0.01	1.38	23
24		0.12	0.16						0.15	0.09		0.08	24
25		0.06				0.54		0.12		0.46		0.11	25
26		0.15		0.09	0.13	0.04		0.03		0.01		0.08	26
27		0.17		0.22	0.03	R		0.02		0.22	0.16	0.10	27
28		0.18	0.16	0.10				0.40	0.26		0.04	0.14	28
29				0.19							0.08		29
30				0.07		0.22	0.03	0.01	0.11	0.15			30
31			0.05		0.06					0.13		0.02	31
Total	1.03	·16 1.30	2.08	·07 0.81	6 0.69	1.22	0.03	1.29	1.15	·04 1.90	2.58	4.24	TOTAL for year 18.38
No. of Rain Days	7 1.03	11 ~~10~~ 1.52	12 ~~13~~ 1.92	9 ~~8~~ ·88	6 5 ·62	[illegible] 1.22	1 ·03	12 1.29	9 1.15	14 ~~13~~ 1.94	19 ~~18~~ 2.54	22 4.24	~~[illegible]~~

Average of 5 years 1906-10 at Poplars 18.38 128

Cor. [illegible] day. 24.II.13.

FORM A2.
BRITISH RAINFALL.
2 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at The Poplars Bricklehampton

in the County of Worcestershire 3

by J. B. [illegible] & J. F. Miller.

RAIN GAUGE
Pattern Funnel
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 104 ft.

Time of Observation Circa 9 a.m.

Nearest Railway Station
Name Pershore
Distance 4½ m Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. " 0.02

Date av.	Jan. 1.66	Feb. 1.22	March. 1.93	April. 1.95	May. 1.54	June. 2.60	July. 1.55	Aug. 2.17	Sept. 1.29	Oct. 3.10	Nov. 1.99	Dec. 2.77	Date.
1			0.11	0.22		0.09	0.08		0.06			N	1
2			0.04			0.73	0.26		0.03	0.15			2
3			0.09	0.01		0.15	0.16						3
4	0.03		0.04		0.17	0.06		0.49				0.18	4
5	0.15		0.31		0.19	0.80		0.71			0.27	[illegible]	5
6	0.28	0.09s	0.25		0.10	0.06		0.47			0.01	0.03	6
7	0.12	0.11			0.04	0.05	1.04	0.60					7
8		0.11	0.02			0.48						0.01	8
9	0.15		0.19					0.52					9
10	0.04	0.07	0.27	0.05		0.59		0.05				0.18	10
11	0.13	0.04		0.01		0.02		0.17			0.14		11
12	0.04	0.02				0.13		0.30			0.17	0.40	12
13		0.49	0.13		0.11							0.03	13
14		0.02					0.05	0.09			0.05		14
15	0.08		0.48					0.04	0.01	0.02			15
16	0.07				0.35	0.17		0.04				0.17	16
17	1.18		0.18		0.06	0.02		0.05					17
18	1.05s		0.10			0.01		0.34			0.04	0.45	18
19	0.06		0.10					0.42		0.02			19
20	0.08		0.23		0.04	0.03	0.32	0.31			0.02		20
21	0.02	0.07			0.01		0.40	0.50		0.47			21
22			0.35		0.72			0.35		0.27			22
23	0.37	0.08			0.57	0.21	0.39	0.15					23
24	0.38	0.35	0.21			0.27	0.60	0.28			0.03	0.39	24
25	0.03					0.28		0.15				0.13	25
26						0.55		0.82			0.24	0.24	26
27		0.03					0.25	0.75		1.31	0.14	0.20	27
28						0.14						0.16	28
29		0.05				0.06	1.03	0.58	0.06	0.37	0.15	0.41	29
30						0.27	0.26	0.35	0.30	0.26	0.05	0.01	30
31	—	·11	·22	–	·09	·08	0.43	0.05 ·06		0.19		·02	31
Total	~~4.26~~ 4.26	~~1.51~~ 1.62	~~3.19~~ 3.30	~~0.29~~ ·07	~~2.36~~ 2.45	~~5.17~~ 5.16	~~5.47~~ 5.49	~~8.21~~ 8.27	~~·46~~ ·40	~~3.06~~ 3.06	~~1.29~~ 1.29	~~2.98~~ 3.00	TOTAL for year ins. [illegible] 38·37
No. of Rain Days.	18	~~13~~ 14	17	~~4~~ 3	~~11~~ 12	23	~~13~~ 12	~~17~~ 27	~~5~~ 4	10	13	~~16~~ 17	

W. 8,000, X. '11.

– [illegible] 6 4½ – [illegible] –

cwo for W.D. 2.IV.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

2 - JAN 1915

Kept at The Poplars Pershore

in the County of Worcestershire 3

by Col. Miller, 24 RR

Lat. Long.

Time of Observation Circa 9 a.m.

Nearest Railway Station Pershore

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 104 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
0.01"

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
average	2.07	1.20	2.29	1.86	1.75	2.68	1.96	1.78	1.27	3.03	1.95	2.56	
1		0.02	0.07				0.40	0.22			0.01	0.64	1
2				0.07	0.03	0.02	0.25	0.23			0.02	0.08	2
3							0.05	0.07			0.51	0.31	3
4			0.02	0.05	0.13		0.11				0.03	0.01	4
5	0.10			0.16	0.01		0.28				0.28	0.13	5
6			0.04		0.29						0.08		6
7	0.05	0.07			0.02		0.11				0.07	0.07	7
8		0.14	0.18	0.27	0.17	0.10		0.13			0.02	0.06	8
9			0.19		0.06	0.72		0.09				0.02	9
10	0.24		0.23	0.37	0.04	1.09		0.07					10
11		0.23	0.03	0.27	0.07	0.09			0.31			0.47	11
12		0.05	0.36	0.03	0.07	0.35	1.33				0.18		12
13		0.07	0.15						0.25		0.05	0.16	13
14			0.27				0.03		0.09	0.20	0.18	0.49	14
15		0.15	0.17							0.33	0.09	0.24	15
16			0.10					0.03	0.06		0.04		16
17		~~0.17~~											17
18		0.17	0.14				0.22		0.14			0.10	18
19						0.08	0.38					0.35	19
20			0.10								0.09	0.04	20
21		0.29	0.03			0.07						0.24	21
22		0.22				0.78		0.15		0.24		0.15	22
23		0.07	0.15		0.21			0.02		0.11			23
24		0.08	0.06		0.03			0.18		0.09			24
25			0.10				0.14	0.01		0.09	0.05		25
26	0.18	0.05	0.09				0.04			0.16	0.03	0.08	26
27			0.23							0.05	0.09	0.45	27
28	0.05		0.02							0.02	0.10	0.10	28
29			0.21		0.10					0.02	0.05	0.75	29
30			0.11		0.13					0.17	0.10		30
31			0.01							0.07		0.59	31
Total	·02 ~~0.52~~ ·54	·07 ~~1.61~~ 1.66	~~3.01~~ 2.99	1.04	1.36	·40 ~~3.30~~ 3.70	·22 ~~3.37~~ 3.19	~~1.20~~ ·98	0.85	·01 ~~1.55~~ 1.56	·64 ~~1.98~~ 2.62	·01 ~~5.13~~ 5.12	YEAR'S TOTAL ~~25.60~~ 25.61
Rain Days.	56	14	~~24~~ 23	7	14	~~7~~ 10	12	~~11~~ 10	5	~~12~~ 13	20	22	~~155~~ 156

W. 7,500, XI. 12

– Averages are for 8 yrs –

WORCESTER.

REDDITCH.

"HOLMWOOD GDNS:

1913

FORM A.
BRITISH RAINFALL.
7-JAN 1914

REGIS ... 13

Kept at Holmwood G ... ong. ... 9 A.M.

in the County of Worc ... tion 800 yards

by J. G. Blakey ... uge 5 in.

... uge above Ground 1 ft. in.

" Sea Level 480 ft.

IMPORTANT NOTE ... n. and the result entered to the previous day. If an Observer prefers not to conform ... st universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·00	0·03	0·15	0·06	0·00	0·00	0·00	0·06	0·63	0·00	0·05	0·00	1
2	0·01	0·14	0·00	0·12	0·00	0·00	0·00	0·00	0·11	1·02	0·07	0·00	2
3	0·07	0·00	0·08	0·00	0·94	0·00	0·00	0·00	0·02	0·07	0·00	0·10	3
4	0·79	0·00	0·00	0·00	0·46	0·00	0·00	0·00	0·00	0·24	0·04	0·35	4
5	0·12	0·00	0·00	0·00	0·00	0·03	0·08	0·00	0·09	0·28	0·11	0·00	5
6	0·02	0·06	0·11	0·00	0·22	0·44	1·06	0·00	0·00	0·22	0·00	0·16	6
7	0·00	0·09	0·00	0·00	0·18	0·02	0·04	0·00	0·00	0·20	0·14	0·02	7
8	0·00	0·07	0·00	0·00	0·08	0·12	0·00	0·09	0·00	0·45	0·00	0·00	8
9	0·00	0·37	0·04	0·00	0·12	0·36	0·01	0·08	0·15	0·00	0·19	0·07	9
10	0·03	0·00	0·00	0·17	0·00	0·00	0·00	0·15	0·00	0·06	0·77	0·00	10
11	0·82	0·00	0·00	0·36	0·00	0·00	0·00	0·06	0·00	0·00	0·60	0·00	11
12	0·00	0·00	0·00	0·00	0·23	0·00	0·00	0·00	0·01	0·00	0·29	0·00	12
13	0·10	0·00	0·11	0·00	0·00	0·00	0·00	0·04	0·29	0·00	0·00	0·00	13
14	0·14	0·00	0·65	0·05	0·00	0·00	0·00	0·14	0·00	0·17	0·09	0·00	14
15	0·07	0·12	0·36	0·46	0·00	0·00	0·00	0·02	0·23	0·00	0·02	0·02	15
16	0·00	0·00	0·71	0·04	0·00	0·00	0·00	0·00	0·02	0·00	0·00	0·00	16
17	0·11	0·01	0·02	0·08	0·00	0·02	0·18	0·00	0·05	0·00	0·14	0·00	17
18	0·00	0·00	0·18	0·09	0·10	0·00	0·08	0·00	0·00	0·00	0·00	0·00	18
19	0·13	0·00	0·08	0·00	0·01	0·00	0·01	0·00	0·21	0·00	0·14	0·00	19
20	0·12	0·00	0·16	0·11	0·00	0·00	0·00	0·00	0·00	0·00	0·27	0·00	20
21	0·00	0·00	0·20	0·04	0·15	0·00	0·10	0·00	0·00	0·04	0·01	0·00	21
22	0·47	0·00	0·56	0·00	0·00	0·00	0·00	0·08	0·53	0·00	0·02	0·00	22
23	0·00	0·00	0·00	0·00	0·00	0·12	0·00	0·04	0·05	0·00	0·10	0·02	23
24	0·11	0·00	0·00	0·00	0·00	0·00	0·00	0·05	0·00	0·00	0·00	0·00	24
25	0·00	0·00	0·06	0·00	0·00	0·00	0·00	0·00	0·03	0·00	0·00	0·01	25
26	0·00	0·07	0·00	0·07	0·00	0·00	0·00	0·29	0·00	0·08	0·00	0·28	26
27	0·00	0·00	0·00	0·57	0·11	0·00	0·00	0·00	0·00	0·04	0·00	0·01	27
28	0·50	0·00	0·13	0·36	0·02	0·00	0·00	0·00	0·00	0·15	0·00	0·07	28
29	0·29		0·76	0·33	0·00	0·00	0·00	0·03	0·00	0·09	0·00	0·05	29
30	0·00		0·00	0·74	0·00	0·00	0·00	0·00	0·00	0·30	0·20	0·00	30
31	0·00		0·14	~~3~~·65	0·00		0·00	0·02		0·09		0·00	31
Total	3·90	0·96	4·44	3·65	2·62	1·11	1·56	1·09	2·42	3·50	3·23	1·16	YEAR'S TOTAL 29·64
Rain Days.	17	9	17	16	12	7	8	13	14	16	18	12	159

W.7,000, XI. 13

FORM A. BRITISH RAINFALL. 7 JAN 1914

REGIS 13

ong.

Kept at Holmwood Garden Redditch

in the County of Worcester

by J. G. Blakey for Canon Heslton

Time of Observation 9 A.M.

Nearest Railway Station 800 yards

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 480 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·00	0·03	0·15	0·06	0·00	0·00	0·00	0·00	0·63	0·00	0·05	0·00	1
2	0·01	0·14	0·00	0·12	0·00	0·00	0·00	0·00	0·11	1·02	0·07	0·00	2
3	0·07	0·00	0·08	0·00	0·94	0·00	0·00	0·00	0·02	0·07	0·00	0·10	3
4	0·79	0·00	0·00	0·00	0·46	0·00	0·00	0·00	0·00	0·24	0·04	0·35	4
5	0·12	0·00	0·00	0·00	0·00	0·03	0·08	0·00	0·09	0·28	0·11	0·00	5
6	0·02	0·06	0·11	0·00	0·22	0·44	1·06	0·00	0·00	0·22	0·00	0·16	6
7	0·00	0·09	0·00	0·00	0·18	0·02	0·04	0·00	0·00	0·20	0·14	0·02	7
8	0·00	0·07	0·00	0·00	0·08	0·12	0·00	0·09	0·00	0·45	0·00	0·00	8
9	0·00	0·37	0·04	0·00	0·12	0·36	0·01	0·08	0·15	0·00	0·19	0·07	9
10	0·03	0·00	0·00	0·17	0·00	0·00	0·00	0·15	0·00	0·06	0·77	0·00	10
11	0·82	0·00	0·00	0·36	0·00	0·00	0·00	0·06	0·00	0·00	0·60	0·00	11
12	0·00	0·00	0·00	0·00	0·23	0·00	0·00	0·00	0·01	0·00	0·29	0·00	12
13	0·10	0·00	0·11	0·00	0·00	0·00	0·00	0·04	0·29	0·00	0·00	0·00	13
14	0·14	0·00	0·65	0·05	0·00	0·00	0·00	0·14	0·00	0·17	0·07	0·00	14
15	0·07	0·12	0·36	0·46	0·00	0·00	0·00	0·02	0·23	0·00	0·02	0·02	15
16	0·00	0·00	0·71	0·04	0·00	0·00	0·00	0·00	0·02	0·00	0·00	0·00	16
17	0·11	0·01	0·02	0·08	0·00	0·02	0·18	0·00	0·05	0·00	0·14	0·00	17
18	0·00	0·00	0·18	0·09	0·10	0·00	0·08	0·00	0·00	0·00	0·00	0·00	18
19	0·13	0·00	0·08	0·00	0·01	0·00	0·01	0·00	0·21	0·00	0·14	0·00	19
20	0·12	0·00	0·16	0·11	0·00	0·00	0·00	0·00	0·00	0·00	0·27	0·00	20
21	0·00	0·00	0·20	0·04	0·15	0·00	0·10	0·00	0·00	0·04	0·01	0·00	21
22	0·47	0·00	0·56	0·00	0·00	0·00	0·00	0·08	0·53	0·00	0·02	0·00	22
23	0·00	0·00	0·00	0·00	0·00	0·12	0·00	0·04	0·05	0·00	0·10	0·02	23
24	0·11	0·00	0·00	0·00	0·00	0·00	0·00	0·05	0·00	0·00	0·00	0·00	24
25	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·03	0·00	0·00	0·01	25
26	0·00	0·07	0·00	0·07	0·00	0·00	0·00	0·29	0·00	0·08	0·00	0·28	26
27	0·00	0·00	0·00	0·57	0·11	0·00	0·00	0·00	0·00	0·04	0·00	0·01	27
28	0·50	0·00	0·13	0·36	0·02	0·00	0·00	0·00	0·00	0·15	0·00	0·07	28
29	0·29		0·76	0·33	0·00	0·00	0·00	0·03	0·00	0·09	0·00	0·05	29
30	0·00		0·00	0·74	0·00	0·00	0·00	0·00	0·00	0·30	0·20	0·00	30
31	0·00		0·14	~~3·65~~	0·00		0·00	0·02		0·09		0·00	31
Total	3·90	0·96	4·44	3·65	2·62	1·11	1·56	1·09	2·42	3·50	3·23	1·16	YEAR'S TOTAL 29·64
Rain Days.	17	9	17	16	12	7	8	13	14	16	18	12	159

W.7,000, XI. 13

FORM A2.
BRITISH RAINFALL.

2 JAN 1912

2434

REDDITCH
HEWELL GDNS
WORCESTER
1911 – 1920

11.

owd in

Kept at Hewe

5 in.

Ground 1 ft. – in.

in the County of W

Sea Level 469·35 ft.

a.m.

by A. A

Name Bromsgrove

Distance 3450 yds. Direction W. by N.

IMPORTANT … the result entered to the previous day. If a … ersal rule, he is earnestly requested to add the … ear in the space provided for it at the end … ment of rain, the selection and … itish Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	–	·03	·01	–	–	–	·07	–	–	·01	—	1
2	–	–	·01	·04	·12	–	·09	·09	–	·17	·08	·02	2
3	–	–	–	–	·30	–	–	–	·04	·02	·04	·03	3
4	·01	–	·16	·06	–	–	–	·03	·13	·11	·16	·19	4
5	·01	–	·07	–	–	–	–	·05	–	–	·01	–	5
6	–	–	·06	–	–	–	–	·01	–	–	·06	·37	6
7	·28	–	–	–	–	–	–	–	–	–	·19	–	7
8	·19	–	·18	–	–	–	–	–	–	–	·06	·31	8
9	·03	–	·02	–	–	–	–	–	–	–	·59	·14	9
10	·04	·16	·49	–	–	–	–	·01	–	–	·01	·31	10
11	·19	–	–	–	–	–	–	–	–	–	·41	·01	11
12	–	–	·53	–	–	–	–	–	·04	–	·16	–	12
13	–	–	·01	–	–	–	–	·03	·14	–	·02	·39	13
14	–	·02	·01	–	–	–	–	–	–	–	–	·81	14
15	–	·03	·02	–	–	–	–	–	–	–	·15	·04	15
16	–	–	–	–	–	·10	–	–	–	–	·13	·07	16
17	–	–	·04	–	–	·14	–	–	–	–	·24	·31	17
18	–	·31	–	·01	–	·16	–	–	–	·06	–	·32	18
19	–	·01	–	–	–	·16	·01	·02	·31	·49	·20	·08	19
20	·02	·10	–	·03. ~~·08~~	–	·01	–	·17	·10	·05	–	·59	20
21	–	·17	·03	–	–	–	–	·43	–	·46	–	·08	21
22	–	–	–	–	–	·02	–	–	–	·07	–	·38	22
23	–	·10	·28	–	·01	·50	–	–	·38	·05	–	·16	23
24	·02	·07	–	·07	–	·48	–	·08	·01	·22	–	·12	24
25	–	·02	·01	·06	·06	·04	–	–	–	–	–	·10	25
26	–	·10	–	·26	·03	·01	–	·01	–	·28	·20	·10	26
27	–	·20	·11	·09	·01	–	–	·48	·18	–	·03	·20	27
28	–	·22	–	·20	–	–	–	–	–	–	·11	·02	28
29	–		–	·17	–	·15	·24	·01	·30	·17	·01	·01	29
30	–		·01	·04	–	·03	–	–	–	·16	–	·02	30
31	–		·07		·25		–	–		·14		·01	31
Total	0·80	1·51	2·14	1·04	0·78	1·80	0·34	1·49	1·63	2·45	2·87	5·19	TOTAL for year 22·04
No. of Rain Days.	10	13	19	12	7	12	3	14	10	14	21	27	162

W. 8,000, X. '11.

REGISTER 11

FORM A2.
BRITISH RAINFALL.

2 JAN 1912

Kept at Hewell Gardens

in the County of Worcestershire 3

by A. A. Pettigrew

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 469·35 ft. 2434

Time of Observation 9 a.m.

Nearest Railway Station
Name Bromsgrove
Distance 3450 yds. Direction W. by N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	–	·03	·01	–	–	–	·07	–	–	·01	–	1
2	–	–	·01	·04	·12	–	·09	·09	–	·17	·08	·02	2
3	–	–	–	–	·30	–	–	–	·04	·02	·04	·03	3
4	·01	–	·16	·06	–	–	–	·03	·13	·11	·16	·19	4
5	·01	–	·07	–	–	–	–	·05	–	–	·01	–	5
6	–	–	·06	–	–	–	–	·01	–	–	·06	·37	6
7	·28	–	–	–	–	–	–	–	–	–	·19	–	7
8	·19	–	·18	–	–	–	–	–	–	–	·06	·31	8
9	·03	–	·02	–	–	–	–	–	–	–	·59	·14	9
10	·04	·16	·49	–	–	–	–	·01	–	–	·01	·31	10
11	·19	–	–	–	–	–	–	–	–	–	·41	·01	11
12	–	–	·53	–	–	–	–	–	·04	–	·16	–	12
13	–	–	·01	–	–	–	–	·03	·14	–	·02	·39	13
14	–	·02	·01	–	–	–	–	–	–	–	–	·81	14
15	–	·03	·02	–	–	–	–	–	–	–	·15	·04	15
16	–	–	–	–	–	·10	–	–	–	–	·13	·07	16
17	–	–	·04	–	–	·14	–	–	–	–	·24	·31	17
18	–	·31	–	·01	–	·16	–	–	–	·06	–	·32	18
19	–	·01	–	–	–	·16	·01	·02	·31	·49	·20	·08	19
20	·02	·10	–	·03 ~~·06~~	–	·01	–	·17	·10	·05	–	·59	20
21	–	·17	·03	–	–	–	–	·43	–	·46	–	·08	21
22	–	–	–	–	–	·02	–	–	–	·07	–	·38	22
23	–	·10	·28	–	·01	·50	–	–	·38	·05	–	·16	23
24	·02	·07	–	·07	–	·48	–	·08	·01	·22	–	·12	24
25	–	·02	·01	·06	·06	·04	–	–	–	–	–	·10	25
26	–	·10	–	·26	·03	·01	–	·01	–	·28	·20	·10	26
27	–	·20	·11	·09	·01	–	–	·48	·18	–	·03	·20	27
28	–	·22	–	·20	–	–	–	–	–	–	·11	·02	28
29	–		–	·17	–	·15	·24	·01	·30	·17	·01	·01	29
30	–		·01	·04	–	·03	–	–	–	·16	–	·02	30
31	–		·07		·25		–	–		·14		·01	31
Total	0·80	1·51	2·14	1·04	0·78	1·80	0·34	1·49	1·63	2·45	2·87	5·19	TOTAL for year 22·04
No. of Rain Days.	10	13	19	12	7	12	3	14	10	14	21	27	162

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

8 - JAN 1913
32434

REGISTER ~~Ex Dg~~ OF RAINFALL IN 1912.

Kept at Hewell Gardens,
in the County of Worcestershire, 3
by A. A. Pettigrew.

Lat. 52° 18·56 N. Long. 2° W.
Time of Observation 9 a.m.
Nearest Railway Station Bromsgrove
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 469·35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·08	—	·01	·19	·02	·01	·04	·05	—	·11	1
2	—	·04	·08	—	·01	·22	·34	—	—	—	—	—	2
3	·01	—	·10	—	·13	·15	·20	·65	·06	—	·02	·13	3
4	·10	—	·56	—	·25	1·08	—	·50	—	—	·22	—	4
5	·20	·08	·26	—	·08	·03	—	·36	·02	—	·03	·02	5
6	·26	·18	·02	—	·01	·09	—	·32	—	—	·01	·10	6
7	—	·09	·01	—	·09	·29	—	·23	—	—	—	·04	7
8	·34	·15	·27	·02	—	·23	·09	·56	·05	—	—	·05	8
9	·06	·05	·54	·03	—	·28	·01	·19	—	—	—	·38	9
10	·04	·02	·02	—	—	·11	—	·04	·03	—	·41	·01	10
11	·10	·05	·02	—	—	·15	·02	·06	—	—	·16	·53	11
12	·03	·28	·15	—	·15	·02	—	—	—	—	·02	·01	12
13	—	·08	·01	—	—	—	·01	—	—	—	·03	·02	13
14	·16	—	·53	—	·02	·07	—	·14	·02	—	—	—	14
15	·17	·06	·16	—	·31	·29	—	·02	—	—	—	·18	15
16	·77	·02	·13	—	·07	·09	—	·13	—	·08	—	—	16
17	1·25	—	·17	—	—	·11	—	·67	—	—	·09	·41	17
18	·15	—	·05	—	—	—	—	·17	—	·03	·04	·01	18
19	·14	·04	·05	—	·04	·03	·19	·53	—	·01	·01	—	19
20	·04	—	·17	—	—	·03	·22	·03	—	·21	·02	—	20
21	·01	·03	·30	—	1·00	—	—	·55	—	·31	—	—	21
22	·30	·18	·02	—	·79	·50	·09	·31	—	·01	—	·09	22
23	·10	·15	·33	—	—	·07	·06	·21	—	—	·11	·24	23
24	·08	·01	·01	—	—	·30	·01	·03	—	—	·01	·28	24
25	—	—	—	—	—	·35	—	·42	—	—	·22	·33	25
26	—	·05	·03	—	—	·04	·07	1·06	—	·64	·26	·32	26
27	—	—	—	—	—	·37	·26	—	—	·87	·01	·37	27
28	—	·10	—	—	—	·05	·47	·67	·07	·23	·34	·45	28
29	—	·10	·03	—	—	·25	·17	·02	·39	·25	—	·03	29
30	·02		·01	—	·08	·05	·05	—	·01	·11	—	—	30
31	—		·13		·14		·44	·08		·03		·08	31
Total	4·33	1·76	4·24	0·05	3·18	5·44	2·72	7·96	0·69	2·83	2·01	4·19	YEAR'S TOTAL 39·40
Rain Days.	21	20	28	2	16	27	18	26	9	13	18	23	221

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.
6- JAN 1914
2434

Kept at Hewell Gardens
in the County of Worcester
by A. A. Pettigrew.

Lat. 52° 18' N., Long. 2° W.
Time of Observation 9 a.m.
Nearest Railway Station Bromsgrove
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 469·35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·04	·15	·08	—	—	—	—	·61	—	·10	—	1
2	·02	·12	·02	·16	—	—	·03	—	·05	1·25	·20	—	2
3	·06	—	·07	—	·89	—	—	—	·03	·30	—	·06	3
4	·94	·01	—	—	·25	—	—	—	—	·19	·05	·33	4
5	·12	·04	·01	—	·01	·10	·10	—	·08	·37	·09	—	5
6	·03	·05	·10	—	·24	·33	·80	—	—	·22	·01	·16	6
7	—	·12	—	—	·23	·05	·04	—	—	·21	·13	·02	7
8	—	·08	—	—	·12	·21	—	·10	—	·27	—	—	8
9	—	·35	·05	·02	·14	·38	·02	·09	·14	—	·09	·05	9
10	·08	—	·01	·18	·02	—	—	·13	—	·03	·16	—	10
11	·99	—	—	·35	·01	—	—	·10	—	·04	·59	—	11
12	—	—	—	—	·15	—	—	—	—	—	·51	—	12
13	·09	—	·10	·01	—	—	—	·14	·20	—	·27	—	13
14	·12	·02	·62	·03	—	—	—	·17	·01	·19	·01	—	14
15	·08	·08	·43	·47	—	—	—	·02	·30	—	·07	·02	15
16	·02	—	·69	·02	—	—	—	—	·01	—	—	—	16
17	·07	·02	·02	·07	—	·05	·18	—	·08	—	·01	—	17
18	·02	—	·15	·07	·08	—	·09	—	—	—	·03	—	18
19	·11	—	·08	—	·02	·01	·03	—	·17	—	—	·02	19
20	·13	—	·17	·09	—	—	—	—	—	·03	·17	—	20
21	—	—	·19	·05	·10	—	·09	·06	—	—	·27	—	21
22	·49	—	·55	—	—	·05	—	·09	·51	—	—	—	22
23	·01	—	—	—	—	·11	—	·05	·05	—	·03	·02	23
24	·11	—	—	·05	—	—	—	·04	—	—	—	—	24
25	—	—	—	·07	—	—	—	—	·04	—	—	·02	25
26	—	·08	—	·64	·07	—	—	·32	·01	·06	—	·28	26
27	·01	·01	·02	·28	·03	—	—	—	—	·07	—	·03	27
28	·38	—	·13	·31	·04	—	—	—	—	·19	—	·07	28
29	·02		·55	·67	—	—	—	·01	—	·13	—	·04	29
30	·27		—	—	—	—	—	—	—	·38	·16	—	30
31	—		·15		—		—	·03		·04		—	31
Total	4·18	1·02	4·26	3·62	2·40	1·29	1·38	1·35	2·29	3·97	2·95	1·12	YEAR'S TOTAL 29·83
Rain Days.	23	13	21	19	16	9	9	14	15	17	19	13	188

W. 7,500, XI. ·12

Ex HL

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.
6 - JAN 1915
434

Kept at Hewell Gardens
in the County of Worcester, 3
by A. A. Pettigrew.

Lat. 52° 18·50′ N. Long. 2° W.
Time of Observation 9 a.m.
Nearest Railway Station Bromsgrove.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ~~469~~ 1 ft. — in.
" " " " Sea Level 469·35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·01	—	·03	—	·02	1·33	·26	—	—	·03	·05	1
2	—	—	·01	—	·01	·01	·08	·23	—	—	·59	·44	2
3	—	—	·02	·02	·16	—	·17	·11	—	—	·03	·02	3
4	·17	—	·05	·10	·05	—	·08	·32	—	—	·65	·42	4
5	·07	—	·08	·15	·19	·04	·37	·01	—	—	·12	—	5
6	·02	·05	·03	·01	·09	·05	—	—	—	—	·16	·08	6
7	—	·15	·27	·02	·21	·17	·12	·15	—	—	·02	·25	7
8	·02	·02	·05	·03	·11	·75	·02	·12	·02	—	—	·12	8
9	·30	—	·10	·28	·07	1·21	—	·04	·03	—	—	—	9
10	·06	·08	·02	·34	·08	·07	—	—	·22	—	·01	—	10
11	—	·07	·28	·05	·05	·11	—	—	·01	—	·27	·58	11
12	—	·07	·14	—	—	—	·66	—	·36	—	·05	·25	12
13	·02	·15	·23	—	—	—	·05	—	·07	·22	·07	·66	13
14	·02	·08	·10	—	—	—	·03	—	—	·28	·12	·09	14
15	·03	·01	·06	—	—	—	·01	·07	·02	·08	·06	·02	15
16	—	—	·10	—	—	—	·02	—	·28	—	—	·04	16
17	·02	·21	·12	—	—	—	·03	—	·05	—	—	·20	17
18	—	·02	—	—	—	—	·24	—	·02	—	—	·44	18
19	—	·02	·03	—	—	·08	·61	—	·05	—	·08	·07	19
20	—	·44	·07	—	—	—	·06	—	—	—	—	—	20
21	—	·24	·04	—	—	·23	·01	·06	—	·14	—	·20	21
22	—	·06	·02	—	·18	·04	·03	·10	—	·12	—	—	22
23	—	·02	·15	—	·16	·04	·02	—	—	·09	—	—	23
24	—	·01	·05	·01	·01	·02	·06	·10	—	·07	·04	—	24
25	·12	—	·07	—	—	—	·03	·34	—	·42	·07	·21	25
26	—	—	·10	—	—	—	·04	·05	—	·08	·16	·32	26
27	·06	—	·01	—	—	—	—	—	—	·04	·06	·18	27
28	·01	·07	·15	—	·06	—	—	—	—	·28	·05	1·12	28
29	—		·12	—	·16	—	—	—	—	·26	·10	—	29
30	—		·02	·01	·01	·08	—	—	—	·05	·40	·62	30
31	·07		—		·04		·32	—		·02		—	31
Total	0·99	1·78	2·49	1·05	1·64	2·92	4·39	1·96	1·13	2·15	3·14	6·38	YEAR'S TOTAL 30·02 ~~29·92~~
Rain Days.	14	19	28	12	17	15	23	14	11	14	21	22	210

W. 8,000. X. 14.

78 2533

FORM A. BRITISH RAINFALL.

2434

2 - FEB 1916

REGISTER OF RAINFALL IN 1915

Kept at Hewell Gardens

in the County of Worcestershire

by James J. Graham

Lat. 52° 18' 50" N Long. 2° W

Time of Observation 9 am.

Nearest Railway Station Bromsgrove

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 468·35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·13	·13	·12	—	·27	—	—	·11	·54	·14	·03	—	1
2	·12	·15	·25	·16	—	·14	—	·41	—	·43	—	·13	2
3	·97	·08	·02	·10	·02	—	1·49	·38	—	—	—	·16	3
4	·03	·01	—	—	·02	—	·77	·04	—	—	—	·60	4
5	·02	·72	—	—	—	—	·15	·05	—	—	—	·40	5
6	·17	·07	—	·25	—	—	·66	·02	—	—	—	·10	6
7	·11	·43	—	·04	—	·98	·13	·08	—	—	—	·40	7
8	·12 ·12	·28	—	·03	—	—	·02	·06	—	—	·04	—	8
9	·08	·17	—	·12	—	—	—	·07	—	—	·11	·35	9
10	·33	—	·07	·04	—	—	—	—	—	·02	·04	—	10
11	—	—	—	·03	·12	—	·07	—	—	—	·72	·07	11
12	·09	—	—	·11	·40	—	—	·38	·01	·07	1·16	—	12
13	·01	·50	—	—	·67	—	—	·07	·01	—	—	—	13
14	—	·02	—	—	·01	—	·19	·15	·11	·03	—	·47	14
15	·35	—	—	·04	·09	—	·07	·05	—	—	·14	·13	15
16	·07	·46	—	—	·26	—	1·21	·03	—	—	—	—	16
17	—	·13	—	—	·36	—	—	—	—	—	—	—	17
18	—	·41	·11	—	—	—	—	—	—	—	·01	—	18
19	—	·03	·01	—	·09	—	·06	—	—	—	—	—	19
20	·30	—	—	·06	—	—	—	—	—	—	—	·12	20
21	·17	·01	—	—	—	—	·18	—	—	·08	—	·06	21
22	·07	—	·15	·07	—	—	·25	—	·02	—	—	·13	22
23	·04	·10	·07	—	—	·03	·33	—	·27	·79	—	·30	23
24	—	—	·06	·05	—	—	·12	—	·02	·58	—	·22	24
25	—	—	—	—	—	·66	·22	—	·05	—	—	·37	25
26	—	·04	—	—	—	—	·37	—	—	—	—	·35	26
27	—	·02	·02	—	—	—	·12	—	·10	·43	—	·09	27
28	—	·28	—	—	—	—	·02	—	—	·05	—	—	28
29	—		—	—	—	·25	·21	·16	—	—	·07	·07	29
30	·07	X	—	—	—	·29	·08	—	—	·19	·05	·05	30
31	·02	X	—	X	—	X	·08	—	X	·32	X	·23	31
Total	3·27	4·04	·88	1·10	2·31	2·35	6·80	2·06	1·13	3·13	2·37	4·80	YEAR'S TOTAL 34·24
Rain Days.	20	20	10	13	11	6	22	15	9	12	10	21	169

W. 8,000. X. 15.

2466

FORM BRITISH RAINFALL. ~~24~~34

16. JAN

REGISTER OF RAINFALL IN 1916

Kept at Hewell Gardens

in the County of Worcestershire

by James. J. Graham

Lat. 52° 18' 50N Long. 2° W

Time of Observation 9 a.m

Nearest Railway Station Bromsgrove

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 469·35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·10	·01	·03	–	–	·12	·14	–	–	·10	·19	–	1
2	·31	·04	·05	–	·01	·02	·32	–	·14	·68	·02	–	2
3	–	·61	–	–	·25	·01	–	–	–	·30	·06	–	3
4	19	·12	–	·14	·02	·22	–	–	–	·02	·40	–	4
5	–	–	–	–	·52	·13	–	–	–	·06	·24	–	5
6	–	·23	·09	·04	·23	·11	·53	–	–	·06	·40	–	6
7	–	–	·14	–	·17	·01	·55	–	–	·10	·19	·23	7
8	·05	–	·04	–	·10	–	–	–	–	–	·03	·24	8
9	·02	–	·01	–	·16	·21	–	–	·02	·03	·02	·03	9
10	–	·37	·08	·09	·20	·06	·03	–	–	·02	–	–	10
11	·07	·12	·06	·14	·04	·30	–	–	·10	–	·01	·27	11
12	–	·10	·04	·02	·01	–	·48	·03	–	·03	·01	–	12
13	–	·19	·15	·05	·38	–	·11	·18	·01	·01	·01	·02	13
14	–	·45	–	–	·04	–	–	·15	–	·12	–	·01	14
15	–	·42	·54	·03	·19	–	·12	·80	·03	·09	–	–	15
16	·03	·01	·06	·28	·07	–	·05	·29	–	–	–	–	16
17	·11	·21	–	·10	–	–	·01	·16	·57	·26	–	–	17
18	·02	·05	·04	·05	–	–	–	·10	·15	·03	·35	·24	18
19	·05	–	·15	·35	–	–	–	·03	–	·02	·32	–	19
20	·06	–	·52	·03	–	–	–	·11	–	–	·11	·16	20
21	–	–	·18	·01	·16	–	·07	–	–	–	–	·25	21
22	–	–	·01	–	·05	·05	–	–	–	·09	–	·52	22
23	·03	–	–	·04	–	–	–	·10	–	·08	·05	·19	23
24	–	·82	–	·02	·17	–	–	·15	–	·28	–	·18	24
25	–	–	·03	–	·02	–	–	·23	·04	·05	·32	–	25
26	·04	·11	·02	–	–	–	–	·12	·23	·10	·04	–	26
27	·04	·08	·45	–	–	·07	·12	·02	·15	·28	–	–	27
28	–	·34	·25	–	·09	·05	–	–	–	·40	–	·16	28
29	–	·12	–	–	–	–	–	·82	–	·08	–	·07	29
30	–	╳	–	–	–	·31	–	–	–	·16	–	·02	30
31	–	╳	–	╳	·02	╳	–	·09	╳	·15	╳	·20	31
Total	1·12 ~~·72~~	4·40	3·24	1·39	2·90	1·67	2·53	3·38	1·44	3·60	2·77	2·79	YEAR'S TOTAL 31·23 ~~30·83~~
Rain Days.	14	19	21	15	21	14	12	16	10	26	18	16	202

W. 8,000, VIII. 16

2352

FORM A. BRITISH RAINFALL 434
19 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Hewell Gardens
in the County of Worcestershire
by James J. Graham

Lat. 52° 18' 50" N Long. 2° W
Time of Observation 9 a.m.
Nearest Railway Station Bromsgrove
Diameter of Funnel of Rain Gauge 5 in in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 468·35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·01	·05	–	·04	–	·81	·26	–	·07	·07	1
2	–	–	·03	·01	–	·22	–	·02	–	·01	·03	·02	2
3	–	·08	–	·11	–	–	–	·10	–	·32	·02	–	3
4	·02	·09	·20	·01	–	–	–	·14	–	·65	–	–	4
5	·28	–	·06	·18	–	–	–	–	·04	·17	·08	–	5
6	–	–	·32	–	–	·66	–	–	·01	·07	·08	·04	6
7	·37	–	–	–	–	–	–	·25	–	·16	–	·04	7
8	·63	–	·02	·10	–	·01	·02	·56	·02	·36	·15	·19	8
9	–	–	·10	–	·42	–	·26	·42	·03	·12	·33	–	9
10	·55	–	·27	·12	·31	–	·01	·15	–	·02	·01	–	10
11	·10	–	·13	·25	·03	–	–	·09	·02	·15	·03	–	11
12	·04	·05	–	·02	·19	–	–	·01	–	·17	·02	·01	12
13	·02	–	·04	·02	·15	–	–	·11	·09	·02	·02	–	13
14	·01	–	·24	·12	–	–	–	1·25	–	–	·01	·02	14
15	·01	–	–	–	·04	–	–	·07	–	·03	–	·06	15
16	·01	·11	–	·11	·02	·19	·12	·01	–	·01	·01	·50	16
17	·01	·02	–	·08	·60	·61	·02	·27	·08	·11	–	–	17
18	·01	·03	–	·04	·07	·02	·37	·12	1·12	·06	–	–	18
19	·07	·30	·38	–	·03	·07	·25	–	·02	·01	–	–	19
20	·01	·21	·01	–	·61	·16	–	–	·15	–	·07	–	20
21	–	·02	·10	·01	·03	·22	·16	·06	–	·02	·08	–	21
22	–	–	·02	–	–	–	–	·25	·03	·24	·01	–	22
23	–	·11	–	–	·16	·02	–	·18	·01	·07	–	·03	23
24	–	–	·02	–	–	·54	·02	·08	–	·17	·03	·02	24
25	–	·03	·09	–	–	·01	–	–	–	·03	·02	–	25
26	–	·04	–	–	·03	·02	–	·46	·22	·02	·22	–	26
27	–	·01	·01	–	1·74	·05	·28	·86	–	·03	·01	–	27
28	–	·06	·06	–	–	·58	–	·17	–	–	–	·01	28
29	–		–	–	–	·26	·09	·23	–	·38	–	·26	29
30	·01	✕	–	–	–	–	·11	·32	–	·03	·03	·01	30
31	·02	✕	·10	✕	–	✕	–	·08	✕	·02	✕	·01	31
Total	2·17	1·16	2·21	1·23	4·43	3·68	1·71	7·10	2·10	3·45	1·33	1·29	YEAR'S TOTAL 31·86
Rain Days.	17	14	20	15	15	17	12	26	14	27	21	15	213

W. 8,000, IX. 17.

Ex ML

50

REGISTER OF RAINFALL IN 1918

FORM A 434
BRITISH RAINFALL
15.1.19

Kept at Hewell Gardens
in the County of Worcestershire
by James J. Graham

Lat. 52'1850 Long. 2'W
Time of Observation 9 A.M.
Nearest Railway Station Bromsgrove
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 468·35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·02	-	·15	·10	-	-	-	·02	·05	·23	·02	1
2	-	·04	-	·03	-	-	-	·27	-	·05	·01	·08	2
3	-	·02	·02	·01	·17	-	-	·10	·64	-	·04	·03	3
4	·02	·04	·01	·01	-	-	-	·12	·33	·05	·55	·34	4
5	-	·01	-	·01	·32	-	-	·01	·10	·06	-	·01	5
6	·02	·32	·01	·15	-	·10	-	-	·05	·23	-	·03	6
7	·02	·09	-	·03	·08	·32	-	-	·09	·09	·14	·01	7
8	·01	·09	-	·02	-	-	-	-	·12	·25	-	·02	8
9	·01	·32	-	·10	-	·03	·03	-	·32	·35	·01	·03	9
10	·06	·01	-	·09	·27	-	·22	-	·12	·06	-	·11	10
11	·01	-	·02	·03	-	-	·20	-	·20	·03	-	·07	11
12	-	·03	·11	·01	·17	-	·07	-	-	-	-	·01	12
13	-	·01	-	-	·09	-	·03	-	·15	·14	-	·04	13
14	·30	·01	·01	-	-	-	·09	-	·23	·17	-	·09	14
15	·93	-	-	·36	-	-	·37	-	·04	·01	-	·40	15
16	·14	-	-	·54	-	·17	·02	·03	·25	-	-	·10	16
17	·23	-	-	·01	·10	·02	·10	·02	·07	·05	-	·06	17
18	·43	-	-	-	-	·26	·27	-	·42	·01	-	·25	18
19	·06	·06	·13	·02	-	-	·06	-	-	·04	-	·07	19
20	·23	·08	-	·49	-	·05	·02	-	·11	-	·01	·13	20
21	·13	-	-	·65	-	·01	·10	-	·33	-	·01	·04	21
22	·03	-	-	·01	·20	·02	·11	-	-	·02	-	·35	22
23	·02	-	-	-	·63	·02	·10	-	·04	·01	·01	·03	23
24	·01	·13	-	-	-	-	·31	-	·03	·01	·19	-	24
25	-	-	-	-	-	-	·08	·60	-	·03	·03	-	25
26	-	·01	-	-	-	-	·46	·07	-	·03	·12	·06	26
27	-	·06	-	-	-	·02	·01	·38	·16	·01	·17	·06	27
28	-	·19	·23	-	-	-	-	-	-	-	·21	·05	28
29	-		·11	-	-	-	-	-	·75	-	·01	·02	29
30	-	X	·44	-	-	-	-	·08	-	-	·11	·04	30
31	-	X	·32	X	-	X	-	·02	X	-	X	-	31
Total	2·66	1·54	1·41	2·72	2·13	1·02	2·65	1·70	4·57	1·45	1·85	2·55	YEAR'S TOTAL 26·55
Rain Days.	18	19	11	19	10	11	19	11	22	22	16	28	206

W. 8,000, IX. 17.

B. Grade

W. 1806 [illegible]

2210

2434

21 FEB 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Hewell Gardens

in the County of Worcestershire

by James J. Graham

Lat. 52°18'50"N Long. 2°W

Time of Observation 9 a.m

Nearest Railway Station Bromsgrove

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 469·35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·28	·01	·02	–	·07	·19	·36	–	·03	·27	·04	·43	1
2	·22	·01	·05	–	·02	–	·20	–	·23	·03	·05	·02	2
3	·58	–	·05	–	·08	·07	·29	–	·13	–	·13	·08	3
4	·07	·02	·29	–	–	·06	·16	·06	·26	–	·01	·09	4
5	·03	·27	·02	–	–	–	·01	–	·33	–	–	·28	5
6	·04	·01	·07	·11	·66	–	–	–	–	–	–	–	6
7	·30	–	·18	·12	·01	–	–	–	–	–	·04	–	7
8	·14	–	·06	·11	–	·05	–	–	–	–	·01	–	8
9	·03	–	·02	·16	–	–	–	–	–	–	–	–	9
10	–	–	·56	·01	–	–	–	–	–	–	–	·20	10
11	·01	–	·50	·02	·04	–	·36	–	–	·02	–	·02	11
12	·05	–	·09	·21	–	·25	–	–	·01	·16	·05	·03	12
13	·15	–	–	·02	–	–	·04	–	·11	·20	–	·01	13
14	·38	–	–	·06	–	–	·01	–	·27	·14	–	·03	14
15	·31	·08	·05	·13	–	–	–	–	–	·03	·01	·25	15
16	·20	1·02	–	·02	–	–	·02	·65	–	–	·19	·02	16
17	–	·62	–	·01	·15	·04	–	–	–	–	·10	–	17
18	–	–	·40	–	–	–	·05	·21	–	–	·01	·11	18
19	·20	·32	·95	–	–	·15	·86	·26	·05	–	–	·01	19
20	·45	·05	·56	–	–	·06	·12	·19	·09	–	·17	·11	20
21	·02	·39	·06	–	–	·03	·48	·03	·05	–	·02	·14	21
22	–	·21	·01	–	–	–	–	·01	·32	–	·01	·35	22
23	–	–	–	–	–	·02	–	·03	–	·98	–	·13	23
24	–	–	–	–	–	·04	–	–	–	·59	·10	·07	24
25	·12	–	–	·05	·08	·14	–	·28	–	–	–	·03	25
26	·02	–	·09	·10	–	·02	–	·06	·05	–	–	·32	26
27	·24	–	·05	·42	–	–	–	·46	·02	–	·05	·06	27
28	·05	–	·03	·01	–	·04	–	·51	–	–	·14	·38	28
29	·03		–	·06	–	–	–	·08	–	·43	·09	·19	29
30	·02		–	·20	–	·22	–	·05	–	·05	·04	·47	30
31	·01		·14		–		·06	–		–		·02	31
TOTAL	3·95	3·01	4·25	1·82	1·11	1·38	3·02	2·88	1·95	2·90	1·26	3·85	YEAR'S TOTAL 31·38 ~~31·[illegible]8~~
Days with ·01 in. or more	25	12	22	18	8	15	14	14	14	11	19	26	198

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

CR DL 2126

2434

10 MAY 192

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Hewell Gardens, Redditch
in the County of Worcestershire
by James J. Graham

Lat. 52° 18 50 N Long. 2° W
Time of Observation 9 a.m: 10. a.m. summer time
Nearest Railway Station Bromsgrove
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 468·35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·02	·10	·43	–	·26	·04	·08	·11	–	·12	1
2	–	–	–	·07	·03	–	·31	·02	·08	·19	–	·14	2
3	–	·04	–	·13	·05	–	1·05	·05	·20	·35	–	–	3
4	·01	–	–	·08	·01	–	·03	·28	·05	·32	–	–	4
5	–	–	·12	·01	·13	–	·34	·16	·08	1·26	–	–	5
6	–	·01	·27	·01	·09	–	·10	·03	–	·16	–	·01	6
7	–	–	·10	·18	–	–	·12	–	–	·02	–	–	7
8	·24	·05	–	·66	·09	–	·43	–	–	–	–	–	8
9	·31	·02	–	·38	–	·10	·11	·09	–	–	–	–	9
10	·43	·07	·07	·05	–	–	·11	·01	–	–	·13	–	10
11	·18	–	·03	·39	·40	·06	·13	·01	–	–	·01	·02	11
12	·09	·01	·05	·21	–	·69	·03	1·33	–	·03	·06	·05	12
13	–	·02	·23	·10	–	·03	–	·12	·04	–	·02	–	13
14	·03	–	·88	·24	–	·23	·06	–	·23	·03	·17	–	14
15	·01	·08	·13	·57	–	·42	·01	–	·03	·03	·04	–	15
16	–	–	·01	·24	·09	·16	·17	–	·09	·50	–	–	16
17	·02	–	–	·01	·10	–	–	·02	1·10	·06	–	·05	17
18	·03	–	–	·02	·10	–	·05	·24	·49	–	–	·01	18
19	·02	·19	–	·43	–	·09	·01	–	·03	–	–	·02	19
20	–	·27	–	·34	–	·27	·02	–	–	–	–	·02	20
21	·19	–	–	·01	–	·01	·14	·03	–	·03	–	·05	21
22	–	–	–	·12	–	·03	·04	·15	·02	–	–	·02	22
23	·03	–	–	·01	–	–	·33	·05	–	·02	–	·29	23
24	–	–	·18	·02	–	–	–	·03	–	–	–	·13	24
25	·01	·06	·03	·01	–	·01	1·11	·03	–	–	–	·02	25
26	·15	–	·20	·02	–	–	·24	–	–	–	·04	·04	26
27	·10	–	·04	·10	·04	·25	·02	–	–	·02	·03	·67	27
28	·68	–	·05	·02	·37	–	·03	–	–	–	–	·05	28
29	·13	–	·29	–	·09	–	·09	–	–	–	·11	·48	29
30	·01	✕	·01	·08	·03	·19	·03	–	·29	–	·25	·03	30
31	·06	✕	·01	✕	–	✕	·02	–	✕	·51	✕	·27	31
													YEAR'S TOTAL
TOTAL	2·73	·82	2·72	4·61	2·05	2·54	5·39	2·69	2·81	3·64	·86	2·49	33·35
Days with ·01 in. or more	20	11	19	29	15	14	28	18	14	16	10	20	214
Days with ·04 in. or more	11	4	13	19	12	10	19	10	11	9	4	12	140

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

2376

HAZELDEN REDMARLEY

1913-20

FORM A.
BRITISH RAINFALL.
12 JAN 1914

REC

Kept at Haselden a.m

in the County of 5 in.

by Miss F. L. Newl re Ground ft. 5 in.

Sea Level about 280 ft.

IMPORTANT NO the result entered to the previous day. If an versal rule, he is earnestly requested to add the re ar in the space provided for it at the end of this paragraph. Full instructions for ment of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·05	·11	·02	·12	—	—	—	·78	—	·02	—	1
2	·01	·20	·04	·13	—	—	·02	—	·08	·54	·10	—	2
3	·19	—	·10	—	·45	—	—	—	—	—	—	·02	3
4	·73	·01	—	—	·27	—	—	—	·55	·75	·03	·16	4
5	·06	·02	—	—	·04	·38	·10	—	·01	·20	·04	·03	5
6	03	·06	·17	—	·19	·10	·17	—	—	·25	·19	·39	6
7	—	·26	—	—	·27	·04	·05	—	—	1.16	·17	·01	7
8	—	·09	—	—	·12	·05	—	·06	—	·62	—	—	8
9	—	·22	·02	—	·09	·11	·05	·16	·36	—	·09	·01	9
10	·19	—	—	·17	·04	—	—	·11	—	·05	·11	—	10
11	·61	—	—	·18	·4	—	—	·02	—	·09	·62	—	11
12	—	—	—	—	·38	·01	—	—	—	·01	·56	—	12
13	·03	—	·08	—	—	—	—	—	·14	—	·24	—	13
14	·12	—	·43	·30	—	—	—	·04	—	·11	—	—	14
15	·13	·06	·64	·49	—	—	—	·01	·17	—	·01	—	15
16	·17	—	·60	·05	—	—	—	·04	—	—	—	—	16
17	·04	—	·15	·08	—	·04	·21	—	·01	—	—	—	17
18	·05	—	·25	·07	—	—	·06	—	·21	—	—	—	18
19	·10	—	·17	—	—	·22	·64	—	·11	·04	—	—	19
20	·25	—	·18	—	—	—	—	—	—	·04	·12	—	20
21	—	—	·20	·16	—	—	·04	—	—	—	·39	—	21
22	·42	—	·53	—	16	·12	—	·10	·41	—	—	—	22
23	—	—	—	—	—	04	—	·05	·01	—	·03	·06	23
24	·02	—	—	·04	—	—	—	·04	—	—	—	—	24
25	—	—	—	·17	—	—	—	—	·03	—	—	—	25
26	—	·04	—	1.13	—	—	—	·35	·01	—	—	·22	26
27	·02	—	·05	·40	·03	—	—	—	—	·05	—	—	27
28	·33	—	·07	·22	·04	—	—	—	—	·60	—	—	28
29	·01	—	·34	·70	—	—	—	·23	—	·12	—	—	29
30	·20		—	—	—		—	—	—	·62	·03	—	30
31	·01		·11		·07			·06		·03		—	31
Total	3.74	1·01	4.24	4.31	2.31	1.11 ✓	·74	1.27	2·88	5.28	2.75	·90	YEAR'S TOTAL 30.54 ✓
Rain Days.	23	10	19	16	15	10	9	13	14	17	16	8	170

W.7,000, XI. 13

✓

REC

FORM A.
BRITISH RAINFALL.
12 JAN 1914

Kept at Haselden Redmarley

in the County of Worcester.

by Miss F. L. Newbury

Time of Observation 9. a. m

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 5 in.

" " " " Sea Level about 280 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	'01	'05	'11	'02	'12	—	—	—	'78	—	'02	—	1
2	'01	'20	'04	'13	—	—	'02	—	'08	'54	'10	—	2
3	'19	—	'10	—	'45	—	—	—	—	—	—	'02	3
4	'73	'01	—	—	'27	—	—	—	'55	'75	'03	'16	4
5	'06	'02	—	—	'04	'38	'10	—	'01	'20	'04	'03	5
6	03	'06	'17	—	'19	'10	'17	—	—	'25	'19	'39	6
7	—	'26	—	—	'27	'04	'05	—	—	1.'16	'17	'01	7
8	—	'09	—	—	'12	'05	—	'06	—	'62	—	—	8
9	—	'22	'02	—	'09	'11	'05	'16	'36	—	'09	'01	9
10	'19	—	—	'17	'04	—	—	'11	—	'05	'11	—	10
11	'61	—	—	'18	'4	—	—	'02	—	'09	'62	—	11
12	—	—	—	—	'38	'01	—	—	—	'01	'56	—	12
13	'03	—	'08	—	—	—	—	—	'14	—	'24	—	13
14	'12	—	'43	'30	—	—	—	'04	—	'11	—	—	14
15	'13	'06	'64	'49	—	—	—	'01	'17	—	'01	—	15
16	'17	—	'60	'05	—	—	—	'04	—	—	—	—	16
17	'04	—	'15	'08	—	'04	'21	—	'01	—	—	—	17
18	'05	—	'25	'07	—	—	'06	—	'21	—	—	—	18
19	'10	—	'17	—	—	'22	'64	—	'11	'04	—	—	19
20	'25	—	'18	—	—	—	—	—	—	'04	'12	—	20
21	—	—	'20	'16	—	—	'04	—	—	—	'39	—	21
22	'42	—	'53	—	16	'12	—	'10	'41	—	—	—	22
23	—	—	—	—	—	0.4	—	'05	'01	—	'03	'06	23
24	'02	—	—	'04	—	—	—	'04	—	—	—	—	24
25	—	—	—	'17	—	—	—	—	'03	—	—	—	25
26	—	'04	—	1.'13	—	—	—	'35	'01	—	—	'22	26
27	'03	—	'05	'40	'03	—	—	—	—	'05	—	—	27
28	'33	—	'07	'22	'04	—	—	—	—	'60	—	—	28
29	'01	—	'34	'70	—	—	—	'23	—	'12	—	—	29
30	'20		—	—	—		—	—	—	'62	'03	—	30
31	'01		'11		'07			'06		'03		—	31
													YEAR'S TOTAL
Total	3.'74	1'01	4.'24	4.'31	2.'31	1.'11 ✓	'74	1.'27	2'88	5.'28	2.'75	'90	30.'54 ✓
Rain Days.	23	10	19	16	15	10	9	13	14	17	16	8	170

✓

W.7,000, XI. 13

Exd. L

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.
8 - JAN 1915

Kept at Hasseldeu Redmarley
in the County of Worcestershire
by Mrs. F. L. Newbury

Lat. .... Long. ....
Time of Observation 9. a.m. to 9. a.m.
Nearest Railway Station Dymock
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 5 in.
" " " " Sea Level 280 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·02	·04	·09	—	·05	1·42	·22	—	—	·07	·12	1
2	—	—	—	—	—	—	·38	·10	—	—	·58	·46	2
3	—	—	—	·09	·19	—	·07	—	—	—	—	·04	3
4	·22	—	—	·18	·03	—	·13	·02	—	—	·45	·66	4
5	·04	—	·04	·12	·11	—	·15	—	—	—	·09	·25	5
6	·02	·12	—	·03	·03	—	·01	—	—	—	·20	—	6
7	—	·29	·10	—	·21	·11	·14	·09	·06	—	—	·08	7
8	—	—	·12	·11	·02	·61	—	·05	—	—	—	·05	8
9	·08	·03	·19	·31	·09	1·30	—	·05	·06	—	—	—	9
10	·03	·31	—	·30	·04	·05	—	—	·50	—	·15	—	10
11	—	·09	·14	·04	·22	·28	·01	—	—	—	—	·48	11
12	—	·19	·19	—	—	—	·11	—	·25	—	·06	·13	12
13	—	·16	·32	—	—	—	·01	—	·12	·22	·05	·36	13
14	—	·12	·20	—	—	—	·01	—	—	·22	·13	—	14
15	—	·02	·11	—	—	—	—	·18	·04	—	·08	—	15
16	·03	—	—	—	—	—	·04	—	·11	—	—	—	16
17	—	·11	·11	—	—	—	·01	—	·02	—	—	·16	17
18	—	—	—	—	—	—	·20	—	—	·02	—	·29	18
19	—	—	·02	—	—	—	·44	·05	—	—	·03	·08	19
20	—	·41	·05	—	—	·05	—	—	—	—	—	·12	20
21	—	·20	—	—	—	·05	—	—	—	·16	—	·04	21
22	—	·03	·03	—	·08	—	—	·06	—	·08	—	—	22
23	—	·02	·10	—	·02	—	—	—	—	·12	—	—	23
24	—	—	·19	·01	—	—	·02	·07	—	·05	·05	~~—~~	24
25	·06	—	·24	—	—	—	—	·15	—	·18	·02	·07 ~~·03~~	25
26	—	—	·03	—	—	—	·08	·03	—	·05	·13	·59	26
27	·04	—	—	—	·05	—	—	—	—	·02	·22	·11	27
28	—	·07	·17	—	·11	—	—	—	—	·13	·06	·30	28
29	·02	—	·09	—	—	—	—	—	—	·08	·17	—	29
30	—	×	·07	—	—	·08	—	—	—	—	·45	1·37	30
31	·09	×	—	×	—	×	·24	—	×	—	×	·02	31
Total	·63	2·19	2·55	1·28	1·20	2·58	3·47	1·07	1·16	1·33	2·99	5·78	YEAR'S TOTAL 26·23
Rain Days.	10	16	21	10	13 ~~12~~	9	18	12	8	12 ~~11~~	18	21	~~166~~ 168

W. 8,000. X. 14.

corr for auth 27·111·16

2487

FORM A. BRITISH RAINFALL.
24 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Haselden Redmarley

in the County of Worcester

by Miss F. L. Newberry

Lat. Long. —

Time of Observation 9 - A M.

Nearest Railway Station Dymock

Diameter of Funnel of Rain Gauge 5 - in.

Height of top of Gauge above Ground - ft. 5 in.

" " " " Sea Level 280 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·14	·07	—	—	·23	—	·29	·04	·05	·24	·02	·04	1
2	·21	·13	·12	·21	—	·15	—	1-·08	—	·23	—	·06	2
3	·71	·14	·04	·09	·19	—	·76	·19	—	—	—	·20	3
4	—	·04	—	—	·02	—	·12	·05	—	—	—	·41	4
5	—	·60	—	·04	—	—	—	·10	—	·04	—	·55	5
6	·21	·03	—	·15	—	—	·64	·04	—	—	—	·16	6
7	·09	·41	—	—	—	—	·02	·01	—	—	—	·21	7
8	·24	·30	—	—	—	—	·10	—	—	—	·06	—	8
9	·13	·02	—	·08	—	—	—	·01	—	—	·20	·38	9
10	·21	—	·07	·06	—	—	—	—	—	·07	·01	—	10
11	—	—	·02	·03	·04	—	—	—	—	—	·71	—	11
12	·11	·03	—	·10	·34	—	—	·15	—	·07	·44	·02	12
13	·02	·40	—	—	·61	—	—	·42	·03	—	—	—	13
14	—	·03	—	—	—	—	—	·11	·07	—	—	·24	14
15	·37	—	—	—	·10	—	·03	·01	—	—	·03	·16	15
16	·03	·55	—	·03	·34	—	·64	·02	—	—	—	·04	16
17	—	·18	—	—	1-·08	—	—	·07	—	—	—	·02	17
18	—	·35	·02	—	—	—	—	—	—	—	—	—	18
19	—	—	·02	—	·25	—	·12	—	—	—	—	—	19
20	·12	—	—	·10	—	—	·02	—	—	—	—	·09	20
21	·11	·03	—	—	—	—	·05	—	—	·15	—	·05	21
22	·10	·11	·28	—	—	—	·28	—	—	—	—	·18	22
23	·03	·05	·20	—	—	·03	·06	—	—	1-·06	—	·36	23
24	—	—	·05	·04	—	—	·29	—	·55	·58	—	·12	24
25	—	—	—	—	—	·50	·04	—	—	·05	—	·20	25
26	—	·07	—	—	—	—	·99	—	—	—	—	·54	26
27	—	·06	—	—	—	—	·13	—	—	·32	—	·04	27
28	—	·04	—	—	—	·04	—	·05	·20	·02	—	—	28
29	—	—	—	—	—	·03	·24	·01	—	—	·08	·05	29
30	·09	✕	—	—	—	·08	·03	—	—	·11	·11	·20	30
31	—	✕	—	✕	—	✕	·10	·05	✕	·88	✕	·38	31
Total	2-·92	3-·40	·82	·93	3-·20	·83	4·98 4-·98	2-·41	·90	3-·82	1-·66	4-·70	YEAR'S TOTAL 30·8[illegible] 30-·84
Rain Days.	17	21	9	11	10	6	20	17	5	13	9	24	162

W. 8,000. X. 15.

2416

FORM A.
BRITISH RAINFALL.
20 JAN 1911

REGISTER OF RAINFALL IN 1916

Kept at Haselden Redmarley
in the County of Worcestershire
by J. L. Newbury

Lat. Long.
Time of Observation 9. A.M.
Nearest Railway Station Dymock
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 5 in.
" " " " Sea Level 280 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	—	·03	—	·06	·07	·17	—	—	·12	·19	—	1
2	·20	·05	·12	—	·32	—	—	—	·05	·49	·07	—	2
3	—	·01	·13	—	·06	—	·02	—	·04	·29	·11	—	3
4	—	·13	—	—	·34	·25	—	—	·08	—	·40	—	4
5	·24	—	·04	—	·31	·04	·22	—	—	·08	·11	—	5
6	·04	·20	—	—	·22	—	·49	—	—	·25	·70	—	6
7	·04	—	·05	—	·12	—	·01	—	—	·40	·28	·18	7
8	—	—	·11	—	·21	—	—	—	—	—	—	—	8
9	·03	—	·02	—	·09	·35	—	—	·02	—	·03	·25	9
10	—	·43	·09	—	—	·08	—	—	—	·18	—	—	10
11	—	·10	·06	—	·04	·20	—	—	—	—	—	·06	11
12	·03	—	·05	·20	·29	—	·28	—	—	·05	—	—	12
13	·04	·32	·15	—	—	—	·01	·32	·02	—	—	—	13
14	—	·12	·12	·05	·03	—	—	—	—	·05	—	—	14
15	—	·40	·21	—	·24	—	—	·12	—	·01	—	—	15
16	—	·05	—	·10	·01	—	·14	·46	—	·02	—	—	16
17	·06	·14	—	·26	—	—	—	·16	·32	·40	—	—	17
18	—	·04	·03	·16	—	—	—	—	·14	·06	—	—	18
19	·09	—	·30	·03	—	—	—	—	·01	—	·38	—	19
20	·02	—	·46	·24	—	—	—	—	—	—	·24	·60	20
21	—	—	·42	—	·14	—	·25	—	—	—	—	·08	21
22	—	—	·05	·05	—	·04	—	—	—	·20	—	·52	22
23	—	·10	—	·19	—	—	—	·11	—	·08	·05	·21	23
24	—	·10	—	—	·40	·02	—	·03	—	·20	—	·12	24
25	—	·18	·07	·05	—	—	—	·33	—	·03	·13	—	25
26	—	·12	·05	—	—	·08	—	·18	·03	·09	—	—	26
27	·07	—	—	—	—	·12	—	—	·24	·35	—	—	27
28	—	·65	·33	—	—	—	—	1·25	·03	·13	—	·09	28
29	—	·14	—	—	—	·26	—	—	—	·31	—	·11	29
30	—		—	—	—	·04	—	—	—	·21	—	—	30
31	—		—		—		—	—		·19		·02	31
Total	·90	3·28	2·89	1·33	2·88	1·55	1·59	2·96	·98	4·19	2·69	2·24	YEAR'S TOTAL 27·48
Rain Days.	12	18	21	10	16	12	9	9	11	23	12	11	164

W. 8,000, VIII. 16

2301

and for auth

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

Kept at Haselden Redmarley

in the County of Worcestershire

by Miss F L Newbury

Lat. .... Long. ....

Time of Observation 9 AM

Nearest Railway Station Dymock

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 5 in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·07	·16	—	·20	—	·88	·12	—	·24	—	1
2	—	—	—	·08	—	·04	—	·03	—	—	·04	—	2
3	—	—	—	·06	—	—	—	·04	—	·40	—	—	3
4	—	—	·12	—	—	—	—	·07	—	·40	—	—	4
5	·15	·75	·07	·14	—	·02	—	·09	·02	·16	·03	—	5
6	·01	—	·06	—	—	·17	—	·12	—	·07	·33	—	6
7	·21	—	—	—	—	—	·15	—	—	·18	·02	·05	7
8	·39	—	·09	·11	—	·04	·45	·39	—	·33	·09	·18	8
9	—	—	·31	·04	·12	—	—	·39	·15	·05	·01	—	9
10	·29	—	·37	·10	·50	—	—	·23	—	·02	—	—	10
11	·06	—	·13	·22	—	—	—	·11	—	·08	·03	—	11
12	·02	—	·07	·03	·25	—	—	—	—	·12	—	—	12
13	—	—	—	—	—	—	—	·05	·08	·04	—	—	13
14	—	—	·14	·07	—	—	—	—	—	—	—	—	14
15	—	—	—	—	—	—	—	·33	—	·03	—	·16	15
16	—	—	—	·03	·03	—	—	—	—	—	—	·09	16
17	—	—	—	·13	·44	·09	·34	·08	·04	·04	—	—	17
18	—	·07	—	—	—	·02	·14	·03	1-·29	—	—	—	18
19	—	·47	·20	—	—	·06	—	—	·04	—	—	—	19
20	—	·16	·08	—	·67	·24	—	—	·25	·02	—	—	20
21	—	·04	·30	—	—	·03	—	—	—	·04	·09	—	21
22	—	—	·02	—	—	·11	—	·11	—	·09	—	—	22
23	—	·18	—	—	·10	—	—	·20	—	·16	—	—	23
24	—	—	—	—	—	·05	—	·10	—	—	—	—	24
25	—	·07	·04	—	—	—	—	—	—	—	·04	—	25
26	—	—	—	—	·10	·03	·03	·42	·12	—	·02	—	26
27	—	—	—	—	1-·16	·12	—	·60	—	—	—	—	27
28	—	—	·12	—	·02	·17	—	·14	—	—	—	·05	28
29	—	—	·02	—	·03	·32	·06	—	—	·64	—	·23	29
30	—	X	—	—	·05	—	·19	·43	—	·09	—	—	30
31	—	X	·11	X	—	X	—	·07	X	·03	X	—	31
Total	1·13	1-·74	2-·32	1-·14	3-·47	1-·71	1-·36	4-·91	2-·11	2-·99	-·94	-·76	YEAR'S TOTAL 24-·60 24·61
Rain Days.	7	7	18	12	12	16	7	22	9	20	11	6	147

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

15. 1. 19

Kept at Haselden Redmarley
in the County of Worcestershire
by Miss F L. Newbury

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Dymock
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. in.
" " " " Sea Level 280 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	—	—	—	·06	—	—	·10	·01	·02	·47	—	1
2	—	·06	—	—	—	—	—	·31	—	—	—	—	2
3	—	·05	—	·18	·19	—	—	·08	·43	—	·05	·04	3
4	—	·04	·01	—	—	—	—	·04	·09	·05	·55	·32	4
5	—	—	—	—	·26	—	—	—	·13	·04	—	·03	5
6	·02	·12	—	·09	—	·10	—	—	—	·21	—	·05	6
7	—	·09	—	—	·35	·01	—	—	·12	·05	·15	·03	7
8	—	·06	—	—	—	—	—	—	·04	·12	—	·04	8
9	—	·06	—	·16	—	·14	·18	—	·25	·09	—	·04	9
10	·08	—	—	·04	—	—	·30	—	·07	·06	—	·11	10
11	—	—	·13	·02	—	—	·07	—	·07	—	·03	·07	11
12	—	—	·24	—	·11	—	·15	—	·02	—	—	—	12
13	—	—	—	—	—	·03	·07	—	·11	·06	—	·10	13
14	·22	—	·12	—	—	—	·04	—	·40	·18	—	·04	14
15	1.·12	—	—	·19	·01	—	·24	—	—	—	—	·27	15
16	·31	—	—	·65	—	·06	·01	—	·37	—	—	·02	16
17	·17	—	—	·06	—	·29	·10	—	·22	·05	—	·03	17
18	·39	—	—	—	—	—	·12	—	·52	·01	—	·48	18
19	·08	·04	·28	—	—	·04	·39	—	·04	·07	—	—	19
20	·19	·04	—	·32	—	—	·01	—	·12	·01	—	—	20
21	·10	—	—	·25	—	—	·05	—	·24	·01	—	·14	21
22	—	—	—	—	·12	—	·14	—	·19	·03	—	·21	22
23	—	—	—	—	·25	—	·20	—	—	—	—	·14	23
24	—	·10	—	·01	—	—	·02	·01	·02	—	·09	—	24
25	—	—	—	—	—	·01	·33	·55	—	·03	·01	—	25
26	·02	—	—	—	—	—	·41	—	—	·02	·05	·11	26
27	—	—	—	—	—	·04	—	·19	·09	—	·07	·04	27
28	—	·12	—	—	—	—	—	—	—	—	·12	·05	28
29	—	—	·27	—	—	—	—	—	1.·20	—	—	—	29
30	—	X	·03	—	—	—	—	—	—	·01	·11	·11	30
31	—	X	·38	X	—	X	—	—	X	—	X	—	31
Total	2.·70	·78	1.·46	1.·97	1.·35	·72	2.·83	1.·28	4.·75	1.·12	1.·70	2.·47	YEAR'S TOTAL 23.·13
Rain Days.	11	11	8	11	8	9	18	7	22	19	11	22	157

W. 8,000, IX. 17.

[illegible] xt Rl

'2455

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 191[illegible]

27 JAN 20

Kept at Haselden Redmarley
in the County of Worcestershire
by Miss F L Newbury

Lat. .... Long. ....
Time of Observation 9 A M
Nearest Railway Station Dymock
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ....ft 6 in.
" " " " Sea Level 280 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	—	·03	·12	·11	·21	—	—	·04	·08	—	·40	1
2	·10	·02	·01	—	—	—	·05	—	·54	—	·09	·13	2
3	·35	—	·06	—	·05	·17	·22	—	·03	—	·11	·20	3
4	·27	·06	·42	—	—	—	·05	·06	·35	—	·06	·17	4
5	·02	·32	·20	—	·09	—	·04	—	·24	—	·04	·21	5
6	·02	·03	·07	—	·09	—	—	—	—	—	—	·05	6
7	·14	—	·31	·22	·09	—	—	—	·01	—	·04	—	7
8	·29	—	·02	·10	—	·02	—	—	—	—	—	—	8
9	·18	—	·04	·10	—	—	—	—	·01	—	—	—	9
10	—	—	·48	·01	—	—	—	—	—	·03	·02	·23	10
11	—	—	·40	—	·05	—	·46	—	—	·02	—	·03	11
12	—	—	·10	·04	—	·38	—	—	—	·07	—	·02	12
13	·06	—	—	·15	—	—	—	—	·04	·03	—	·04	13
14	·24	—	—	·19	—	—	·08	—	·01	·09	—	·09	14
15	·20	·03	—	·02	·07	—	—	—	—	·07	·04	·34	15
16	·12	·86	—	—	—	—	—	·03	—	·02	·06	—	16
17	—	·49	—	—	·02	·01	—	—	—	—	·09	·01	17
18	·15	—	·77	—	·02	—	·04	·10	·09	—	·03	·04	18
19	·42	·24	·73	—	—	·13	1.·16	·40	—	—	—	—	19
20	·04	·02	·26	—	—	—	—	·08	·04	—	·04	·04	20
21	—	·45	·04	—	—	—	·18	—	·01	—	·02	·11	21
22	—	·05	—	—	—	—	·02	—	·20	·03	—	·13	22
23	—	—	—	—	—	—	—	·05	—	1.·08	·03	—	23
24	—	—	—	·05	·06	·05	—	—	—	·88	·14	·12	24
25	·11	—	·24	—	—	—	—	·19	—	·04	·01	·08	25
26	·06	—	·10	·15	—	·02	—	·05	·07	·03	—	·22	26
27	·10	—	—	·50	—	—	—	·58	—	·05	—	·01	27
28	·03	—	·15	—	—	—	—	·22	—	·07	·25	·26	28
29	·05	—	—	·02	—	—	—	—	—	·28	—	·21	29
30	—	✕	—	·11	—	·17	—	·21	—	·04	·22	·39	30
31	—	✕	—	✕	—	✕	—	—	✕	·02	✕	—	31
TOTAL	2.·98	2.·57	4.·43	1.·78	·65	1.·16	2.·30	1.·97	1.·68	2.·93	1.·29	3.·53	YEAR'S TOTAL ~~24.38~~ 27.27
Days with ·01 in. or more	21	11	19	14	10	9	10	11	14	18	17	24	178

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

19 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Haselden Redmarley

in the County of Worcestershire

by Miss F. L. Newbury

Lat. Long.

Time of Observation 9 · A M ·

Nearest Railway Station Dymock

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground – ft. 5 in.

" " " " Sea Level 280 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·03	·28	·24	—	·20	—	·03	·28	—	·28	1
2	·08	—	—	·14	—	—	·28	·02	·05	·13	—	·11	2
3	·07	·03	—	·14	·07	—	·71	·03	·08	·43	—	—	3
4	—	—	—	·05	—	—	·01	·21	—	·16	—	—	4
5	—	—	·13	—	·07	—	·30	·10	·01	·45	—	—	5
6	—	—	·34	—	·10	—	·20	—	—	·10	—	—	6
7	—	—	—	·10	—	—	·23	—	—	—	—	—	7
8	·27	·07	—	·39	·04	—	·40	·01	—	—	—	—	8
9	·16	—	·04	·23	—	—	·10	·01	—	—	—	—	9
10	·53	·07	—	·27	—	·24	·10	—	—	—	·04	—	10
11	·19	—	·08	·36	—	·07	·04	—	—	—	—	—	11
12	·18	·02	·01	·21	·36	·70	·02	—	—	—	·02	—	12
13	·02	—	·32	·10	—	—	—	—	—	—	—	—	13
14	—	·02	·49	·39	—	·10	·01	·01	·30	·24	·11	—	14
15	—	·04	·13	·60	—	·20	—	—	·09	·04	—	—	15
16	·01	—	—	·03	—	·52	·25	—	·09	·29	—	—	16
17	—	—	—	—	·03	·11	—	—	·64	·18	—	·06	17
18	·12	—	—	·05	·16	—	—	·22	·47	—	—	—	18
19	·05	·17	—	·31	·09	·26	—	—	—	—	—	—	19
20	·03	·05	—	·16	—	·18	—	—	—	—	—	·11	20
21	—	—	—	·07	—	—	·02	—	—	—	—	·07	21
22	·01	—	—	·12	—	·01	·03	·13	—	—	—	·13	22
23	—	—	—	·01	—	—	·34	·03	—	—	—	·30	23
24	—	—	·20	·01	—	—	·65	—	—	—	·03	·14	24
25	·01	·08	·12	—	—	·04	—	·02	—	—	—	·03	25
26	·16	—	·28	·01	—	·02	—	—	—	—	·07	·07	26
27	·55	·02	·23	·07	·09	·25	—	—	—	—	—	·41	27
28	·75	—	·08	—	·35	·03	·05	—	—	—	—	·01	28
29	·32	—	·11	—	·08	·01	·12	—	—	—	·08	·46	29
30	·05	✕	·11	·09	—	·11	—	—	·36	—	·36	·19	30
31	·06	✕	·13	✕	·03	✕	·02	—	✕	·12	✕	·03	31
Total	3·62	·57	2·83	4·19	1·71	2·85	4·08	·79	2·12	2·42	·71	2·40	Year's Total 28·29
Days with ·01 in. or more	20	10	17	24	13	16	21	11	10	11	7	15	175
Days with ·04 in. or more	16	6	15	20	11	12	15	4	8	11	5	12	134

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

DL ✓

RI

Kept at Rochford

in the County of Wor

by Rev J Tom

ROCHFORD RECTORY

WORCESTER

1911 – 1918

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

in.

d 1 ft. in.

evel 316 ft.

ce Direction

IMPORTANT NOT result entered to the previous day. If an Ol rule, he is earnestly requested to add the reac the space provided for it at the end of thi of rain, the selection and placin Rainfall Organization are given in ation to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01		·08	·03	·02			·14					1
2	·01			·09	·09			·10		·08	·13	·02	2
3					·46				·05		·03	·04	3
4			·15				·03				·11	·40	4
5	·27		·03					·15			·03		5
6	·28		·04					·04		·03		·37	6
7	·01										·25		7
8	·08		·13								·20	·47	8
9	·07		·03								·25	·14	9
10	·02	·09	·17						·05			·40	10
11	·07	·01									·39		11
12			·37						·31		·22		12
13					·02			·01	·06			·63	13
14		·04	·03								·02	·83	14
15		·04									·10	·06	15
16			·02			·09					·08	·07	16
17			·03			·60					·33	·66	17
18		·25	·02	·22		·20				·02		·36	18
19		·04		·15		·45	·04	·01	·56	·26	·02	·37	19
20		·03						·06	·05	·02		·44	20
21		·09	·05					1·28	·07	·22		·05	21
22	·03		·01	·05		·08				·21		·34	22
23		·21	·10			·42			·14			·27	23
24		·06		·07		·31		·08		·17			24
25		·06		·03		·03			·02			·33	25
26		·20		·50	3·06			·13		21	·16	·08	26
27		·12	·20	·21				·40	·13		·07	·07	27
28		·19	·02	·20							·13		28
29				·06		·10	·41	·02	·30	·21			29
30				·04	·02		·21	·15		·31	·02	·01	30
31					·30					·05		·01	31
Total	·85	1·43	1·48	1·65 ✓	3·97	2·28	·69	2·57	1·74	1·79	2·54	6·42	TOTAL for year 27·41
No. of Rain Days	10	14	17	14 ✓	7	10	4	14	12	14	18	24	158

9,000, IX. '10.

Dl

333

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

R

Kept at Rockford Rectory, Tenbury
in the County of Worcestershire
by Rev. J Tomson

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 316 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01		·08	·03	·02			·14					1
2	·01			·09	·09			·10		·08	·13	·02	2
3					·46				·05		·03	·04	3
4			·15				·03	}			·11	·40	4
5	·27		·03					·15)		}	·03		5
6	·28		·04					·04		·03)		·37	6
7	·01										·25		7
8	·08		·13								·20	·47	8
9	·07		·03								·25	·14	9
10	·02	·09	·17						·05			·40	10
11	·07	·01									·39		11
12			·37						·31		·22		12
13					·02			·01	·06			·63	13
14		·04	·03								·02	·83	14
15		·04									·10	·06	15
16			·02			·09					·08	·07	16
17			·03			·60					·33	·66	17
18		·25	·02	·22		·20				·02		·36	18
19		·04		·15		·45	·04	·01	·56	·26	·02	·37	19
20		·03						·06	·05	·02		·44	20
21		·09	·05	}		}		1·28	·07	·22		·05	21
22	·03		·01	·05)		·08)				·21		·34	22
23		·21	·10			·42			·14	}		·27	23
24		·06		·07		·31		·08	}	·17)		}	24
25		·06		·03		·03			·02)			·33)	25
26		·20		·50	3·06			·13		·21	·16	·08	26
27		·12	·20	·21				·40	·13		·07	·07	27
28		·19	·02	·20							·13		28
29				·06		·10	·41	·02	·30	·21			29
30				·04	·02		·21	·15		·31	·02	·01	30
31					·30					·05		·01	31
Total	·85	1·43	1·48	1·65 ✓	3·97	2·28	·69	2·57	1·74	1·79	2·54	6·42	TOTAL for year 27·41
No. of Rain Days	10	14	17	14 ✓	7	10	4	14	12	14	18	24	158

9,000, IX. '10.

8L ✓ Cndly B. 28.III.13

378

FORM A2. BRITISH RAINFALL.

25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Rochford Rectory, Tenbury

in the County of Worcestershire

by Rev J. Tomson

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						·40	·10	·02	·03	·01		·09	1
2		·03	·35		·02	·30	·13	·02					2
3			·07		·29	·18	·12	·72	·03		·03		3
4	·22		·60		·17	·23		·11			·21		4
5	·24	·08	·22		·12	·13		·27				·05	5
6	·13	·05	·02		·02	·27		1·20	·02			·02	6
7		·21	·07		·03	·37		·05					7
8	·33	·16	·23			·13	·10	·45	·02				8
9	·06	·12	·58	·03		·26	·02	·25				·35	9
10	·14	·01		·02				·07			·18		10
11	·20	·04									·11	·52	11
12	·02	·15	·14		·06							·02	12
13	·01					·01		·14	·01	·03		·01	13
14	·05		·71			·05			·01				14
15	·09	·09			·43	·26		·03				·05	15
16	·63		·14		·05			·06		·08			16
17	·71		·08					·34			·05	·42	17
18	·18		·04			·03		·05			·02	·02	18
19	·15	·04			·04		·09	·40		·04			19
20	·02		·26				·13	·02					20
21	·01	·02	·16		·75		·05	·39		·22			21
22	·31	·16	·01		·62		·20	·24		·26		·13	22
23	·25		·31			·09	·97	·17		·02	·06		23
24	·06		·01			·11	·08	·04				·25	24
25						·10		·83			·23	·35	25
26		·13	·08				·25	·93		·72	·27	·38	26
27		·02	·01			·41	·46			·68		·25	27
28		·06				·43	·35	·52	·13	·26	·47	·32	28
29		·01				·09	·07	·05	·55			·02	29
30			·05			·43	·05			·35			30
31			·27		·10		·37	·05		·01		·04	31
Total	3·81	1·38	4·41	·05	2·70	4·28	3·54	~~6~~7·42 7·42	·80	2·68	1·63	3·29	TOTAL for year 35·99
No. of Rain Days.	20	17	25	2	13	20	17	27	8	12	10	18	189

W. 8,000, X. '11.

Dl ✓ 390

FORM A.
BRITISH RAINFALL.
28 JAN 1914

REGISTER OF RAINFALL. IN 1913

see D.H.

Kept at Rochford Rectory
in the County of Worcestershire
by Rev. J. Tomson

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·02	·14	·12					·49		·03		1
2		·18	·04	·09					·02	·34			2
3	·03	·05	·08		·60				·01	·02	·12	·10	3
4	·95	·02			·23				·33	·54	·12	·20	4
5	·05	·06			·07	·20			·01	·83	·08	·03	5
6	·01	·04	·30		·28	·11	·12			·48		·40	6
7		·31			·25	·06	·02			·37	·18	·02	7
8		·10			·32	·23		·10		·14			8
9		·38	·03	·01	·17	·26	·03	·48	·19				9
10	·20			·18	·08			·08		× —	·05		10
11	·82			·38	·03					× ·06	·47		11
12					·14			·03			·37		12
13	·03		·15			·01			·19		·48		13
14	·17		·72	·09			·07		·01	·10	·01		14
15	·02	·04	·78	1·04					·12		·17		15
16	·06		·51										16
17	·01		·08	·15			·23		·02		·05		17
18	·02		·23	·09			·09					·01	18
19	·12		·05				·03		·06	·02			19
20	·13		·47	·05		·03				·05	·48		20
21	·03		·11	·14	·14		·16				·21		21
22	·74		·61			·07		·83	·43				22
23						·02		·02	·08		·06		23
24	·13												24
25				·23					·08		·01		25
26				·44				·22	·02		·01	·18	26
27	·03	·01		·39						·54			27
28	·18		·39	·47						·32		·10	28
29			·51	·62	·10			·10		·18			29
30	·21									·82	·26		30
31	·05		·21					·03					31
Total	4·01	1·21	5·41	4·49	2·41	·99	·75	1·89	2·06	4·81	3·16	1·04	YEAR'S TOTAL 32·23
Rain Days.	22	11	18	17 ~~16~~	12	9	8	9	15	16 ~~15~~	18	8	163

10

W. 7,500, XI. ·12

8L/ 374

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

28 JAN 1915

Kept at Rochford Rectory
in the County of Worcestershire
by Rev J. Tonson

Lat. ____ Long. ____
Time of Observation ____
Nearest Railway Station ____
Diameter of Rain Gauge ____ in.
Height of top of Gauge above Ground ____ ft. ____ in.
" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ____

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.02	.04			.02	.95	.04			.02	.04	1
2				.03			.92	.56			.48	.48	2
3				.04	.21		.02	.17			.01	.30	3
4	.20			.12	.05		.07	.03			.68	.68	4
5	.07		.07	.15	.11		.09						5
6	.14	.04	.05	.02	.03		.07				.20	.12	6
7		.14	.28	.09	.10	.10	.22					.25	7
8			.02	.02	.04	.57		.14				.19	8
9	.13	.01	.07	.30	.10	1.02			.17				9
10	.01	.11	.01	.15	.02				.22			.02	10
11		.15	.27	.02		.10			.01		.13	.78	11
12		.21	.14				.06		.25		.03	.37	12
13		.24	.26				.08		.03	.34	.13	.26	13
14		.56	.11								.15		14
15	.03		.16					.03	.05	.13	.01		15
16									.11				16
17		.15	.21						.04			.39	17
18			.11							.05		.35	18
19		.02	.03			.03	.68		.02		.07	.09	19
20		.30	.10					.02				.20	20
21		.45					.02	.15		.16			21
22			.01		.32		.03	.07		.24			22
23			.06			.10	.03						23
24		.12	.03		.07		.07			.05	.01		24
25	.08		.02				.13	.42		.32	.04	.29	25
26							.02	.17		.08	.20	.31	26
27										.08	.64	.75	27
28	.10		.13				.24			.01		.69	28
29			.06		.13					.18	.16		29
30			.04							.03	.62	.49	30
31	.36						.20			.08		.06	31
Total	1.12	2.52	2.28	.94	1.18	1.94	3.90	1.80	.90	1.75	3.58	7.11	YEAR'S TOTAL 29.02
Rain Days.	9✓	15✓	23	10	11	9✓	18	12	11	14	~~18~~ 17	21	(170) 42

W.7,000, XI. 13

81

2503
364

FORM A.
BRITISH RAINFALL.
11 APR. 1916

REGISTER OF RAINFALL IN 1915

Kept at Rochford

in the County of Worcestershire

by J. Tomson

Lat. ____ Long. ____
Time of Observation ____
Nearest Railway Station ____
Diameter of Rain Gauge ____ in.
Height of top of Gauge above Ground ____ ft. ____ in.
" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ____

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·35	·07		—	·26		·13	·05	·16	·23		·02	1
2	·10	·18	·18	·35				1·62	·02	·15		·10	2
3	·67	·07		·08		·11	·68	·10	·03			·20	3
4	·01				·15		·12	·12				·89	4
5	·01	·55				·05	·04	·03				·48	5
6	·08	·04		·15			·61					·11	6
7	·13	·29		·02	·40		·05	·07				·30	7
8		·48		·09				·02				·42	8
9	·25	·27									·33		9
10	·24		·05	·05				·01		·14	·03		10
11	·02				·14		·02				1·23	·01	11
12	·07	·16			·45			·02	·10	·05	·88	·01	12
13		·69			·63			·25				·03	13
14							·02	·75			·09	·25	14
15	·37				·10		·01	·07		·04	·02	·10	15
16	·11	·40			·19		1·35					·01	16
17		·36			·54								17
18	·02	·54	·01										18
19					·13		·36						19
20	·21			·04								·11	20
21	·19				·02		·17			·14		·03	21
22	·03	·01	·19	·18			·19					·09	22
23	·01	·04	·03			·01	·01			·80		}	23
24			·02	·02			x }		·60	·68		·63 }	24
25						·57	x ·21 }		·02			·18	25
26		·06					·33		·01			·37	26
27		}					·29	·11		·39		·12	27
28		·19 }					·27		·10				28
29						·06			·04		·09	·07	29
30	·07					·28		·02		·32	·06	·14	30
31							·05	·05		·73		·52	31
Total	2·94	4·40	·48	·98	3·01	1·08	4·91	3·29	1·08	3·67	2·73	5·19	YEAR'S TOTAL 33·76
Rain Days.	19	18	6	9	11	6	20 ~~19~~	15	9	11	8	25	157

W. 8,000. X. 14.

8h

~~327~~

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
30 JAN 1917

Kept at Rochford Rectory
in the County of Worcestershire
by Rev J. Tomson

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01	·03			·15	·19			·17	·20		1
2	·55	·07	·20		·19		·44		12	·78	·04		2
3		·85			·02		·02		·02	·15	·18	·03	3
4	·10	·31		·03	·48	·34			·01	·06	·40		4
5		·01			·29					·11	·17	02	5
6	·07	·23	·10		·16	·09	·51			·16	·37	·03	6
7			·04		–		·28			·10	·13	·20	7
8		·02			·27					·03	·02	·15	8
9	·03		·01		·19						·02		9
10	·01	·44	·06			·40							10
11	·01		·04	·08	·03	·11			·01			·12	11
12		·10	·05		·29		·14			·05			12
13		·15	·19				·02	·41				·05	13
14		·43		·03	·05			·15					14
15		·55	·26	·10				·26		·02			15
16		·05		·15	·15		·06	·01		·06			16
17	·07	·12		·05				·02	·35	·27			17
18	·02	·03	·05	·06					·29		·25	·26	18
19	·05		·35	·20							·17		19
20	·08		·65					·03					20
21			·29	·03			·61					·31	21
22					·08	·03				·12		·31	22
23		·10						·10		·07	·02	·20	23
24		·27	·06	·02	·44			·12		·25		·15	24
25		·02	·13					·15			·23		25
26	·06	·06	·06		·05	·10		·08	·01	·40	·02		26
27	·02	·03	·33					·04	·25	·70		·01	27
28		·35	·03		·13	03				·09		·12	28
29		·21				·14		·40		·15		·11	29
30		X			–	·02				·09			30
31		X		X		X		·02	X	·40	X	·02	31
													YEAR'S TOTAL
Total	1·07	4·41	2·93	·75	2·82	1·41	2·27	1·79	1·06	4·23	2·22	2·09	27·05
Rain Days.	13	22	20	10	17	10	9	13	8	21	14	~~17~~ 16	17~~4~~3

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Rochford Rectory
in the County of Worcestershire
by J. Tomson

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·05	·17	–	·20	·01	·51	·03			·04	1
2						10		·05				·01	2
3	·05	·03		·31				·03		·32	·16		3
4			·14					·02					4
5	·04		·17	·17				·08	·02	·35			5
6			·13			·28	·19				·31		6
7	·43							·07		·17	·03	·01	7
8	·47		·03	·11				·53		·29		·09	8
9			·10	·05	·20			·65	·09		·18		9
10	·25		·29	·10	·13			·15		·05	·05		10
11	·10		·17	·14				·06	·01	·24			11
12	·06				·58			·19		·17			12
13			·04	·09				·08	·10				13
14	·03		·20	·26				·01				·04	14
15	·02				·07		·85	·29				·10	15
16				·15		·24		·01				·13	16
17	·04			·05	·43	·62	·33	·29	·26				17
18				·03	·03		·42	·06	·85	·08			18
19	·02		·40			·32			·02				19
20		·55			·58	·14	·33	·01	·16				20
21			·19		·04	·65		·06			·05		21
22								·13	·04				22
23		14			·15	·02		·13		·13	·01		23
24						·39		·04		·26	·09		24
25		·15	·10					·02	·13	·14	·09		25
26						·08		·48			·02		26
27					1·65	·27	·66	·65					27
28			·07			·03		·13				·21	28
29			·03				·09	·01					29
30		✗						·36		·50		·10	30
31		✗	·05	✗	·04	✗		·24	✗	·02	✗		31
Total	1·51	·87	2·16	1·63	3·90	3·34	2·88	5·34	1·71	2·72	·99	·73	YEAR'S TOTAL 27·78
Rain Days.	11	5	16	13	11	14	8	29	11	17	11	9	155

W. 8,000, VIII. 16

dr

~~294~~
20

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

30·1·19

Kept at Rochford Rectory

in the County of Worcestershire

by J. Tomson

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·02				·06	·01	·04			1
2		·04						·08		·01	·75	·12	2
3		·04		·08	·26			·04	·65				3
4	·02							·05	·59	·24	·60	·52	4
5		·03		·07	·38			·02	·25	·11		·01	5
6		·30	·04	·11		·17			·06	·15			6
7	·02	·09		·01					·12		·24		7
8		·19							·13	·22		·03	8
9	·03	·37		·22		·15			·40	·11			9
10	·05	·02		·04			·18		·21	·05		·12	10
11			·11	·09	·25		·53		·23			·06	11
12		·02	·10		·06				·09		·03		12
13							·28		·25	·01		·02	13
14	·38		·04		·02		·01		·03	·09		·12	14
15	1·20			·09			·26					·26	15
16	·12			·80		·22				·03		·10	16
17	·35		·01				·26		·57	·11		·12	17
18	·38		·03			·25	·16		·99			·26	18
19	·07		·20	·01			·02		·05	·01		·02	19
20	·18			·46			·02		·33			·04	20
21	·17	·08		·43			·07		·29			·07	21
22						·09	·09		·03	·04		·20	22
23					·41		·06		·03				23
24		·07					·20	·09			·07		24
25					·06		·12	1·75	·10	·01			25
26				·01			1·00			·02		·02	26
27		·02	·04					·26	·22		·08	·07	27
28		·05	·18									·06	28
29			·19						·75		·08	·04	29
30		×	·27								·07	·16	30
31		×	·34	×		×		·02	×		×		31
Total	2·97	1·32	1·55	2·44	1·44	·88	3·26	2·37	6·38	1·25	1·92	2·42	YEAR'S TOTAL 28·20
Rain Days.	12	14	12	15	7	5	15	9	24	17	11	21	162

W. 8,000, IX. 17.

WORCESTER

SHELSLEY GRANGE

1914, 1916-1918,
1920

REGISTE

FORM A.
BRITISH RAINFALL.
21 JAN 1915

Kept at Shelsley Gra 2.50W
a.m
in the County of Worceste Stourport
5 in.
by Lady Hughe ove Ground 1 ft. in.
Sea Level 270 ft.

IMPORTANT NOTE.—R d the result entered to the previous day. If an Observer iversal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	–	–	–	1·21	·11	–	–	·03	·07	1
2	–	–	–	–	–	·04	·50	·24	–	–	·59	·35	2
3	–	–	·01	·14	·20	–	–	·12	–	–	–	·31	3
4	·22	–	·02	·07	·12	–	·14	–	–	–	·65	·28	4
5	–	–	–	·11	·12	–	·49	·02	–	–	·20	–	5
6	·10	·08	·11	·05	·11	–	·05	–	–	–	–	–	6
7	–	·10	–	·08	·09	·05	·33	–	–	–	–	·25	7
8	–	–	·06	·01	·07	·70	–	·15	·05	–	–	·15	8
9	·14	–	·10	·14	·10	1·18	–	·03	·13	–	–	–	9
10	·04	·06	–	·12	–	·12	–	–	–	–	–	–	10
11	–	·12	·29	·08	–	·11	–	–	·23	–	·16	·63	11
12	–	·22	·16	–	·04	–	·23	–	·30	–	·04	·35	12
13	–	·14	·27	–	–	–	·03	–	·03	·17	·13	·43	13
14	–	·19	·16	–	–	–	–	–	–	·09	·12	·04	14
15	·04	–	–	–	–	–	–	·02	·03	·10	·04		15
16	–	–	–	–	–	–	–	–	·16	–	–		16
17	–	·09	·11	–	–	–	–	–	·10	–	–	·25	17
18	–	–	·01	–	–	–	·09	–	–	–	–	·41	18
19	–	–	–	–	–	–	·66	–	·02	–	·06	·08	19
20	–	·29	·06	–	–	–	–	–	–	–	–	·22	20
21	–	·48	–	–	–	·06	·75	·07	–	·18	–	·09	21
22	–	·03	–	–	·14	·02	–	·07	–	·13	–	–	22
23	–	·06	·07	·06	·07	·05	–	–	–	·08	–	–	23
24	–	–	·11	–	–	–	·04	·13	–	·13	–	–	24
25	·09	–	·04	–	–	–	·10	·12	–	·32	·08	·23	25
26		–	–	–	–	–	–	·23	–	·08	·30	·28	26
27	–	–	·01	–	–	–	–	–	–	·04	·28	·34	27
28	·03	·05	·15	–	·02	–	–	–	–	·02	–	·55	28
29	–		·06	–	·10	–	–	–	–	·20	·45	–	29
30	–		–	–	·05	–	–	–	–	·04	–	·80	30
31	·17		–		·02		·17	–		·03		·03	31
Total	·83	1·91	1·80	·89	1·31	2·33	4·49	1·33	1·05	1·61	3·13	6·18	YEAR'S TOTAL 24·16
Rain Days.	8	13	18	16	14	9	14	12	9	14	14	21	156

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL.

21 JAN 1915

REGISTE

Kept at Shelsley Grange

in the County of Worcester

by Lady Hughes

Long. 2.50W

Time of Observation 9 a.m

Nearest Railway Station Stourport

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	–	–	–	1·21	·11	–	–	·03	·07	1
2	–	–	–	–	–	·04	·50	·24	–	–	·59	·35	2
3	–	–	·01	·14	·20	–	–	·12	–	–	–	·31	3
4	·22	–	·02	·07	·12	–	·14	–	–	–	·65	·28	4
5	–	–	–	·11	·12	–	·49	·02	–	–	·20	–	5
6	·10	·08	·11	·05	·11	–	·05	–	–	–	–	–	6
7	–	·10	–	·08	·09	·05	·33	–	–	–	–	·25	7
8	–	–	·06	·01	·07	·70	–	·15	·05	–	–	·15	8
9	·14	–	·10	·17	·10	1·18	–	·03	·13	–	–	–	9
10	·04	·06	–	·12	–	·12	–	–	–	–	–	–	10
11	–	·12	·29	·08	–	·11	–	–	·23	–	·16	·65	11
12	–	·22	·16	–	·04	–	·23	–	·30	–	·04	·35	12
13	–	·14	·27	–	–	–	·03	–	·03	·17	·13	·43	13
14	–	·19	·16	–	–	–	–	–	–	·09	·12	·04	14
15	·04	–	–	–	–	–	–	·02	·03	·10	·04		15
16	–	–	–	–	–	–	–	–	·16	–	–		16
17	–	·09	·11	–	–	–	–	–	·10	–	–	·25	17
18	–	–	·01	–	–	–	·09	–	–	–	–	·41	18
19	–	–	–	–	–	–	·66	–	·02	–	·06	·08	19
20	–	·29	·06	–	–	–	–	–	–	–	–	·22	20
21	–	·48	–	–	–	·06	·75	·07	–	·18	–	·09	21
22	–	·03	–	–	·17	·02	–	·07	–	·13	–	–	22
23	–	·06	·07	·06	·07	·05	–	–	–	·07	–	–	23
24	–	–	·11	–	–	–	·04	·13	–	·13	–	–	24
25	·09	–	·04	–	–	–	·10	·12	–	·32	·08	·23	25
26		–	–	–	–	–	–	·25	–	·08	·30	·28	26
27	–	–	·01	–	–	–	–	–	–	·04	·28	·34	27
28	·03	·05	·15	–	·02	–	–	–	–	·03	–	·55	28
29	–		·06	–	·10	–	–	–	–	·20	·45	–	29
30	–		–	–	·05	–	–	–	–	·04	–	·80	30
31	·17		–		·02		·17	–		·03		·03	31
Total	·83	1·91	1·80	·89	1·31	2·33	4·79	1·33	1·05	1·61	3·13	6·18	YEAR'S TOTAL 27·16
Rain Days.	8	13	18	10	14	9	14	12	9	14	14	21	156

W.7,000, XI. 13

5 made

2433

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

18. JAN 1917

Kept at Shelsley Grange
in the County of Worcester
by Lady Hughes.

Lat. ______ Long. ______
Time of Observation ______
Nearest Railway Station ______
Diameter of Funnel of Rain Gauge ______ in.
Height of top of Gauge above Ground ______ ft. ______ in.
" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ______

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·20	–	·02	-	·03	·16	·23	–	–	·10	·10	-	1
2	·13	·04	·30	-	·18	–	·29	–	·07	·88	·11	-	2
3	–	·50	·02	-	·02	–	–	–	·03	·16	–	-	3
4	·18	·20	·01	-	·47	·31	·05	–	–	·03	·55	-	4
5	·01	-	·03	-	·27	·07	·01	–	–	·06	·15	-	5
6	-	-	·10	-	·06	–	·56	–	–	·13	·35	-	6
7	-	-	·12	-	·15	·01	–	–	–	·15	·18	·17	7
8	·03	·01	·03	-	·32	·04	–	–	–	-	·01	·27	8
9	-	–	·02	-	·18	·23	–	–	–	·05	·02	–	9
10	·03	·38	·08	·04	–	·20	·10	–	–	-	–	-	10
11	–	·07	·06	·08	–	·06	–	–	–	–	–	·09	11
12	·05	·05	–	-	·27	–	·21	–	–	–	–	–	12
13	-	·20	·20	·07	–	–	·04	·20	–	·08	–	-	13
14	-	·49	·02	-	·02	–	-	·41	–	–	–	–	14
15	-	·45	·25	·12	·16	–	–	–	–	·07	·01	–	15
16	-	·07	·01	·18	·02	–	–	·05	–	-	·02	–	16
17	·06	·14	–	·09	–	–	–	·03	·40	–	–	–	17
18	–	·03	·04	·07	–	–	–	-	·10	-	·20	·43	18
19	-	-	·40	·14	–	–	–		–	–	·50	–	19
20	·07	-	·56	·07	–	–	–	-	–	–	·15	·10	20
21	-	-	·58	·02	·08	-	·33	-	–	–	–	·11	21
22	-	-	–	·02	–	·05	–	-	–	·15	–	·44	22
23	-	·27	·03	–	–	–	–	·15	–	·05	·04	·30	23
24	-	·30	·01	–	·54	–	–	·13	–	·21	–	·20	24
25		·10	·10	–	·07	–	–	·03	–	·06	·04	–	25
26	·04	·05	·02	–	·05	·19	–	·15	–	·46	·02	–	26
27	·03	·10	·48	–	–	–	–	·39	·20	·25	–	–	27
28	-	·30	·46	–	–	–	–	–	–	·11	-	–	28
29	–	·26	-	–	–	–	–	·50	-	·24	-	·26	29
30	–	X	-	–	–	·22	–	–	-	·08	-	-	30
31	-	X	-	X	–	X	–	·02	X	·25	X	·02	31
Total	·83	4·01	3·95	·93	2·89	1·54	1·82	2·06	·80	3·57	2·45	2·39	YEAR'S TOTAL 27·24
Rain Days.	11	20	25	11	14	11	9	11	5	20	16	11	167

W. 8,000. X. 15.

2316

FORM A.
BRITISH RAINFALL.

17. JAN

REGISTER OF RAINFALL IN 1917

Kept at Shelsley Grange
in the County of Worcester
by Lady Hughes

Lat. ✓ Long.
Time of Observation 9 a.m.
Nearest Railway Station Stourport
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
-

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	·05	·19	-	·15	-	·61	·03	-	·04	·04	1
2	-	-	-	·02	-	·07	-	·10	-	-	·03	-	2
3	·03	-	-	·32	-	-	-	·05	-	·20	-	-	3
4	-	-	·30	-	-	-	-	·26	-	·19	-	-	4
5	·10	-	·13	·23	-	-	-	-	·03	·11	·13	-	5
6	-	-	·11	-	-	·28	-	-	-	·05	·13	-	6
7	·20	-	-	-	-	-	-	-	·12	·11	-	-	7
8	·54	-	-	·10	-	-	·17	·60	-	·24	·11	·05	8
9	-	·03	·20	·02	·14	-	-	1·06	-	-	·16	-	9
10	·40	-	·33	·10	·11	-	-	-	-	·07	-	-	10
11	·09	-	·24	·14	·30	-	-	·05	·04	·12	-	-	11
12	-	-	-	·06	-	-	-	-	-	·14	-	-	12
13	-	-	-	-	-	-	-	·07	·04	·04	-	-	13
14	-	-	-	·16	-	-	-	·09	-	-	-	·03	14
15	·06	-	-	-	·11	-	·23	·16	-	-	-	-	15
16	-	-	-	·18	-	-	-	-	-	-	-	·47	16
17	·08	-	-	·05	·51	·30	·32	·30	·15	·07	-	-	17
18	-	·05	-	-	·03	-	·23	·03	·90	-	-	-	18
19	·02	·32	·21	-	-	·50	-	-	·11	-	-	-	19
20	-	·23	·15	-	·56	·11	·42	-	·03	-	·04	-	20
21	-	-	·33	-	-	-	-	-	-	-	-	-	21
22	-	-	·04	-	-	-	-	·14	-	-	-	-	22
23	-	-	-	-	-	-	-	·13	-	·10	-	-	23
24	-	·03	-	-	-	·10	·06	·02	-	·24	·09	-	24
25	-	·08	·12	-	·11	-	-	-	-	·04	·10	-	25
26	-	-	-	-	-	·16	-	·35	·08	·05	·03	-	26
27	-	-	·11	-	1·68	·21	·80	·63	-	·05	-	·06	27
28	-	-	-	-	-	·14	-	·09	-	-	-	-	28
29	·04	-	-	-	-	·05	·01	·10	-	·41	-	·34	29
30	-	X	-	-	-	-	-	·36	-	·06	-	-	30
31	-	X	·08	X	-	X	-	·10	X	-	X	-	31
Total	1·59	·74	2·43	1·57	3·55	2·07	2·24	5·30	1·53	2·29	·86	·99	YEAR'S TOTAL 25·16
Rain Days.	10	6	14	12	9	11	8	21	10	18	10	6	135

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

20.1.19

Kept at Shelsley Grange

in the County of Worcester

by Lady Hughes

Lat. 52°30' Long. 2°25'

Time of Observation 9 a.m.

Nearest Railway Station Stourport

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	·05	-	·02	·11	-	-	·04		·13	·53	-	1
2	-	·02	-	-	-	-		·06		·01	·04	·04	2
3	-	·03	-	-	·21	-	-	·04	·05	-	·20	-	3
4	-	·02	-	·03	-	-		-	·64	[illegible]	·48	·33	4
5	-	·05	-	·02	·50	-		·10	·27	·15	-	·01	5
6	-	·35	-	[illegible]	-	·08	-	·01	·03	-	-	-	6
7	-	·08	-	-	·14	·02			·01	·14	-	-	7
8	·14	·12	-	-	-	-	-		·34	[illegible]	·20	·12	8
9	-	·32	-	·27	-	·16	·34		·30	·13	-	·01	9
10	-	-	-	·04	·08	-	·05		·08	-	-	·10	10
11	-	-	-	·08	-	-	·14		·14	-	·01	·03	11
12	·03	-	·14	-	-	-	·25		·15	·03	-	-	12
13	-	·05	-	-	·04	-	·04		·11	-	-	·15	13
14	·33	-	·04	-	-	-	[illegible]		·29	·06	-	·14	14
15	·10	-	-	-	-	·01	·23		·04	·04	-	·04	15
16	·02	-	-	·90	-	·05	-		·46	-	-	·08	16
17	·50	-	-	-	-	·04	-		·15	·08	-	-	17
18	·36	-	-	-	-	·45	·15		1·15	·03	-	·22	18
19	·05	·01	·19	-	-	-	·06		·03	-	-	·03	19
20	·19	·05		·62	-	·05			·30	-	-	-	20
21	·06	·01	-	-	·05	-	·35		·35	-	-	·24	21
22	-	-	-	-	·10	-	[illegible]		·02	·08	-	·14	22
23	-	-	-	-	·30	-	·04		·01	-	-	-	23
24	-	·13	-	-	-	-	·1		-	·02	·19	-	24
25	-	-	-	-	-	·10	·07	·68	[illegible]	-	-	-	25
26	-	-	-	-	[illegible]	-	[illegible]	-	-	-	·03	·08	26
27	-	-	-	-	-	-	-	·14	·28	-	·01	·05	27
28	-	·04	·24	-	-	-	-			-	·10	·05	28
29	-	·06		-	-	-	-		1·50 1·5	-	·	-	29
30	-	X	·44	-	-		-		·005	-	·08	·08	30
31	-	X	·28	X	-	X	-		X	-	X	·03	31
Total	1·78	1·42	1·39	2·20	1·54	·96	2·17	1·15	7·935	1·09	1·90	1·94	YEAR'S TOTAL 25·485
Rain Days.	10	16	6	9	10	9	15	[illegible]	25	14	11	20	152

W. 8,000, IX. 17.

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 19.........

Kept at Shelsley Grange
in the County of Worcester.
by A. G. Burney.

Lat.............. Long..............
Time of Observation 9 a.m.
Nearest Railway Station Stourport or Knightwick
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	03	19	20	-	·19	·01	·03	·15	-	·29	1
2	-	03	-	13	02	-	·03	·03	·06	·10	-	-	2
3	-	02	-	09	02	-	1·07	·01	·10	·38	.	-	3
4	08	-	01	04		-	·03	·35	·02	·35	.	-	4
5	-	-	.	03	07	-	·31	·05	-	·34	.	-	5
6	-	-	10	02	06	-	·13	-	-	-	-	-	6
7	03	-	08	11	03	-	·47	-	-	-	-	-	7
8	50	-	.	64	07	-	·55	·05	-	-	-	-	8
9	12	-	.	30	1	-	·03	-	-	-	-	-	9
10	-	04		09	-	·20	·13	·05	-	-	:	-	10
11	10	-	08	27	31	·28	·07	-	-	-	·03	-	11
12	-	-	08	24	-	·74	·01	·06	-	-	·13	·05	12
13	-	02	~~19~~ (7)	18	03	·05	-	-	·01	-	·10	·07	13
14	09	-	70	30	-	·50	·01	-	·25	·02	·20	-	14
15	-	15	30	41	-	·35	-	-	·02	·03	·10	-	15
16	-	-	-	27	16	·08	·12	-	·04	·73	·16	.	16
17	02		03			-	-	-	·56	·14	-	.	17
18	15				21	·02	·01	·15	·53	-	-	.	18
19	-	60		13	5	·12	-	-	·05	-	-	·01	19
20	-	08		20		·11	-	-	-	-	-	·03	20
21	-			05	-	-	·24	-	-	·07	-	·12	21
22	-			03	-	-	·03	·07	-	-	-	·12	22
23	-				-	-	·21	·07	·02	-	-	·32	23
24	08		13	26	-	~~·005~~	-	-	·01	-	-	·12	24
25	-	02		07	-	-	·64	-	-	-	·01	·03	25
26	22		21	01	-	-	·03	-	-	-	05	-	26
27	10		08	04	·12	·17	·03	-	-	-	-	·63	27
28	1·36		19	-	·56	·04	·12	-	-	-	-	·10	28
29	11		22	-	·10	·02	·03	-	~~29~~	-	·10	·55	29
30	02	✕		11	·05	·07	·01	-	·29	-	·16	·20	30
31	-	✕	06	✕	·03	✕	-	-	✕	·48	✕	·01	31
Total	2·98	·96	2·47	4·21	2·10	2·75	4·20	·90	1·99	2·79	1·04	2·65	Year's Total 29·04
Days with ·01 in. or more	14	8	16	25	18	14	24	11	14	11	10	15	~~158~~
	11	4	13	21	12	12	14	8	8	9	8	11	180.

(44,283). Wt.21 958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.

4 - JAN 1912

REGIS 11

WORCESTER

ARMCOTE.

SHIPSTON

1911-1920

Kept at Armscote

in the County of Worce

by William L. L

rth i Gau

5 in.

ove Ground 1 ft. 1 in.

, Sea Level 240·8 ft.

a.m.

Name Longdon Road

Distance 2 mile Direction SWbS

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·07	·01	—	—	—	—	—	—	·02	·01	1
2	·01	—	—	·08	·22	—	·05	·23	·02	·29	·07	·05	2
3	—	—	—	—	·21	·34	—	·04	·01	·01	·03	·01	3
4	·02	—	·14	—	·02	—	—	—	·04	·04	·32	·29	4
5	·05	—	·01	—	—	—	—	·15	~~[illegible]~~	·01	·02	—	5
6	·28	—	·01	—	—	—	—	—	—	—	·04	·70	6
7	·01	—	—	·01	—	—	—	—	—	—	·12	·07	7
8	·18	—	·11	—	—	—	—	—	—	—	·06	·20	8
9	·11	—	·02	—	—	—	—	—	—	—	·04	·21	9
10	·01	·11	·24	—	—	—	—	·08	—	—	—	·32	10
11	·11	—	—	—	—	—	—	—	—	—	·50	·01	11
12	—	·01	·54	—	—	—	—	—	·07	—	·19	—	12
13	—	—	—	—	·09	—	—	—	·47	·15	·01	·44	13
14	—	—	·02	—	·01	—	—	—	—	—	—	·45	14
15	—	·01	·03	—	—	—	—	—	—	·01	·07	·03	15
16	—	—	—	—	—	·12	—	—	—	—	·33	·13	16
17	·01	—	·08	—	—	·01	—	—	—	—	·07	·27	17
18	—	·46	—	·05	·01	—	—	—	—	·11	—	·25	18
19	—	·01	—	—	—	·48	—	—	·09	·10	·18	·05	19
20	·01	·07	·01	·01	—	·01	—	·19	·05	·03	·01	·41	20
21	—	·06	·02	—	—	—	—	·31	—	·35	—	·06	21
22	—	—	·03	—	—	·22	—	·01	—	·03	·01	·38	22
23	—	·16	·27	—	—	·09	—	—	·20	·01	—	·20	23
24	—	·07	·05	—	—	·30	—	·08	—	·55	—	·18	24
25	—	·20	·01	·05	·15	·05	—	·15	—	·06	—	·12	25
26	—	·09	—	·25	·01	·01	—	·02	—	·17	Snow ·14	·13	26
27	—	·23	·11	·06	—	—	—	·38	·22	—	·04	·17	27
28	—	·16	—	·15	—	·01	—	·03	—	—	·06	—	28
29	—		—	·08	—	·23	·11	·05	·19	·17	·01	—	29
30	—		·03	·01	·05	·05	—	·15	—	·08	—	·01	30
31	—		—		·01		—	—		·05		—	31
Total	·80	1·64	1·80	·76	·78	1·92	·16	1·87	1·36	2·22	2·34	5·15	TOTAL for year
No. of Rain Days.	11	13	19	11	10	13	2	14	10	18	22	26	20·80

W. 8,000, X. '11.

169

REGIS 11

FORM A2.
BRITISH RAINFALL.

4 - JAN 1912

Kept at Armscote

in the County of Worcester 3

by William L. Stanton

RAIN GAUGE
Pattern Negretti & Zambra
Diameter of top 5 in.
Height of top above Ground 1 ft. 1 in.
" " " Sea Level 240·8 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Longdon Road
Distance 2 mile Direction SWbS

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·07	·01	—	—	—	—	—	—	·02	·01	1
2	·01	—	—	·08	·22	—	·05	·23	·02	·29	·07	·05	2
3	—	—	—	—	·21	·34	—	·04	·01	·01	·03	·01	3
4	·02	—	·14	—	·02	—	—	—	·04	·04	·32	·29	4
5	·05	—	·01	—	—	—	—	·15	[illegible]	·01	·02	—	5
6	·28	—	·01	—	—	—	—	—	—	—	·04	·70	6
7	·01	—	—	·01	—	—	—	—	—	—	·12	·07	7
8	·18	—	·11	—	—	—	—	—	—	—	·06	·20	8
9	·11	—	·02	—	—	—	—	—	—	—	·04	·21	9
10	·01	·11	·24	—	—	—	—	·08	—	—	—	·32	10
11	·11	—	—	—	—	—	—	—	—	—	·50	·01	11
12	—	·01	·54	—	—	—	—	—	·07	—	·19	—	12
13	—	—	—	—	·09	—	—	—	·47	·15	·01	·44	13
14	—	—	·02	—	·01	—	—	—	—	—	—	·45	14
15	—	·01	·03	—	—	—	—	—	—	·01	·07	·03	15
16	—	—	—	—	—	·12	—	—	—	—	·33	·13	16
17	·01	—	·08	—	—	·01	—	—	—	—	·07	·27	17
18	—	·46	—	·05	·01	—	—	—	—	·11	—	·25	18
19	—	·01	—	—	—	·48	—	—	·09	·10	·18	·05	19
20	·01	·07	·01	·01	—	·01	—	·19	·05	·03	·01	·41	20
21	—	·06	·02	—	—	—	—	·31	—	·35	—	·06	21
22	—	—	·03	—	—	·22	—	·01	—	·03	·01	·38	22
23	—	·16	·27	—	—	·09	—	—	·20	·01	—	·20	23
24	—	·07	·05	—	—	·30	—	·08	—	·55	—	·18	24
25	—	·20	·01	·05	·15	·05	—	·15	—	·06	—	·12	25
26	—	·09	—	·25	·01	·01	—	·02	—	·17	Snow ·14	·13	26
27	—	·23	·11	·06	—	—	—	·38	·22	—	·04	·17	27
28	—	·16	—	·15	—	·01	—	·03	—	—	·06	—	28
29	—		—	·08	—	·23	·11	·05	·19	·17	·01	—	29
30	—		·03	·01	·05	·05	—	·15	—	·08	—	·01	30
31	—		—		·01		—	—		·05		—	31
Total	·80	1·64	1·80	·76	·78	1·92	·16	1·87	1·36	2·22	2·34	5·15	TOTAL for year
No. of Rain Days.	11	13	19	11	10	13	2	14	10	18	22	26	20·80

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912.

FORM A.
BRITISH RAINFALL.
6 - JAN 1913

Kept at *Armscote*

in the County of *Worcester*. 3

by *William L. Stanton*

Lat. 52°-5'-55" Long. 1°-38'-39" W.
Time of Observation 9. a.m
Nearest Railway Station Longdon Road G.W.R
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 240·8 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	Snow ·01	·05	—	—	·21	·22	·01	·03	·09	—	·04	1
2	—	Snow ·01	·11	·04	—	·16	·65	—	—	—	—	—	2
3	·05	—	·02	—	·02	·04	·26	·49	—	—	·01	·10	3
4	·12	—	·74	—	·26	·70	—	·09	—	—	·26	—	4
5	·21	Snow ·05	·25	—	·11	·12	—	·36	—	—	·01	·08	5
6	·21	·10	·01	—	·01	·03	—	·34	·02	—	—	·03	6
7	—	·06	·03	—	—	·62	—	·17	—	—	—	·03	7
8	·35	·12	·30	·05	—	—	·04	·06	·05	—	—	·04	8
9	·01	·04	·14	·02	—	·35	·01	·14	—	—	—	·13	9
10	—	·01	—	—	—	·02	—	·16	—	—	·16	—	10
11	·12	·06	Fog ·01	—	—	·02	—	·07	—	—	·08	·39	11
12	·05	·50	·14	—	·04	—	·03	—	—	—	·02	·01	12
13	—	·01	—	—	—	·01	·03	·04	—	—	·01	—	13
14	·04	—	·44	—	·06	·01	—	·12	—	—	—	—	14
15	·12	·05	·10	—	·29	·24	—	·01	—	—	—	·20	15
16	·31	—	·07	—	·06	·09	—	·04	—	·05	·05	—	16
17	Snow ·91	—	·12	—	—	} ·05	—	·27	—	—	·01	·44	17
18	Snow ·23	—	·19	—	—		—	·12	—	·02	—	—	18
19	·15	·03	—	—	·02	—	·16	·25	—	—	—	·01	19
20	·03	—	·48	—	·05	·06	·31	·20	—	·31	·02	—	20
21	·01	·01	·40	—	·68	—	—	·62	—	·25	—	—	21
22	Snow ·50	·06	·01	—	·57	·27	·71	·22	—	·03	—	·01	22
23	·09	·43	·35	—	·01	·18	·17	·14	—	·02	·04	·39	23
24	·02	·01	·01	—	—	·28	·03	·20	—	—	—	·08	24
25	·01	—	—	—	—	·49	—	·57	—	·01	·27	·38	25
26	—	·01	·04	—	—	—	·21	·80	—	·39	·32	·18	26
27	—	—	—	—	—	·10	·15	—	—	·54	—	·18	27
28	—	·09	—	—	—	·18	·13	·62	·04	·21	·23	·55	28
29	—	·03	·01	—	—	·07	·36	—	·49	·11	·05	·01	29
30	·01	}	—	—	·05	·01	·08	·01	·08	·13	—	—	30
31	—	}	·08	}	·29	}	·52	·07	}	—	}	·03	31
Total	3·55	1·69	4·10	·11	2·52	4·31	4·07	6·19	·71	2·16	1·54	3·31	YEAR'S TOTAL 34·26
Rain Days.	21	20	24	3	15	24	18	27	6	13	15	21	207

W. 7,500, XI. 12

Cwd for cmth 31-III-14

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 4- JAN 1914

Kept at Armscote

in the County of Worcestershire 3

by William L. Stanton,

Lat. 52°-5'-55" Long. 1°-38'-39" W.

Time of Observation 9. a.m.

Nearest Railway Station Longdon Road. G.W.R

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 240·8 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·05	·14	·11	·15	—	—	—	1·14	—	·07	—	1
2	·01	·17	·01	·02	—	—	—	—	·22	·36	·03	—	2
3	·05	—	·11	—	·88	—	—	—	—	·01	—	·10	3
4	·87	—	—	—	·13	—	·13	—	—	·19	·03	·41	4
5	·01	—	—	—	—	·13	·08	—	·01	·17	·02	·03	5
6	·01	·03	·06	—	·23	·21	·70	—	—	·14	—	·21	6
7	—	·21	—	—	·15	·02	·04	—	—	·26	·12	·01	7
8	—	·01	—	—	·16	·02	—	—	—	·35	—	—	8
9	—	·22	·01	—	·08	·15	·55	·02	·20	·01	·04	·02	9
10	·05	—	—	·06	·14	—	—	·04	—	—	·30	—	10
11	·35	Fog ·01	—	·44	·02	—	—	·12	·01	·05	·46	—	11
12	—	—	—	—	·06	—	—	—	·02	—	·52	—	12
13	Snow ·12	Fog ·02	·01	·01	—	—	—	·03	·20	—	·29	—	13
14	·08	—	·41	·02	—	—	·17	·12	—	·13	—	—	14
15	·04	·15	·33	·46	—	—	·44	—	·16	—	·02	—	15
16	·07	·01	Part Snow	·03	—	—	—	—	·03	·01	·01	—	16
17	·08	·03	·85	·11	—	·05	·15	—	·02	—	—	—	17
18	·02	—	·09	·11	·04	—	·08	—	—	—	—	—	18
19	·20	—	·12	—	·03	·08	·03	—	·08	—	—	·01	19
20	·27	—	·04	·04	—	—	—	—	—	·20	·10	—	20
21	—	—	·16	·06	·10	—	·19	—	—	—	·33	—	21
22	·51	—	·27	—	—	·02	—	·06	·37	—	—	—	22
23	—	—	·03	—	—	·03	—	·02	·04	—	·01	·04	23
24	·01	—	—	·03	—	—	—	·02	—	·01	·02	—	24
25	—	·02	—	·15	—	—	—	—	—	·03	—	—	25
26	—	·07	·03	·34	— Thunder	—	—	·11	—	·11	—	·18	26
27	—	·01	·03	·13	—	—	—	—	—	·02	—	—	27
28	·35	—	·16	·43	—	—	—	—	—	·16	—	Snow ·02	28
29	·04		·24	·65	—	—	—	·04	—	·01	—	Snow ·02	29
30	·29		—	—	—	—	—	—	—	·22	·15	—	30
31	·01		·04		Thunder ·04		—	·02		+		—	31
Total	3·65	1·01	3.14 3·44	3·19	2·21	·71	2·56	·60	2·50	2·44	2·52	1·05	YEAR'S TOTAL 25·58 25·58
Rain Days.	22	14	20	18	14	9	11	11	13	19	17	11	179

W. 7,500, XI. 12

E3 M.F

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
20 JAN 1915

Kept at Armscote

in the County of Worcestershire 3

by William L. Stanton

Lat. 52° 5′ 55″ Long. 1° 38′ 39″ W

Time of Observation 9. a. m

Nearest Railway Station Longdon Road. G.W.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 240·8 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	—	—	·06	—	—	·21	·18	—	—	·05	·09	1
2	—	—	—	—	—	·01	·21	·20	—	—	·95	·46	2
3	—	—	·06	·01	·15	—	·46	—	—	—	·01	—	3
4	·24	—	·03	·14	—	—	—	·16	—	—	·40	·38	4
5	—	—	·07	·06	·16	·03	·26	·02	—	—	·04	—	5
6	—	·02	—	·01	·03	·10	—	·04	—	—	·22	·09	6
7	—	·20	·26	·01	·17	—	·11	·06	—	—	·01	·02	7
8	·02	·01	·14	·01	·06	1·05	·32	·11	—	—	—	·11	8
9	·15	—	·34	·42	·02	1·58	—	·06	·06	—	—	·01	9
10	·02	·23	Snow ·01	·07	·05	·02	—	—	·30	—	·01	·01	10
11	—	·10	·24	·03	·18	·33	·08	—	·02	—	·21	·39	11
12	—	·04	·13	—	—	—	·17	—	·40	—	·03	·21	12
13	—	·13	·24	—	—	—	—	—	·10	·06	·08	·35	13
14	—	·07	·04	—	—	—	·14	—	—	·36	·09	·06	14
15	·01	·01	·08	—	—	—	·01	·03	·01	·02	·09	·03	15
16	·02	—	·04	—	—	—	—	—	·04	—	—	·01	16
17	—	·21	·03	—	—	—	—	—	·02	—	—	·28	17
18	—	—	—	—	—	·02	·11	—	—	—	—	·41	18
19	—	—	Snow }	—	—	—	·71	—	·03	—	·07	·03	19
20	—	·19	·24 }	—	—	·09	—	—	—	—	—	·15	20
21	—	·29	·04	—	—	·06	—	·07	—	·12	·01	·30	21
22	—	—	·05	·03	·14	—	·01	·06	—	·11	·01	—	22
23	—	·02	·12	—	·12	—	·13	—	—	·09	—	·03	23
24	—	·01	·11	—	·33	—	·10	—	—	·22	·05	—	24
25	·13	—	·03	—	—	—	·02	·16	—	·29	·02	·15	25
26	—	—	·17	—	—	—	·09	·02	—	·04	·22	·38	26
27	·06	—	·01	—	—	—	—	—	—	—	·03	·08	27
28	·01	·07	·02	—	·39	—	—	—	—	·05	·05	Snow 1·49	28
29	—	X	·02	—	·02	—	—	—	—	·28	·19	—	29
30	—	X	·01	—	—	·02	—	—	—	·05	·28	·48	30
31	·01	X	—	X	—	X	·25	—	X	·01	X	·02	31
Total	·70	1·60	2·53	·85	1·82	3·31	3·39	1·17	·98	1·70	3·12	6·02	YEAR'S TOTAL 27·19
Rain Days.	11	15	26	11	13	11	18	13	9	13	23	26	189

W. 8,000. X. 14.

Ex ML

2530

FORM A.
BRITISH RAINFALL.
18. JAN. 1916

REGISTER OF RAINFALL IN 1915

Kept at Armscote
in the County of Worcester
by William L. Stanton

Lat. 52°-5'-55" Long 1°-38'-39" W
Time of Observation 9. a. m
Nearest Railway Station Longdon Road
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 240·8 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·16	·13	·06	—	·10	—	—	—	·02	·13		·04	1
2	·16	·16	·25	·06	—	·08	—	·36	—	·37	·85	·06	2
3	·89	·01	·04	·06	·02	—	·20	·05	·01	—	—	·23	3
4	—	—	—	—	·04	—	·23	·08	—	·01	—	·45	4
5	—	·44	—	—	—	—	·03	·05	—	—	·02	·23	5
6	·26	·22	—	·15	—	—	·67	—	—	—	—	·05	6
7	·05	·39	—	—	·22	·46	·23	·03	—	—	—	·18	7
8	·07	·21	—	·05	—	—	·01	·03	—	—	·02	—	8
9	·08	·01	—	·14	—	—	—	·02	—	—	·17	·44	9
10	·18	—	·03	×	—	—	·01	·11	—	—	—	—	10
11	—	—	—	×	·04	—	—	—	—	—	·93	Snow ·09	11
12	·02	·15	—	×	·43	—	—	·06	—	·01	·92	—	12
13	—	·33	—	·42	Some Snow ·95	—	—	·01	—	·01	—	—	13
14	—	·01	—	—	—	—	·08	·12	·07	·02	—	·32	14
15	·17	—	—	·01	·05	—	—	·01	—	·09	Some Snow ·10	·10	15
16	—	·46	—	—	·09	—	·52	—	—	—	—	·03	16
17	·01	·17	—	—	·42	—	—	—	—	Fog ·01	—	·02	17
18	—	·24	Snow ·07	—	—	—	—	—	—	Fog ·01	—	—	18
19	—	·05	·01	—	·03	—	·09	—	—	—	—	—	19
20	·29	—	—	·02	—	—	·04	—	—	—	—	·10	20
21	·11	·09	—	—	—	—	·08	—	—	·07	—	·08	21
22	·14	·02	·22	·02	—	—	·16	—	·01	—	—	·09	22
23		·12	·02	—	—	·01	·20	—	·03	·48	—	·31	23
24		—	·08	·04	—	·01	·01	—	·50	·24	—	·11	24
25		—	·01	—	—	·65	·22	—	·01	·05	—	·24	25
26	·01	·02	—	—	—	—	·03	—	—	—	—	·41	26
27	—	·02	—	—	—	·09	·16	—	—	·42	—	—	27
28	—	·08	Snow ·01	—	—	·02	·02	·09	·16	·01	—	—	28
29	—	×	—	—	—	·05	·40	·08	—	—	·07	·04	29
30	·05	×	—	—	—	·02	·27	—	—	—	·20	·15	30
31	—	×	—	×	—	×	·02	·02	×	—	×	·17	31
Total	2·65	3·33	·80	·97	2·39	1·39	3·68	1·12	·81	1·93	3·28	3·94	YEAR'S TOTAL 26·29
Rain Days.	16	21	11	~~10~~ 12	11	9	22	15	8	15	9	23	17~~0~~2

W. 8,000. X. 15.

cf 08 2463

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

4 JAN 1917

Kept at Armscote

in the County of Worcester

by William L. Stanton

Lat. 52°-5′-55″ Long. 1°-38′-39″W

Time of Observation 9 a.m

Nearest Railway Station Longdon Road

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 240·8 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·11	—	·01	—	·02	·03	·15	—	—	·12	·20	—	1
2	·24	·01	Snow ·02	—	·28	—	—	—	·01	·52	·03	—	2
3	—	·69	—	—	·05	—	—	—	·05	·29	·04	—	3
4	·31	·02	—	·08	·29	·23	—	—	·03	·04	·35	—	4
5	·04	—	—	—	·26	·16	·19	—	—	·03	·21	—	5
6	·07	·16	Snow ·07	·07	·16	·08	·36	—	—	·05	·54	·02	6
7	·02	—	Snow ·10	—	·02	·01	·16	—	—	·13	·30	·10	7
8	·02	—	Snow ·01	—	·30	—	—	—	—	—	—	·17	8
9	—	—	·02	—	·16	·19	—	—	—	·01	·01	·02	9
10	—	·23	Snow ·08	·07	—	·22	·05	—	·02	·02	—	·01	10
11	—	·09	·05	·06	·11	·39	—	—	·06	—	—	Snow ·47	11
12	·01	·03	·08	·13	·43	—	·20	·02	—	·22	Fog ·01	—	12
13	—	·28	·21	·03	—	—	·24	·10	—	—	Fog ·01	—	13
14	—	Snow ·47	·01	·02	·01	—	—	—	—	}	—	·01	14
15	—	·16	·65	·02	·21	—	·06	·23	—	}	—	—	15
16	·02	—	·25	·24	·08	—	·04	·22	—	}	—	—	16
17	·04	·20	·01	·10	—	—	·02	·61	·30	·53 }	—	—	17
18	—	·05	·02	·07	—	—	—	·22	·08	·05	Snow. ·53	Snow ·09	18
19	·04	—	·15	·24	—	—	—	·02	·08	·01	·28	·01	19
20	·04	·01	·43	·01	—	—	—	·03	—	—	·06	·47	20
21	—	—	·43	—	·09	—	·18	—	—	—	·01	Snow ·42	21
22	—	Snow ·01	·01	—	·06	—	—	—	—	·03	—	·53	22
23	·01	Snow ·28	—	·01	—	—	—	·05	—	·09	·06	Snow. ·22	23
24	—	Snow ·14	·01	·01	·07	·56	—	·02	—	·18	—	·17	24
25	—	Snow ·14	·20	—	—	—	—	·26	·24	—	·19	—	25
26	—	Snow ·03	·11	—	—	·23	—	—	·07	·14	·01	—	26
27	·03	·06	Snow 1·44	—	—	·44	·03	—	·01	·19	—	·02	27
28	—	·29	~~Snow~~ ·07	—	—	·24	—	—	·06	·10	—	·11	28
29	—	·10	—	—	—	·22	—	1·33	—	·24	—	·10	29
30	—	X	—	—	·09	·08	—	—	—	·17	—	—	30
31	—	X	—	X	—	X	—	—	X	·15	X	·06	31
Total	1·00	3·45	4·44	1·16	2·69	3·08	1·69	3·11	1·01	3·31	2·84	3·00	YEAR'S TOTAL 30·78
Rain Days.	14	21	24	15	18	14	12	12	12	23	17	18	200

W. 8,000, VIII. 16

349

REGISTER OF RAINFALL IN 1917

FORM A.

BRITISH RAINFALL
9 JAN 1918

Kept at Armscote
in the County of Worcester
by William L. Stanton

Lat. 52°-5′-55″ Long. 1°-38′-39″ W
Time of Observation 9 am
Nearest Railway Station Longdon Road
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 240·8 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·03	Snow ·04	—	·01	—	1·02	·14	—	·10	Snow ·08	1
2	—	—	—	—	—	·19	—	·03	—	·02	·02	—	2
3	—	—	—	Snow ·13	—	—	—	·22	—	·13	·01	—	3
4	—	Snow ·02	Snow ·20	—	—	—	—	·10	—	·30	—	—	4
5	·24	—	·03	Snow ·14	—	—	—	·01	·09	·18	·08	—	5
6	·01	—	pt Snow ·52	—	—	·07	—	—	—	·07	·14	·01	6
7	·28	—	—	—	—	—	·07	·05	—	·23	·02	—	7
8	Snow ·52	—	—	·15	—	—	·50	·30	·01	·30	·10	·17	8
9	—	—	Snow ·09	Snow ·06	·25	—	·01	·19	·03	·02	·17	—	9
10	Snow ·24	—	·16	Snow ·22	·31	—	—	·07	—	—	—	·01	10
11	·18	Snow ·03	·15	Snow ·32	—	—	" —		·21	·12	—	—	11
12	·10	—	·01	Snow ·03	·10	—	—		—	·27	·01	—	12
13	·01	—	·01	·02	—	—	—		·03	—	—	—	13
14	—	—	·02	·07	—	—	—	·39	—	—	—	—	14
15	Snow ·02	—	—	—	—	—	—	·01	—	·04	—	·12	15
16	Snow ·05	·21	—	·09	·03	·03	·08	—	—	·07	—	pt Snow ·70	16
17	—	·01	—	·06	·77	·12	·30	·03	·09	·10	—	Snow ·01	17
18	·01	·02	—	·01	·03	—	·11	—	1·15	·01	—	—	18
19	Snow ·02	·34	Snow ·23	—	—	·05	—	—	·03	—	—	—	19
20	Snow ·03	·18	—	—	·53	·06	·26	·02	·17	—	·04	—	20
21	—	·03	Snow ·12	—	·01	·20	—	—	—	—	·04	—	21
22	Snow ·02	—	Snow ·04	—	—	·06	—	·01	—	·17	—	—	22
23	—	·15	—	—	·03	—	—	·11	—	·10	—	·01	23
24	—	·03	·02	—	—	·08	—	·08	—	·16	·08	·01	24
25	—	·08	·04	—	—	—	—	·03	·01	·02	·01	—	25
26	—	—	—	—	—	·02	—	·27	·11	—	·19	—	26
27	—	—	·01	—	·71	·09	—	·57	—	—	—	—	27
28	—	—	·22	—	—	·52	—	·13	—	—	—	·03	28
29	—	×	·02	—	—	·11	·18	·03	—	·35	—	·28	29
30	Snow ·03	×	·01	—	—	—	·43	·31	—	—	·02	—	30
31	—	×	Snow ·13	×	—	×	·02	·03	×	·01	×	pt Snow ·04	31
Total	1·76	1·10	2·06	1·34	2·77	1·61	1·964	4·01	2·07	2·67	1·03	1·47	YEAR'S TOTAL 23·85
Rain Days.	15	11	20	13	10	14	10	23	12	20	15	12	175

W. 8,000, IX. 17.

Ex MS

47

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

14. 1. 19

Kept at Armscote

in the County of Worcester

by William L. Stanton.

Lat. 52°5′55″ Long. 1°38′39″ W

Time of Observation 9. am

Nearest Railway Station Longdon Road

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 240·8 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·01	—	·28	·02	—	—	·01	—	·02	·29	—	1
2	—	·04	Snow ·01	·02	—	—	—	·07	—	·02	·05	·08	2
3	—	·04	·02	·04	·16	—	—	·06	·36	—	·10	—	3
4	·01	·09	·02	—	—	—	—	—	·13	—	·59	·05	4
5	—	—	—	·02	·27	—	—	·04	·38	·01	·03	—	5
6	—	·15	·01	·15	—	·03	—	—	·03	·04	—	·02	6
7	Snow ·04	·06	—	·04	·11	·02	—	—	·14	·10	·18	·02	7
8	Snow ·03	—	—	—	—	—	—	—	·32	·11	—	·15	8
9	·02	·02	—	·12	—	·30	·17	—	·40	·36	—	·09	9
10	·04	—	—	·21	—	—	·12	—	·10	·30	—	·14	10
11	—	—	—	·03	—	—	·12	—	·07	·16	·04	·05	11
12	—	·01	·11	·01	·13	—	·23	—	·05	·02	—	—	12
13	—	·01	—	·01	·02	·01	·03	—	·05	·03	—	·09	13
14	pt. Snow ·21	—	·01	—	—	·01	·19	—	·45	·04	—	·03	14
15	Snow 1·29	—	—	·72	—	—	·14	—	·03	—	·01	·28	15
16	Snow ·16	—	—	·78	—	·03	—	—	·07	·03	—	·03	16
17	·10	—	—	·65	—	—	·31	—	·02	·02	—	·06	17
18	·42	—	—	—	—	·28	·10	—	·79	—	—	·49	18
19	·01	·03	·11	Snow ·06	—	—	·04	—	—	·08	—	·10	19
20	·01	·07	—	Snow ·47	—	·02	·41	—	—	·03	—	·02	20
21	·05	—	—	·42	—	—	·06	—	·35	·02	—	·04	21
22	}	—	—	—	·46	—	·09	—	·03	·24	·01	·30	22
23	·23 }	—	—	—	·61	·03	·01	—	·14	—	—	·01	23
24	·01	·16	—	—	—	—	·07	—	·04	·01	·10	—	24
25	—	—	—	—	—	—	·08	·14	—	·03	·04	—	25
26	—	—	—	—	—	—	·59	—	—	·03	·05	·14	26
27	—	·02	·01	—	—	—	·20	·26	·04	—	·16	·07	27
28	—	Snow ·23	·26	—	—	—	—	·11	—	—	·05	·03	28
29	—	X	·04	—	—	—	—	·01	1·34	—	·01	·12	29
30	—	X	·25	—	—	—	—	·01	·01	—	·09	·09	30
31	—	X	·16	X	—	X	—	·04	X	·01	X	—	31 ✓
Total	2·66	·94	1·01	3·43	1·78	·73	2·91	·75	5·34	1·71	1·80	2·50	YEAR'S TOTAL 25·56
Rain Days.	15	14	12	17	8	9	18	10	23	22	16	24	189

W. 6,500, VII. 18. W W O

EX 92L

2207

10 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Armscote

in the County of Worcester

by William L. Stanton.

Lat 52° 5′ 55″ Long 1° 38′ 39″ W

Time of Observation 9 a.m

Nearest Railway Station Longdon Road

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft 1 in.

„ „ „ „ Sea Level 240′8 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·19	Snow ·02	·05	—	·07	·24	·22	—	·01	·20	·03	—	1
2	·10	—	·01	—	·12	—	·35	—	·28	·03	·16	·58	2
3	·95	·03	·12	—	·03	·18	·09	—	·29	—	·15	·12	3
4	·10		·58	—	·01	·08	·07	·06	·14	—	·06	·29	4
5	—	Snow ·24	·24	—	—	—	—	—	·26	—	—	·11	5
6	·04	—	·08	—	·22	—	—	—	·01	—	—	·14	6
7	·03	—	·24	·02	·08	—	—	—	—	·01	·02	—	7
8	·09	—	·05	·28	—	—	—	—	—	—	·01	—	8
9	·10	—	·03	·06	—	—	—	—	·01	·02	—	—	9
10	·02	—	·36	·02	—	—	—	—	—		—	·10	10
11	·01	—	·30	·02	·01	—	·35	—	—	·02		·01	11
12	—	—	·04	·04	—	·09	—	—	·01	·14	Snow ·04	·02	12
13	·09	—	—	·17	—	—	—	—	·01	·12	—	·04	13
14	·37	·01	·07	·15	—	—	·07	—	·02	·02	—	·02	14
15	·30	·03		·17	—	—	—	—	—	·03	Snow ·01	·33	15
16	·08	·84	—	·01	—	—	—	·02	—	—	·08	·01	16
17	·01	pt Snow ·41	—	·02	·05	·01	—	—	—	—	·10	—	17
18	—	—	pt Snow ·34	—	—	—	—	·12	—	—	·01	·13	18
19	·09	·23	Snow ·93	—	—	·07	1·36	·31	·08	—	·07	—	19
20	·31	·04	·19	—	—	—	·19	·20	·12	—	·09	·03	20
21	·02	·42	·04	—	—	·13	·27	·01	·02	·01	·01	·11	21
22	—	·14	—	—	—	—	·03	—	·29	—	—	·39	22
23	—	—	—	—	—	·09	—	·12	·01	·54	·02	·05	23
24	—	—	·01	—	—	—	·01	—	—	·45	·07	·12	24
25	·12	—	—	·07	·06	·06	—	·25	—	—	—	—	25
26	·04	—	·22	·15	—	·01	—	·09	·10	—	—	·30	26
27	Snow ·33	—	·07	Snow ·79	—	—	—	·33	—	—	—	·10	27
28	Snow ·02	—	Snow ·08	—	—	—	—	·45	—	—	Snow ·15	·26	28
29	·03		—	·02	—	·01	—	·03	—	·18	—	·42	29
30	—		—	·22	—	·23	—	·05	—	·09	—	·27	30
31	·03		—		—		·03	—		·04		·02	31
TOTAL	3·47	2·41	4·05	2·21	·65	1·20	3·04	2·04	1·66	1·90	1·08	3·97	YEAR'S TOTAL 27·68
Days with ·01 in. or more	24	11	21	16	9	12	12	13	16	15	17	24	190

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

8 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Armscote

in the County of Worcester

by William L Stanton.

Lat. 52°5'55" Long. 1°38'39" W.
Time of Observation 9 a.m
Nearest Railway Station Longdon Road
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 240·8 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·14	·27	—	·17	—	·04	·46	·01	·14	1
2	—	—	·01	·07	·01	—	·14	·06	·04	·10	—	·07	2
3	·04	·02	·02	·08	—	·02	·43	·05	·13	·21	—	·01	3
4	—	—	·05	·21	·03	—	·03	·22	·06	·16	—	·02	4
5	—	—	·15	·08	·16	—	·59	·25	·05	·97	—	—	5
6	—	·01	·27	—	·11	—	·12	·05	—	·02	—	·01	6
7	—	—	—	·14	·01	—	·09	—	—	—	—	—	7
8	·16	·07	—	·61	·02	—	·13	—	—	·01	—	—	8
9	·23	—	—	·68	—	—	·01	·01	·01	—	—	—	9
10	·29	·04	·05	·03	—	·08	·08	—	—	—	·02	~~Snow~~	10
11	·22	—	·04	·09	·37	·13	·08	—	—	—	·01	Snow ·02	11
12	·03	—	·01	·10	·01	·65	—	·20	—	—	·04	—	12
13	·01	·01	·25	·06	—	·06	—	·02	·06	—	·01	Snow ·03	13
14	·02	—	Snow ·94	·25	—	·11	·01	—	·32	·01	·18	—	14
15	—	·04	·05	·21	—	·19	—	—	·03	·02	·03	—	15
16	—	—	·01	·02	·01	·19	·06	—	·37	·31	·02	—	16
17	—	—	·01	·19	·09	—	—	—	·35	·07	—	·03	17
18	·25	—	—	·03	·02	—	·02	·16	·61	—	—	·02	18
19	·03	Snow ·31	—	·21	—	·10	·03	·07	·02	—	—	·02	19
20	·03	·05	—	·43	—	·26	—	—	·01	—	—	·02	20
21	—	—	—	·04	—	—	—	·03	·04	—	—	·04	21
22	—	—	—	·12	—	—	—	·16	·01	·01	mist ·01	·13	22
23	—	mist ·01	—	—	—	—	·28	·10	—	·01	—	+✓	23
24	—	—	·13	·01	—	—	—	—	—	—	—	+✓	24
25	·01	·06	·08	·02	·25	—	·55	·01	—	·01	—	+	25
26	·13	—	·20		↙	—	·01	—	—	·01	·01	+	26
27	·44	·04	·05	·33	—	·44	·02	—	—	·01	·06	+✓	27
28	·48	—	·10		·34	—	·03	—	—	—	—	+✓ ·82	28
29	·15	—	·09	—	·06	·03	·05	—	—	—	·08	·50	29
30	·02		·04	·19	·02	·08	·05	—	·20	—	·13	·19	30
31	·03		·03		—		—	—		·30		·02	31
													YEAR'S TOTAL
TOTAL	2·57	·66	2·58	4·34	1·78	2·34	2·98	1·39	2·35	2·89	·61	2·09	26·56
Days with ·01 in. or more	18	11	21	26?	16	13	22	14	17	17	13	(24) ~~18~~	~~206~~ 212
Days with ·04 in. or more	10	7	15	21?	8	11	14	10	13	8	5	(12)	~~130~~ 134

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912

WORCESTER

SHIPSTON
TIDMINGTON. HSE

1911 – 1913,
1915 – 1920

REC 1911

Kept at Tidming
in the County of Worc
by Miss Stam

of top 5 in.
op above Ground 1 ft. 1 in.
" " Sea Level ft.
n 10 06.
tation Name Shipston
Distance 1½ mile Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·10		·08	·14	·04	·03				·05½	1
2			·08	·05½							·03		2
3				·10	·27			·22	·01	·16	·03	·07	3
4					·36	45		04			·01		4
5			·14½		·02				·05	·11½	·25	·43	5
6	·47		·02					·20½			·03		6
7		02½		·02							·05	1·25	7
8			·02								·25	·01½	8
9										·02		·27½	9
10				·01½								·47	10
11	·09	·15	·45									·24	11
12	·22½											·02	12
13									·07				13
14			·61		·06				·54	·29		·53	14
15												·61	15
16		·04	·09							·02			16
17						·13½						·21	17
18			·06			·03						·42	18
19		·32		·06		·03½				·12½		·27	19
20		·02½	·08			·52			·15	·11	1·76	·06	20
21	·03	·07		·02	·01½			·37				·50	21
22		·10						·29				·10	22
23		·10				·19		·01				·45	23
24	·02	·08	·45			·30		·16	·23			·24	24
25		·08				·31						·18	25
26		·17	·05	·03	·17	·10½		·02	·03½	1·36		·10	26
27		·29	·07	·19						·01	·08	·18	27
28		·08	·20	·07				·43	·22		·13	·21	28
29				·16				·02			06		29
30			·05	·04		·23	·11		·21	·34			30
31					08½			·84½		·11			31
Total	·03½	1·53	2·47½	·76	1·06	2·4½	·15	2·64	1·51½	2·66	2·68	6·90	TOTAL for year 25·55
No. of Rain Days.	·835												25·67

W. 8,000, X. '11.

REC 1911

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912

W 3

Kept at Tidmington
in the County of Worcester
by Miss Stanton

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 1 in.
" " " Sea Level ft.

Time of Observation 10 o'c.

Nearest Railway Station
Name Shipston
Distance 1½ mile Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·10		·08	·14	·04	·03				·05½	1
2			·08	·05½							·03		2
3				·10	·27			·22	·01	·16	·03	·07	3
4					·36	45		04			·01		4
5			·14½		·02				·05	·11½	·25	·43	5
6	·47		·02					·20½			·03		6
7		02½		·02							·05	1·25	7
8			·02								·25	·01½	8
9										·02		·27½	9
10				·01½								·47	10
11	·09	·15	·45									·24	11
12	·22½											·02	12
13									·07				13
14			·61		·06				·54	·29		·53	14
15												·61	15
16		·04	·09							·02			16
17						·13½						·21	17
18			·06			·03						·42	18
19		·32		·06		·03½				·12½		·27	19
20		·02½	·08			·52			·15	·11	1·76	·06	20
21	·03	·07		·02	·01½			·37				·50	21
22		·10						·29				·10	22
23		·10				·19		·01				·45	23
24	·02	·08	·45			·30		·16	·23			·24	24
25		·08				·31						·18	25
26		·17	·05	·03	·17	·10½		·02	·03½	1·36		·10	26
27		·29	·07	·19						·01	·08	·18	27
28		·08	·20	·07				·43	·22		·13	·21	28
29				·16				·02			06		29
30			·05	·04		·23	·11		·21	·34			30
31					08½			·84½		·11			31
Total	·83½	1·53	2·41½	·76	1·06	2·44½	·15	2·64	1·51½	2·66	2·68	6·90	TOTAL for year ~~25·55~~ 25·67
No. of Rain Days.	·835												

W. 8,000, X. '11.

corr for with WD 2.11.13

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

6 - JAN 1913

Kept by Miss Staunton

in the County of Tidmington 3

by Shipston on Stour; Worcestershire

Lat. .... Long. ....

Time of Observation 10 a.m.

Nearest Railway Station Shipston on Stour

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							·33	·50	·05	·14			1
2						·13	·28		·05	·11			2
3			·12	·12			·63	·03					3
4	·06		·69			·18	·14	47	·01				4
5	·02		·23		·25	·99		·16			·33		5
6	·33	·05	·17		·48	·31		·44					6
7	·03	·15					·12	·66					7
8		·07			·05	·76	·06	15					8
9	·46	·13	·42	·05		·14	·13	·07	·05				9
10		·08	·11	·05		·40		·13	·03				10
11	·14	·03	·03			·04		·16					11
12						·04							12
13	·11	·36	·20		·05		·03		·01				13
14		·02											14
15			·63		·10			·08		·10			15
16		·06	·07		·35	·19							16
17			·16		·16			·05		·06			17
18	·94		·15			·37		·26					18
19	·17½							·21		·06			19
20	·09						·26	·29					20
21					·10		·30	·16	·02	·29			21
22		·10			·79			·49		·31			22
23	·43	·05				·28		·25		·04			23
24		·54				·24	1·03	·36		·03			24
25	·02½		1·25			·35		·02					25
26						·44				·04			26
27							·11	1·46		·49			27
28		·05			·40	·11	·18			·65			28
29		·16				·13	·18	·79	·11	·32			29
30						·11	27		·60	·20			30
31			·03½		·32		15	·08		13			31
Total	2·81½	1·88	4·26½	·22	3·05	·33 5·22 5·55	·50 4·20 4·37	·05 7·21 6·82	·14 ·93 1·02	2·97 2·83	·33 4·77	4·44	YEAR'S TOTAL 37·59
Rain Days.	12	17		3		18	16	23		13			...

W. 7,500, XI. 12

P. made
Written
6.4.14

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.

Kept at Tidmington
in the County of Shipston on Stour Worcestershire 3
by Miss Staunton

Lat. .... Long. ....
Time of Observation 10 oclock. am
Nearest Railway Station Shipston on Stour
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground • ft. 9 in.
Sea Level .... ft.

IMPORTA
previous day.
requested to ad
for it at the e
the selection a
Organization ar
Dr. H. R. Mil

result entered to the
rule, he is earnestly
the space provided
of rain,
Rainfall
ication to

Jan. 1, following.

21 Lansdowne Crescent
Leamington

Dear Sir —

I am sorry that I re-ported the Rainfall at Tidmington indistinctly; I have been away for more than a year & left the Rain Gage with a friend who has made a mistake. The Rain in Nov. & December together seems to have been 3-31 — I am afraid I cannot tell you more. But if you think best do not enter this years rainfall for Tidmington. I hope she understands more about it now. I am unfortunately unable to return there at present

Ys. truly
C. S. Staunton

ap-9-

Date.	Jan.	Fe	Nov.	Dec.	Date.
1	3·64	·0	1·15	·2·3	1
2				assume 2·30	2
3					3
4			·31		4
5					5
6					6
7					7
8					8
9					9
10					10
11					11
12					12
13					13
14					14
15					15
16					16
17					17
18					18
19					19
20					20
21					21
22					22
23					23
24					24
25					25
26					26
27					27
28					28
29					29
30					30
31					31
					YEAR'S TOTAL
Total					
Rain Days.					

W.7,000, XI. 13

P. made
✓ Written 6.4.14

FORM A.
BRITISH RAINFALL.

6

Kept at Fi   clock. a
in the County of S   aston on Stour
                                                  in.
by M   ound · ft. 9 in.
                                                  a Level ft.

IMPORT   result entered to the previous day.   l rule, he is earnestly requested to a   the space provided for it at the   of rain, the selection a   Rainfall Organization a   ication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	3·64	·0·20	3·81	3·94	2·44	0·07	0·89	·0·61	2·57	2·29	1·16	·2·3	1
2												assume 2·30	2
3													3
4									Total =	23·31			4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
Total													YEAR'S TOTAL
Rain Days.													

W.7,000, XI. 13

Shp wade

REGISTER OF RAINFALL IN 1915.

FORM A.
BRITISH RAINFALL.

8 JAN 1916

Kept at Tidmington
in the County of Worcester
by Miss Staunton

Lat. ______ Long. ______
Time of Observation 10 o'c a.m.
Nearest Railway Station Shipston on Stour
Diameter of Funnel of Rain Gauge ______ in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								·01½	·05		·91	·20	1
2								·30		·19			2
3										·28		·11	3
4								·15			·04	·70	4
5							·75	·07					5
6								·05				·30	6
7							·53	·02				·11	7
8								·01					8
9							·30				·06		9
10								·05			·17	·57	10
11													11
12												·08	12
13								·20	·05		1·37		13
14								·02					14
15								·05	·08			·42	15
16							·48	·02		·09½			16
17													17
18							·08				·11	·12	18
19								·06					19
20							·03					·10	20
21													21
22							·21					·7	22
23							·03					·13	23
24							·02½		·06			·34	24
25									·36	·75		·16	25
26							·06			·03		·17	26
27									·02			67	27
28							·15			·48			28
29								·16	·24	·09		·02	29
30		✕					·10				·11	·03	30
31		✕		✕		✕	·07		✕	·20	✕	·34	31
Total							2·81½	1·17½	1·06	2·11½	2·77	4·58	YEAR'S TOTAL
Rain Days.							✓	✓	✓		✓		

W. 8,000. X. 15.

Miss moore

and for W.P.R.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

4 JA 1917

Kept at Tidmington
in the County of Worcester
by Miss Staunton

Lat. Long.
Time of Observation 10 am
Nearest Railway Station Shipston on Stour
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground X ft. 13 in.
" " " " Sea Level 232·8 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·18	–	·13	–	–		·03	–	–	–	·21		1
2	·03	–	·12	–	·03	·02	·26	–	·01		·02		2
3		·03		–	·26			–	·24	·72			3
4	·28	·86	·04	–	·18		·04	–	·08	·27	·15		4
5	·41	·08		·27	·12	·22		–	·04				5
6	·07				·30	·13	·41	–			·70		6
7	·05	·21	·22	·07	·15	·27	·41	–		·13	·70		7
8	·05	·02	·13	·	·02	·63	·18	–	–	·20	·25	·15	8
9	·04	–	–	·	·33			–				·21	9
10		·	·03	·		·21		–					10
11		–		·13		·16	·02		·07			·	11
12		·35	·11		·07	·48			·05	·13		·45	12
13	·03		·24		·45	·02	·11	·02		–			13
14		·34					·07	·19		–			14
15		·33		·32	·02		·10			1·25			15
16	·03	·19	1·17	·02	·32		·10	·41		–			16
17	·02		·25	·22			·03	·12					17
18	·07	·20		·15				·15	·33				18
19		·05	·03	·13			·02	·27	·12		·80		19
20	·21		·12	·35				·61			·34	·13	20
21	·04		·73	–									21
22			·62	–	·23		·13					·98	22
23				–	·02							·65	23
24		·22		·02							·12	·21	24
25		·08	·02	–	·09	·51		·06				·25	25
26		·22	·20	–				·27	·49		·16		26
27		·20	·12	–		·25				·20	·02		27
28	·05			–		·24	·03	·01		·27	·02		28
29		·30	1·05	–		20			·15	·15	–	·20	29
30		X	–	–		20		1·97	–	·	–	·10	30
31	0·01	X	–	X	·08	X			X	·61	X		31
Total	– ~~1·57~~	·13 ~~3·68~~	– ~~5·33~~	– 1·58	– 2·66	·03 ~~2·94~~	– ~~1·06~~	– ~~3·18~~	– 1·58	·21 3·93	– 3·49	(–) 3·33	YEAR'S TOTAL 35·37
Rain Days.	1·39 17	3·81 16	5·20 18	1·58 12	2·66 16	2·97 14	1·91 15	3·48 11	1·58 11	4·14	3·28 15	3·33	35·33

W. 8,000, VIII. 16

Augt. 29 · 1·97 in 24 hours –

[illegible] W 40

REGISTER OF RAINFALL IN 1917

JAN 1918 FORM A. BRITISH RAINFALL

Kept at Tidmington

in the County of Worcester

by Miss Stanton

Lat. Long.

Time of Observation 10 o'c. a.m.

Nearest Railway Station Shipston on Stour

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. (.04)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04 0.4	-	.02	.16	-	-	-	.02	.08				1
2		-	5	.05	-	-	-	1.00	.13		.15		2
3		.	.03		-	.10	-	.06			.02	10	3
4		.13		.24	-		-	26					4
5			.16	.04	-		-	.13		.85			5
6	.26		.10	.15	-		-		.11	.16	.10		6
7			.52		-	.05	-		-		.12		7
8	.95				-		-	.18		.37	.03		8
9				.18	-		.85	.16		36	.10		9
10			.15	.05	.40			.24			.26	.28	10
11	.21		.21	.27	.04			.03	.05				11
12	13		17	.37				.30	.64				12
13	.10			.16	.10					.39			13
14	-		.06	.12	-	.04		.18	.05				14
15	-				-			.11					15
16	.08				-		.02	.01		.12			16
17	-	.17		.10	-		.24			.05		1.25	17
18	-			.08	.85	.13	.30	.10	.17	.12			18
19	-	.05	.24	-		.05	.13			.02			19
20		.28		-									20
21	.04	.15		-	.39	.08	.05		.06		.10		21
22		.03	.08	-	-	.19		.03	.01		.03		22
23	.02	-	.07	-	-	10		.06	.02				23
24	-	.21		-	-			.18		.20			24
25	-	.4	.05	-	-	.08				.15	.05		25
26	-	.17	.07	-	-	?		.15			.26		26
27	-			-	-			.55	.12				27
28	-	-	.02	-	.43	1.05		.66					28
29	-	-	.20	-	-	.05		26				.11	29
30	-	✕	.02	-	-		.15	-		1.03		.36	30
31	-	✕		✕	-	✕	.40	.25	✕		✕	.08	31
Total	- ~~1.83~~	-.02 ~~1.23~~	.16 ~~2.07~~	- ~~1.87~~	- 2.21	- 1.92	.02 ~~2.15~~	.08 ~~4.92~~	- ~~1.44~~	- 3.82	- 1.22	(.04) ~~2.13~~	YEAR'S TOTAL 26.80
Rain Days.	1.79 10	1.25 9	2.21 7	1.71 13	2.21 10	1.92 13	2.16 9	4.98 22	1.36 11	3.82 12	1.22 11	~~2.13~~ 2.17 6	139

1.89

W. 8,000, IX. 17.

~~WD~~ W D L early [illegible] (Dec 1) [illegible] WD

42

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

Kept at Tidmington

in the County of Worcestershire

by Miss Staunton

Lat. Long.

Time of Observation 10 o'clock 8 P.

Nearest Railway Station Shipston on Stour

Diameter of Funnel of Rain Gauge 5½ in. - 9

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
None
-

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	-			~~2~~									
1	-	-	-	·30		-	-	-	-	.	-	~~·09~~	1
2	-	0·05	·02	·18	·04	-	-	·02	-	·06	·36	.	2
3	-	·09	-	·07	.	-	-	·12	-	-	.	·07	3
4	-	·05	·05	·06	·20	.	-	·04	·46	.	·20	.	4
5	-	·12	·05	-	·32	-	-	-	·02	.	·75	·09	5
6	-	-	-	·11	-	-	-	.	·71	-	-	-	6
7	-	·23	.	·01	.	·06	-	-	.	·09	.	-	7
8	-	·17	-	-	.	-	.	-	·18	·12	·26	·06	8
9	-	·06	-	-	·19	-	-	-	·03	.	.	.	9
10	0·10	·06	-	}	-	·22	·21	.	·41	·43	.	·28	10
11	0·06	-	.	·26}	-	.	·29	-	·13	· }	-	·04	11
12	.	.	-	·09	·02	-	·02	-	.	·35}	.	·05	12
13	-	-	·15	·02	·10	-	·30	-	-	.	·10	.	13
14		-	.	·02	.	-·03	1·27	.	·23	·06	-	·08	14
15	snow 0·21	-	.	-	.	·01	·01	.	-	·02	-	-	15
16	1·38	-	-	1·73}	.	-	·17	.	·39	.	-	·23	16
17	-	-	-	.	.	·06	-	.	·10	·05	·04	.	17
18	0·30	-	-	·14	.	-	·32	.	-	·02	-	·07	18
19	0·46	-	·05	.	.	·22	·03	.	·68	.	-	-	19
20		·13	·16	·09	.	-	.	-	.	·11	-	·06	20
21	0·04	-	.	}	-	·04	·15	-	·17	·15	}	}	21
22	·08	-	-	1·08}	-	·02	·03	-	·42	·10	}	·34}	22
23	·23	.	.	.	·56	.	·08	-	·13	·14	·34}		23
24	·05	-	-	.	·62	.	·03	.	·07	-		.	24
25		·15	-	.	-	-	·04	·22	·12	-		-	25
26		.	-	-	.	-	·59	.	.	-	·05	.	26
27		·03	- }	-	.	-	·02	·02	·02	·06		·23	27
28		.	·26}	-	.	-	·25	·26	·03	-		·08	28
29			·12	-	.	.	-	·09	-	-		·23	29
30		X	·17	-	.	-	-	-	1·40	-	·06	.	30
31		X	·14	X	.	X	-	-	X	-	X	·07	31
Total	3·11	1·14	·30 ~~1·17~~ 1·47	~~4·16~~ 3·86	2·05	·66	3·81	·77	5·70	1·76	·09 ~~2·16~~ 2·25	~~2·87~~ 1·78	YEAR'S TOTAL 28·56
Rain Days.	10	[illegible]	12	16	8	[illegible]	17	7	19	15	14	6	150

W, 6,500, VII. 18. W W O

[illegible] 14.1.19

Tidmington
Shipston on Stour

Dear Sir
I enclose each months rainfall 1918
Book for December
I give the daily fall in case I make a mistake from my Book. I hope this will be satisfactory

Yrs truly
J Hamilton

April 7

1918.		Inches.	
January		3	11
February	1.14	1	54
March		1	17
April	4.16	3	86
May		2	05
June	.66	0	64
July		3	81
August	.77	.	79
Sept	5.70	5	60
October	1.76	1	96
November	2.16	2	16
December	2.87	2	87.

Dec 1	1 -	9	Dec	2	46
2	-	-	24	-	-
3	·0	07	25	-	-
4	-	-	26	-	-
5	-	09	27	0	23
6	-	-	28	"	08
7	-	-	29	"	03
8	-	06	30	"	"
9	-	-	31	"	07
10	-	28			
11	-	04		2	87
12	-	05			
13	-	-			
14	-	08			
15	-	-			
16	-	23			
17	-	-			
18	-	07			
19	-	-			
20	-	06			
21 }	-				
22 }	-	34			
23	-	-			
	2	46			

B. made

W.D. VI. 486

6 JAN 20

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Teddington

in the County of Worcester

by Miss Staunton

Lat. .... Long. ....

Time of Observation 10 or a.m.

Nearest Railway Station Shipston on Stour

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level - ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. (–)

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	-	·23	-	25	-	-	-	·03	0·46	1
2	·32	-	·07	-	·10	-	·23	·20	-	23	-	·45	2
3	·12	-		·05	-	-	·40	-	·78	·06	·23	·16	3
4	1·12	-		-	-	·26	·06	-	29	-	·11	·10	4
5	-	-	2·0	-	·03	-	13	-	62	-	·05	-	5
6	-	0·29	-	-	-	-	-	-	28	-	-	26	6
7	0·19	-	-	-	·39	-	-	-	-	-	-	·05	7
8	-	-	0·35	·25	-	-	-	-	-	-	-	-	8
9	-	-	·05	·08	-	-	-	-	-	-	-	-	9
10	-	-	-	-	-	-	-	-	-	-	·10	·17	10
11	0·10	-	73	-	-	-	-	-	-	-	-	-	11
12	-	-		·02	-	-	45	-	-	-	-	·04	12
13	-	-	·20	·02	-	16	-	-	·05	·21	·10	·08	13
14	-	-	-	·28	-	-	-	-	-	·15	-	·5	14
15	0·48	-	13	22	-	-	·13	-	-	·09	-	-	15
16	·30	-	13	27	-	-	-	-	-	·02	-	-	16
17			-	-	-	-	-	·09	-	-	·14	-	17
18	·21	1·53		-	-	-	-	·11	-	-	·09	-	18
19	-	-		-	-	-	-	·05	-	-	-	·53	19
20	-	·27	1·4[illegible]	-	-	-	1·38	·67	16	-	-	-	20
21	-	·04	·16	-	-	·07	·10	17	-	-	13	·10	21
22	-	·60	·02	-	-	-	27	-	10	-	-	·06	22
23	-	·09	-	-	-	-	-	-	17	-	-	·41	23
24	-	-	-	-	-	0·15	-	·08	12	-	·07	·04	24
25	-	-	-	-	-	-	-	-	-	1·26	-	·09	25
26	-	-	-	-	·03	·04	-	·26	-	-	-	-	26
27	Snow	-	-	Snow	-	-	-	·05	-	-	-	-	27
28	-	-	·25	1·10	-	-	-	·70	-	-	-	-	28
29	-	-	·08	·04	-	-	-	-	·09	-	-	29	29
30	-	X	-	·02	-	-	-	10	-	0·17	-	-	30
31	·44	X	-	X	-	X	-	-	X	·28	X	1·58	31
		-	-	·23	-	·25	-	-	-	·03	·46	-	
Total	3·28	2·82	5·65	~~2·35~~ 2·58	~~1·78~~ ·55	~~0·68~~ ·93	~~3·40~~ 3·15	2·48	2·66	~~2·47~~ 2·50	~~1·[illegible]~~ 1·48	~~3·92~~ 3·46	Year's Total 31·54
Days with ·01 in. or more													

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Form A. copy WD

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

10 JAN

Kept at Tidmington House
in the County of Worcestershire
by Mrs C Staunton

Lat. Long.
Time of Observation 10 o'c am
Nearest Railway Station Shipston on Stour
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 14 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0·02

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·10			··4		·12			·54	·66		1
2				·23	·28		·29		·3	·12		·39	2
3				·10			·13		·4	·16		12	3
4	·08				··2	·4	·94	·31	·5	·25			4
5			·11	·33	·1		·55		·3	·19			5
6			·14	··4	·12		·25	·2	·5	1·10			6
7			·20		15		··2	·7		··3		··3	7
8	·18			·16	4		·10						8
9		·11	·03	1·40			·13			··3			9
10	·22	··2		·32				2					10
11	·76		··3	·10		·43	··9						11
12				·23	·40	·11							12
13	·04	··3				·52		·30					13
14			·30										14
15			1·0			·17			·34				15
16		··8	·5	·10		12	·7		··2		·25		16
17				··6	·12	30			·31				17
18					·10				·25			·8	18
19	·25			··3				·24	·50	·23			19
20		·52 Snow	·72	·31		37	·8	··6	··5				20
21	·09			·32					·3				21
22				··2				··4	·3				22
23							·4	·21	·3	··2		·57	23
24							·10	··3				·18	24
25			·26										25
26	··2	·13	·23	··3			·34						26
27	·24		·16	··4	1·70							·11	27
28	·68	··8		·32		·41	·10					·41	28
29	·59		··9		··44								29
30	·27	X	·10	··2		··6	·14				·12	52	30
31	·10	X	·5	X	··7	X			X	·08	X	30.68	31
	·10	-		·04	-	·12	-	-	·54	·66	-	·02	
Total	~~3·42~~ 3·52	~~1·07~~ ·97	3·47	~~4·16~~ 4·20	~~3·49~~ 3·45	~~2·53~~ 2·65	~~3·49~~ 3·37	1·30	~~1·74~~ 2·28	~~2·65~~ 2·77	~~1·03~~ ·37	~~2·31~~ 2·33	Year's Total ~~30·66~~
Days with ·01 in. or more	13 12	7 8	15	20 19	12 13	11 10	16 17	10	15 14	12 11	2 3	10 9	143
Days with ·04 in. or more	12 11	5 6	13	16 15	10 11	11 10	15 16	7	9 8	9 8	2 3	8	116

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp,132. A.&E.W.

WORCESTER.
— SHIPSTON
TALTON.
1911 – 1919

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

REGIST 11.

Kept at Talton, near Stra 8 in.
ve Ground 1 ft. – in.
in the County of Worceste Sea Level 160 ft.
a.m.
by Capt: G. Lainson Name Ettington
Distance 3m Direction NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02		·70					·01			·03		1
2	·02			·10	·16		·11	·02		·30	·07	·04	2
3						·08		·18	·02	·01	·01		3
4			·12							·04	·30	·23	4
5			·20					·13	·08	·01	·04		5
6			·20								·03	·48	6
7											·11		7
8			·70								·05	·16	8
9			·20								·05	·18	9
10		·12	·22		·01			·13				·21	10
11	·13										·40		11
12			·51		·08				·06		·19	·06	12
13					·08				·44	·10	·04	·35	13
14			·03									·35	14
15		·02	·05								·07		15
16						·15					·27	·09	16
17			·07								·05	·17	17
18		·25		·07						·03		·15	18
19		·11				·43			·04	·18	·15	·05	19
20		·15	·02							·01		·40	20
21			·02					·15		·22		·06	21
22		·70	·02			·24		·42		·03		·31	22
23			·25	·05		·11			·18			·10	23
24			·02	·16	·16	·07				·50		·11	24
25		·12	·02					·09		·13		·10	25
26		·07								·15	·14	·09	26
27		·13	·10	·10				·07	·19		·09	·18	27
28		·19		·13		·04		·34			·04		28
29				·10	·06	·24	·13	·02	·20	·13			29
30			·02	·03		·06		·01		·08			30
31								·25		·03			31
Total	·17	1·86	3·47	·74	·55	1·42	·24	1·82	1·21	1·95	2·13	3·87	TOTAL for year 19·43
No. of Rain Days.	3	10	19	8	6	9	2	13	8	16	19	21	134

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

REGIST 11.

Kept at Talton, near Stratford on Avon

in the County of Worcester 3

by Capt. G. Lainson Field

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 160 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Ettington
Distance 3 m. Direction NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02		·70					·01			·03		1
2	·02			·10	·16		·11	·02		·30	·07	·04	2
3						·08		·18	·02	·01	·01		3
4			·12							·04	·30	·23	4
5			·20					·13	·08	·01	·04		5
6			·20								·03	·48	6
7											·11		7
8			·70								·05	·16	8
9			·20								·05	·18	9
10		·12	·22		·01			·13				·21	10
11	·13										·40		11
12			·51		·08				·06		·19	·06	12
13					·08				·44	·10	·04	·35	13
14			·03									·35	14
15		·02	·05								·07		15
16						·15					·27	·09	16
17			·07								·05	·17	17
18		·25		·07						·03		·15	18
19		·11				·43			·04	·18	·15	·05	19
20		·15	·02							·01		·40	20
21			·02					·15		·22		·06	21
22		·70	·02			·24		·42		·03		·31	22
23			·25	·05		·11			·18			·10	23
24			·02	·16	·16	·07				·50		·11	24
25		·12	·02					·09		·13		·10	25
26		·07								·15	·14	·09	26
27		·13	·10	·10				·07	·19		·09	·18	27
28		·19		·13		·04		·34			·04		28
29				·10	·06	·24	·13	·02	·20	·13			29
30			·02	·03		·06		·01		·08			30
31								·25		·03			31
Total	·17	1·86	3·47	·74	·55	1·42	·24	1·82	1·21	1·95	2·13	3·87	TOTAL for year 19·43
No. of Rain Days.	3	10	19	8	6	9	2	13	8	16	19	21	134

W. 8,000, X. '11.

REGISTER Ex ds OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL. 4 JAN 1913

Kept at Talton nr Stratford on Avon

in the County of Worcester 3

by Capt: G. Lainson Field

Lat. 52° 7' 17" N Long. 1° 39' 0" W.

Time of Observation 9 a.m.

Nearest Railway Station Ettington

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·03			·16	·20	·02	·05	·10		·04	1
2		·02	·11	·04		·20	·53						2
3	·05				·09	·04	·14	·42			·02	·09	3
4	·15		·70		·22	·60		·10			·22		4
5	·25	·12	·30		·11	·03		·38	·01				5
6	·12	·06				·09		·39				·10	6
7		·10	·05		·05	·69	·01	·08				·04	7
8	·29	·03	·22	·03		·02	·30	·06	·06			·07	8
9			·11	·03		·25		·06				·12	9
10	·07	·06				·08		·16			·15		10
11	·07	·58				·03		·14			·08	·36	11
12	·05		·14		·03		·09				·02		12
13						·02	·03	·04					13
14	·03	·06	·40		·07			·24					14
15	·09		·10		·27	·22		·02				·14	15
16	·30		·08		·05	·03		·05		·04	·08		16
17	·87		·09			·05		·25			·03	·40	17
18	·24		·16		·02			·10					18
19	·14	·04	·03		·02		·13	·15					19
20	·03		·38		·03	·11	·21	·15		·28	·02		20
21			·36		·60			·74		·20			21
22	·44	·06	·06		·65	·23	·60	·14					22
23	·15	·38	·28			·20	·33	·20			·04	·35	23
24						·15	·03	·24				·10	24
25	·03					·59		·44			·27	·24	25
26			·03				·27	·84		·35	·19	·17	26
27						·10	·10			·42		·15	27
28		·07				·17	·18	·48	·03	·27	·20	·50	28
29		·03				·22	·32		·40	·10	·03		29
30					·05	·02	·05		·06	·13			30
31			·10		·26		·46	·10				·02	31
Total	3·37	1·61	3·73	·10	2·52	4·30	3·98	5·99	·61	1·89	1·35	2·89	YEAR'S TOTAL 32·34
Rain Days.	18	13	20	3	15	24	18	26	6	9	13	16	181

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.

6 - JAN 1914

REGISTER OF RAINFALL IN 1913.

Kept at TALTON, Nr. Stratford on Avon.

in the County of Worcester 3

by Capt: G. Lainson Field

Lat. 52° 7' 17" N Long. 1° 39' 0" W

Time of Observation 9. a. m

Nearest Railway Station Ettington

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·06	·09	·11	·20				·87		·06		1
2		·19	·02						·14	·43	·05		2
3	·05		·11		·70							·09	3
4	·60				·23	·05	·04			·04	·02	·37	4
5						·12	·08		·02	·34	·04	·03	5
6		·12	·06		·25	·11	·57			·13		·19	6
7		·11			·13	·02	·05			·23	·09		7
8					·12					·29			8
9		·20			·05	·14	·32		·16		·03	·03	9
10				·05	·12			·03			·27		10
11	·49			·33				·29		·05	·39		11
12					·09				·02		·60		12
13	·11	·02						·02	·19		·27		13
14	·07		·39	·02			·09	·10		·10			14
15		·16	·35	·22			·46		·13		·05		15
16	·13		·75	·09					·02		·03		16
17	·07	·04	·03	·18		·08	·13		·06				17
18			·10	·09	·04		·06						18
19	·17		·12		·02	·03	·06		·06			·01	19
20	·28		·05	·03						·16	·04		20
21			·10	·04	·10		·20				·35		21
22	·45		·23					·04	·36				22
23			·02			·03		·04	·03			·02	23
24								·04					24
25		·02		·12						·04			25
26		·08	·03	·22				·11		·13		·17	26
27				·12	·02								27
28	·32		·18	·35						·14		·02	28
29	·03		·22	·56				·06				·04	29
30	·23									·16	·12		30
31			·05		·05								31
Total	3·02	1·00	2·90	2·53	2·12	·58	2·06	·73	2·06	2·24	2·41	·97	YEAR'S TOTAL 22·62
Rain Days	14	10	18	15	14	8	11	9	12	13	15	10	149

W.7,000, XI. 13

Ex DL

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Talton, Nr. Stratford on Avon.

in the County of Worcester 3

by Capt. G. Lainson Field.

Lat. 52° 7' 17" Long. 1° 39' 0"

Time of Observation 9. a.m.

Nearest Railway Station Ettington

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·08			·18	·13			·05	·12	1
2			·02				·20				·82	·34	2
3			·07	·01	·11		·45	·23				·02	3
4	·20	·05	·05	·13							·36	·21	4
5		·11	·10	·05	·16	·03	·26				·05		5
6	·02				·03	·07	·13				·26	·06	6
7			·22	·02	·11		·05	·07				·05	7
8		·02	·18		·07	·90		·11				·10	8
9	·17		·26	·30	·03	1·38		·06	·06				9
10	·05	·18	·02	·09	·05				·30				10
11		·12	·22	·09	·18	·42	·05				·28	·34	11
12		·04	·14				·20		·33		·03	·21	12
13		·08	·28						·06	·04	·10	·34	13
14		·05	·04							·40	·07	·04	14
15		·02	·12					·03		·05	·05	·05	15
16			·06						·01				16
17		·18	·05									·17	17
18			·01				·10		·02			·43	18
19			·10			·10	·70		·02		·05		19
20		·15	·19			·02						·17	20
21		·22	·05					·14		·11	·03	·32	21
22			·02	·05	·12			·07		·13			22
23		·02	·10		·11		·07			·09			23
24	·01		·10		·37		·08			·25			24
25	·17		·05					·07		·29	·05	·23	25
26			·15				·05			·06	·15	·40	26
27	·06		·02								·04	·07	27
28		·08	·03		·30					·05	·03	1·45	28
29			·03		·02					·25	·12	—	29
30		X				·02				·05	·34	·34	30
31		X		X		X	·30		X		X		31
Total	·68	1·32	2·68	·82	1·66	2·94	2·82	·91	·80	1·77	2·88	5·46	YEAR'S TOTAL 24·74
Rain Days.	7	14	27	9	13	8	14	9	7	12	18	21	159

W. 8,000. X. 14.

2531

FORM A.
BRITISH RAINFALL.
JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at TALTON HOUSE,
NEAR
in the County of STRATFORD ON AVON
Worcester
by Capt. G. Lainson Field, late 17th Regt.

Lat. 52° 7′ 17″ Long. 1° 39′ 4″ W.
Time of Observation 9 a.m.
Nearest Railway Station Ettington
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·20	·12	·05						·03	·16	·02	·05	1
2	·13		·30	·07				·20		·40		·07	2
3	·84		·03	·07	·05		·13	·17				·18	3
4							·25	·03				·45	4
5		·35			·06		·02	·07				·22	5
6	·30	·22		·12			·61					·08	6
7	·05	·32			·10	·26	·12	·02				·26	7
8	·06	·15		·03			·03	·04			·04		8
9	·08			·12				·03			·13	·39	9
10	·15	·03		·02				·12					10
11	·03		·03	·09	·06						·85		11
12	·04	·12		·26	·38					·07	·87	·09	12
13		·32			·98								13
14							·05	·15	·07	·02		·24	14
15	·25			·04	·06		·01	·01		·06	·14	·11	15
16		·30			·08		·50	·01				·03	16
17		·15			·38							·02	17
18	·02	·25	·03										18
19		·05					·10						19
20	·23						·05					·10	20
21	·10	·09					·08			·08		·09	21
22	·15	·03	·19				·13				·02	·07	22
23	·02	·12		·06			·20		·02	·47		·30	23
24			·12				·06		·43	·30		·05	24
25			·02			·60	·07			·04		·25	25
26		·02					·03					·30	26
27		·10				·06	·10			·43			27
28		·08				·05		·10	·09		·05		28
29	·04					·03	·34	·06				·03	29
30		X		·11		·08	·06			·11	·20	·07	30
31	·15	X		X		X	·02	·03	X	·62	X	·11	31
Total	2·84	2·82	·77	·99	2,15	1·08	2·96	1·04	·64	2·76	2·32	3·56	YEAR'S TOTAL 23·93
Rain Days.	18	18	8	11	9	6	21	14	5	12	9	23	154.

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
13. JAN 1917

Kept at **TALTON, nr. STRATFORD-ON-AVON.**
in the County of Worster
by Capt. **G. LAINSON FIELD.**

Lat. 52°7′17″ Long. 1°39′4″ W.
Time of Observation 9 a.m.
Nearest Railway Station Stratford on Avon
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05		·01		·01	·04	·13			·13	·15		1
2	·17		·03		·21	·01				·45	·03		2
3	·01	·48			·01				·03	·26	·03		3
4	·24	·02		·09	·30	·18	·04		·03	·01	·28		4
5	·03				·22	·08	·10			·03	·20		5
6	·05	·13	·06	·07	·12	·13	·35			·04	·48		6
7	·01		·07		·01	·01	·06			·12	·41	·14	7
8	·01		·01		·17							·15	8
9	·01		·03		·17	·19						·02	9
10		·23	·05	·07		·04			·01	·01		·01	10
11	·01	·07	·06	·06	·10	·36			·03			·41	11
12	·03	·01	·07	·04	·34		·18	·02		·15			12
13		·21	·18	·03			·34	·13			·01		13
14		·35	·01		·01					·01			14
15		·13	·58	·01	·08		·08	·22		·05			15
16	·01		·22	·15	·11		·05	·17		·01			16
17		·16		·11			·01	·23	·31	·35			17
18	·01	·03	·01	·06				·22	·04	·02	·68	·08	18
19		·01	·14	·19					·07		·25		19
20	·02		·36	·01				·01			·08	·31	20
21	·01		·38		·10		·17					·59	21
22					·02					·03		·53	22
23	·01	·20		·01				·05		·07	·06	·22	23
24		·20			·06	·66		·05		·17	·01	·15	24
25		·12	·11					·23	·27	·01	·20		25
26		·03	·06			·17		·03		·12			26
27	·02	·08	·81			·38	·05	·15		·20			27
28		·36	·02			·01			·02	·04		·11	28
29		·07				·19		1·08		·26	·01	·08	29
30		×			·01	·07				·16			30
31		×		×		×			×	·12	×	·09	31
Total	·70	2·89	3·27	·90	2·05	2·52	1·56	2·59	·81	2·82	2·88	2·89	YEAR'S TOTAL 25·88
Rain Days.	17	19	21	13	18	15	12	13	9	24	15	14	190

W. 8,000, VIII. 16

BRITISH RAINFALL FORM A.
25. JAN 1918

REGISTER OF RAINFALL IN 1917.

Kept at TALTON nr. Stratford on Avon
in the County of Worcester.
by Capt: G. Lainson Field, J.P.

Lat. 52°7′17″ Long. 1°39′4″
Time of Observation 9 a.m.
Nearest Railway Station Ettington. S. on A. more convenient
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01	·02				·84	·14			·07	1
2						·12		·03		·02	·01		2
3				·18				·16		·23			3
4		·07	·14					·11		·31			4
5	·16		·02	·12					·09	·13	·12		5
6			·34			·07				·06	·10		6
7	·24						·02	·01		·29	·02		7
8	·40			·12			·40	·32	·01	·25	·08	·18	8
9	·02		·08	·06	·25		·01	·14	·02	·01	·15		9
10	·20		·14	·16	·41			·04					10
11	·16		·12	·30				·09	·15	·13			11
12	·09	·01	·01	·02	·08					·20	·01		12
13			·02					·22	·03				13
14	·01		·01	·06						·02			14
15	·01									·01		·06	15
16	·04	·15		·07	·01	·06	·04			·04		·62	16
17		·01		·05	·71	·16	·30	·01	·06				17
18		·01		·01	·03	·01	·08	·08	·01	·01			18
19	·01	·26	·21			·10			·01				19
20	·02	·17			·45	·06	·18		·07		·03		20
21	·02	·02	·10		·02	·32				·01	·03		21
22			·07			·02		·01		·12			22
23		·11			·03			·06		·11		·01	23
24		·02	·01			·06		·04		·18	·05	·01	24
25		·08	·03							·02	·01		25
26						·02		·23	·06		·17		26
27					·52	·01		·46					27
28			·19			·50		·11				·02	28
29			·04			·15	·11	·06		·37		·28	29
30	·02	X	·01				·41	·33		·01			30
31		X	·08	X		X	·02	·03	X		X	·04	31
Total	1·40	·91	1·63	1·17	2·51	1·66	1·57	3·38	1·65	2·53	·78	1·29	YEAR'S TOTAL 20·48
Rain Days.	14	11	19	12	10	14	10	21	11	21	12	9	164

W. 8,000, IX. 17.

6

C& 913

REGISTER OF RAINFALL IN 1918.

FORM A.
BRITISH RAINFALL.

9. 1. 19

Kept at Talton wr. Stratford on Avon
in the County of Worcester
by Capt: G. Lainson Field, J.P.

Lat. 52° 7' 17" N Long. 1° 39' 4" W
Time of Observation 9 a.m.
Nearest Railway Station Ettington
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·03	·01	·12	·02					·01	·29		1
2		·02		·02				·06		·01	·03	·09	2
3		·05	·01	·03	·13			·06	·49		·13		3
4		·01	·02						·16		·60	·03	4
5		·12		·01	·29			·03	·34				5
6		·07		·08		·01			·02	·09		·01	6
7	·01	·02		·04	·10	·01			·08	·01	·18		7
8	·02								·17	·12		·09	8
9	·01	·03		·09		·25	·12		·31	·42			9
10	·05			·15			·18		·05	·17		·24	10
11				·02	·01				·05	·10	·06	·06	11
12	·02	·01	·10		·10		·12		·02	·02	·02		12
13				·01			·01		·04	·04		·10	13
14	·15		·01				·22		·40	·05		·04	14
15	1·13			·54			·15		·06	·02		·20	15
16	·14			·89		·01			·06			·04	16
17	·09			·04			·26		·01	·02		·07	17
18	·35					·31	·07		·91			·57	18
19	·01	·04	·10	·07			·03			·09		·08	19
20		·07		·43		·02	·73		·04	·03			20
21	·08			·47			·03		·36	·01		·02	21
22	·16			·01	·45		·08		·02	·24		·24	22
23	·03				·55				·22			·02	23
24		·14							·02		·16		24
25							·18	·18		·03	·06		25
26							1·00	·06		·03	·08	·14	26
27		·01					·24	·28	·02		·15	·10	27
28		·22	·22					·03			·09	·05	28
29		X	·04						1·21			·05	29
30		X	·21						·01			·11	30
31		X	·22	X		X		·03	X		X		31
Total	2·25	·84	·94	3·02	1·65	·61	3·42	·73	5·07	1·51	1·85	2·35	YEAR'S TOTAL 24·24
Rain Days.	14	14	10	17	8	6	15	8	24	19	12	21	168.

W. 6,500, VII. 18. W W C

2202

FORM W.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1919

Kept at Tatton nr. Stratford on Avon.

in the County of Worcester

by Capt. G. Lainson Field, J.P.

RAIN GAUGE
Lat. 52°7'17" Long 1 39 4 Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 4 in.
" " " Sea Level 160 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Ettington
Distance 3 Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·21	·02	·07		·09	·48	·18			·17	·01	·49	1
2	·11		·02		·21		·41		·22	·03	·26	·02	2
3	1·11		·10		·03	·14	·05		·23		·20	·13	3
4	·08		·52			·12	·07	·06	·09		·06	·26	4
5	·02	·24	·33						·25			·09	5
6	·01		·18		·29							·13	6
7	·03		·04		·12						·06		7
8	·07		·29	·30									8
9	·08		·03	·03									9
10	·02		·35	·02						·02		·10	10
11	·02		·30	·01			·32						11
12	·03		·02			·08				·15	·05		12
13	·09			·11						·14		·03	13
14	·40			·17			·10		·04	·03		·02	14
15	·19	·06	·06	·17						·05	·02	·37	15
16	·08	·92						·01			·05	·01	16
17	·01	·46			·02						·10		17
18			·39	·01				·13			·01	·15	18
19	·06	·22	1·08			·06	1·39	·30	·07		·05		19
20	·41	·04	·43				·29	·29	·16		·08	·01	20
21	·01	·36	·03			·03	·28	·01				·21	21
22		·18					·05		·42			·46	22
23		·04				·03		·09		·66		·03	23
24		·29					·01				·07	·11	24
25	·11	·03		·05	·03	·03		·25				·03	25
26	·06		·18	·08				·04	·12			·23	26
27	·26		·08	·78				·29				·08	27
28	·01							·53			·12	·25	28
29	·03	X		·02				03		·15	·10	·24	29
30		X		·19		22		·06			·02	·23	30
31	·01	X	·01	X		X			X	·03	X	·01	31
Total	3·52	2·86	4·51	1·94	·79	1·19	3·15	2·09	1·60	1·43	1·26	3·69	TOTAL for year 28·03
No. of Rain Days	26	12	20	13	7	9	11	13	9	10	16	24	170

7,000. X. '09.

8L/

REGIS 911

WORCESTER.

SPARKHILL,
BIRMINGHAM.
1911 – 1913

FORM A2.
BRITISH RAINFALL.

26 JAN 1912

Kept at Sparkhill,
in the County of Worcester
by D. H. Owen

p 5 in.
bove Ground 1 ft. in.
„ Sea Level 426 ft.

Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02		·01					·02			·01	·01	1
2				·02	·21		·02	·02		·15	·04	·04	2
3					·30			·04			·02	·02	3
4	·01		·11	·03				·03	·08	·15	·22	·20	4
5			·01					·01		·02	·01		5
6	·59		·06					·01			·02	·31	6
7	·01										·23	·11	7
8	·13		·14								·01	·40	8
9	·07		·07	·01							·41	·02	9
10	·01	·12	·35					·08			·04	·56	10
11	·20										·34		11
12			·49						·05		·33		12
13			·07						·09		·02	·34	13
14		·05										·94	14
15		·04	·01								·10	·06	15
16						·08					·09	·10	16
17			·05			·13					·20	·35	17
18		·36				·15				·03	·01	·36	18
19		·02				·31			·28	·24	·14	·02	19
20		·05						·53	·10	·14		·31	20
21		·24	·05	·01				·17		·40		·16	21
22			·03	·01		·07		·12		·17		·39	22
23		·15	·29			·09			·30	·06		·18	23
24		·06		·01		·37		·05		·27		·14	24
25		·03		·07	·18	·05		·04				·06	25
26				·30	·01		·04			·23	·21	·13	26
27		·28	·10	·17	·07			·65	·25		·07	·10	27
28		·26		·28							·08	·04	28
29				·01		·13	·13		·30	·16	·01	·01	29
30						·06		·30	·01	·14		·01	30
31			·11							·04			31
Total	1·04	1·66	1·95	·92	·77	1·44	·19	2·07	1·46	2·20	2·61	5·37	TOTAL for year 21·68
No. of Rain Days	8	12	16	11	5	10	3	14	9	14	22	27	151

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

REGIS 11

Kept at *Sparkhill, Birmingham* 5

in the County of *Worcestershire*

by *D. H. Owen*

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 426 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02		·01					·02			·01	·01	1
2				·02	·21		·02	·02		·15	·04	·04	2
3					·30			·04			·02	·02	3
4	·01		·11	·03				·03	·08	·15	·22	·20	4
5			·01					·01		·02	·01		5
6	·59		·06					·01			·02	·31	6
7	·01										·23	·11	7
8	·13		·14								·01	·40	8
9	·07		·07	·01							·41	·02	9
10	·01	·12	·35					·08			·04	·56	10
11	·20										·34		11
12			·49						·05		·33		12
13			·07						·09		·02	·34	13
14		·05										·94	14
15		·04	·01								·10	·06	15
16						·08					·09	·10	16
17			·05			·13					·20	·35	17
18		·36				·15				·03	·01	·36	18
19		·02				·31			·28	·24	·14	·02	19
20		·05						·53	·10	·14		·31	20
21		·24	·05	·01				·17		·40		·16	21
22			·03	·01		·07		·12		·17		·39	22
23		·15	·29			·09			·30	·06		·18	23
24		·06		·01		·37		·05		·27		·14	24
25		·03		·07	·18	·05		·04				·06	25
26				·30	·01		·04			·23	·21	·13	26
27		·28	·10	·17	·07			·65	·25		·07	·10	27
28		·26		·28							·08	·04	28
29				·01		·13	·13		·30	·16	·01	·01	29
30						·06		·30	·01	·14		·01	30
31			·11							·04			31
Total	1·04	1·66	1·95	·92	·77	1·44	·19	2·07	1·46	2·20	2·61	5·37	TOTAL for year 21·68
No. of Rain Days	8	12	16	11	5	10	3	14	9	14	22	27	151

9,000, IX. '10.

JL   Esc JC.   385

FORM A2. BRITISH RAINFALL.

25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Sparkhill, Birmingham

in the County of Worcestershire   5

by D. H. Owen

Rain Gauge
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·01	·06			·21	·19		·01			·10	1
2		·01	·10	·03	·02	·16	·65	·01				·01	2
3	·05		·03		·03	·09	·27	·85	·01			·05	3
4	·15		·62		·21	1·01		·12			·25		4
5	·07	·06	·35		·04	·18		·24	·06		·01		5
6	·43	·19			·01	·22		·15	·03			·12	6
7		·16			·07	·20		·09				·03	7
8	·35	·21	·28	·03		·05	·21	·19	·10			·05	8
9	·03	·03	·39	·13		·15		·10				·30	9
10			·01			·31		·19	·01		·28		10
11	·12	·01				·08	·02				·02	·54	11
12	·04	·44	·18		·11	·10					·03	·01	12
13	·01	·03					·02				·01		13
14	·11		·46			·05		·07					14
15	·14	·03	·21		·36	·25		·01				·11	15
16	·47		·20		·08	·11		·11		·07			16
17	·86		·36			·13		·56			·06	·45	17
18	·36		·03					·16		·03	·01		18
19	·17	·05	·03		·01		·29	·60		·04	·01		19
20	·05		·11		·01		·13	·04		·21			20
21	·01		·37		·87			·48		·42			21
22	·23	·12			·65	·16	·29	·16		·03		·11	22
23	·23	·10	·26		·01	·08	·54	·53			·07	·08	23
24	·22	·01	·01			·21	·02	·07			·01	·30	24
25						·80		·18		·01	·21	·15	25
26		·06	·04			·01	·53	·78		·58	·35	·47	26
27						·18	·32			·95	·01	·18	27
28		·08				·03	·12	·63	·07	·20	·57	·45	28
29		·04				·16	·27	·04	·44	·15	·06	·03	29
30					·14	·23			·01	·05			30
31	·01		·13		·13		·52	·07		·01		·09	31
Total	4·11	1·64	4·23	·19	2·75	5·16	4·39	6·43	·74	2·75	1·96	3·63	TOTAL for year 37·98
No. of Rain Days.	21	18	21	3	16	25	16	25	9	13	16	20	203

W. 8,000, X. '11.

82 ✓

FORM A. BRITISH RAINFALL.

28 JAN 1914

396

REGISTER OF RAINFALL IN 1913

Geog 885

Kept at Sparkhill, Birmingham

in the County of Worcestershire

by D. H. Owen

5

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01		·17	·11					·49		·03	·01	1
2	·01	·09	·02	·07					·02	·33	·05	—	2
3	·06		·20		·69				·02	·03	—	·04	3
4	·86	·01			·35		·02		·02	·02	·03	·44	4
5	·09	·05				·11	·12		·02	·91	·07	·15	5
6	·03	·05	·13		·22	·30	·84					·14	6
7		·18			·15	·03	·15			·42	·04	·01	7
8		·02	·02	—	·12	·15				·75	·07		8
9		·33	·04	·01	·15	·38	·27	·11	·12		·09	·07	9
10	·01			·15	·04			·08	—		·22		10
11	1·03	·01	·01	·35		·04		·10		·17	·77		11
12					·10						·59		12
13	·04		·08	·02					·23		·20		13
14	·15		·68	·03			—	·10	·04	·11	·07		14
15	·05	·10	·78	·40			—	·01	·08		·05	·01	15
16	·03		·68	·14					·01		·01		16
17	·04	·04	·10	·11		·11	·02		·12		·01	·01	17
18	·01		·11	·09	·04						·03		18
19	·14		·11	·03	·01		·08		·15				19
20	·17		·20	·09		·01				·01	·17		20
21	·01		·21	·02	·07		·06	·02			·28		21
22	·52		·82					·14	·40		·02		22
23	·04		·06			·14		·05	·07		·01		23
24	·09			·02				·01					24
25				·05	—				·03	·01			25
26		·09	·02	·63	·05			·15	·01	·07		·32	26
27		·02		·35						·02		·01	27
28	·43		·15	·42	·01			—		·23		·06	28
29	·01		·40	·60	·04			·07		·03		·07	29
30	·33							·01		·35	·13		30
31			·07		·01			·05		·01			31
Total	4·16	·99	5·06	3·69	2·05	1·27	1·56	·90	1·83	3·47	2·94	1·34	YEAR'S TOTAL 29·26
Rain Days.	23	12	22	20	15	9	8	13	16	16	21	13	188

W. 7,500, XI. ·12

writ here
W.D. refer 10 III 13 J.L.
cont for meta

RE

FORM A.
BRITISH RAINFALL.

3 - JAN 1913

—
STOCKTON ON TEME

WORCESTER

1912 – 1920

Kept at Eardiston … m.
…nham Bridge C. W.

in the County of Wor… … 5 in.

… Ground ft. 16 in.

by Miss Margare… … Sea Level 200 ft.

IMPORTANT N… …he result entered to the previous day. If an… …sal rule, he is earnestly requested to add the … in the space provided for it at the end of … …nt of rain, the selection and plac… …sh Rainfall Organization are given … …plication to Dr. H. R. Mill, 62, …

Jan. 1, following. ·04

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	0	0	1	5	0	29	49	45	6	0	3	0	1
2	0	0	10	0	0	57	8	2	2	0	0	12	2
3	0	2	15	0	3	36	13	0	0	0	0	0	3
4	0	0	4	0	21	17	11	80	2	0	0	4	4
5	12	0	60	0	23	43	0	28	0	0	23	0	5
6	7	12	21	0	7	7	0	38	0	0	0	0	6
7	38	10	9	0	0	29	0	104	3	0	0	5	7
8	3	23	0	0	5	36	0	25	0	0	0	0	8
9	0	18	30	1	0	3	10	72	12	0	0	0	9
10	17	24	57	1	0	41	0	28	0	0	0	31	10
11	2	1	2	1	0	5	0	12	0	0	15	0	11
12	0	4	0	0	0	0	0	0	0	0	29	46	12
13	4	23	10	1	9	0	3	0	0	0	6	2	13
14	10	0	0	0	0	0	0	5	0	0	0	0	14
15	38	0	52	0	0	5	0	11	1	0	0	0	15
16	0	8	18	0	60	27	0	0	0	0	0	14	16
17	58	0	9	0	4	5	0	6	0	6	0	0	17
18	121	0	7	0	0	3	0	32	0	0	6	34	18
19	19	0	1	0	0	0	0	4	0	0	0	2	19
20	10	1	8	0	2	0	12	24	0	1	0	3	20
21	4	3	22	0	0	0	17	2	0	20	0	0	21
22	1	2	33	0	72	0	3	43	0	30	0	0	22
23	32	15	0	0	85	1	16	12	0	2	4	10	23
24	29	0	35	0	0	1	48	21	0	0	0	0	24
25	18	0	2	0	0	17	2	8	0	0	27	19	25
26	0	0	0	0	0	19	0	48	0	0	37	21	26
27	0	10	5	0	0	3	43	1.16	0	70	0	60	27
28	0	3	0	0	0	43	55	0	0	78	49	21	28
29	0	7	0	0	0	5	16	52	17	33	4	38	29
30	0		2	0	1	64	21	2	60	6		2	30
31	0		2		0		1	0		26		0	31
	-	.01	.65	-	.29	.49	.45	.06	-	.03	-	.04	YEAR'S TOTAL
Total	~~4.23~~	~~1.66~~	~~4.15~~	~~9~~	~~2.92~~	~~4.96~~	~~3.28~~	~~8.20~~	~~1.03~~	~~2.72~~	~~1.97~~	~~3.24~~	~~39.39~~
	4.23	1.67	4.19	.04	3.21	5.16	3.24	7.81	.97	2.75	1.94	3.28	38.49
Rain-Days.	18	18	24	4	13	23	17	23	8	10	9	11	186

W. 7,500, XI. ·12

Wrote re
W.D. refer 10 III 13 7L.

RE

FORM A.
BRITISH RAINFALL.

3 - JAN 1914

Kept at Eardiston

in the County of Worcester

by Miss Margaret Wallace

Time of Observation 9. a.m.
Nearest Railway Station Newnham Bridge G.W.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 16 in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·04

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0	0	1	5	0	29	49	45	6	0	3	0	1
2	0	0	10	0	0	57	8	2	2	0	0	12	2
3	0	2	15	0	3	36	13	0	0	0	0	0	3
4	0	0	4	0	21	17	11	80	2	0	0	4	4
5	12	0	60	0	23	43	0	28	0	0	23	0	5
6	7	12	21	0	7	7	0	38	0	0	0	0	6
7	38	10	9	0	0	29	0	104	3	0	0	5	7
8	3	23	0	0	5	36	0	25	0	0	0	0	8
9	0	18	30	1	0	3	10	72	12	0	0	0	9
10	17	24	57	1	0	41	0	28	0	0	0	31	10
11	2	1	2	1	0	5	0	12	0	0	15	0	11
12	0	4	0	0	0	0	0	0	0	0	29	46	12
13	4	23	10	1	9	0	3	0	0	0	6	2	13
14	10	0	0	0	0	0	0	5	0	0	0	0	14
15	38	0	52	0	0	5	0	11	1	0	0	0	15
16	0	8	18	0	60	27	0	0	0	0	0	14	16
17	58	0	9	0	4	5	0	6	0	6	0	0	17
18	121	0	7	0	0	3	0	32	0	0	6	34	18
19	19	0	1	0	0	0	0	4	0	0	0	2	19
20	10	1	8	0	2	0	12	24	0	1	0	3	20
21	4	3	22	0	0	0	17	2	0	20	0	0	21
22	1	2	33	0	72	0	3	43	0	30	0	0	22
23	32	15	0	0	85	1	16	12	0	2	4	10	23
24	29	0	35	0	0	1	48	21	0	0	0	0	24
25	18	0	2	0	0	17	2	8	0	0	27	19	25
26	0	0	0	0	0	19	0	48	0	0	37	21	26
27	0	10	5	0	0	3	43	1.16	0	70	0	60	27
28	0	3	0	0	0	43	55	0	0	78	49	21	28
29	0	7	0	0	0	5	16	52	17	33	4	38	29
30	0		2	0	1	64	21	2	60	6		2	30
31	0		2		0		1	0		26		0	31
	-	·01	·05	-	·29	·49	·45	·06	-	·03	-	·04	YEAR'S TOTAL
Total	~~4.23~~	~~1.66~~	~~4.15~~	~~9~~	~~2.92~~	~~4.96~~	~~3.28~~	~~8.20~~	~~1.03~~	~~2.72~~	~~1.97~~	~~3.24~~	~~39.39~~
	4·23	1·67	4·19	·04	3·21	5·16	3·24	7·81	·97	2·75	1·94	3·28	38·49
Rain Days.	18	18	24	4	13	23	17	23	8	10	9	16	186

W. 7,500, XI. ·12

cnd by Rochford [illegible] for W.D. 31.III.14

REGISTER OF RAINFALL. IN 1913

FORM A.
BRITISH RAINFALL.

–6 [illegible] 19

W.D. 16

Kept at Eardiston nr Tenbury

in the County of Worcester

by Margaret Wallace (Miss)

Lat.

Long.

Time of Observation 9 a.m

Nearest Railway Station Newnham Bridge

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 8 in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0	5	0	29	0	0	0	0	4	0	1	27	1
2	1	2	14	3	0	0	0	0	48	0	3	0	2
3	0	20	3	9	0	0	0	0	1	42	14	0	3
4	2	2	9	0	61	0	0	0	4	12	0	7	4
5	92	1	0	0	25	0	0	0	3	35	8	20	5
6	13	6	0	0	5	20	14	0	0	63	4	4	6
7	2	4	20	0	29	16	35	0	0	28	1	30	7
8	0	30	0	0	17	2	10	0	0	87	23	3	8
9	2	9	0	0	37	15	1	7	0	18	0	0	9
10	0	38	3	0	13	20 21	3	43	13	0	10	0	10
11	0	0	0	15	17	0	0	5	0	7	3	0	11
12	68	0	0	37	0	0	0	0	0	3	53	0	12
13	0	0	0	0	22	0	0	0	0	0	41	0	13
14	0	0	13	0	0	0	2	0	17	0	36	0	14
15	15	0	58	6	0	0	7	3	~~10~~	12	5	0	15
16	7	0	81	65	0	0	0	0	13	0	14	0	16
17	1	2	50	9	0	0	0	0	0	0	0	1	17
18	5	0	19	12	0	3	19	0	0	0	4	0	18
19	1	0	15	9	0	0	0	0	0	0	5	0	19
20	13	0	9	0	0	1	13	0	17	9	0	0	20
21	15	0	31	9	0	0	0	0	0	0	22	0	21
22	0	0	18	17	4	0	17	0	0	0	21	0	22
23	(60)	0	62	0	0	1	0	52	50	0	0	0	23
24	0	0	0	0	0	13	0	3	7	0	6	0	24
25	10	0	0	1	0	0	0	10	0	1	0	0	25
26	0	2	0	15	0	0	0	0	7	0	0	15	26
27	0	3	0	44	0	0	0	24	0	26	0	2	27
28	0	0	0	46	0	0	0	0	0	38	0	3	28
29	23		40	39	3	0	0	0	0	1	0	0	29
30	0		64	59	10	0	0	6	0	70	0	0	30
31	22				0	0	0	0					31
	·05	–	·29	–	–	–	–	·04	–	·01	·27	–	YEAR'S TOTAL
Total	3·52 3·57	1·24 1·19	5·09 5·38	4·24 3·95	2·37	·92	1·21	1·53 1·57	1·84 1·80	4·52 4·53	2·74 3·00	1·12 ·85	34·34 30·34
Rain Days.	~~18~~ 19	~~13~~ 12	~~17~~ 18	~~18~~ 17	12	9	10	~~9~~ 8 10	~~12~~ 11	~~16~~ 17	19	~~10~~ 9	163

W.7,000, XI. 13

cnd foranth 1.IV.15 ~~H~~ JL

REGISTER OF RAINFALL IN 1914

BRITISH RAINFALL FORM A.

7 JAN

Kept at Eardiston House

in the County of Tenbury & Worcestershire

by Miss M. Wallace

Lat. ______ Long. ______

Time of Observation 7.30

Nearest Railway Station Newnham Bridge G.W.R.

Diameter of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ______

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0	0	0	0	0	3	135	7	0	0	1	17	1
2	2	0	0	0	0	1	33	28	0	0	64	58	2
3	0	0	0	0	0	0	5	5	0	0	0	7	3
4	25	0	2	14	15	0	0	0	0	0	63	38	4
5	17	0	6	12	3	0	14	0	0	0	21	10	5
6	6	6	0	13	11	1	21	4	0	0	0	68	6
7	0	12	29	0	5	6	25	10	0	0	0	0	7
8	0	0	7	6	9	75	3	8	4	0	0	11	8
9	15	1	8	0	7	125	0	0	14	0	0	18	9
10	0	18	1	16	5	6	0	0	21	0	0	23	10
11	0	13	28	10	2	10	0	0	0	0	26	0	11
12	0	23	15	8	3	2	42	0	23	0	0	0	12
13	0	13	22	0	0	0	7	0	2	15	14	76	13
14	3	25	10	0	0	0	0	0	14	10	13	45	14
15	4	2	12	0	0	0	0	1	7	15	5	37	15
16	0	0	2	0	0	0	0	0	9	0	0	3	16
17	0	13	21	0	0	0	0	0	0	0	0	0	17
18	0	0	6	0	0	0	8	0	3	0	0	16	18
19	0	0	1	0	0	0	66	0	0	0	3	48	19
20	0	32	4	0	0	0	0	0	0	0	0	9	20
21	0	49	0	0	0	7	10	5	0	18	0	29	21
22	0	4	0	0	20	4	2	10	0	20	0	8	22
23	0	8	10	0	6	0	1	0	0	10	0	0	23
24	0	0	10	0	0	0	2	10	0	12	3	0	24
25	9	0	3	0	0	0	8	21	0	32	0	16	25
26	0	0	0	0	0	0	0	10	0	6	2	28	26
27	4	0	0	0	0	0	0	0	0	5	2	60	27
28	0	0	9	0	1	0	0	0	0	3	21	77	28
29	0	8	13	0	10	0	0	0	0	21	10	0	29
30	0	×	2	0	2	0	0	0	0	4	34	53	30
31	26	×	0	×		×	18	0	×	6	×	0	31
Total	1·11	~~·97~~ 2·19	2·21	·79	~~1·04~~ ·99	~~2·36~~ 2·40	4·00 4·00	1·19	·97	1·77	~~2·78~~ 2·82	~~7·41~~ 7·55	YEAR'S TOTAL ~~23·71~~ 27·79
Rain Days.	10	14	22	7	14	11	17	12	9	14	15		168

W. 8,000. X. 14.

cnd for auth 27·III·16

2504

FORM A.
BRITISH RAINFALL.

22 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Eardiston nr Tenbury (6½ miles)

in the County of Worcester

by Miss M. Wallace

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Newnham Bridge 3 miles

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0	0	·5	0	0	0	·6	·2	·21	·14	0	·7	1
2	0	0	·19	0	·23	·13	0	1·48	·2	·22	0	·8	2
3	·38	·5	·2	·11	0	0	·65	·32	0	0	0	·23	3
4	·6	·11	0	·18	0	0	·58	·6	0	0	0	·80	4
5	·83	·10	0	0	0	·9	·8	·3	0	0	0	·45	5
6	0	·3	0	0	0	0	·45	·0	0	0	0	·8	6
7	·2	·62	0	·21	0	0	·7	·7	·6	0	0	·30	7
8	·9	·7	0	1	·56	0	0	·1	0	0	0	0	8
9	·10	·39	0	·14	0	0	0	0	0	0	2	·40	9
10	·16	·40	·5	·17	0	0	·1	0	0	1	0	·1	10
11	·17	·34	0	·3	0	0	·3	0	0	5	120	0	11
12	·18	0	0	·4	·15	0	0	·4	0	3	126	0	12
13	·2	0	0	·10	·34	0	0	·10	0	0	0	0	13
14	·7	2	0	0	·99	0	·36	·70	0	0	0	·25	14
15	·0	·80	0	0	·0	0	·1	·54	0	0	·12	·15	15
16	·4	·12	0	0	·8	0	1·56	0	0	0	0	·4	16
17	·27	0	·1	0	·20	0	0	0	0	0	0	0	17
18	·12	·34	·3	0	·64	0	0	0	0	0	0	0	18
19	·0	·36	·0	0	0	0	·20	0	0	0	0	0	19
20	·3	·48	0	0	0	0	0	0	0	0	0	·8	20
21	·0	·4	0	0	0	0	·18	0	0	·13	0	·4	21
22	·10	0	·17	0	0	0	·8	0	0	0	0	·8	22
23	·12	0	·4	16	0	0	·13	0	0	·98	0	·24	23
24	·1	0	·2	0	0	0	·24	0	·65	107	0	·21	24
25	·7	4	0	0	0	·52	·3	0	0	·2	0	·18	25
26	0	8	0	0	0	0	·20	0	·1	0	0	·31	26
27	0	0	0	0	0	0	·36	0	0	·35	0	·20	27
28	0	17	0	5	0	·1	0	·7	0	·2	0	0	28
29	6		0	6	0	·14	·28	8	0	0	·10	6	29
30	·09	╳	0		0	·14	·5	2	0	·37	3	5	30
31		╳	0	╳		╳	·6	4	╳	·77	╳	0	31
Total	2·90	4·58 6	·58	1·21	3·19	1·03	5·60	3·58	·95	4·08 4·16	2·71 2·73	4·35 4·31	YEAR'S TOTAL 34·89 34·86
Rain Days.	20	~~20~~ 19	~~10~~ 9	~~12~~ 11	8	6	22	15	5	13	6	22	~~139~~ 156

W. 8,000. X. 15.

[illegible] WD3

2437

FORM A. BRITISH RAINFALL

2 JAN 17

REGISTER OF RAINFALL IN 19~~15~~16

Kept at Eardiston Tenbury

in the County of Worcester

by Miss M. Wallace

Lat. Long.

Time of Observation 9 a. m.

Nearest Railway Station Newnham Bridge G.W.R

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 7 in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	49	0	23	0	0	0	0	0	0	0	31	0	1
2	17	0	3	0	5	14	14	0	0	4	22	0	2
3	30	4	30	0	16	0	39	0	9	85	22	0	3
4	0	60	0	0	0	0	1	0	4	12	17	0	4
5	20	14	0	0	47	21	3	0	0	12	34	0	5
6	0	11	5	0	30	4	0	0	0	7	44	0	6
7	3	20	10	0	26	2	23	0	0	12	36	0	7
8	3	0	8	0	2	0	46	0	0	14	9	20	8
9	3	0	7	0	14	0	0	0	0	0	0	17	9
10	0	0	1	0	29	13	0	0	0	0	1	7	10
11	0	42	10	4	2	8	0	0	1	0	1	0	11
12	0	8	7	11	0	15	0	0	0	0	0	10	12
13	6	5	3	2	23	0	12	0	0	6	0	0	13
14	0	17	13	5	0	0	0	27	0	0	0	0	14
15	0	45	3	1	4	0	0	33	0	3	0	5	15
16	0	58	24	6	5	0	0	59	0	3	0	0	16
17	0	4	0	22	10	0	30	2	0	0	0	0	17
18	4	24	0	34	0	0	0	0	35	32	0	0	18
19	0	4	2	3	0	0	0	1	14	0	35	27	19
20	3	0	38	9	0	0	0	0	0	0	30	0	20
21	10	0	48	4	0	0	41	0	0	0	7	21	21
22	0	0	56	2	4	0	0	0	0	0	0	24	22
23	0	0	4	0	3	3	0	0	0	26	0	29	23
24	1	30	0	0	0	0	0	20	0	5	2	28	24
25	0	24	11	0	25	0	0	14	0	20	0	17	25
26	0	5	5	0	33	0	0	7	0	7	19	0	26
27	3	11	70	0	2	7	0	12	1	40	6	0	27
28	5	15	29	0	0	5	0	10	22	43	0	0	28
29	0	40	0	0	12	2	0	0	0	7	0	10	29
30	0	X	0	0	0	16	0	40	0	28	0	8	30
31	0	X	0	X	0	X	0	0	X	12	X	6	31
Total	~~1·57~~	·23 ~~4·31~~	~~4·16~~ ~~4·06~~	1·03	~~2·92~~ ~~2·82~~	1·10	2·09	2·25	·86	·31 ~~3·78~~	~~3·16~~	(–) ~~2·29~~	YEAR'S TOTAL. ~~29·34~~
Rain	1·08	4·54	3·87	1·03	2·92					4·09	2·85	2·29	28·97
Days.	~~14~~ 13	21	23	12	19	12	9	11	7	20	15	14	~~176~~ 176

W. 8,000, VIII. 16

2321

FORM A.
BRITISH RAINFALL.

23 JAN

[illegible]

REGISTER OF RAINFALL IN 1917

Kept at Eardiston
in the County of Worcester
by Miss M. Wallace

Lat. .... Long. ....
Time of Observation 9 a. m
Nearest Railway Station Newnham Bridge
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ~~2~~ ft. ~~11~~ 9 in.
" " " " Sea Level ~~2~~ 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0	0	0	0	0	0	0	0	4	0	0	2	1
2	2	0	3	25	0	20	0	0	14	0	4	1	2
3	0	0	0	1	0	7	0	49	0	0	5	0	3
4	0	0	0	25	0	0	0	12	0	4	0	0	4
5	6	0	29	0	0	0	0	3	0	33	7	0	5
6	0	0	15	17	0	0	0	1	3	14	17	0	6
7	8	0	15	0	0	24	0	0	0	7	4	0	7
8	1	0	0	0	0	0	0	47	7	17	6	9	8
9	24	0	0	13	12	0	18	37	1	20	14	0	9
10	48	0	27	0	28	0	0	18	0	3	1	0	10
11	0	0	40	12	0	0	0	3	0	18	1	0	11
12	30	0	31	20	29	0	0	1	5	15	0	0	12
13	10	0	0	6	0	0	0	4	0	1	0	0	13
14	7	0	6	2	0	0	0	4	0	0	0	9	14
15	0	0	25	14	10	0	43	23	0	1	0	4	15
16	2	0	0	0	0	0	2	12	0	2	0	32	16
17	0	0	0	15	48	92	12	30	20	4	0	0	17
18	4	0	0	7	5	0	48	4	77	1	0	0	18
19	0	10	0	1	0	23	0	0	5	0	0	0	19
20	0	5	15	0	48	36	25	0	16	0	0	0	20
21	4	0	29	0	6	6	0	0	0	0	0	0	21
22	0	30	36	0	0	0	0	1	4	5	1	0	22
23	1	23	0	0	12	0	0	13	0	5	9	0	23
24	0	0	0	0	0	46	22	12	0	18	9	0	24
25	0	0	1	0	0	0	0	2	0	8	2	0	25
26	0	25	10	0	0	15	0	0	9	5	0	0	26
27	0	0	0	0	1.63	29	60	32	0	1	0	0	27
28	0	10	0	0	1	5	0	65	0	0	0	2	28
29	0	0	4	0	0	3	2	8	0	42	0	34	29
30	0		2	0	0	0	0	7	0	2	0	0	30
31	0		10		0		0	31		0		0	31
Total	1.47 1.47	1.05 1.03	2.98	1.38 1.58	3.62	3.06	2.32	4.29 4.19	1.65	2.23 2.26	.86 .88	.93	YEAR'S TOTAL 25.89 25.89
Rain Days.	13	6	15 17	13	11	12	9	24	12	22	13	8	158

W. 8,000, IX. 17.

21

FORM A.
BRITISH RAINFALL.
20.

REGISTER OF RAINFALL IN 1918

Kept at Eardiston –

in the County of Worcester

by Miss M. Wallace

Lat. Long.
Time of Observation 9. a m
Nearest Railway Station Newnham Bridge G.W.R.
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
a Level 200 ft.

IMPORTANT … result entered to the previous day. If a… …l rule, he is earnestly requested to add the… …n the space provided for it at the end o… …of rain, the selection and p… …Rainfall Organization are giv… …lication to THE DIRECTOR, Briti… …V. 1.

Jan. 1, following.

Telegraph, Eardiston.
Railway, Newnham Bridge, G.W.R.
Tel.. Eardiston No. 6.

Eardiston House,
Nr. Tenbury.

I am sorry to have made a mistake in the total of rainfal for last year – please correct it as suggested –

M. Wallace

May 2nd

Date.	Jan.	Feb.	M								Nov.	Dec.	Date.
1	0	0									64	13	1
2	0	3									4	3	2
3	0	3									14	10	3
4	0	2									42	39	4
5	0	2									1	0	5
6	0	5	0	0	25	0	0	0	2	2	0	3	6
7	3	40	0	10	0	0	0	0	16	22	19	0	7
8	0	8	0	0	10	0	0	0	13	7	1	3	8
9	1	26	0	0	0	15	3	0	35	10	0	2	9
10	5	38	0	22	0	0	28	0	23	9	0	8	10
11	2	1	0	9	0	0	28	0	18	0	2	7	11
12	0	0	0	10	0	0	44	0	(14)	0	0	0	12
13	0	0	20	0	8	0	2	0	11	1	0	2	13
14	0	0	0	0	0	0	4	0	14	11	0	12	14
15	35	0	4	0	0	0	22	0	19	2	0	19	15
16	95	0	0	1	0	0	0	0	30	9	0	10	16
17	8	0	0	98	0	3	45	0	24	0	0	5	17
18	35	0	0	0	1	37	2	0	1·23	1	0	27	18
19	30	0	0	0	0	0	3	0	4	5	0	1	19
20	7	0	22	0	0	4	0	0	25	1	0	(04)	20
21	15	7	0	20	0	0	2	0	45	0	0	7	21
22	6	0	0	82	8	0	6	0	6	5	0	22	22
23	2	0	0	0	10	0	7	0	1	0	0	0	23
24	0	0	0	0	46	0	4	6	1	0	5	0	24
25	0	13	0	0	0	0	4	105	0	0	0	0	25
26	0	0	0	2	0	0	7	0	2	2	7	0	26
27	0	0	0	0	0	0	51	10	18	0	3	5	27
28	0	0	x	0	0	2	0	0	0	0	12	4	28
29	0		21	0	0	0	0	0	94	0	0	3	29
30	0	X	2	0	0	0	0	0		0	0	10	30
31	0	X	33	X	0	X	0	0	X	0	X	0	31
Total	2·34	1·48	1·12	2·98	1·32	·69	2·61	1·57	6·90	1·13	1·74	2·19	YEAR'S TOTAL 26·0 ~~29·04~~
Rain Days.	13	12	8	10	9	6	17	8	25	10	12	23	160

W. 6,500, VII. 18. W W C

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

20.

Kept at Eardiston –
in the County of Worcester
by Rusie M. Wallace

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station Newnham Bridge G.W.R.
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
a Level 200 ft.

TELEGRAPH, EARDISTON.

62 Camden Square
London N.W.1

IMPORTANT … result entered to the previous day. If … l rule, he is earnestly requested to add th… the space provided for it at the end … of rain, the selection and p… Rainfall Organization are gi… lication to THE DIRECTOR, Brit… .1.

Jan. 1, following.

Date.	Jan.	Feb.	M								Nov.	Dec.	*Date.*
1	0	0	10	40	0	0	0	6	0	0	64	13	1
2	0	3	0	0	2	0	0	12	0	2	4	3	2
3	0	3	0	4	0	0	0	10	38	0	14	10	3
4	0	2	0	0	22	0	0	6	80	8	42	39	4
5	0	2	0	0	0	0	0	2	20	16	1	0	5
6	0	5	0	0	25	8	0	0	2	2	0	3	6
7	3	40	0	10	0	0	0	0	16	22	19	0	7
8	0	8	0	0	10	0	0	0	13	7	1	3	8
9	1	26	0	0	0	15	3	0	35	10	0	2	9
10	5	38	0	22	0	0	28	0	23	9	0	8	10
11	2	1	0	9	0	0	28	0	18	0	2	7	11
12	0	0	0	10	0	0	44	0	(14)	0	0	0	12
13	0	0	20	0	8	0	2	0	11	1	0	2	13
14	0	0	0	0	0	0	4	0	14	11	0	12	14
15	35	0	4	0	0	0	22	0	19	2	0	19	15
16	95	0	0	1	0	0	0	0	30	9	0	10	16
17	8	0	0	98	0	3	45	0	24	0	0	5	17
18	35	0	0	0	1	37	2	0	1·23	1	0	27	18
19	30	0	0	0	0	0	3	0	4	5	0	1	19
20	7	0	22	0	0	4	0	0	25	1	0	(04)	20
21	15	7	0	20	0	0	2	0	45	0	0	7	21
22	6	0	0	82	8	0	5	0	6	5	0	22	22
23	2	0	0	0	10	0	7	0	1	0	0	0	23
24	0	0	0	0	46	0	4	6	1	0	5	0	24
25	0	13	0	0	0	0	4	105	0	0	0	0	25
26	0	0	0	2	0	0	7	0	2	2	7	0	26
27	0	0	0	0	0	0	51	10	18	0	3	5	27
28	0	0	X	0	0	2	0	0	0	0	12	4	28
29	0		21	0	0	0	0	0	94	0	0	3	29
30	0	X	2	0	0	0	0	0		0	0	10	30
31	0	X	33	X	0	X	0	0	X	0	X	0	31
Total	2·34	1·48	1·12	2·98	1·32	·69	2·61	1·57	6·90	1·13	1·74	2·19	YEAR'S TOTAL 26·07 ~~29·04~~
Rain Days.	13	12	8	11	9	6	17	8	25	17	12	23	160

W, 6,500, VII. 18. W W C

corrd for WD [illegible] ✗ BR

177

7 JAN 20

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Eardiston
in the County of Worcestershire
by Miss M. Wallace

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Newnham Bridge
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground .... ft. 5½ in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. (—)

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0	0	0	11	10	0	10	1	0	0	4	15	1
2	30	2	3	1	2	0	15	0	1	6	1	29	2
3	11	0	0	0	2	0	8	0	5	0	8	6	3
4	5	0	14	0	1	0	0	0	4	0	13	9	4
5	3	2	29	0	0	15	37	2	20	0	~~20~~	8	5
6	0	27	0	0	4	0	12	0	19	0	~~19~~	18	6
7	3	3	4	0	12	0	0	0	0	0	0	18	7
8	18	0	20	3	3	0	0	0	0	0	9	2	8
9	25	0	6	5	0	(·08)	0	0	0	0	0	0	9
10	13	0	2	15	0	0	0	0	0	0	0	0	10
11	1	0	61	4	0	0	0	0	0	0	1	14	11
12	0	0	95	0	5	0	39	0	0	0	0	3	12
13	1	0	55	5	0	16	0	0	0	14	1	0	13
14	6	0	0	13	0	0	1	0	17	12	0	2	14
15	16	0	0	15	0	0	10	0	54	1	0	4	15
16	29	4	0	4	35	0	0	14	0	4	0	43	16
17	23	94	0	3	0	0	0	0	0	0	5	0	17
18	3	60	0	0	0	3	0	32	0	0	8	0	18
19	0	0	51	0	1	0	1	20	0	0	0	6	19
20	15	25	28	0	0	9	90	25	13	0	2	0	20
21	42	3	43	0	0	8	7	0	7	0	4	5	21
22	0	39	3	0	0	5	29	0	2	0	1	11	22
23	0	6	0	0	0	0	4	0	30	0	0	18	23
24	0	0	0	0	0	0	0	65	0	58	0	12	24
25	0	0	0	7	0	0	0	2	0	60	16	4	25
26	6	0	0	8	12	6	0	2	0	1	0	4	26
27	3	0	7	10	0	3	1	86	0	0	0	26	27
28	17	0	0	80	0	0	0	8	0	0	0	12	28
29	5	0	6	1	0	0	0	7	0	0	0	(29)	29
30	5	✗	0	11	0	1	0	6	0	34	20	14	30
31	0	✗	0	✗	0	✗	0	0	✗	0	✗	19	31
Total	2·82	2·65	·11 ~~5·27~~ 5·38	·10 ~~1·96~~ 1·95	~~·87~~ ·77	·10 ~~·74~~ ·84	·01 ~~2·64~~ 2·55	~~2·64~~ 2·63	1·72	·04 ~~1·90~~ 1·94	·15 ~~·93~~ 1·04	~~3·22~~ 3·07	Year's Total 27·36 ~~27·12~~
Days with ·01 in. or more	22	11	~~16~~ 17	17	~~11~~ 10	~~10~~ 11	14	~~12~~ 11	11	~~9~~ 10	14	~~25~~ 24	173

(44,283). Wt.21,958—218. 7500. 10/19. Gp.182. A.&E.W.

[illegible] [illegible] 2094

18 APL 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Eardiston

in the County of Worcester

by Miss M. Wallace

Lat. ______ Long. ______

Time of Observation 9 a m

Nearest Railway Station Newnham Bridge

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ______ ft. 5 in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. (–)

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0	5	0	55	11	4	3	0	0	24	55	13	1
2	0	0	0	16	24	0	18	3	2	12	0	26	2
3	0	0	3	13	0	0	5	0	7	14	0	17	3
4	18	3	0	5	0	0	1·23	1	13	34	0	0	4
5	0	0	2	4	0	0	0	37	0	70	0	0	5
6	0	0	11	4	4	0	14	5	3	18	0	0	6
7	0	0	14	2	8	0	32	0	0	35	0	0	7
8	0	0	17	12	2	0	18	0	0	0	4	1	8
9	27	6	0	57	15	0	35	5	0	0	0	0	9
10	32	1	0	48	0	0	6	·0	0	0	10	0	10
11	55	3	5	6	0	9	7	0	0	0	4	0	11
12	10	0	7	26	30	30	7	1	0	0	20	0	12
13	15	0	2	42	0	75	3	8	0	0	8	3	13
14	5	0	22	25	0	7	0	0	0	0	0	2	14
15	1	63	77	20	0	51	0	0	18	3	0	0	15
16	0	8	9	65	0	28	1	0	8	1	0	0	16
17	0	0	0	18	42	10	9	0	1	50	3	0	17
18	1	0	3	20	8	0	3	0	50	18	0	0	18
19	16	0	0	0	10	0	4	13	70	0	0	0	19
20	4	0	0	13	2	7	0	0	2	0	0	0	20
21	1	1	0	29	0	10	0	0	0	0	0	4	21
22	0	0		1	0	0	26	0	0	12	0	10	22
23	1	0		7	0	0	2	3	0	0	0	4	23
24	0	0		0	0	0	22	18	0	0	1	33	24
25	3	0	15	0	6	0	0	0	0	0	1	17	25
26	2	1	15	5	0	0	59	0	0	0	0	10	26
27	15	0	22	0	0	0	4	0	0	0	9	3	27
28	25	0	14	3	18	17	1	0	0	0	9	57	28
29	1·45	0	10	0	29	6	3	0	0	0	7	16	29
30	15	╳	18	0	34	5	10	0	0	0	7	36	30
31	0	╳	25	╳	10	╳	1	0	╳	0	╳	18	31
	3·05	·9	2·55	4·9	2·04	2·09	-	·[illegible]	·24	·55	·13		Year's Total
Total	~~3·92~~	~~·81~~	~~2·91~~	~~4·94~~	~~2·53~~	~~2·55~~	~~4·16~~	~~·96~~	~~1·74~~	~~2·91~~	~~1·22~~	~~2·54~~	~~31·94~~ 31·34
Days with ·01 in. or more	·20	8 11	20 18	·24	·16	·13	·24	·10	·11	·12	11 15	15 16	184
Days with ·04 in. or more	13	3 4	16 16	21 19	14	13	17	7	6	10	8 8	11 12	140
	3·16	·86	3·46	4·32	2·46	2·58	4·13	·96	1·98	3·22	·80	2·41	31·34

(44,283). 30/09. (52,630) Wt.10000 - 359. 10,000. (4) 7/20 Gp. 132. A.&E.W.

DL ✓

STOURPORT
LINCOMBE LOCK

WORCESTER

1911 - 1920

FORM A2.
BRITISH RAINFALL.

26 JAN 1912

385

Kept at Linco

in the County of

by E. Gunn

.................in.

e Ground.........ft.........in.

Sea Level.........ft.

Name

Distance.........Direction

IMPORTANT d the result entered to the previous day. If iversal rule, he is earnestly requested to add th ear in the space provided for it at the end ment of rain, the selection and ritish Rainfall Organization are given in application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·06					·06			·04		1
2				·03	·07		·07	—		·08	·04	·03	2
3				·04	·42			·14			·02	·07	3
4			·13	·02		·12		·04	·13	·05	·08	·35	4
5	·20		·03					·06			·06		5
6	·37							·02			·04	·33	6
7	·02										·23		7
8	·10		·23								·04	·33	8
9	·05										·58	·10	9
10			·35									·55	10
11	·13	—									·33		11
12			·37						·09		·15		12
13												·40	13
14									·08			·77	14
15		·10	·06								·15	·07	15
16						·04					·12	·05	16
17			—		·07	·18					·15	·40	17
18		·30		·08		·08						·25	18
19						·98			·31	·43	·07	·07	19
20		·07		·02				·37	·09			·48	20
21		·17						·39		·20		·07	21
22		·03		·05		·02			·18	·21		·36	22
23		·15	·35			·30				·05		·24	23
24		·05		·04		·31		·11		·10		·12	24
25		·02		·10		·03						·09	25
26		·13		·20	·06			·08		·18	·17	·07	26
27		·16	·16	·09				·56	·08		·07	·13	27
28		·18		·20							·20		28
29						·12	·11	·04	·27	·18	·04	·02	29
30				·03				·15		·20			30
31			·03		·15					·15			31
Total	·87	1·36	1·77	·90	·77	2·18	·18	2·02	1·23	1·83	2·58	5·35	TOTAL for year 21·04
No. of Rain Days	6	11	10	12	5	10	2	12	8	11	19	23	129

9,000, IX. '10.

DL ✓

385

FORM A2.
BRITISH RAINFALL.

26 JAN 1912

Kept at Lincombe Lock

in the County of Worcestershire 2

by E. Gunnell

RAIN GAUGE	Pattern	
	Diameter of top	in.
	Height of top above Ground	ft. in.
	" " " Sea Level	ft.

Time of Observation

Nearest Railway Station: Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·06					·06			·04		1
2				·03	·07		·07			·08	·04	·03	2
3				·04	·42			·14			·02	·07	3
4			·13	·02		·12		·04	·13	·05	·08	·35	4
5	·20		·03					·06			·06		5
6	·37							·02			·04	·33	6
7	·02										·23		7
8	·10		·23								·04	·33	8
9	·05										·58	·10	9
10			·35									·55	10
11	·13										·33		11
12			·37						·09		·15		12
13												·40	13
14									·08			·77	14
15		·10	·06								·15	·07	15
16						·04					·12	·05	16
17					·07	·18					·15	·40	17
18		·30		·08		·08						·25	18
19						·98			·31	·43	·07	·07	19
20		·07		·02				·37	·09			·48	20
21		·17						·39		·20		·07	21
22		·03		·05		·02			·18	·21		·36	22
23		·15	·35			·30				·05		·24	23
24		·05		·04		·31		·11		·10		·12	24
25		·02		·10		·03						·09	25
26		·13		·20	·06			·08		·18	·17	·07	26
27		·16	·16	·09				·56	·08		·07	·13	27
28		·18		·20							·20		28
29						·12	·11	·04	·27	·18	·04	·02	29
30				·03				·15		·20			30
31			·03		·15					·15			31
Total	·87	1·36	1·77	·90	·77	2·18	·18	2·02	1·23	1·83	2·58	5·35	TOTAL for year 21·04
No. of Rain Days	6	11	10	12	5	10	2	12	8	11	19	23	129

9,000, IX. '10.

DL

Ex J.C.

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL.

25 JAN 1913

384

Kept at Lincombe Lock

in the County of Worcestershire 2

by E. Gunnell

RAIN GAUGE	Pattern	
	Diameter of top	in.
	Height of top above Ground	ft. in.
	,, ,, ,, Sea Level	ft.
Time of Observation		
Nearest Railway Station	Name	
	Distance	Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·19			·24	·08		·06			·12	1
2			·16		·05	·28	·20						2
3					·17	·10	·12	·64	·04			·05	3
4	·10		·60		·21	·08		·05			·20		4
5	·28		·27		·07	·11		·43				·03	5
6	·22	·25				·19		·54					6
7		·25			·04	·58		·24					7
8	·38	·15	·25			·25		·28					8
9			·52			·50		·22				·33	9
10	·12	·02				·22		·07			·40		10
11	·04				·10	·04		·05			·25	·50	11
12	·02	·20	·08			·05					·03	·03	12
13		·04										·03	13
14	·07		·57			·06		·11					14
15	·05	·06	·05		·44	·20		·03				·13	15
16	·75		·11		·08	·12		·15		·10			16
17	·22		·06		·02	·04		·48			·10	·35	17
18	·09		·02		·02			·12			·02		18
19	·21	·04	·03		·04		·25	·66		·02		·03	19
20	·03		·15				·02	·03		·21			20
21		·04	·30		·75			·42		·38			21
22	·12	·17			·96	·29	·23	·02			·06	·13	22
23	·17	·07	·31			·04	·34	·26				·08	23
24	·15		·05			·14	·12	·12		·05		·14	24
25						·22		·62			·26	·43	25
26		·05	·03			·05	·14	1·35		·69	·30	·32	26
27						·45	·35			·78		·20	27
28		·08				·08	·35	·71			·45	·28	28
29		·07	·04			·32	·06		72	·10	·05	·03	29
30			·02		·02	·12	·04	·02		·07			30
31					·12		·48	·04		·06		·09	31
Total	3·02	1·49	3·81	·00	3·09	4·77	2·78	7·66	·82	2·46	2·12	3·30	TOTAL for year 35·32
No. of Rain Days.	17	14	20	0	15	25	14	25	3	10	11	19	173

W. 8,000, X. '11.

DL

395

FORM A.
BRITISH RAINFALL.

28 JAN 1914

REGISTER OF RAINFALL IN 1913

Ext D

Kept at Lincombe Lock

in the County of Worcestershire 2

by O. Gunnell

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·05	·14				·48		·05		1
2		·08	·15	·06						·71	·07		2
3	·04	·11	·05		·65		·02			·90	·03		3
4	1·16	·02	·06		·04					·25	·04	·41	4
5	·10	·05			·10	·20	·16		·05	·50	·05		5
6	·04	·10	·14		·14	·10	·58			·06		·25	6
7	·03	·11				·05				·40	·26	·03	7
8		·08			·14	·14	·02	·22		1·15		·02	8
9		·35	·07	·02	·20	·27		·14	·12		·07		9
10				·17	·05			·05		·04	·04		10
11	·75			·32	·06					·06	·84		11
12					·13						·42		12
13			·12						·14		·37		13
14	·15		·66	·10				·09		·15			14
15	·07		·75	·65					·12		·12		15
16	·03		·35					·04	·02		·04		16
17			·10	·08			·14		·06		·05		17
18			·15	·08			·08						18
19	·15		·06	·04					·10		·04		19
20	·15		·34	·13	·12				·04		·06		20
21			·22	·08			·15	·03			·09		21
22	·52		·67	·05				·25	·45				22
23	·03			·05				·03	·06		·07		23
24	·06												24
25				·08					·05		·03	·04	25
26		·06		·54	·02							·23	26
27	·02		·03	·22	·09			·38		·08			27
28	·16		·20	·34						·20		·03	28
29	·04		·54	·45				·02		·07			29
30	·27									·50	·15		30
31			·22					·06		·02			31
													YEAR'S TOTAL
Total	3·77	·96	4·88	3·51	1·88	·76	1·15	1·31	1·69	5·09	2·89	1·01	28·90
Rain Days.	18	9	19	19	13	5	7	11	12	15	20	7	155

Dl

379

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Lincombe Lock
in the County of Worcestershire 2
by E. Gunnell

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							·56	·20			·47	·06	1
2	·22		·03		·03			·18				·31	2
3				·08	·20		·15	·16			·07	·04	3
4				·10			·19	·11			·48	·49	4
5	·15		·06	·07			·48	·02			·26		5
6	·03	·07		·13	·17	·10	·47					·10	6
7		·13	·30	·03	·12	·25	·36	·12				·20	7
8						·60	·03	·02	·04			·12	8
9	·20	·03	·15	·34	·10	1·07		·05			·05		9
10		·07	·08	·17	·04				·30				10
11		·10	·28	·05		·06			·02		·16	·33	11
12		·23	·17				·48		·04		·06	·27	12
13		·20	·26				·02		·33	·20	·16	·47	13
14		·12	·16							·10	·15	·06	14
15	·06	·04	·10						·06	·14	·04	·04	15
16			·04						·16				16
17		·12	·09				·04		·03			·28	17
18			·02				·20		·04	·08		·38	18
19							·75				·05	·16	19
20		·34	·05			·08				·07		·27	20
21		·31	·16				·50	·07				·12	21
22			·10		·23		·03	·12		·08	·04		22
23		·10	·09		·12		·05			·08	·04		23
24		·06	·03	·04						·04			24
25	·11						·04	·34		·37	·34	·25	25
26										·10	·35	·26	26
27	·05		·23							·07		·27	27
28		·07	·17		·04					·06	·11	·87	28
29										·15	·30		29
30							·24				·06	·56	30
31	·08									·03		·03	31
Total	·90	1·99	2·57	1·01	1·05	2·16	4·59	1·39	1·02	1·57	3·19	5·94	YEAR'S TOTAL 27·38
Rain Days.	8	15	20	9	9	6	17	11	9	14	18	23	159

W.7,000, XI. 13

82

cordly obr. 8.IV.16

2518
369

FORM A.
BRITISH RAINFALL.

11 APR. 1916

REGISTER OF RAINFALL IN 1915

Kept at Lincombe Lock

in the County of Worcestershire

by E. Gunnell

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·24	·09	·12		·25			·04	·27	·10		·14	1
2	·12	·17	·22	·15		·12		·73		·23		·06	2
3	·94	·05	·04				·95	·13				·20	3
4		·03			·20			·02				·75	4
5	·02	·48		·05			·85	·06				·39	5
6	·10	·04		·31				·03				·09	6
7	·08	·28		·11	·06			·08				·27	7
8	·10	·38					·22	·02			·07		8
9	·15	·24		·07				·03			·27	·42	9
10	·20		·09	·03						·05			10
11					·10						1·00		11
12	·04			·07	·35					·08	·94		12
13	·02	·41			·75			·13	·02			·09	13
14		·05 ~~·06~~					·24	·31				·40	14
15	·06				·09		·03	·30				·15	15
16	·10	·31 ~~·39~~			·58		2·28	·04					16
17		·20			·70							·05	17
18	·02	·30											18
19					·09								19
20	·17											·09	20
21	·15						·20			·08		·06	21
22	·04		·25				·19					·11	22
23	·03						·02			·95		·17	23
24			·04	·04			·10		·47	·41		·27	24
25				·38		·60	·14			·04		·38	25
26		·10					·35					·10	26
27		·08					·43			·37			27
28		·32					·05	·17				·19	28
29						·40	·17		·14			·13	29
30	·06	✕				·25	·10			·31			30
31		✕		✕		✕	·20	·03	✕	·33	✕	·37	31
Total	2·64	3·53 3·53	·76	1·21	3·17	1·37 1·37	6·52	2·12	·90	2·95	2·28	4·88	YEAR'S TOTAL 32·33 32·33
Rain Days.	19	17	6	9	10	4	17	15	4	11	4	22	138

W. 8,000. X. 14.

2450
~~332~~

FORM A.
BRITISH RAINFALL.
30 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Lincombe Loch
in the County of Worcestershire
by E. Gunnell

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.10	.02	.05		.03	.10	.23			.15	.24		1
2	.27	.04	.12		.23	.06	.27		.08	.65	.10		2
3		.58			.04	.04	.04		.14	.17	.15		3
4	.17	.12			.43	.26	.05			.04	.50		4
5		.04			.20	.06	.04			.06	.20		5
6		.23	.05		.23	.09	.65			.10	.35		6
7			.10		.20		.04			.18	.20	.21	7
8	.04		.06		.17							.19	8
9					.23						.03		9
10		.38	.07	.04	.02	.15			.03		.02		10
11		.04	.04	.06	.20	.05						.14	11
12	.05	.14	.12	.09	.38	.20	.15			.04		.15	12
13		.18	.24	.03				.41					13
14		.49			.04			.08		.14		.02	14
15		.60	.28	.09	.10		.10	.67		.14			15
16		.03	.06	.20	.03		.08	.08					16
17	.05	.18		.05					.40	.25			17
18	.05	.10	.06	.05							.40	.07	18
19	.07		.30	.21					.17	.02	.25	.10	19
20			.67								.06	.20	20
21	.04		.16		.14							.20	21
22		.09		.06	.03	.04				.16		.40	22
23			.04	.06				.14		.05	.09	.25	23
24		.25	.06	.04	.16			.16		.24		.20	24
25		.35	.14			.02		.09		.10	.15		25
26	.06	.05	.07			.07		.12	.10	.18			26
27	.05	.30	.90					.14	.18	.27			27
28	.02	.12	.04		.10					.18		.10	28
29		.05				.25		.58		.50		.10	29
30		X				.05				.15		.05	30
31		X		X		X		.04	X	.20	X	.04	31
Total	.97	4.38	3.63	.98	2.96	1.44	1.65	2.51	1.10	3.97	2.74	2.42	YEAR'S TOTAL 28.75
Rain Days.	12	22	21	12	19	14	10	11	7	22	14	16	180

W. 8,000. X. 15.

82

Ex 82

2336
316

FORM A.
BRITISH RAINFALL.

9 APR 191

REGISTER OF RAINFALL IN 1917

Kept at Lincombe Lock

in the County of Worcestershire

by E. Gunnell

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05			·10		·12		·90	·10		·05	·06	1
2				·03		·10		·08			·06		2
3				·25				·07		·31			3
4			·15					·07		·24			4
5	·20		19	·28			·05			·12	·17		5
6	·05		·24			·25				·05	·21		6
7	·40					·04		·05		·10		·15	7
8	·39			·12				·40		·32	·10		8
9			·15	·13	·16			·87	·05	·07	·30		9
10	·47		·30	·10	·30			·14	·05	·04	·03		10
11	·10		·10	·05	·09			·05	·02	·25	·03		11
12	·09			·03	·25					·10			12
13			·05	·05				·08	·04				13
14	·07		·17	·15				·24				·04	14
15	·03				·10		·18	·11		·05		·15	15
16				·12									16
17			·03	·04	·40	·70	·40	·30	·20	·08			17
18	·04	·24			·04		·24	·09	1·00	·05			18
19	·07	·35	·35		·04	·46			·04				19
20	·03	·20	·19		·57	·10	·44	·04	·07				20
21		·04	·11			·11		·09		·02			21
22		·17	·07			·04		·07	·04	·12			22
23					·11			·10		·06			23
24		07				·17	·57	·05		·16	11		24
25			·10					·03		·08			25
26								·58	·08	·04	·08		26
27					1·57	·16	·67	·56		·06			27
28			·06			·07		·05					28
29						·09	·06	·04		·37		·17	29
30		X						·30		·05	·03		30
31		X	·08	X		X		·10	X	·04	X	·03	31
Total	1·99	1·07	2·34	1·45	3·63	2·41	2·61	5·46	1·69	2·78	1·17	·60	YEAR'S TOTAL 27·20
Rain Days.	13	6	16	13	11	13	8	26	11	23	11	6	157

W. 8,000, VIII. 16

81

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
30·1·19

Kept at Lincombe
in the County of Worcestershire
by E. Gunnell

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·03	—	·09	·15			·35		·06	·51		1
2		·06						·18		·04	·04	·10	2
3					·31		—	·09	·51	·05	·18	·03	3
4		·03							·57	·10	·52	·46	4
5					·37			·03	·15	·10		·03	5
6		·33	·04	·17		·10			·03	·15		·05	6
7	—	·10			·16				·46	·08	·18		7
8		·12							·15	·11		·07	8
9		·37		·12		·11	·35		·33	·15		·03	9
10	·08	·03		·09			·38		·24	·04		·07	10
11				·05	·07		·19		·15	·03	·04	·05	11
12			·13		·15		·07		·04			·07	12
13					·03		·04		·12	·04		·04	13
14	·45			·21			·14		·30	·11		·13	14
15	1·04						·30		·10	·03		·19	15
16	·12			·53		·08	·05		·40			·05	16
17	·39					·16	·05		1·02	·11		·07	17
18	·30					·43	·13		1·18			·20	18
19	·07	·05	·19				·05		·04	·07		·05	19
20	·05	·04		·49		·07	·06		·26			·11	20
21	·06	·03		·44	·15		·15		·29			·08	21
22	·04				·58		·06			·17		·27	22
23					·42		·05		·25	·04		·04	23
24	·04	·14					·03		·04		·08		24
25				·04			·04	·46			·09		25
26							·33		·14	·07	·10	·06	26
27		·04						·21	·25		·07	·03	27
28		·14	·23								·10	·04	28
29			·15		—				·80			·03	29
30		×	·35								·10	·07	30
31		×	·37	×		×			×		×		31
Total	2·64	1·51	1·46	2·23	2·39	·95	2·47	1·32 ~~1·49~~	7·82	1·55	2·01	2·42	YEAR'S TOTAL 28·77 ~~28·94~~
Rain Days.	11	14	7	10	10	6	18	6	24	19	12	26	163

W. 8,000, IX. 17.

8L

Ex 8L

2199
278

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Lincombe Lock

in the County of Worcestershire

by E. Gunnell

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·28		·06		·05	·27	·17	·04	·05	·14	·04	·25	1
2	·11		·04		·03		·26		·04	·03	·14	·04	2
3	·32		·11		·06		·10		·05		·14	·06	3
4	·08	·14	·28			·15	·42		·18			·12	4
5	·05	·30			·06		·03	·04	·30			·30	5
6			·15	·07	·25							·25	6
7	·33		·17	·09	·03								7
8	·24		·11	·14		·07							8
9	·14		·03	·04									9
10			·55									·15	10
11			1·08		·06		·43						11
12	·05		·18	·04					·05				12
13	·10			·20		·09			·14	·25			13
14	·35			·14					·30	·08			14
15	·40	·15		·05	·17					·04		·30	15
16	·08	·87		·03		·09		·41			·15		16
17	·04	·47			·05						·12		17
18			·70				·15	·10			·03	·10	18
19	·30	·28	1·12			·17	1·25	·27	·06				19
20	·38	·05	·25			·04	·04	·18	·04		·06	·07	20
21		·40	·03				·30	·02			·03	·14	21
22		·15					·04		·33		·02	·18	22
23								·01		·83		·07	23
24						·11				·46	·14	·07	24
25	·09			·13	·17			·35				·05	25
26	·04		·11	·06		·07	·14	·04				·30	26
27	·16		·06	·65				·10				·14	27
28	·03		·04					1·03			·07	·28	28
29				·12				·03		·34	·19	·11	29
30		×		·11							·14	·21	30
31		×		×		×	·04		×	·06	×		31
Total	3·57	2·81	5·07	1·87	·93	1·06	3·37	2·62	1·54	2·23	1·27	3·19	YEAR'S TOTAL 29·53
Rain Days.	20	9	18	14	10	9	13	13	11	9	13	20	159

W, 6,500, VII. 18. W W C

355

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Stourport, Lincombe Lock

in the County of Worcestershire

by E J Bradley E. Gunnell

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·14	·24		·25	·07	·03			·25	1
2	·04			·12			·12	·04	·10	·17		·15	2
3	·06	·04		·03			·75	·04	·13	·55			3
4			·03	·06			·04	·34	·05	·03			4
5			·10		·07		·30	·07	·04	·41			5
6			·08	·03	·10		·10			·37			6
7				·15			·12						7
8	·37	·04		·58	·11		·44	·05					8
9	·33	·07		·35			·05						9
10	·44	·06	·09	·04		·14	·12						10
11	·10		·07	·20	·33	·44	·05						11
12	·12	·04		·25		·56					·10	·03	12
13	·04	·03	·20	·17							·03		13
14	·02	·04	·84	·22		·30	·04		·16	·07	·17		14
15	·03	·13	·17	·35		·20			·16	·05	·09		15
16				·14		·04	·21		·04	·43	·04		16
17	·04			·55	·11		·03		·64	·12			17
18	·18				·08		·03	·15	·29				18
19		·35		·09		·12			·06		·04		19
20	·04	·14		·24		·16			·06			·10	20
21							·34					·06	21
22	·04			·11				·04		·07			22
23							·16	·08				·35	23
24			·16									·13	24
25	·03	·05	·25		·50		·78					·04	25
26	·11		·18	·11			·06				·07	·07	26
27	·17		·07		·18	·26						·38	27
28	·87		·08		·15	·08						·15	28
29	·13		·26		·08						·08	·39	29
30			·05	·07	·06	·11	·07		·28		·13	·21	30
31	·06						·03			·54		·04	31
TOTAL	3·22	·99	2·63	4·00	2·01	2·41	4·09	·88	2·04	2·81	·75	2·35	YEAR'S TOTAL 28·18
Days with ·01 in. or more	20	11	15	21	12	11	21	9	13	11	9	14	167

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

14	10	14	19	12	11	18	9	12	10	8	13	153

STOUR~~BR~~IDGE

WORCESTER

1914 – 1920

.7.VI.15.

FORM A. BRITISH RAINFALL. 7 - JUN 1915

REG

Kept at Stourb

in the County of W

by W. Fi

9 am

Stourbridge

8 in.

ove Ground ft. 10½ in.

Sea Level about 210 ft.

IMPORTANT NO … l the result entered to the previous day. If an … iversal rule, he is earnestly requested to add the re… ear in the space provided for it at the end of th… ement of rain, the selection and placin… ritish Rainfall Organization are given … application to Dr. H. R. Mill, 62, Ca…

Jan. 1, following.
(—)
estd

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.11	.05	—	—	.02	.02	.23	—	—	.02	.45	1
2	.01	.01	.01	—	—	—	.37	.14	—	—	.02	.04	2
3	—	—	—	.01	—	—	.09	.38	—	.01	.38	.50	3
4	—	—	.02	.03	.17	—	.08	.04	—	—	.02	.07	4
5	.16	—	—	.14	.06	—	.05	.07	—	—	.60	.64	5
6	.08	—	.08	.06	.01	.05	.92	.01	—	—	.09	.02	6
7	.04	.04	—	.01	.07	.08	.10	.01	—	—	.13	.09	7
8	.01	.13	.32	.02	.14	.15	.15	.12	—	—	—	.15	8
9	.01	—	.05	.02	.12	.68	.25	.07	.09	—	.01	.04	9
10	.25	.02	.06	.27	.07	1.18	—	.04	—	—	—	.02	10
11	.05	.12	.03	.19	.02	.17	—	—	.18	—	—	.01	11
12	—	.07	.29	.04	.05	.04	—	—	.01	—	.21	.56	12
13	—	.25	.13	.01	—	+	.41	—	.26	—	.08	.25	13
14	.02	.16	.23	—	—	—	.04	—	.06	.09	.19	.31	14
15	.01	.20	.08	—	—	—	—	—	—	.24	.18	.07	15
16	.01	—	.10	—	—	—	—	—	.08	.02	.01	.01	16
17	.01	.01	.09	—	—	—	.06	—	.08	—	—	.02	17
18	—	.19	.19	—	—	—	.01	—	.01	—	—	.17	18
19	.01	—	.01	—	—	—	.18	—	.02	.06	—	.62	19
20	—	.02	.01	—	—	—	.54	—	.09	.01	.09	.07	20
21	—	.35	.02	—	—	.03	.14	—	—	—	—	.20	21
22	—	.47	.01	—	—	.57	.35	—	—	.14	—	.33	22
23	—	.02	.02	—	.18	.08	.02	.21	—	.07	—	—	23
24	—	.07	.09	—	.12	.01	.01	—	—	.09	—	.01	24
25	—	.03	.01	.02	—	.01	.02	—	—	.02	.07	—	25
26	.11	—	.03	—	—	—	—	.42	—	.37	.04	.19	26
27	—	—	.11	—	—	—	.04	.16	—	.11	.15	.30	27
28	.06	—	.03	—	—	—	—	—	—	.04	.53	.60	28
29	—	—	.13	—	.06	—	—	.01	—	.04	.15	1.00	29
30	—	✕	.08	—	.10	—	—	—	—	.22	.12	—	30
31	—	✕	.02	✕	—	✕	—	—	✕	.01	✕	.41	31
	.11	.05	—	—	.02	.02	.23	—	—	.02	.45	(—)	YEAR'S TOTAL
Total	~~.84~~	~~2.27~~	~~2.39~~	~~.82~~	~~1.17~~	~~3.04~~	~~3.85.~~	~~1.91~~	~~.88~~	~~1.54~~	~~3.09~~	~~6.15~~	~~28.86~~
Rain Days.	16 ~~15.~~	18.	27 ~~28.~~	12	14 ~~13~~	13	21.	~~14~~ 13	10.	17 ~~16~~	20.	~~28.~~ 27	208.
W. 8,000. X. 14.	.95	2.21	2.25	.82	1.19	3.04	4.06	1.68	.88	1.56	3.52	6.70	28.86

7.VI.15.

FORM A.
BRITISH RAINFALL.
7 - JUN 1915

REG

Kept at Stourbridge

in the County of Worcester

by W. Fiddian

Time of Observation 9 am.
Nearest Railway Station Stourbridge
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. 10½ in.
" " " " Sea Level about 210 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
(——)
estd

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.11	.05	—	—	.02	.02	.23	—	—	.02	.45	1
2	.01	.01	.01	—	—	—	.37	.14	—	—	.02	.04	2
3	—	—	—	.01	—	—	.09	.38	—	.01	.38	.50	3
4	—	—	.02	.03	.17	—	.08	.04	—	—	.02	.07	4
5	.16	—	—	.14	.06	—	.05	.07	—	—	.60	.64	5
6	.08	—	.08	.06	.01	.02	.92	.01	—	—	.09	.02	6
7	.04	.04	—	.01	.07	.08	.10	.01	—	—	.13	.09	7
8	.01	.13	.32	.02	.14	.15	.15	.12	—	—	—	.15	8
9	.01	—	.05	.02	.12	.68	.25	.07	.09	—	.01	.04	9
10	.25	.02	.06	.27	.07	1.18	—	.04	—	—	—	.02	10
11	.05	.12	.03	.19	.02	.17	—	—	.18	—	—	.01	11
12	—	.07	.29	.04	.05	.04	—	—	.01	—	.21	.56	12
13	—	.25	.13	.01	—	—	.41	—	.26	—	.08	.25	13
14	.02	.16	.23	—	—	—	.04	—	.06	.09	.19	.31	14
15	.01	.20	.08	—	—	—	—	—	—	.24	.18	.07	15
16	.01	—	.10	—	—	—	—	—	.08	.02	.01	.01	16
17	.01	.01	.09	—	—	—	.06	—	.08	—	—	.02	17
18	—	.19	.19	—	—	—	.01	—	.01	—	—	.17	18
19	.01	—	.01	—	—	—	.18	—	.02	.06	—	.62	19
20	—	.02	.01	—	—	—	.54	—	.09	.01	.09	.07	20
21	—	.35	.02	—	—	.03	.14	—	—	—	—	.20	21
22	—	.47	.01	—	—	.57	.35	—	—	.14	—	.33	22
23	—	.02	.02	—	.18	~~.08~~	.02	.21	—	.07	—	—	23
24	—	.07	.09	—	.12	.01	.01	—	—	.09	—	.01	24
25	—	.03	.01	.02	—	.01	.02	—	—	.02	.07	—	25
26	.11	—	.03	—	—	—	—	.42	—	.37	.04	.19	26
27	—	—	.11	—	—	—	.04	.16	—	.11	.15	.30	27
28	.06	—	.03	—	—	—	—	—	—	.04	.53	.60	28
29	—	—	.13	—	.06	—	—	.01	—	.04	.15	1.00	29
30	—	✕	.08	—	.10	—	—	—	—	.22	.12	—	30
31	—	✕	.02	✕	—	✕	—	—	✕	.01	✕	.41	31
	.11	.05	—	—	.02	.02	.23	—	—	.02	.45	(—)	YEAR'S TOTAL
Total	~~.84~~	~~2.27~~	~~2.30~~	~~.82~~	~~1.17~~	~~3.04~~	~~3.85~~	~~1.91~~	~~.88~~	~~1.54~~	~~3.09~~	~~7.15~~	~~28.86~~
Rain Days.	16 ~~15~~	18	27 ~~28~~	12	14 ~~13~~	13	21	~~14~~ 13	10	17 ~~16~~	20	~~28~~ 27	208
W. 8,000. X. 14.	.95	2.21	2.25	.82	1.19	3.04	4.06	1.68	.88	1.56	3.52	6.70	28.86

corrected [illegible] for W. D. 14.IV.16

ex 35

2520

FORM A. BRITISH RAINFALL.

17 FEB 1916

REGISTER OF RAINFALL IN 1915

Kept at Stourbridge

in the County of Worcestershire

by W. Fiddian

Lat. — Long. —

Time of Observation —

Nearest Railway Station —

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground — ft. 12 in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·13

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·01	·18	—	·01	—	·07	·08	—	—	·12	·02	1
2	·29	·11	·09	—	·30	—	—	·04	·11	·10	·02	·02	2
3	·06	·09	·27	·17	—	·15	—	·54	—	·15	—	·07	3
4	·88	·05	·02	·10	—	—	·55	·02	—	—	—	·12	4
5	·02	·02	—	—	·05	—	·58	·10	—	—	—	·88	5
6	·01	·75	—	·02	—	·05	—	·03	—	·02	—	·40	6
7	·08	·09	—	·25	—	—	1.22	·12	—	—	—	·09	7
8	·08	·34	—	—	·16	—	·25	·09	—	—	—	·25	8
9	·08	·37	—	—	—	—	—	—	—	—	·08	—	9
10	·11	·12	—	·18	—	—	—	·01	—	—	·24	·42	10
11	·28	·01	·07	·04	—	—	—	—	—	—	·07	· ·	11
12	—	—	—	·06	·19	—	—	—	—	—	·88	·05	12
13	·06	·04	—	·17	·24	—	—	·48	—	·10	·93	·	13
14	—	·48	—	—	·54	—	—	·13	—	—	—	·07	14
15	·01	·01	—	—	—	—	·12	·20	·07	·02	—	·36	15
16	·24	·01	—	—	·09	—	·08	·39	—	—	·09	·15	16
17	·09	·51	—	·01	·32	—	2.50	·02	—	—	·02	·04	17
18	·01	·27	·01	—	·20	—	—	—	—	—	—	·	18
19	—	·29	·04	—	—	—	—	—	—	—	·02	·	19
20	—	—	—	—	·05	—	·17	—	—	—	—	·	20
21	·10	—	—	·08	—	—	—	—	—	—	—	·08	21
22	·21	—	—	—	—	—	·15	—	·02	·03	—	·03	22
23	·06	—	·26	·24	—	—	·18	—	·01	—	·02	·09	23
24	·01	·11	·03	—	—	—	·47	—	—	·63	—	·27	24
25	—	—	·01	·02	—	—	·04	—	·20	·28	—	·20	25
26	—	—	—	—	—	·82	·10	—	—	·01	—	·28	26
27	—	·07	—	—	—	—	·34	—	·09	—	—	·32	27
28	—	·06	—	—	—	—	·37	—	—	·39	—	1.0	28
29	—	—	—	—	—	—	—	·17	·05	·03	—	·	29
30	—	✕	—	—	—	—	·06	·04	—	·01	·05	·05	30
31	·05	✕	—	✕	—	✕	·06	—	✕	·25	✕	·11	31
Total	·01 ~~2·74~~ 2·74	·18 ~~3·81~~ 3·98	— ~~·98~~ ·80	·01 ~~1·34~~ 1·35	— ~~2·15~~ 2·14	·07 ~~1·02~~ 1·09	·08 ~~7·31~~ 7·32	— ~~2·46~~ 2·38	— ~~·55~~ ·57	·12 ~~2·02~~ 2·14	·02 ~~2·54~~ 2·44	·13 ~~5·37~~ 5·48	YEAR'S TOTAL ~~32·29~~ 32·41
Rain Days.	21	21	~~10~~ 9	~~12~~ 13	~~11~~ 10	~~5~~ 4	18	~~16~~ 15	7	~~13~~ 14	12	24	168

W. 8,000. X. 15.

2453

FORM A. BRITISH RAINFALL.

8 FEB 1917

cnd/fr WO

REGISTER OF RAINFALL IN 1916

Kept at Stourbridge

in the County of Worcester

by W. Fiddian F.S.I. Civil Engineer
107. Church Street Stourbridge

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (·10)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·42	·00	·12				·04		·02		·29		1
2	·13	·01	·08			·10	·10			·07	·21		2
3	·20	·02	·25		·14	·04	·35		·06	·70	·20		3
4		·55			·03	·01			·03	·26	·10		4
5	·15	·14		·03	·45	·17	·04		·01	·03	·50		5
6	·01	·01			·25	·05	·30			·11	·45		6
7	·03	·17	·12		·34	·05	·53			·10	·50		7
8			·08		·05		·10			·12	·19	·24	8
9	·04	·02	·05		·25					·06		·25	9
10			·03		·21	·70					·02	·03	10
11		·31	·06	·07	·06					·02		·02	11
12	·04	·14	·03	·11		·26			·03			·22	12
13	·01	·06	·05		·23	·02	·10			·03			13
14	·01	·23	·11	·04			·27	·14				·04	14
15		·37	·03	·04	·03			·19		·03			15
16		·27	·42	·05	·15		·11	·07		·09			16
17		·04	·01	·25	·03		·03	·13				·01	17
18	·05	·18		·08				·06	·41	·16			18
19		·07	·02	·10				·03		·07	·42	·24	19
20	·02	·01	·15	·16					·02		·38		20
21	·03		·49					·02			·17	·20	21
22			·16	·06	·14		·55					·20	22
23		·02		·03		·03				·09	·01	·36	23
24	~~·08~~ ·03	·29	·02	·01						·01	·10	·24	24
25		·35			·11			·22		·24	·01	·20	25
26		·05	·18		·07			·06		·08	·25		26
27	·04	·07	·01			·08		·02	·18	·25	·05	·01	27
28	·02	·12	·74			·02		·40	·17	·24	·01	·02	28
29		·24	·08							·07	·01	·17	29
30		✕				·17		·37		·30		·06	30
31		✕		✕		✕			✕	·11	✕		31
	—	·12	—	—	—	·04	—	·02	—	·29	—	(10)	YEAR'S TOTAL
Total	~~1·23~~	~~3·74~~	~~3·29~~	1·03	2·54	~~1·70~~	~~2·52~~	~~1·71~~	~~·93~~	~~3·24~~	~~3·87~~	~~2·51~~	~~28·31~~
Rain Days.	·81 ~~6~~ 15	3·86 ~~24~~ 25	3·17 ~~23~~ 22	13	16	1·74 ~~13~~ 14	2·48 ~~[illegible]~~ 11	1·73 ~~[illegible]~~ 13	·91 ~~9~~ 8	3·53 ~~23~~ 24	3·58 ~~[illegible]~~ 18	2·61 ~~[illegible]~~ 18	27·99 ~~[illegible]~~ 197

W. 8,000, VIII. 16

W. D

2339

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

JAN

Kept at Stourbridge

in the County of Worcester

by W. Fradin, 7 Church Street Stourbridge

Lat. 52·27·33" Long. 2·9·16"

Time of Observation 9 a.m

Nearest Railway Station Stourbridge

Diameter of Funnel of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
(–)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10			·02					·12		·02	·02	1
2			·07	·09		·11	·02	·92	·42		·06	·17	2
3				·16		·09		·04			·03	·10	3
4	·02	·09		·17				·09		·33	·02		4
5	·03	·03	·30					·04		·58			5
6	·28		·15	·17					·04	·12	·05		6
7	·02		·24			·38				·14	·20	·02	7
8	·35							·02		·10	·02	·03	8
9	·36			·10			·08	·65		·38	·22	·14	9
10			·15	·12	·21			·34	·02	·20	·24		10
11	·45		·25	·10	·24		·06	·18	·05	·02			11
12	·09		·13	·11					·01	·11	·02		12
13				·03	·25			·04	·01	·15	·02		13
14		·03	·02	·03				·03	·07	·02			14
15	·07		·09	·16				·55		·02		·03	15
16	·02				·07		·28	·02		·04	·01	·12	16
17	·02	·09		·10		·30	·06	·01		·02		·30	17
18	·02	·01	·02	·07	·28		·38	·29	·17	·09			18
19	·02	·02		·05	·19		·42	·06	·86	·02			19
20	·03	·30	·40		·02	·37							20
21		·14			·50	·08	·35		·08		·07	·01	21
22		·02	·15		·04	·03		·10		·02	·06		22
23			·04			·01		·06	·04	·12			23
24		·17			·15	·01		·08		·07		·02	24
25			·02			·40	·15	·08		·19	·03	·02	25
26		·08	·13					·02		·02	·02		26
27					·15	·04		·46	·13		·17		27
28					2·07	·20	·71	·55		·04	·02		28
29						·03		·14				·05	29
30		×	·06		·02		·03	·08		·34		·26	30
31		×		×		×	·04	·32	×		×		31
Total	– ~~1·88~~ 1·98	– 0·98 ·98	·02 2·22 2·24	– ~~1·48~~ 1·46	– 4·19 4·19	– 2·05 2·05	– ~~2·58~~ 2·58	·12 ~~5·17~~ 5·29	– ~~2·02~~ 1·90	·02 ~~3·14~~ 3·16	·02 ~~1·28~~ 1·28	(–) ~~1·29~~ 1·27	YEAR'S TOTAL 28·28 28·18
Rain Days.	~~15~~ 14	11	~~16~~ 17	~~15~~ 14	13	13	12	~~25~~ 26	~~13~~ 12	~~23~~ 24	18	~~14~~ 13	188

W. 8,000, IX. 17.

B. Made

end for W.D.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

13. 1. 19

Kept at Stourbridge
in the County of Worcester
by W. Fiddian

Lat. 52·24·33" Long. 2·9·16"
Time of Observation 9 a.m.
Nearest Railway Station Stourbridge
Diameter of Funnel of Rain Gauge Eight in.
Height of top of Gauge above Ground One ft. — in.
" " " " Sea Level abt 212·0 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. (-)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·05		·12	·31					·06			·13	1
2		·03		·22	·19					·03	·46		2
3		·04		·09				·05			·05	·13	3
4		·02	·01		·20			·36	·53		·05	·02	4
5	·05	·03						·05	·71	·10	·54	·45	5
6		·02			·34			·06	·12	·05	·02	·02	6
7		·20		·20		·14			·03	·12	·01	·04	7
8		·06		·05		·05			·93	·08	·15		8
9	·02	·16							·10	·18		·04	9
10		·35		·10		·16	·13		·36	·35	·02	·03	10
11	·08	·02					·30		·07	·04	·04	·06	11
12	·02			·03	·12		·32		·24			·05	12
13		·04	·10		·10		·10		·03				13
14					·19		·03			·08		·05	14
15	·45					·05	·07		·18	·07	·02	·17	15
16	·84			·26			·26		·04			·23	16
17	·13			·48		·08	·10	·01	·40			·06	17
18	·29				·27	·02	·13	·01	·46	·09		·13	18
19	·36					·19	·54		1·40			·17	19
20	·05	·05	·20				·04		·02	·05		·14	20
21	·15	·09		·61		·05	·02		·20		·01	·04	21
22	·08			·48	·04	·02	·07		·34		·01	·30	22
23	·02			·01	·08		·09		·01	·03		·02	23
24					·53	·02	·04		·06		·02	·27	24
25		·15					·06	·06	·04		·11		25
26						·03	·15	1·20			·04	·02	26
27							·24	·08	·04	·03	·07	·06	27
28	·01	·04						·20	·28		·15	·06	28
29			·26			·02		·12			·14	·10	29
30		X	·07						·74			·05	30
31		X	·39	X		X			X		X	·14	31
	–	·12	·31	–	–	–	–	·06	–	–	·13	(-)	YEAR'S TOTAL
Total	~~2·58~~ 2·53	~~1·30~~ 1·42	~~1·15~~ 1·34	~~2·84~~ 2·53	2·06	0·83	2·69	~~2·20~~ 2·26	~~7·39~~ 7·33	1·30	~~1·91~~ 2·04	~~2·98~~ 2·85	~~29·23~~ 29·18
Rain Days.	~~15~~ 14	~~15~~ 16	7	~~12~~ 11	10	12	18	~~11~~ 12	~~25~~ 24	14	~~18~~ 19	~~27~~ 26	~~184~~ 183

W. 8,000, IX. 17.

2194

18 JUN 20

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Stourbridge Main Drainage Board
in the County of Worcester.
by W. Fiddian, Engineer to the Main Drainage Board.

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Stourbridge.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " Sea Level 215 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. (·01)

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·	·	·04	·16	·	·16	·	·	·	·	·11	1
2	·40	·01	·01	·02	·14	·	·28	·	·02	·14	·02	·16	2
3	·16	·	·12	·	·	·	·09	·	·05	·01	·12	·	3
4	·32	·	·03	·02	·07	·06	·18	·	·12	·	·17	·06	4
5	·03	·	·25	·	·	·12	·13	·07	·22	·	·	·16	5
6	·04	·30	·	·	·10	·	·	·	·36	·	·	·08	6
7	·06	·	·13	·	·30	·	·	·	·02	·	·	·07	7
8	·30	·	·14	·10	·02	·	·	·	·	·	·04	·06	8
9	·20	·	·05	·02	·	·04	·	·	·01	·	·	·03	9
10	·03	·	·	·18	·	·	·	·	·	·	·	·	10
11	·02	·	·59	·02	·	·	·	·	·01	·	·	·15	11
12	·	·	·83	·	·	·	·32	·	·	·07	·	·	12
13	·06	·	·33	·02	·	·35	·	·	·03	·11	·04	·01	13
14	·08	·	·	·21	·	·	·06	·	·15	·16	·	·03	14
15	·32	·	·01	·19	·	·	·	·	·32	·08	·	·	15
16	·43	·12	·01	·28	·	·	·	·	·	·02	·02	·30	16
17	·05	·91	·	·02	·	·	·	·14	·	·	·18	·02	17
18	·	·41	·	·	·	·03	·10	·	·	·	·17	·	18
19	·	·02	·52	·	·	·	·02	·25	·02	·	·06	·12	19
20	·13	·23	·70	·	·	·25	1·16	·42	·18	·	·	·	20
21	·27	·23	·18	·	·	·05	·09	·18	·11	·	·23	·06	21
22	·	·30	·05	·	·	·03	·22	·05	·02	·	·	·20	22
23	·	·22	·33	·	·		·	·	·30	·	·	·40	23
24	·	·	·	·	·	·06	·	·	·05	·80	·	·05	24
25	·04	·	·	·03	·07	·	·	·03	·	·61	·11	·10	25
26	·11	·	·	·03	·08	·05	·	·34	·02	·02	·03	·05	26
27	·05	·02	·10	·15	·	·05	·	·02	·01	·	·	·32	27
28	·25	·	·03	·50	·	·	·	·50	·02	·	·	·05	28
29	·05		·02	·	·	·02	·	·40	·	·	·02	·25	29
30	·05		·01	·14	·	·03	·	·03)	·	·50	·10	·15	30
31	·		·		·		·			·02		·22	31
Total	— ~~3·46~~ 3·45	2·57	·04 ~~4·44~~ 4·48	·16 ~~1·97~~ 2·09	— ~~1·04~~ ·88	·16 ~~1·14~~ 1·30	— ~~2·81~~ 2·65	2·43	2·14	2·54	11 ~~1·31~~ 1·42	(·01) ~~3·21~~ 3·11	Year's Total 29·06
Days with ·01 in. or more	~~24~~ 23	11	~~21~~ 20	19	~~8~~ 7	~~13~~ 14	~~12~~ 11	12	20	12	~~14~~ 15	25	189

(44,283). Wt. 23958—218. 7500. 2/19. Gp.132. A.&E.W.

2110

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

29 MAR 1921

Kept at Stourbridge

in the County of Worcester

by Stourbridge Main Drainage Board.

Lat. Long.

Time of Observation 9. a.m.

Nearest Railway Station Stourbridge

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 215 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·04	·00	·07	·14	·02	·09	·04		·20	·55	·10	1
2	·00	·10	·02	·10	·20	·05	·25		·11	·14		·22	2
3	·03	·00	·02	·05	·02		·16		·07	·07		·07	3
4	·06	·11	·00	·05	·02	·01	·73	·01	·16	·57			4
5	·00	·01	·02	·14			·06	·41	·03	·36		·02	5
6	·00	·00	·05	·01	·10		·27	·05	·04	1·20			6
7	·00	·01	·13	·02	·07		·14			·30			7
8	·00	·00	·08	·08			·13	·02		·02		·01	8
9	·31	·07	·02	·07	·20		·43	·04		·01		·01	9
10	·35	·01	·00	·64			·06	·13				·01	10
11	·40	·05	·06	·20			·08						11
12	·10	·00	·09	·02	·41	·16	·05	·05				·01	12
13	·00	·04	·07	·22		·87	·03	·40			·12	·10	13
14	·22	·02	·18	·40			·02	·03			·02	·05	14
15	·02	·02	·72	·19		·12	·07		·30	·03	·15		15
16	·02	·00	·25	·36		·23			·09	·01			16
17	·00	·13	·01	·07	·02	·22	·25		·06	·46	·02	·02	17
18	·02	·00	·00	·00	·10		·04		·60	·05	·02	·01	18
19	·31	·00	·00	·00	·10		·05	·09	·25				19
20	·00	·64	·01	·06		·35			·06				20
21	·00	·06	·00	·50		·11			·02				21
22	·02	·01	·00	·02			·30	·04		·03		·10	22
23	·03	·01	·00	·12			·05	·08				·02	23
24	·00	·01	·00	·05			·35	·06		·02		·35	24
25	·00	·00	·15	·01				·02				·15	25
26	·02	·02	·17	·04	·08	·02	·65	·01				·02	26
27	·12	·00	·16				·03				·08	·10	27
28	·18	·07	·11	·17	·43	·25	·03				·02	·43	28
29	·92	·00	·09	·03	·55	·09	·02					·07	29
30	·10	×	·18		·35	·11	·02				·11	·35	30
31	·03	×	·05	×	·09	×	·06		×	·01	×	·15	31
													YEAR'S TOTAL
TOTAL	3·29	1·43	2·64	3·69	2·88	2·61	4·42	1·48	1·79	3·48	1·09	2·37	31·17
Days with ·01 in. or more	20	19	22	26	16	14	27	16	12	16	9	22	219
Days with ·04 in. or more	11	10	16	20	13	11	21	11	10	9	5	13	150

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

2178

WORCESTER.
~~STOUR~~PORT
AREL EY HALL.

1919

5 JAN 20

Form A. 1. **METEOROLOGIC** ... **ORGANIZATION.**

REGIS ... 919.

Kept at Areley Hall ... ng 2
... 8 a.m
in the County of Worces ... on Stourport
... Rain Gauge 5 in.
by F. Zachary ... above Ground 1 ft. – in.
„ Sea Level 73 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·000	·020	·020	·000	·070	·160	·180		·020	·105	·020	·250	1
2	·300	·010	·000	·000		·000	·340		·040	·070	·180	·030	2
3	·120	·000	·110	·000	·070	·000	·080		·000	·000	·120	·070	3
4		·020	·270	·000	·000	·000	·350		·320	·010	·000	·110	4
5		·300	·000	·000	·040	·130	·000		·180	·000	·000	·280	5
6	·640	·000	·320	·080	·260	·000	·000	·020	·000	·000	·000	·190	6
7		·000	·090	·000	·030	·000	·000		·000	·000	·080	·000	7
8		·000		·150	·000	·050	·000		·000	·000	·000	·000	8
9	·190	·000	1.940	·000	·000	·000	·000		·010	·000	·000	·000	9
10	·120	·000		·000	·000	·000	·000		·000	·010	·010	·190	10
11	·000	·000		·000	·040	·000	·360	·000	·030	·010	·000	·000	11
12	·010	·000	·000	·000	·000	·100	·000	·000	·019	·060	·000	·010	12
13	·110	·000	·000	·000	·000	·000	·070	·000	·240	·200	·020	·010	13
14	·240	·010	·020	·370	·000	·000	·020	·000	·000	·090	·000	·030	14
15	·340	·110	·000	·000	·180	·000	·000	·000	·000	·050	·070	·320	15
16	·120	·860	·000	·070	·000	·030	·000	·220	·000	·000	·150	·000	16
17	·030	·390	·000	·000	·060	·000	·000	·000	·000	·000	·000	·010	17
18	·000	·000	·560	·000	·000	·180	·030	·230	·000	·000	·020	·060	18
19	·170	·270	1.000	·000	·000	·010	1.140	·220	·060	·010	·000	·010	19
20	·010	·030		·000	·000	·015	·000	·000	·050	·000	·000	·060	20
21		·530	·260	·000	·000	·010	·280	·020	·010	·000	·000	·130	21
22	·510	·060	·000	·000	·000	·020		·000	·000	·680	·080	·170	22
23		·000	·000	·000	·000	·000			·280	·570	·000	·070	23
24	·000	·000	·000	·040	·140	·000		·460	·000	·000	·130	·070	24
25	·060	·000	·000	·120	·000	·020		·650	·000	·000	·000	·010	25
26	·000	·010	·130	·050	·000	·000	·130	1.110	·000	·000	·000	·400	26
27	·170	·000	·050	·610	·000	·000		·040	·060	·000	·040	·010	27
28	·030	·000	·030	·030	·000	·000		·020	·000	·000	·050	·320	28
29	·060		·000	·090	·000	·010		·000	·000	·000	·170	·110	29
30	·000	╳	·000	·110	·000	·120		·030	·000	·010	·140	·220	30
31	·000	╳	·060	╳	·000	╳	·010	·000	╳	·030	╳	·010	31
Total	3.230	2.620	4.860	1.720	·890	·855	2.990	3.020	1.439	1.905	1.280	3.150	Year's Total 27·959
Days with ·01 in. or more	7	13	(18)	11	(9)	13	(12)	(11)	13	14	15	26	

27959

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

2178

5 JAN 20

FORM A. I. METEOROLOGIC ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Areley Hall nr Stourport
in the County of Worcester
by F. Zachary Lloyd

Lat. 52 Long. 2
Time of Observation 8 a. m
Nearest Railway Station Stourport
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 73 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·000	·020	·020	·000	·070	·160	·180		·020	·105	·020	·250	1
2	·300	·010	·000	·000		·000	·340		·040	·070	·180	·030	2
3	·120	·000	·110	·000	·070	·000	·080		·000	·000	·120	·070	3
4		·020	·270	·000	·000	·000	·350		·320	·010	·000	·110	4
5		·300	·000	·000	·040	·130	·000		·180	·000	·000	·280	5
6	·640	·000	·320	·030	·260	·000	·000	·020	·000	·000	·000	·190	6
7		·000	·090	·000	·030	·000	·000		·000	·000	·080	·000	7
8		·000		·150	·000	·050	·000		·000	·000	·000	·000	8
9	·190	·000	1.940	·000	·000	·000	·000		·010	·000	·000	·000	9
10	·120	·000		·000	·000	·000	·000		·000	·010	·010	·190	10
11	·000	·000		·000	·040	·000	·360	·000	·030	·010	·000	·000	11
12	·010	·000	·000	·000	·000	·100	·000	·000	·019	·060	·000	·010	12
13	·110	·000	·000	·000	·000	·000	·070	·000	·240	·200	·020	·010	13
14	·240	·010	·020	·370	·000	·000	·020	·000	·000	·090	·000	·030	14
15	·340	·110	·000	·000	·180	·000	·000	·000	·000	·050	·070	·320	15
16	·120	·860	·000	·070	·000	·030	·000	·220	·000	·000	·150	·000	16
17	·030	·390	·000	·000	·060	·000	·000	·000	·000	·000	·000	·010	17
18	·000	·000	·560	·000	·000	·180	·030	·230	·000	·000	·020	·060	18
19	·170	·270	1.000	·000	·000	·010	1.140	·220	·060	·010	·000	·010	19
20	·010	·030	·260	·000	·000	·015	·000	·000	·050	·000	·000	·060	20
21		·530		·000	·000	·010	·280	·020	·010	·000	·000	·130	21
22	·510	·060	·000	·000	·000	·020		·000	·000	·680	·080	·170	22
23		·000	·000	·000	·000	·000		·460	·260	·570	·000	·070	23
24	·000	·000	·000	·040	·140	·000			·000	·000	·130	·070	24
25	·060	·000	·000	·120	·000	·020		·650	·000	·000	·000	·010	25
26	·000	·010	·130	·050	·000	·000	·130	1.110	·000	·000	·000	·400	26
27	·170	·000	·050	·610	·000	·000		·040	·060	·000	·040	·010	27
28	·030	·000	·030	·030	·000	·000		·020	·000	·000	·050	·320	28
29	·060		·000	·090	·000	·010		·000	·000	·000	·170	·110	29
30	·000	✕	·000	·110	·000	·120		·030	·000	·010	·140	·220	30
31	·000	✕	·060	✕	·000	✕	·010	·000	✕	·030	✕	·010	31
TOTAL	3.230	2.620	4.860	1.720	·890	·855	2.990	3.020	1.439	1.905	1.280	3.150	YEAR'S TOTAL 27·959
Days with ·01 in. or more	?	13	(18)	11	(9)	13	(12)	(11)	13	14	15	26	

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

27959

WORCESTER.

TENBURY.

"THE HOMESTEAD"

1911 – 1920

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

REGIST 11

Kept at The Homestea 5 in.

ve Ground ft. 6 in.

in the County of Worcest Sea Level 343 ft.

30 a.m.

by Mr. & Miss Henr Name Tenbury

Distance 2½ miles Direction north

IMPORTANT NOTE.—Ra and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–		07	–	–	–	–	·19	–	–	·06	·01	1
2	–		–	·06	·10	–	–	·10	–	·07	·16	·04	2
3	·03		–	–	·45	–	–	·11	·03	–	·03	·08	3
4	–		·16	–	–	–	–	–	·07	·01	·12	·42	4
5	–		·03	–	–	–	–	·09	–	·03	·03	·01	5
6	·15		–	–	–	–	–	·04	–	–	·02	·44	6
7	·32		–	–	–	–	–	–	–	–	·20	–	7
8	·01		·19	–	–	–	–	–	–	–	·28	·74	8
9	·08		·02	–	–	–	–	–	–	–	·23	·06	9
10	·09	·08	·15	–	–	–	–	–	–	–	·01	·64	10
11	·02	–	–	–	·03	–	–	–	–	–	·48	·02	11
12	–	–	·38	–	–	–	–	–	·35	–	·25	·03	12
13	–	–	·01	–	·04	–	–	–	·08	–	·01	·56	13
14	–	·03		–	–	–	–	–	–	–	·10	·95	14
15	–	·02	·06	–	–	–	–	–	–	·01	·07	·10	15
16	–	–	–	–	–	·11	–	–	–	·01	–	·03	16
17	–	–	–	–	·09	·72	–	–	–	–	·35	·75	17
18	–	·23	·06	·18	–	·11	–	–	–	–	·01	·40	18
19	–	·02	–	·13	–	·32	·04	–	·42	·57	·01	·15	19
20	–	·04	–	·06	–	–	–	·01	·18	·03	–	·62	20
21	–	·11	·04	–	–	·02	–	·70	·01	·20	–	·14	21
22	–	–	–	–	–	·02	–	–	–	·20	–	·40	22
23	–	·20	·10	·01	–	·38	–	–	·17	·13	–	·25	23
24	–	·08	–	·03	–	·30	–	·09	·01	·04	–	·15	24
25	–	·04	–	·09	–	·02	–	–	·01	–	–	·17	25
26	·10	·12	–	·28	some lost 2·06?	–	–	·09	–	·19	·09	·11	26
27	–	·15	·26	·17	·01	–	–	·35	·15	–	·10	·08	27
28	–	·21	–	·24	–	–	–	–	–	–	·18	–	28
29	–	–	–	·04	–	·10	·61	·05	·25	·22	–	–	29
30	–	–	02	·07	–	·04	·07	·26	·01	·38	·03	–	30
31	–	–			25		–	–		·06		·01	31
Total	·80	1·33	1·55	1·36	3·03	2·14	·72	2·08	1·74	2·15	2·82	7·36	TOTAL for year 27·08?
No. of Rain Days	8	13	14	12	8	11	3	12	13	15	22	27	158

158

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

REGIST 11

Kept at The Homestead, Tenbury

in the County of Worcester

by Mr. & Miss Hewitt

Rain Gauge: Diameter of top 5 in.
Height of top above Ground ft. 6 in.
" " " Sea Level 343 ft.

Time of Observation 8·30 a.m.

Nearest Railway Station: Name Tenbury
Distance 2½ miles Direction north

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–		07	–	–	–	–	·19	–	–	·06	·01	1
2	–		–	·06	·10	–	–	·10	–	·07	·16	·04	2
3	·03		–	–	·45	–	–	·11	·03	–	·03	·08	3
4	–		·16	–	–	–	–	–	·07	·01	·12	·42	4
5	–		·03	–	–	–	–	·09	–	·03	·03	·01	5
6	·15		–	–	–	–	–	·04	–	–	·02	·44	6
7	·32		–	–	–	–	–	–	–	–	·20	–	7
8	·01		·14	–	–	–	–	–	–	–	·28	·74	8
9	·08		·02	–	–	–	–	–	–	–	·23	·06	9
10	·09	·08	·15	–	–	–	–	–	–	–	·01	·64	10
11	·02	–	–	–	·03	–	–	–	–	–	·48	·02	11
12	–	–	·38	–	–	–	–	–	·35	–	·25	·03	12
13	–	–	·01	–	·04	–	–	–	·08	–	·01	·56	13
14	–	03		–	–	–	–	–	–	–	·10	·95	14
15	–	02	·06	–	–	–	–	–	–	·01	·07	·10	15
16	–	–	–	–	–	·11	–	–	–	·01	–	·03	16
17	–	–	–	–	·09	·72	–	–	–	–	·35	·75	17
18	–	·23	·06	·18	–	·11	–	–	–	–	·01	·40	18
19	–	·02	–	·13	–	·32	·04	–	·42	·57	·01	·15	19
20	–	·04	–	·06	–	–	–	·01	·18	·03	–	·62	20
21	–	·11	·04	–	–	·02	–	·70	·01	·20	–	·14	21
22	–	–	–	–	–	·02	–	–	–	·20	–	·40	22
23	–	·20	·10	·01	–	·38	–	–	·17	·13	–	·25	23
24	–	·08	–	·03	–	·30	–	·09	·01	·04	–	·15	24
25	–	·04	–	·09	–	·02	–	–	·01	–	–	·17	25
26	·10	·12	–	·28	some lost 2·06?	–	–	·09	–	·19	·09	·11	26
27	–	·15	·26	·17	·01	–	–	·35	·15	–	·10	·08	27
28	–	·21	–	·24	–	–	–	–	–	–	·18	–	28
29	–	–	–	·04	–	·10	·61	·05	·25	·22	–	–	29
30	–	–	02	·07	–	·04	·07	·26	·01	·38	·03	–	30
31	–	–			25		–	–		·06		·01	31
Total	·80	1·33	1·55	1·36	3·03	2·14	·72	2·08	1·74	2·15	2·82	7·36	TOTAL for year 27·08?
No. of Rain Days	8	13	14	12	8	11	3	12	13	15	22	27	158

158

9,000, IX. '10.

Ex DL

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

6 JAN 1913

Kept at The Homestead, St. Michaels Tenbury

in the County of Worcester

by Mrs. Hewitt

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. in.
" " " Sea Level 343 ft.

Time of Observation 8. 30 a.m.

Nearest Railway Station
Name Tenbury
Distance 2½ miles Direction north

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·22	–	–	·37	·04	·03	·02	·02	–	·12	1
2	–	–	·15	–	·01	·38	·13	·03	–	–	–	·01	2
3	–	–	·01	–	·05	·15	·09	·26	·04	–	·03	·04	3
4	·17	–	·65	–	·16	·34	–	·18	–	–	·18	–	4
5	·24	Snow ·10	·24	–	·15	·07	–	·31	–	·01	–	·01	5
6	·35	·05	·04	–	–	·29	–	·93	·01	–	–	·05	6
7	–	·24	·01	–	·05	·42	–	·02	–	–	–	·01	7
8	Rain & Snow ·47	·22	·29	–	–	·12	·12	·05	–	–	–	·01	8
9	·05	·05	·52	·08	–	·14	–	·33	–	–	–	·37	9
10	·10	·02	·01	·01	–	·10	–	·22	–	–	·16	–	10
11	·10	·06	·01	–	–	–	–	·03	–	–	·15	·55	11
12	·02	·19	·16	·01	·07	·44	–	·01	–	–	–	·03	12
13	–	·01	–	–	–	·01	–	·10	·02	·12	–	·05	13
14	·06	–	·80	–	–	·04	–	·04	–	–	–	–	14
15	·12	·11	·06	–	·56	·25	–	·01	–	–	–	·03	15
16	·68	–	·09	–	–	–	–	·07	–	·14	·01	–	16
17	Snow ·19	–	·11	–	–	·02	–	·37	–	–	·05	·40	17
18	·09	–	·06	–	–	–	–	·04	–	–	·01	·02	18
19	·46	·02	–	–	·04	–	·12	·33	–	·05	–	·01	19
20	·05	–	·36	–	–	–	·13	·02	–	·18	·02	–	20
21	–	·01	·24	–	·85	–	·03	·43	–	·33	–	–	21
22	·01	·20	·02	–	·30	–	·23	·26	–	·01	·01	·20	22
23	Snow ·55	–	·34	–	–	·08	1·04	·20	–	·01	·10	–	23
24	·12	–	–	–	–	·11	·02	·09	–	–	–	·22	24
25	–	–	–	–	–	·08	–	·74	–	–	·20	·44	25
26	–	·13	·09	–	–	–	·31	1·25	–	·79	·33	·46	26
27	–	·02	·01	–	–	·45	·47	·57	–	·76	–	·24	27
28	–	·06	–	–	–	·17	·18	–	·10	·26	–	·35	28
29	–		–	–	–	·12	·23	·15	·67	·15	·55	·03	29
30	·03		·05	–	–	·18	·03	–	–	·43	·02	–	30
31	–		·42		·19		·56	·04		·01		·07	31
Total	3·86	1·49	4·96	·10	2·43	4·27	3·73	7·11	·86	3·27	1·82	3·72	TOTAL for year 37·62
No. of Rain Days	19	16	25	3	11	22	16	29	6	15	14	23	199

9,000, IX. '10.

S. made

FORM A.
BRITISH RAINFALL.

10 FEB 1914

REGISTER OF RAINFALL IN 1913

24 BR

Kept at The Homestead, St Michaels
Tenbury
in the County of Worcester
by Mrs Hewitt

Lat. Long.
Time of Observation 8. 30 a. m.
Nearest Railway Station Tenbury
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 8 in.
" " " " Sea Level 343 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	·01	·18	·11	·04	–	–	–	·44	–	·02	–	1
2	·02	·24	·04	·06	–	–	–	–	·02	·30	·17	–	2
3	·02	·06	·05	–	·60	–	–	–	·01	–	–	·10	3
4	·95	·02	–	–	·29	–	–	–	·73	·50	·10	·28	4
5	·11	·06	–	–	·03	·03	·17	–	·01	·95	·07	·03	5
6	·02	·05	·22	–	·38	·12	·08	–	–	·29	·17	·41	6
7	·t	·30	–	–	·15	·06	·03	–	–	·56	–	·03	7
8	·01	·14	·01	·01	·24	·20	–	·09	–	·06	t?	–	8
9	–	·41	·02	·01	·10	·23	–	·36	·12	–	·08	·01	9
10	·26	·01	–	·24	·18	–	·01	·05?	–	·15	·03	–	10
11	·59	–	–	·37	·02	–	–	–	–	–	·45	–	11
12	–	–	–	–	·19	–	–	–	·02	·03	·42	–	12
13	·01	·02	·15	·01	·01	–	–	·02	·26	–	·27	–	13
14	·24	–	·88	·07	–	–	–	·01	–	·11	·02	–	14
15	·05	·01	·91	1·14	–	–	·01	–	·13	–	·16	–	15
16	·03	·01	Snow ·89	·01	–	–	–	–	–	–	–	–	16
17	–	·02	·05	·11	–	–	·26	–	·08	–	·07	–	17
18	·02	–	·19	·12	·01	–	·06	–	–	–	·01	·01	18
19	·18	–	·10	–	–	·03	·03	–	·06	·01	–	–	19
20	·17	–	·35	·06	–	t?	–	–	–	·03	·37	–	20
21	–	–	·24	·07	·04	–	·16	–	–	–	·35	–	21
22	Snow ·94	–	·80	–	–	·08	–	·91	·44	–	–	–	22
23	–	–	–	–	–	·01	–	·02	·08	–	·08	·01	23
24	·11	–	–	·05	–	–	–	–	–	–	·02	–	24
25	–	–	–	·24	–	–	–	–	·08	–	–	–	25
26	–	·01	–	·54	–	–	–	·23	–	·01	–	·16	26
27	·03	–	–	·32	–	–	–	–	–	·19	–	·02	27
28	·22	–	·44	·55	·11	–	–	–	–	·30	–	–	28
29	·01		·58	·65	·03	–	–	·10	–	·09	–	–	29
30	·21		–	–	–	–	–	–	·01	·83	·24	–	30
31	·04		·29		–		–	·03		·01		–	31
Total	4·24	1·37	6·19	4·74	2·42	·76	·81	1.82	2·49	4·42	3·10	1·06	YEAR'S TOTAL 33·42
Rain Days.	22	15	19	20	16	8	9	10	15	17	19	10	180

W. 7,500, XI. 12

Ex 82

FORM A.
BRITISH RAINFALL.

6 - JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at The Homestead, St. Michaels, Tenbury
in the County of Worcester
by Miss Hewitt

Lat. .... Long. ....
Time of Observation 8.30
Nearest Railway Station Tenbury
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 8 in.
" " " " Sea Level 343 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	0·01	0·01	-	-	0·01	1·10	0·11	-	-	0·02	0·03	1
2	-	-	0·01	-	-	-	0·50	0·56	-	-	0·50	0·48	2
3	-	-	-	0·07	0·24	-	0·03	0·11	-	-	0·02	0·24	3
4	0·23	-	0·02	0·10	0·04	-	0·13	0·03	-	-	0·50	0·81	4
5	-	-	0·07	0·17	0·12	-	0·08	-	-	-	0·25	0·01	5
6	0·11	0·04	-	0·01	0·04	-	0·05	-	-	-	-	0·10	6
7	0·10	0·15	0·34	0·09	0·08	0·12	0·25	0·10	-	-	0·01	0·24	7
8	-	-	0·01	0·01	0·02	0·39	-	0·07	0·09	-	-	0·18	8
9	0·12	0·01	0·06	0·26	0·08	1·14	-	0·08	0·28	-	-	0·01	9
10	-	0·11	0·02	0·14	0·01	0·19	-	-	0·36	-	-	-	10
11	-	0·19	0·33	0·05	0·02	0·02	-	-	0·06	-	0·16	0·67	11
12	-	0·36	0·14	-	-	-	0·07	-	0·26	-	0·02	0·22	12
13	-	0·17	0·26	-	-	-	0·03	-	0·02	0·44	0·18	0·25	13
14	-	0·78	0·15	-	-	-	-	-	-	0·03	0·19	0·01	14
15	0·01	0·01	0·13	-	-	-	-	0·02	0·04	0·09	0·02	-	15
16	-	-	0·03	-	-	-	-	-	0·12	-	-	-	16
17	-	0·14	0·24	-	-	-	-	-	0·09	-	-	0·42	17
18	-	-	0·16	-	-	-	0·06	-	-	0·01	-	0·39	18
19	-	-	0·01	-	-	-	0·92	-	-	-	0·14	0·13	19
20	-	0·32	0·05	-	-	0·02	-	-	-	-	-	0·18	20
21	-	0·42	0·01	-	-	0·03	0·22	0·24	-	0·20	-	0·02	21
22	-	0·10	-	-	0·32	-	0·03	0·10	-	0·31	-	-	22
23	-	0·07	0·07	-	0·07	0·08	-	-	-	0·16	-	0·01	23
24	-	-	0·06	-	0·05	-	-	0·15	-	0·08	0·02	-	24
25	0·06	0·01	0·04	-	-	-	0·14	0·30	-	0·33	0·02	0·22	25
26	0·08	-	-	-	-	-	-	0·23	-	0·09	0·18	0·39	26
27	-	-	-	-	-	-	-	-	-	0·04	0·27	0·91	27
28	0·01	0·03	0·11	-	0·01	-	0·19	-	-	0·01	0·38	0·70	28
29	0·03		0·09	-	0·13	-	0·19	-	-	0·16	0·19	-	29
30	-		0·06	-	-	-	-	-	-	0·05	0·69	0·51	30
31	0·48		-		-		-	-		0·08		0·09	31
Total	1·23	2·92	2·48	0·90	1·23	2·00	3·99	2·10	1·32	2·08	3·76	7·22	YEAR'S TOTAL 31·23
Rain Days.	10	17	25	9	14	9	16	13	9	15	19	25	180 181

W.7,000, XI. 13

2501

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.
13 JAN 1916

Kept at The Homestead St Michaels Tenbury
in the County of Worcester
by Miss Hewitt

Lat. Long.
Time of Observation 8.30
Nearest Railway Station Tenbury
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 8 in.
" " " " Sea Level 329 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·42	0·08	–	–	0·26	–	0·16	0·09	0·23	0·24	0·01	0·02	1
2	0·09	0·17	0·16	0·29	–	0·10	–	1·21	0·01	0·15	–	0·12	2
3	0·83	0·07	0·01	0·06	–	–	0·65	0·19	–	Fog 0·01	–	0·19	3
4	–	0·07	–	–	0·23	–	0·10	0·09	–	–	–	0·89	4
5	0·03	0·61	–	–	–	0·03	0·02	0·03	–	–	–	0·40	5
6	0·11	0·04	–	0·16	–	–	0·43	0·07	–	–	–	0·07	6
7	0·16	0·32	–	0·02	0·60	–	0·05	–	–	–	–	0·28	7
8	0·16	0·43	–	0·08	–	–	–	0·02	–	–	0·02	–	8
9	0·23	0·43	–	0·09	–	–	–	–	–	–	0·26	0·43	9
10	0·28	–	0·04	0·07	–	–	0·01	0·01	–	0·08	0·01	–	10
11	0·01	–	–	0·01	0·14	–	–	–	–	–	0·94	–	11
12	0·09	0·04	–	0·07	0·39	–	–	0·03	–	0·04	0·69	–	12
13	–	0·95	–	–	0·61	–	–	0·54	–	–	–	0·04	13
14	–	0·02	–	–	–	–	–	0·89	0·09	–	–	0·27	14
15	0·32	–	–	–	0·10	–	0·02	0·15	–	0·12	0·08	0·10	15
16	0·04	0·31	–	–	0·17	–	1·33	–	–	Fog 0·01	–	0·01	16
17	–	0·34	–	–	0·52	–	–	0·04	–	–	–	–	17
18	–	0·58	–	–	–	–	–	–	–	Fog 0·01	–	–	18
19	–	0·01	–	–	0·13	–	0·38	–	–	–	–	–	19
20	0·04	–	–	0·03	–	–	–	–	–	–	–	0·06	20
21	0·15	–	–	0·01	0·01	–	0·19	–	–	–	–	0·03	21
22	–	–	0·20	0·03	–	–	0·21	–	–	0·11	–	0·08	22
23	0·04	Snow 0·06	0·02	–	–	0·03	0·01	–	0·01	0·77	–	0·31	23
24	–	–	0·03	0·05	–	–	0·25	–	0·59	0·67 0·67	–	0·32	24
25	–	–	–	–	–	0·38	0·05	–	0·03	–	–	0·17	25
26	–	0·04	–	–	–	–	0·21	–	0·01	–	–	0·35	26
27	–	0·08	–	–	–	–	0·57	–	–	–	–	0·10	27
28	–	0·16	–	–	–	–	–	0·09	0·11	0·39	–	–	28
29	–	–	–	–	–	0·19	0·24	0·01	–	–	0·09	0·08	29
30	0·07	×	–	0·02	–	0·51	0·04	–	–	0·27	0·05	0·12	30
31	–	×	–	×	–	×	0·06	0·05	×	0·82	×	0·46	31
Total	3·07	4·81	0·46	0.99	3·16	1·24	4·98	3·51	1·08	3·69	2·15	4·90	YEAR'S TOTAL 34·04
Rain Days.	17	20	6	14	11	6	20	16	8	14	9	23	164

164

W. 8,000. X. 14.

8 made ✓ 2 7 R1 ~~[illegible]~~ cord fr auth 2434

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

13 JAN

Kept at The Homestead, St. Michael's Tenbury
in the County of Worcester
by Mrs Hewitt

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Tenbury Wells
Diameter of Funnel of Rain Gauge 5 inches in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level 3~~4~~30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·22	0·01	0·02	–	0·01	0·16	0·22	–	0·12	0·16	0·17	–	1
2	0·31	0·08	0·27	–	0·16	–	0·40	–	0·05	0·81	0·04	–	2
3	–	0·69	–	–	0·04	0·04	–	–	0·03	0·15	0·20	–	3
4	0·05	0·40	–	0·01	0·49	0·25	–	–	0·03	0·04	0·41	–	4
5	0·01	0·01	snow 0·02	–	0·32	0·04	–	–	–	0·09	0·09	–	5
6	0·03	0·25	snow 0·05	–	0·13	0·02	0·55	–	–	0·21	0·35	–	6
7	0·01	–	snow 0·05	–	0·05	–	0·35	–	0·02	0·08	0·14	0·25	7
8	0·01	Snow 0·02	snow 0·03	–	0·21	–	–	–	–	–	0·03	0·15	8
9	–	–	0·02	–	0·22	0·23	–	–	–	0·05	0·02	–	9
10	–	0·40	0·06	0·03	0·01	0·02	–	–	–	–	–	–	10
11	0·01	0·05	0·09	0·07	0·01	0·02	–	–	0·02	–	–	Snow 0·08	11
12	0·03	0·05	0·06	–	0·22	–	0·17	0·02	–	0·04	–	–	12
13	–	0·20	0·19	0·01	–	–	0·05	0·34	–	–	–	snow 0·05	13
14	–	Snow 0·45	0·03	0·01	0·03	–	–	0·20	–	–	–	–	14
15	–	0·67	0·23	0·15	0·19	–	–	0·24	–	–	–	–	15
16	–	0·06	0·01	0·14	0·01	–	–	0·05	–	–	–	–	16
17	0·04	0·12	–	0·07	–	–	0·06	0·01	0·37	0·36	–	–	17
18	0·01	0·03	0·05	0·12	–	–	–	–	0·28	0·01	Snow 0·28	Snow 3 in. 0·24	18
19	0·04	–	0·37	0·09	–	–	–	0·02	–	–	0·21	–	19
20	0·11	–	0·66	0·03	–	–	–	–	–	–	0·07	0·20	20
21	–	–	0·37	0·01	0·09	–	Thunder 1·03	–	–	–	–	0·15	21
22	–	–	–	0·07	–	0·03	–	–	–	0·13	–	0·22	22
23	–	Snow 0·14	Snow 0·01	–	–	–	–	0·12	–	0·06	0·02	0·27	23
24	–	0·17	snow 0·13	–	0·53	–	–	0·13	–	0·25	–	snow 0·10	24
25	–	0·02	0·16	–	–	–	–	0·09	–	0·02	0·18	0·06	25
26	0·05	0·13	0·05	–	0·07	0·11	–	0·16	0·02	0·56	0·03	–	26
27	0·05	0·07	0·82	–	–	–	–	0·03	0·20	0·05	–	–	27
28	–	snow & rain 0·34	0·02	–	–	–	–	–	0·02	0·10	0·01	0·10	28
29	–	0·19	–	–	–	0·15	–	0·46	–	0·14	–	0·13	29
30	–	╳	–	–	–	–	–	0·01	–	0·09	–	–	30
31	–	╳	–	╳	–	╳	–	0·03	╳	0·44	╳	0·03	31
Total	·98	4·49	3·77	·81	2·79	1·07	2·84	1·91	1·16	4·45	2·25 2·25	2·03	YEAR'S TOTAL 28·55
Rain Days.	15	23	24	13	18	11	8	15	11	21	16	14	~~194~~ 189

W. 8,000. X. 15.

2317

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

16. JAN 1918

Kept at The Homestead, Tenbury
in the County of Worcester
by Miss Hewitt

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Tenbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 330 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·05	Snow ·31	–	·26	–	·59	·04	–	·02	–	1
2	–	–	·02	–	–	·08	–	·02	–	–	·16	·04	2
3	·05	Snow ·03	–	Snow ·38	–	–	–	·01	–	·26	–	–	3
4	–	Snow ·02	Snow ·20	–	–	–	–	·01	–	·16	–	–	4
5	·03	–	Snow ·18	Partly Snow ·17	–	–	–	·04	·02	·22	·10	–	5
6	–	–	·30	–	–	·20	–	–	–	·08	·25	–	6
7	·28	–	–	–	–	–	·14	·28	–	·09	·06	–	7
8	·64	–	–	Snow ·13	–	–	·17	·32	–	·28	·11	·08	8
9	–	–	Snow ·20	Snow ·08	·26	–	–	·73	·15	·09	·05	–	9
10	·27	–	·28	Snow ·12	·08	–	–	·12	–	·01	–	–	10
11	·08	–	·09	Snow ·17	·02	–	–	·10	–	·25	·04	–	11
12	·02	–	–	·02	·80	–	–	·20	·07	·18	–	–	12
13	–	–	·07	·02	–	–	–	·13	·05	–	–	–	13
14	–	–	Snow ·27	·30	–	–	–	·02	–	–	–	·02	14
15	·01	–	–	–	·04	–	·82	·24	–	·05	–	·10	15
16	–	·04	–	·17	–	·70	·02	–	–	–	–	·24	16
17	–	–	–	·04	·43	hail 1·07	·32	·37	·28	·08	–	–	17
18	Snow ·04	·04	–	·05	·03	–	·46	·24	·87	–	–	–	18
19	·02	·31	Snow ·25	–	–	·46	–	–	·02	–	–	–	19
20	–	·15	·11	–	·93	·10	·03	·01	·17	–	·01	–	20
21	–	·01	Snow ·21	–	·03	·40	–	·05	–	–	·04	–	21
22	–	–	–	–	–	·03	–	·15	·04	·04	–	–	22
23	–	·22	–	–	·11	–	–	·18	–	·08	·01	–	23
24	–	–	·07	–	–	·37	–	·03	–	·26	·08	–	24
25	–	·11	·06	–	–	–	–	·57	–	·11	·06	–	25
26	–	·01	–	–	·11	·15	–	·03	·15	·06	·02	–	26
27	–	–	–	–	1·02	·24	·64	·61	–	–	–	–	27
28	–	–	·11	–	–	·02	–	·10	–	–	–	·03	28
29	–		·04	–	–	·02	·02	–	–	·42	–	·35	29
30	–	✕	–	–	–	–	–	·43	–	·04	·02	·01	30
31	–	✕	Snow ·05	✕	–	✕	–	·28	✕	·02	✕	–	31
Total	1·44	·94	2·50	1·96	3·86	4·10	2·62	5·66	1·86	2·78	1·03	·87	YEAR'S TOTAL 29·62
Rain Days.	10	10	18	13	12	14	9	27	11	20	15	8	167

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

5.2.19

Kept at The Homestead, Tenbury

in the County of Worcester

by Miss Hewitt

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Tenbury Wells

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 330 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·01	-	·02	-	-	-	·08	-	03	·73	-	1
2	-	·04	-	·05	-	-	-	·13	-	·03	·06	·14	2
3	-	·05	-	·07	-	-	-	·03	·68	·02	·14	-	3
4	·01	·01	-	-	·23	-	-	·04	·53	·21	·41	·48	4
5	-	·02	·04	·02	·57	-	-	·03	·28	·13	-	-	5
6	·03	·26	·02	·18	-	·32	-	-	-	·23	-	·02	6
7	-	·08	-	-	·32	-	-	-	·17	·04	·21	-	7
8	-	·18	-	·01	-	-	-	-	·11	·13	-	-	8
9	·04	·35	-	·21	-	·10	·02	-	·32	·07	-	-	9
10	·04	·03	-	·13	-	-	·28	-	·16	·09	-	·13	10
11	-	·02	·10	·09	·04	-	·48	-	·17	-	·10	·08	11
12	-	-	·10	-	·07	-	·37	-	-	-	-	-	12
13	-	·04	-	-	·03	-	·02	-	·12	·02	-	·02	13
14	·37	-	·05	-	-	-	·03	-	·27	·04	-	·14	14
15	Snow ·87	-	-	-	-	-	·36	-	03	·02	-	·26	15
16	Snow ·12	-	-	·82	-	·12	·01	-	·39	·01	-	·08	16
17	·36	-	-	-	-	·01	·14	·01	·14	·12	-	·10	17
18	·38	-	·08	-	-	·25	·28	-	1·04	·02	-	·31	18
19	·06	-	·19	-	-	·09	·02	-	-	-	-	·04	19
20	·17	·07	-	·29	-	·04	·01	-	·46	-	-	·01	20
21	·07	·03	-	·63	-	-	·07	-	·29	-	-	·08	21
22	-	-	-	-	·32	-	·11	-	-	·03	-	·15	22
23	·01	-	-	-	·24	-	·09	-	·01	-	·02	-	23
24	-	·12	-	-	-	-	·06	·09	·04	-	·06	-	24
25	-	-	-	·02	·07	-	·12	1·59	-	·01	·02	-	25
26	-	-	-	-	-	-	·56	-	·03	·01	·04	·12	26
27	-	·04	·04	-	-	-	-	·29	·22	-	-	·03	27
28	-	Snow ·07	·30	-	-	·01	-	-	-	-	·04	·09	28
29	-		·14	-	-	-	-	-	·77	-	-	·06	29
30	-	×	·31	-	-	-	-	-	-	·01	·07	·14	30
31	-	×	·32	×	-	×	-	-	×	-	×	-	31
Total	2·53	1·42	1·69	2·54	1·83	0·94	3·03	2·29	6·23	1·27	1·90	2·48	YEAR'S TOTAL 28·15
Rain Days.	13	17	12	13	9	8	18	9	21	20	12	20	172

W. 8,000, IX. 17.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

15 JAN 20

Kept at The Homestead, Tenbury
in the County of Worcester
by Miss Hewitt

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Tenbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 330 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·31	–	·02	·05	·05	–	·23	–	–	·07	·05	·30	1
2	·12	–	·12	–	–	–	–	–	·23	–	·09	·03	2
3	–	–	·09	–	·03	·06	·14	–	·01	–	·01	·06	3
4	–	·09	·28	–	–	–	·30	·07	·23	–	–	–	4
5	–	snow ·23	–	–	·15	–	–	–	·07	–	–	·37	5
6	·12	·10	·09	–	·06	–	–	–	–	–	·05	·20	6
7	·18	–	·06	·08	·01	·07	–	–	–	–	·04	–	7
8	·24	–	·06	–	–	–	–	–	–	–	–	–	8
9	·20	–	·66	·09	–	–	–	–	–	–	–	·01	9
10	·02	–	1·00	–	–	–	–	–	–	–	·02	·13	10
11	·06	–	–	–	·05	–	·59	–	–	·14	–	·04	11
12	·04	–	Snow ·39	·06	–	·09	–	–	·06	–	–	–	12
13	·26	–	–	·21	–	–	–	–	·47	·05	·02	·03	13
14	·05	·02	–	–	–	–	·10	–	·42	·01	–	·08	14
15	·46	·05	–	2 days ·34	·15	–	–	–	–	·02	–	·30	15
16	·14	·66	–	–	–	–	–	·12	–	–	·03	–	16
17	·03	·43	–	–	–	·04	·02	·03	–	–	·10	·01	17
18	–	snow ·20	·63	–	·02	–	·01	·35	–	–	–	·01	18
19	·14	·27	Snow ·70	–	–	·17	1·09	·37	·17	–	·12	·02	19
20	·14	·02	·65	–	–	·03	·04	·08	·03	–	·08	·08	20
21	·01	·30	·02	–	–	–	·29	·03	·02	–	·02	·10	21
22	–	·03	–	–	–	–	·02	–	·36	–	–	·11	22
23	–	–	–	–	–	–	–	–	–	·54	–	·04	23
24	–	–	–	·04	·07	·03	–	–	–	·38	·20	·02	24
25	·03	–	–	·07	·08	·01	–	·49	–	–	–	·02	25
26	–	–	·08	·18	–	·05	–	·08	·02	–	–	·27	26
27	–	–	–	snow ·55	–	–	–	·65	–	–	·03	·10	27
28	–	–	Snow ·11	–	–	–	–	·47	–	–	–	·25	28
29	·08		–	·09	–	–	–	–	–	·23	–	·22	29
30	–	✕	–	·07	–	·10	–	·08	–	–	·20	·16	30
31	–	✕	·04	✕	–	✕	–	–	✕	·02	✕	–	31
TOTAL	2·63	2·40	5·00	1·83	·67	·65	2·83	2·82	2·09	1·46	1·06	2·96	YEAR'S TOTAL 26·40
Days with ·01 in. or more	19	12	17	13	10	10	11	12	12	9	15	25	165

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

REGISTER OF RAINFALL IN 1920.

FORM A.
BRITISH RAINFALL.
14 JAN 1921

Kept at The Homestead, St. Michael's Tenbury
in the County of Worcester
by M. S. Hewitt

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Tenbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 330 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·04	·20	·24	–	·21	·05	·05	·09	–	·34	1
2	·01	–	–	·07	–	–	·15	–	·06	·11	–	·20	2
3	·09	·02	·01	·20	·02	·01	·62	·01	·10	·48	–	·03	3
4	–	–	·01	·02	–	–	·01	·50	·01	·26	–	–	4
5	–	–	·10	·48	·08	–	·38	·02	–	·29	–	–	5
6	–	–	·20	·01	·11	–	·19	–	–	·16	–	–	6
7	–	–	·05	–	·02	–	·27	–	–	–	–	–	7
8	·25	·06	–	·79	·10	–	·64	·10	–	–	–	–	8
9	·36	·02	–	·35	–	–	·03	·02	–	Fog ·01	–	–	9
10	·44	·04	·11	·01	–	·22	·05	–	–	–	·02	–	10
11	·13	–	·11	·55	·27	·05	·09	–	–	–	–	–	11
12	·17	·02	–	·25	–	Thunder 74	·04	·26	–	–	·10	·09	12
13	·05	·01	·27	·19	–	–	–	–	–	–	–	Snow ·03	13
14	·02	·02	·41	·25	–	·37	·06	·03	·33	·10	·27	–	14
15	–	·11	Snow ·48	·96	–	·26	–	–	·04	–	·06	–	15
16	–	–	–	·21	·32	·25	·10	–	·04	·78	·07	–	16
17	·02	–	–	–	·10	–	–	·04	·63	·13	–	–	17
18	·13	–	–	·02	·08	–	·06	·11	·75	–	–	–	18
19	·07	·36	–	·14	·04	·12	–	–	·05	–	–	–	19
20	–	Snow 48	–	·28	–	·09	–	–	·02	–	–	·09	20
21	–	–	–	·02	–	–	·30	–	–	·11	–	·09	21
22	–	–	–	·07	–	–	·09	·15	–	–	–	–	22
23	–	–	·03	–	–	–	·30	·03	–	Fog ·02	–	·40	23
24	·10	–	·09	·01	–	–	–	–	–	–	·02	·21	24
25	–	·04	·17	·02	–	–	·46	–	–	–	–	·01	25
26	·17	·01	·30	–	–	–	·01	–	–	–	·08	·03	26
27	·27	–	·12	·01	·05	·18	·12	–	–	–	·03	·47	27
28	Snow 1·11	–	·08	–	·50	·05	–	–	–	–	–	·10	28
29	·15	·01	·12	–	·37	·08	·15	–	–	–	·08	·33	29
30	·01	✕	Thunder ·54	·13	·06	·12	–	–	·28	–	·15	·15	30
31	·04	✕	–	✕	·06	✕	·01	–	✕	·33	✕	·02	31
Total	3·59	1·20	3·24	5·24	2·42	2·54	4·34	1·32	2·36	2·87	·88	2·59	YEAR'S TOTAL 32·59
Rain Days.	19	13	19	24	16	13	23	12	12	13	10	16	190
	15	6	16	16	14	12	19	7	10	11	7	11	144

W. 8,000, VIII. 16

WORCESTER.

TENBURY.

"TEME STREET"

1916 - 1919

REGIST

FORM A.
BRITISH RAINFALL.

4 JAN 1917

Kept at Teme Street.

in the County of Worcest

by Frederick Lo

ng. 2°35′ W

9r

on Tenbury

Rain Gauge 5 in.

above Ground 1~~8~~ ft. — in.

„ Sea Level 180 ft.

IMPORTANT NOTE.- and the result entered to the previous day. If an Obser universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·09	0·01	0·01	–	0·04	0·13	0·17	–	–	0·19	0·13	–	1
2	0·42	0·08	0·26	–	0·13	–	0·40	–	0·14	0·95	0·09	–	2
3	–	0·79	–	0·01	3-0·03 0·47	0·03	–	–	0·03	0·17	0·18	0·03	3
4	0·05	0·29	–	0·02	4 0·30	0·29	–	–	0·01	0·12	0·53	–	4
5	0·01	0·02	0·02	–	5 0·14	0·04	0·01	–	–	0·10	0·08	–	5
6	0·03	0·22	0·05	–	6 0·08	0·04	0·76	–	–	0·16	0·33	–	6
7	0·01	–	0·09	–	7 0·25	0·01	0·25	–	0·01	0·11	0·12	0·25	7
8	0·03	0·02	0·03	–	8 0·16	–	–	–	–	0·03	0·02	0·09	8
9	–	–	0·01	–	9 0·01	0·18	–	–	–	–	0·02	–	9
10	0·01	0·47	0·07	0·02	10 0·02	0·01	–	–	–	–	–	0·01	10
11	0·01	0·02	0·06	0·06	11 0·25	0·04	–	21 days - drought	0·01	–	–	0·10	11
12	0·05	0·06	0·06	–	12 0·01	–	0·14	0·02	–	0·04	–	–	12
13	–	0·15	0·17	0·02	13 0·04	–	0·02	0·26	–	–	–	0·05	13
14	–	0·44	0·03	0·02	14 0·14	–	–	0·27	–	0·01	–	–	14
15	–	0·53	0·22	0·12	15 " – "	–	0·02	0·25	–	–	–	–	15
16	–	0·05	0·01	0·11	–	–	0·06	0·06	–	0·07	–	–	16
17	0·06	0·12	–	0·04	–	–	–	0·01	0·33	0·27	–	–	17
18	0·01	0·03	0·06	0·04	–	–	–	–	0·36	–	0·31	0·23	18
19	0·05	–	0·31	0·19	–	–	–	0·04	–	0·01	0·16	–	19
20	0·08	–	0·65	0·02	–	–	–	–	–	–	0·06	0·21	20
21	–	–	0·26	0·01	0·09	–	0·85	–	–	–	–	0·12	21
22	–	–	–	–	–	0·05	–	–	–	0·11	–	0·36	22
23	0·01	0·24	0·02	–	–	–	–	0·11	–	–	0·03	0·25	23
24	–	0·31	0·10	–	0·45	–	–	0·15	–	0·28	–	0·13	24
25	–	0·04	0·14	–	–	0·01	–	0·11	–	0·02	0·22	–	25
26	0·06	0·11	0·05	–	0·12	0·14	–	0·03	0·02	0·53	0·04	–	26
27	0·03	0·08	0·90	–	–	0·03	–	0·04	0·22	0·68	–	–	27
28	–	0·32	0·05	–	0·08	–	–	–	–	0·13	–	0·12	28
29	–	0·18	–	–	–	0·13	–	0·37	–	0·10	–	0·12	29
30	–	╳	–	–	–	0·03	–	–	–	0·11	–	–	30
31	–	╳	–	╳	–	╳	–	0·03	╳	0·43	╳	0·02	31
Total	1·01	4·58	3·63	0·68	2·81	1·16	2·68	1·75	1·13	4·62	2·32	2·09	YEAR'S TOTAL 28·46
Rain Days.	17	23	24	13	19	15	10	14	9	22	15	15	196

W. 8,000, VIII. 16

REGIST

FORM A.
BRITISH RAINFALL.

4 JAN 1917

Kept at Teme Street. Tenbury

in the County of Worcestershire

by Frederick Lowe

ng. 2°35′ W

Time of Observation 9h

Nearest Railway Station Tenbury

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 180 ft. – in.

" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·09	0·01	0·01	–	0·04	0·13	0·17	–	–	0·19	0·13	–	1
2	0·42	0·08	0·26	–	0·13	–	0·40	–	0·14	0·95	0·09	–	2
3	–	0·79	–	0·01	3–0·03 0·47	0·03	–	–	0·03	0·17	0·18	0·03	3
4	0·05	0·29	–	0·02	4 0·30	0·29	–	–	0·01	0·12	0·53	–	4
5	0·01	0·02	0·02	–	5 0·14	0·04	0·01	–	–	0·10	0·08	–	5
6	0·03	0·22	0·05	–	6 0·08	0·04	0·76	–	–	0·16	0·33	–	6
7	0·01	–	0·09	–	7 0·25	0·01	0·25	–	0·01	0·11	0·12	0·25	7
8	0·03	0·02	0·03	–	8 0·16	–	–	–	–	0·03	0·02	0·09	8
9	–	–	0·01	–	9 0·01	0·18	–	–	–	–	0·02	–	9
10	0·01	0·47	0·07	0·02	10 0·02	0·01	–	–	–	–	–	0·01	10
11	0·01	0·02	0·06	0·06	11 0·25	0·04	–	21 days – drought	0·01	–	–	0·10	11
12	0·05	0·06	0·06	–	12 0·01	–	0·14	0·02	–	0·04	–	–	12
13	–	0·15	0·17	0·02	13 0·04	–	0·02	0·26	–	–	–	0·05	13
14	–	0·44	0·03	0·02	14 0·14	–	–	0·27	–	0·01	–	–	14
15	–	0·53	0·22	0·12	15 " – "	–	0·02	0·25	–	–	–	–	15
16	–	0·05	0·01	0·11	–	–	0·06	0·06	–	0·07	–	–	16
17	0·06	0·12	–	0·04	–	–	–	0·01	0·33	0·27	–	–	17
18	0·01	0·03	0·06	0·04	–	–	–	–	0·36	–	0·31	0·23	18
19	0·05	–	0·31	0·19	–	–	–	0·04	–	0·01	0·16	–	19
20	0·08	–	0·65	0·02	–	–	–	–	–	–	0·06	0·21	20
21	–	–	0·26	0·01	0·09	–	0·85	–	–	–	–	0·12	21
22	–	–	–	–	–	0·05	–	–	–	0·11	–	0·36	22
23	0·01	0·24	0·02	–	–	–	–	0·11	–	–	0·03	0·25	23
24	–	0·31	0·10	–	0·45	–	–	0·15	–	0·28	–	0·13	24
25	–	0·04	0·14	–	–	0·01	–	0·11	–	0·02	0·22	–	25
26	0·06	0·11	0·05	–	0·12	0·14	–	0·03	0·02	0·53	0·04	–	26
27	0·03	0·08	0·90	–	–	0·03	–	0·04	0·22	0·68	–	–	27
28	–	0·32	0·05	–	0·08	–	–	–	–	0·13	–	0·12	28
29	–	0·18	–	–	–	0·13	–	0·37	–	0·10	–	0·12	29
30	–	X	–	–	–	0·03	–	–	–	0·11	–	–	30
31	–	X	–	X	–	X	–	0·03	X	0·43	X	0·02	31
Total	1·01	4·58	3·63	0·68	2·81	1·16	2·68	1·75	1·13	4·62	2·32	2·09	YEAR'S TOTAL 28·46
Rain Days.	17	23	24	13	19	15	10	14	9	22	15	15	196

W. 8,000, VIII. 16

2319

FORM A.
BRITISH RAINFALL.

9 JAN 1

REGISTER OF RAINFALL IN 1917

Kept at Teme Street, Tenbury.
in the County of Worcestershire
by Frederick Lowe.

Lat. 52°19′ N Long. 2°35′ W.
Time of Observation 9 am
Nearest Railway Station Tenbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	0·06	0·35	–	0·16	–	0·54	0·03	0·01	0·01	0·03	1
2	–	–	0·01	–	–	0·02	–	0·03	–	–	0·12	0·01	2
3	0·05	–	–	0·27	–	–	–	0·01	–	0·32	0·02	–	3
4	–	0·03	0·25	–	–	–	–	–	–	0·05	–	0·01	4
5	0·04	–	0·12	0·14	–	–	–	0·06	0·03	0·25	0·07	–	5
6	–	–	0·27	–	–	0·29	–	–	–	0·11	0·20	–	6
7	0·30	–	–	–	–	–	0·01	0·17	–	0·40	0·05	–	7
8	0·82	–	0·01	0·14	20th Dry Day –	–	0·16	0·67	–	0·22	0·07	0·10	8
9	–	–	0·16	0·06	0·25	–	–	0·23	0·16	0·10	0·10	0·01	9
10	0·25	–	0·26	0·11	0·09	–	–	0·11	–	–	0·03	–	10
11	0·07	–	0·09	0·17	0·02	–	–	0·07	–	0·26	0·01	–	11
12	0·07	–	–	0·04	0·78	–	–	0·16	0·07	0·17	0·01	–	12
13	–	–	0·08	0·09	–	–	–	0·11	0·06	–	–	–	13
14	0·01	–	0·19	0·22	–	–	–	0·05	–	0·01	0·01	0·03	14
15	0·02	–	–	–	0·04	–	0·54	0·44	–	0·05	–	0·10	15
16	0·01	–	–	0·15	–	1·27	0·05	–	–	–	–	0·31	16
17	0·02	0·04	–	0·03	0·43	0·53	0·35	0·39	0·37	0·07	–	–	17
18	–	0·04	–	0·04	0·03	–	0·45	18th & 19th * –	0·85	0·01	–	–	18
19	0·02	0·33	0·26	–	–	0·34	–	20th 0·13	0·04	0·08	–	–	19
20	–	0·16	0·10	–	0·54	0·07	0·12	21st 0·05	0·14	–	0·01	–	20
21	–	0·01	0·21	–	0·01	0·31	–	22d 0·12	–	0·01	0·04	–	21
22	–	–	–	–	–	0·01	–	23d 0·20	0·04	0·05	–	–	22
23	–	0·15	–	–	0·09	–	–	→	–	0·11	–	0·01	23
24	–	0·01	0·02	–	–	0·34	0·02	0·04	–	0·18	0·08	–	24
25	–	0·15	0·09	–	–	–	–	0·03	–	0·15	0·09	–	25
26	–	–	–	–	0·19	0·13	–	0·40	0·15	0·05	0·02	–	26
27	–	–	–	–	1·06	0·22	0·65	0·60	–	–	–	–	27
28	–	–	0·09	–	–	0·02	–	0·09	–	–	–	0·02	28
29	–		–	–	–	0·01	0·03	0·01	–	0·38	–	0·36	29
30	–		–	–	–	–	–	0·40	0·01	0·03	0·02	–	30
31	–		0·07		0·03		–	0·20		–		–	31
Total	1·68	0·92	2·34	1·81	3·56	3·72	2·38	5·31	1·95	3·07	0·96	0·99	YEAR'S TOTAL 28·69
Rain Days.	12	9	18	13	13	14	10	26	~~11~~ 12	23	18	11	17~~8~~9 179

W. 8,000, IX. 17.

* (Error. Aug 18 & 19 dry; 20th 0·13; 21st 0·05; 22d 0·12; 23d 0·20)

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL
27.1.19

Kept at Teme Street, Tenbury
in the County of Worcestershire
by Frederick Lowe

Lat. 52°19′N Long. 2°35′W
Time of Observation 9h
Nearest Railway Station ~~St.~~ Tenbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	0·03	–	0·03	–	–	–	0·08	trace	0·05	0·84	–	1
2	–	0·03	–	0·02	–	–	–	0·09	–	–	0·03	0·13	2
3	–	0·05	–	0·10	0·23	–	–	0·03	0·70	0·04	0·14	0·01	3
4	0·01	trace	–	–	–	–	–	0·05	0·62	0·24	0·49	0·54	4
5	–	–	0·05	0·04	0·46	–	–	0·04	0·23	0·10	0·02	–	5
6	0·03	0·24	0·01	0·16	0·01	0·21	–	–	0·04	0·18	–	0·03	6
7	–	0·05	–	0·02	0·26	–	–	–	0·13	0·09	0·22	–	7
8	–	0·20	–	–	–	–	–	–	0·08	0·12	–	–	8
9	0·04	0·40	–	0·20	–	0·11	–	–	0·34	0·05	0·02	0·02	9
10	0·04	0·03	–	0·04	–	–	0·26	–	0·16	0·11	–	0·10	10
11	–	–	0·14	0·09	0·06	–	0·76	–	0·12	–	0·04	0·08	11
12	–	0·02	0·07	–	0·07	–	0·26	–	0·07	–	–	0·01	12
13	–	0·03	–	–	0·02	–	0·03	–	0·11	–	–	0·02	13
14	0·35	–	0·05	–	–	–	0·13	–	0·27	0·10	–	0·14	14
15	snow	–	–	0·09	–	–	0·37	–	0·02	0·02	–	0·24	15
16	0·77	–	–	0·86	–	0·09	0·01	–	0·46	0·03	–	0·08	16
17	0·45	–	0·02	–	–	–	0·18	–	0·14	0·11	–	0·13	17
18	0·24	–	0·08	–	–	0·23	0·11	–	0·94	–	–	0·28	18
19	0·20	0·01	0·16	–	–	–	0·03	–	0·05	0·02	–	0·02	19
20	0·15	0·06	–	0·66	–	0·09	0·02	–	0·34	0·01	–	0·03	20
21	0·07	0·02	–	0·44	–	–	0·08	–	0·36	–	–	0·11	21
22	–	–	–	–	0·42	–	0·09	–	–	0·03	–	0·18	22
23	0·01	–	–	–	0·25	–	0·03	–	–	–	0·03	–	23
24	–	–	–	–	–	–	0·25	0·10	0·04	–	0·04	–	24
25	–	–	–	–	0·05	–	0·12	1·55	–	0·01	0·04	–	25
26	–	–	–	–	–	–	0·43	–	0·05	0·02	0·05	0·10	26
27	–	0·03	0·07	–	–	–	–	0·26	0·21	–	0·02	0·02	27
28	–	0·08	0·25	–	–	–	–	–	–	–	0·04	0·07	28
29	–	X	0·20	–	–	–	–	–	0·80	–	0·04	0·04	29
30	–	X	0·27	–	–	–	–	–	–	0·01	0·06	0·10	30
31	–	X	0·34	X	–	X	–	0·02	X	–	X	0·02	31
Total	2·36	1·28	1·71	2·75	1·83	0·73	3·16	2·22	6·28	1·34	2·12	2·50	YEAR'S TOTAL 28·28
Rain Days.	13	15	13	13	10	5	17	9	23	19	16	24	177

W. 6,500, VII. 18. W W O

Ex 7L

2175

31 M 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Tenbury, Teme Street

in the County of Worcestershire

by F. Lowe

Lat. Long.

Time of Observation 9 AM

Nearest Railway Station —

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·29		·02	·04	·03		·23			·08	·02	·32	1
2	·09		·19						·22		·03	·05	2
3			·08			·05	·06				·10	·09	3
4	·02	·07	·25				·27	·05	·23			·10	4
5		·26			·15				·06			·30	5
6	·08	·03	·09		·08							·21	6
7	·16		·03	·09							·06	·01	7
8	·22		·08			·08							8
9	·23			·08					·01				9
10	·02		·61							·01		·11	10
11			·96		·07		·47			·08		·03	11
12	·07		·47	·09		·10			·08	·07	·03		12
13	·05			·15					·41	·04		·03	13
14	·41			·24			·12		·33	·02		·07	14
15	·45	·06		·07	·19					·01		·28	15
16	·15	·71						·17			·03		16
17	·01	·65		·02		·05		·02			·10		17
18	·03		·61		·02		·02	·34			·01	·02	18
19	·17	·24	·90			·16	·89	·30	·14		·12	·01	19
20	·11	·02	·33				·03	·09	·06		·06	·09	20
21		·32	·01				·30	·03			·03	·09	21
22		·05							·39			·11	22
23								·02		·60		·04	23
24	·05			·03	·07	·02				·36	·19	·03	24
25	·02			·14	·08			·50				·01	25
26			·06	·17		·05		·16	·06			·36	26
27	·14		·02					·62			·02		27
28	·03		·06	·59				·30				·22	28
29	·03			·08						·26	·06	·18	29
30				·08		·09		·06			·06	·14	30
31			·01				·01						31
TOTAL	2·83	2·41	4·78	1·87	·69	·60	2·40	2·66	1·99	1·53	·92	2·90	YEAR'S TOTAL 25·58
Days with ·01 in. or more	22	10	18	14	8	8	10	13	11	10	15	24	163

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

R 3

FORM A.
BRITISH RAINFALL.
4- JAN 1914

2393

TENBURY, BELLE VUE/
ST MICHEALS

1913 – 90

Jan =

Kept at Roseland C ... 2°36 W
... 9 am
in the County of Wa ... Tenbury
... 5 in.
by Frederick ... above Ground 1 ft. ~~in.~~
„ Sea Level 313 ft.

IMPORTANT ... and the result entered to the previous day. If a ... universal rule, he is earnestly requested to add the reading at 9 a.m. ... year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	0·01	0·14	0·45	0·10	—	—	—	0·49	—	0·025	—	1
2	0·02	0·18	0·04	0·07	—	—	0·005	—	—	0·27	0·20	—	2
3	(·32)	0·05	0·08	—	0·60	—	—	—	0·005	—	—	0·11	3
4	0·95	0·02	—	—	0·27	—	0·005	—	0·66	0·58	0·10	0·25	4
5	0·11	0·06	—	—	0·04	0·07	0·19	—	0·03	0·84	0·08	0·025	5
6	0·02	0·04	0·30	—	0·35	0·14	0·075	—	—	0·52	—	0·385	6
7	—	0·31	—	—	0·14	0·04	0·03	—	—	0·37	0·16	0·015	7
8	0·01	0·10	—	—	0·17	0·18	0·035	0·09	—	0·07	0·005	—	8
9	—	0·38	0·03	—	0·12	0·22	0·01	0·40	0·15	—	0·08	0·005	9
10	0·26	0·01	—	0·15	0·19	—	—	0·06	—	0·15	0·02	—	10
11	0·59	—	—	0·47	0·03	—	—	—	—	0·025	0·45	—	11
12	—	—	—	—	0·17	0·01	—	—	0·03	—	0·38	—	12
13	0·01	0·02	0·15	—	0·01	—	0·005	0·005	0·255	—	0·255	—	13
14	0·24	—	0·72	0·04	—	—	0·005	0·005	0·02	0·125	0·02	—	14
15	0·05	—	0·40	1·19	—	—	—	—	0·14	—	0·18	—	15
16	0·03	—	0·50	0·01	—	—	0·005	—	—	—	—	—	16
17	—	0·02	0·06	0·10	—	0·005	0·27	—	0·085 0·~~85~~	—	0·07	—	17
18	0·02	—	0·17	0·12	0·01	—	0·07	—	—	0·005	0·02	0·005	18
19	0·18	—	0·15	—	0·005	0·03	0·02	—	0·05	0·015	—	—	19
20	0·17	—	0·30	0·06	—	—	—	—	—	0·03	0·38	—	20
21	—	—	0·15	0·06	0·06	—	0·15	0·005	—	—	0·31	—	21
22	0·94	—	1·05	—	—	—	—	0·87	0·40	—	0·005	—	22
23	—	—	—	—	—	0·10	—	0·05	0·09	—	0·07	0·01	23
24	0·11	—	—	0·07	—	0·01	—	0·015	—	—	0·015	—	24
25	—	—	—	0·25	—	—	—	—	0·07	0·02	—	—	25
26	—	—	—	0·50	—	—	—	0·21	0·01	—	—	0·17	26
27	0·03	—	—	0·30	—	—	—	—	—	0·16	—	0·02	27
28	0·22	—	0·50	0·53	0·07	—	—	—	—	0·31	—	0·065	28
29	0·01		0·60	0·63	0·015	—	—	0·08	—	0·09	—	—	29
30	0·21		—	—	—	—	—	—	—	0·78	0·19	—	30
31	0·04		—		0·005		—	0·03		0·01		—	31
Total	(4·24) ✓	1·20	5·34	5·00	2·355 2·325	0·805	0·875	1·820	2·485	4·340	3·015	1·060	YEAR'S TOTAL 32·565 32·565
Rain Days.	21	12	17	17	~~18~~? or 16 17	10?	~~14~~? 11	~~12~~? 10	~~15~~? 14	18?	20	10	177

~~·01–16 ·01–9 ·01–9 ·01–9 ·01–14 ·01–17 ·01–19 ·01–9 = 169~~

W.7,000, XI. 13 (·005 not taken until May)

✓

R [illegible] 3

FORM A.
BRITISH RAINFALL.

4- JAN 1914

Jan = The Homestead

Kept at Roseland Cottage, S Michael's, Tenbury

in the County of Worcestershire

by Frederick Lowe

Lat. 52′ 18 N Long. 2° 36 W

Time of Observation 9 am

Nearest Railway Station Tenbury

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 313 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	0·01	0·14	0·45	0·10	—	—	—	0·49	—	0·025	—	1
2	0·02	0·18	0·04	0·07	—	—	0·005	—	—	0·27	0·20	—	2
3	(·32)	0·05	0·08	—	0·60	—	—	—	0·005	—	—	0·11	3
4	0·95	0·02	—	—	0·27	—	0·005	—	0·66	0·58	0·10	0·25	4
5	0·11	0·06	—	—	0·04	0·07	0·19	—	0·03	0·84	0·08	0·025	5
6	0·02	0·04	0·30	—	0·35	0·14	0·075	—	—	0·52	—	0·385	6
7	—	0·31	—	—	0·14	0·04	0·03	—	—	0·37	0·16	0·015	7
8	0·01	0·10	—	—	0·17	0·18	0·035	0·09	—	0·07	0·005	—	8
9	—	0·38	0·03	—	0·12	0·22	0·01	0·40	0·15	—	0·08	0·005	9
10	0·26	0·01	—	0·15	0·19	—	—	0·06	—	0·15	0·02	—	10
11	0·59	—	—	0·47	0·03	—	—	—	—	0·025	0·45	—	11
12	—	—	—	—	0·17	0·01	—	—	0·03	—	0·38	—	12
13	0·01	0·02	0·15	—	0·01	—	0·005	0·005	0·255	—	0·255	—	13
14	0·24	—	0·72	0·04	—	—	0·005	0·005	0·02	0·125	0·02	—	14
15	0·05	—	0·40	1·19	—	—	—	—	0·14	—	0·18	—	15
16	0·03	—	0·50	0·01	—	—	0·005	—	—	—	—	—	16
17	—	0·02	0·06	0·10	—	0·005	0·27	—	0·085 0 ~~85~~	—	0·07	—	17
18	0·02	—	0·17	0·12	0·01	—	0·07	—	—	0·005	0·02	0·005	18
19	0·18	—	0·15	—	0·005	0·03	0·02	—	0·05	0·015	—	—	19
20	0·17	—	0·30	0·06	—	—	—	—	—	0·03	0·38	—	20
21	—	—	0·15	0·06	0·06	—	0·15	0·005	—	—	0·31	—	21
22	0·94	—	1·05	—	—	—	—	0·87	0·40	—	0·005	—	22
23	—	—	—	—	—	0·10	—	0·05	0·09	—	0·07	0·01	23
24	0·11	—	—	0·07	—	0·01	—	0·015	—	—	0·015	—	24
25	—	—	—	0·25	—	—	—	—	0·07	0·02	—	—	25
26	—	—	—	0·50	—	—	—	0·21	0·01	—	—	0·17	26
27	0·03	—	—	0·30	—	—	—	—	—	0·16	—	0·02	27
28	0·22	—	0·50	0·53	0·07	—	—	—	—	0·31	—	0·065	28
29	0·01		0·60	0·63	0·015	—	—	0·08	—	0·09	—	—	29
30	0·21		—	—	—	—	—	—	—	0·78	0·19	—	30
31	0·04		—		0·005		—	0·03		0·01		—	31
Total	(4·24) ✓	1·20	5·34	5·00	2·355 ~~2·325~~	0·805	0·875	1·820	2·485	4·340	3·015	1·060	YEAR'S TOTAL 32·565 32·565
Rain Days.	21	12	17	17	~~18~~? or 16	10?	~~14~~? 11	~~12~~? 10	~~15~~? 14	18?	20	10	177 ✓

~~·01 – 10 ·01 – 9 ·01 – 9 ·01 – 9 ·01 – 14 ·01 – 17 ·01 – 19 ·01 – 9 = 169~~ ✓

W.7,000, XI. 13 (·005 not taken until May) 17

Ex d L

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
5 JAN 1915

Kept at Roseland Cottage, S^t Michael's Tenbury
in the County of Worcestershire
by Frederick Lowe

Lat. 52° 18′ Long. 2° 36′ W
Time of Observation 9 a
Nearest Railway Station Tenbury
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 314 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	0·01	–	–	0·01	0·89	0·13	–	–	0·02	0·03	1
2	–	–	–	–	21st Dry Day	–	0·53	0·55	–	–	0·50	0·46	2
3	–	–	–	0·07	0·25	–	0·02	0·11	–	–	0·02	0·23	3
4	0·13	–	0·02	0·10	0·04	–	0·16	0·04	–	–	0·46	0·73	4
5	0·11	–	0·06	0·18	0·13	–	0·07	–	–	–	0·19	0·01	5
6	0·10	0·05	–	0·03	0·05	–	0·08	–	–	–	–	0·11	6
7	–	0·16	0·36	0·10	0·11	0·15	0·25	0·12	0·10	–	–	0·23	7
8	–	–	0·02	0·03	0·04	0·39	–	0·05	0·05	–	–	0·19	8
9	0·11	0·01	0·07	0·28	0·10	1·10	–	0·09	0·25	–	–	–	9
10	0·01	0·12	0·01	0·17	0·01	0·19	–	–	0·31	–	–	–	10
11	–	0·16	0·28	0·03	0·02	0·03	–	–	0·03	–	0·16	0·60	11
12	–	0·32	0·14	–	–	–	0·11	–	0·25	23rd Dry Day.	0·05	0·22	12
13	–	0·16	0·25	–	–	–	0·05	–	0·04	0·51	0·17	0·25	13
14	–	0·68	0·22	–	–	–	0·01	–	0·01	0·04	0·17	0·01	14
15	0·01	–	0·12	–	–	–	–	0·03	0·05	0·12	0·03	–	15
16	–	–	0·02	–	–	–	–	–	0·13	–	–	–	16
17	–	0·13	0·24	–	–	–	–	–	0·08	–	–	0·38	17
18	–	–	0·17	–	–	–	0·08	–	–	0·01	–	0·41	18
19	–	0·01	0·01	–	–	–	0·82	–	0·03	–	0·11	0·14	19
20	–	0·29	0·07	–	–	0·02	–	–	–	–	–	0·17	20
21	–	0·37	–	–	–	0·02	0·18	0·29	–	0·19	–	0·02	21
22	–	0·10	–	–	0·34	0·09	0·03	0·12	–	0·28	–	–	22
23	–	0·07	0·08	–	0·08	0·03	–	–	Dew 3n 0·01	0·18	–	0·01	23
24	–	–	0·07	–	0·05	–	0·01	0·16	–	0·06	0·01	–	24
25	0·07	0·01	0·04	–	–	–	0·15	0·35	–	0·27	0·02	0·22	25
26	–	–	0·01	–	–	–	0·01	0·13	Dew 3n 0·01	0·08	0·18	0·33	26
27	0·07	–	–	–	–	–	–	–	–	0·04	0·54	0·88	27
28	–	0·04	0·10	–	0·03	–	0·07	–	–	0·01	0·01	0·75	28
29	0·03	–	0·09	–	0·12	–	–	–	–	0·16	0·19	–	29
30	–		0·06	–	–	–	–	–	–	0·06	0·61	0·45	30
31	0·43		–		–		0·22	–		0·07		0·09	31
Total	1·07	2·68	2·52	0·99	1·37	2·03	3·74	2·17	1·35	2·08	3·44	6·92	YEAR'S TOTAL 30·36
Rain Days.	10	16	24	9	14	10	19	13	14	15	18	24	186

W. 8,000. X. 14.

2502

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at St. Michael's. Tenbury.
in the County of Worcestershire
by Frederick Lowe

Lat. 52° 18 N Long. 2° 36 W
Time of Observation 9 a
Nearest Railway Station Tenbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 314 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·35	0·08	0·01	–	0·26	–	0·18	0·11	0·25	0·24	0·01	0·02	1
2	0·11	0·17	0·18	0·31	–	0·11	–	1·26	–	0·15	–	0·10	2
3	0·73	0·07	0·01	0·07	0·02	–	0·79	0·11	–	0·01	–	0·21	3
4	–	0·07	–	–	0·25	–	0·08	0·11	–	–	–	0·90	4
5	0·03	0·50	–	–	–	0·03	0·01	0·03	–	–	–	0·43	5
6	0·11	0·04	–	0·18	–	–	0·48	–	–	0·01	–	0·07	6
7	0·16	0·29	–	0·03	0·57	–	0·03	0·07	–	–	–	0·30	7
8	0·16	0·48	–	0·03	–	–	0·01	0·02	–	–	0·03	–	8
9	0·23	0·46	–	0·09	–	–	–	–	–	–	0·29	0·42	9
10	0·28	–	0·05	0·07	–	–	0·01	0·01	–	0·08	0·01	–	10
11	0·01	–	0·01	0·01	0·15	–	0·01	–	–	–	0·95	0·01	11
12	0·09	0·06	–	0·07	0·46	–	–	0·03	–	0·04	0·71	–	12
13	–	0·91	–	–	0·61	–	–	0·69	–	–	–	0·02	13
14	–	0·02	–	0·01	–	–	–	0·77	0·09	0·01	–	0·28	14
15	0·32	–	–	–	0·11	–	0·03	0·23	–	0·12	0·01	0·12	15
16	0·04	0·37	–	–	0·15	–	1·43	0·07	–	0·01	–	0·02	16
17	–	0·34	–	–	0·56	–	–	–	–	0·01	–	0·01	17
18	–	0·59	Snow 0·04	–	–	–	–	–	–	0·02	–	–	18
19	–	0·02	–	–	0·14	–	0·39	–	–	–	–	–	19
20	0·04	–	–	0·03	–	–	–	–	–	–	–	0·05	20
21	0·15	–	–	0·01	–	–	0·20	–	–	0·12	–	0·03	21
22	–	–	0·17	0·03	–	–	0·24	–	–	–	–	0·08	22
23	0·04	0·06	0·02	–	–	0·05	–	–	0·01	0·74	–	0·31	23
24	–	–	0·04	0·05	–	0·01	0·34	–	0·59	0·70	–	0·34	24
25	–	–	–	–	–	0·36	0·05	–	0·03	–	–	0·18	25
26	–	0·04	–	–	–	–	0·21	–	0·01	–	–	0·36	26
27	–	0·11	–	–	–	–	0·60	–	–	0·40	–	0·09	27
28	–	0·17	–	–	–	0·03	–	0·12	0·11	–	–	–	28
29	–		Rime 0·01	–	–	0·23	0·24	0·01	–	–	0·09	0·07	29
30	0·08		–	0·02	–	0·41	0·03	–	–	0·31	0·07	0·07	30
31	–		–		–		0·07	0·07		0·82		0·53	31
Total	2·93	4·85	0·54	1·01	3·28	1·23	5·43	3·71	1·09	3·79	2·17	5·02	YEAR'S TOTAL 35·05
Rain Days.	17	20	10	15	11	8	21	16	7	17	9	25	176

W. 8,000. X. 15.

2131

~~333~~ a

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

30 JAN 1917

Kept at St. Michael's Tenbury

in the County of Worcestershire

by F. Lowe

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ....

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·21		·01			·20	·21			·15	·16		1
2	·32	·08	·28		·14		·34		·12	·77	·04		2
3		·67			·02	·04			·02	·15	·20	·01	3
4	·05	·46		·01	·49	·31			·02	·03	·42		4
5	·01	·01	·02		·31	·06				·08	·05		5
6	·03	·24	·03		·14	·03	·72			·20	·33		6
7	·01		·07		·08		·19		·01	·08	·14	·23	7
8	·02	·02	·05		·20					·05	·03	·17	8
9			·02		·22	·16					·04		9
10		·39	·04	·02	·01	·02							10
11	·01	·07	·10	·06	·01	·02			·01			·26	11
12	·03	·05	·04		·23		·20	·02		·04			12
13		·22	·21	·01			·06	·38				·05	13
14		·43	·02	·02	·02			·25					14
15		·68	·27	·14	·20			·29					15
16		·06	·01	·16			·06	·05		·06			16
17	·04	·13		·04				·01	·39	·29			17
18	·01	·03	·05	·02					·25	·01	·27	·23	18
19	·04		·37	·09				·01			·22		19
20	·10		·65	·06							·06	·21	20
21			·40	·02	·10		1·35					·14	21
22				·16		·04				·13		·30	22
23	·01	·24	·01					·12		·06	·01	·26	23
24		·28	·12		·53	·01		·12		·23		·13	24
25		·03	·15					·11		·02	·16		25
26	·04	·15	·05		·03	·12		·14	·02	·36	·03		26
27	·05	·07	·70					·02	·26	·75			27
28		·32	·03						·03	·08	·01	·09	28
29		·21				·17		·48		·12		·12	29
30		X				·03		·01		·10			30
31		X		X		X		·03	X	·43	X	·03	31
Total	·98	4·84	3·70	·81	2·73	1·21	3·13	2·04	1·13	4·19	2·17	2·03	YEAR'S TOTAL 28·96
Rain Days.	16	22	24	13	16	13	8	15	10	22	16	14	189

W. 8,000. X. 15.

Jh

2318 ~~318~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at St. Michaels, Tenbury

in the County of Worcest

by F. Lowe

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01	·05	·23		·16		·60	·02	–	·02	·03	1
2			·03			·10		·02			·14		2
3	·06	·01		·50				·01		·27			3
4		·04	·15					·01		·14		·01	4
5	·04		·17	·16				·01	·02	·21	·12		5
6			·27			·21				·09	·25		6
7	·27						12	·27		·08	·05	·02	7
8	·59	–	·01	·13			·16	·49		·27	·12	·08	8
9			·16	·06	·27			·53	·13	·06	·05		9
10	·27		·27	·13	·06			·13		·01	·01		10
11	·06		·09	·21	·02			·09		·22	·02		11
12	·02			·01	·75			·17	·05	·17	·01		12
13			·09	·03				·13	·05				13
14	·01		·28	·31				·02				·02	14
15	·01				·05		1·04	·22		·04		·09	15
16	·01	·05		·17		·73	·02					·23	16
17	·02			·04	·41	1·16	·34	·40	·27	·07			17
18		·04		·03	·04		·47	·02	·87				18
19	·03	·30	·27			·47			·03				19
20		·16	·11		·74	·09	·08	·02	·17				20
21		·01	·22		·03	·46		·05		·01	·03		21
22		·01				·03		·14	·03	·01			22
23		·25			·10	·01		·17		·10	·01		23
24			·01			·29		·02		·24	·07		24
25		(09)	·07					·02		·08	·07		25
26					·10	·17		·59	·11	·05	·02		26
27					·99	·25	·63	·57					27
28			·11		·04	·02		·09				·02	28
29			·02			·03	·02			·41		·35	29
30		X						·44		·05	·01		30
31		X	·05	X	·05	X		·26	X		X		31
Total	1·39	·96	2·43	2·01	3·65	4·18	2·88	5·49	1·75	2·58 ~~2·59~~	1·00	·85	YEAR'S TOTAL 29·1~~8~~7
Rain Days.	12	11	19	13	14	15	9	27	11	20	16 ~~14~~	9	176

W. 8,000, VIII. 16

·65

REGISTER OF RAINFALL IN 1918.

FORM A. BRITISH RAINFALL

27.1.19

Kept at S. Michael's Observatory. Tenbury.

in the County of Worcestershire

by Frederick Lowe

Lat. 52·18 N. Long. 2·36 W

Time of Observation 9h

Nearest Railway Station Tenbury

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 313 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·01	0·01	0·01	0·02	–	–	–	0·07	0·01	0·03	0·65	–	1
2	–	0·03	–	0·05	–	–	–	0·10	–	0·03	0·04	0·14	2
3	–	0·05	–	0·06	0·21	–	–	0·03	0·68	0·02	0·15	–	3
4	trace	0·01	–	–	–	–	–	0·04	0·47	0·21	0·42	0·47	4
5	–	0·02	0·03	0·06	0·46	–	–	0·03	0·25	0·13	trace	0·01	5
6	0·02	0·25	0·02	0·13	–	0·33	–	–	0·07	0·16	–	0·02	6
7	trace	0·07	–	0·01	0·31	–	–	–	0·11	0·08	0·22	–	7
8	–	0·20	–	–	–	–	–	–	0·13	0·12	–	0·01	8
9	0·03	0·35	–	0·20	–	0·09	0·02	–	0·32	0·07	–	0·01	9
10	0·03	0·04	–	0·12	–	–	0·27	–	0·13	0·08	–	0·13	10
11	0·03	trace	0·09	0·08	0·04	–	0·53	–	0·11	–	0·07	0·09	11
12	–	0·02	0·10	–	0·08	trace	0·30	–	–	–	–	0·01	12
13	–	0·03	–	–	0·01	–	0·02	–	0·12	0·02	–	0·02	13
14	0·36	–	0·05	–	–	–	0·02	–	0·27	0·04	–	0·12	14
15	0·89	–	–	0·12	–	0·06	0·36	–	0·02	trace	–	0·26	15
16	0·13	–	–	0·80	–	0·02	0·02	0·01	0·40	0·01	–	0·07	16
17	0·36	–	trace	–	–	0·03	0·14	trace	0·14	0·10	–	0·07	17
18	0·38	–	0·04	–	–	0·27	0·24	–	0·97	0·01	–	0·33	18
19	0·06	trace	0·20	–	–	–	0·03	–	0·05	0·03	–	0·04	19
20	0·17	0·07	–	0·34	–	0·08	0·01	–	0·36	0·01	–	0·01	20
21	0·05	0·02	–	0·56	–	–	0·09	–	0·28	–	–	0·06	21
22	trace	–	–	–	0·33	–	0·10	trace	0·01	0·02	–	0·13	22
23	0·01	–	–	–	0·26	–	0·07	–	–	–	0·02	–	23
24	–	0·10	–	–	–	–	0·04	0·09	0·04	–	0·05	–	24
25	–	–	–	0·01	0·06	0·02	0·20	1·61	–	0·01	0·01	–	25
26	–	–	–	–	–	–	0·57	–	0·03	0·01	0·03	0·13	26
27	–	0·04	0·05	–	–	–	–	0·31	0·24	–	–	0·05	27
28	–	0·06	0·27	–	–	–	–	–	–	–	0·03	0·08	28
29	–		0·16	–	–	–	–	–	0·77	–	–	0·06	29
30	–		0·27	–	–	–	–	–	–	0·01	0·06	0·13	30
31	–		0·29		–		–	0·02		–		–	31
Total	2·53	1·37	1·58	2·56	1·76	0·90	3·03	2·31	5·98	1·20	1·75	2·45	YEAR'S TOTAL 27·42
Rain Days.	14	17	13	14	9	8	18	10	24	21	12	24	184

W. 6,500. VII. 15. W W C

~~24~~ RN 2174

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 19~~20~~.19

2 FEB 20

Kept at St Michael's Observatory, Tenbury.
in the County of Worcestershire
by Frederick Lowe.

Lat. 52° 18 N. Long. 2° 36′ W
Time of Observation 9h
Nearest Railway Station Tenbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 313 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·31	–	0·03	0·05	0·07	–	0·23	–	–	0·09	0·02	0·33	1
2	0·11	–	0·08	–	0·01	–	–	0·01	0·19	–	0·02	0·02	2
3	–	–	0·10	–	0·01	0·05	0·11	–	0·01	–	0·08	0·07	3
4	0·02	0·07	0·28	–	–	–	0·32	0·05	0·23	–	–	0·10	4
5	–	0·27	–	–	0·14	–	–	–	0·06	0·01	–	0·24	5
6	0·08	0·02	0·08	–	0·04	–	–	–	–	–	0·01	0·21	6
7	0·17	–	0·05	0·08	0·01	–	–	–	–	–	0·05	0·01	7
8	0·20	–	0·06	0·01	–	0·07	–	–	–	–	–	–	8
9	0·21	–	–	0·07	–	–	–	–	0·01	–	–	–	9
10	0·03	–	0·67	–	–	–	–	–	–	0·01	0·01	0·13	10
11	–	–	0·99	–	0·05	–	0·60	–	–	0·08	–	0·04	11
12	0·08	–	0·39	0·06	–	0·10	–	–	0·05	0·07	0·03	–	12
13	0·04	–	–	0·20	–	–	–	–	0·49	0·05	–	0·03	13
14	0·23	0·02	–	0·26	–	–	0·04	–	0·47	0·01	–	0·07	14
15	0·52	0·06	0·01	0·08	0·12	–	–	–	–	0·03	–	0·28	15
16	0·13	0·66	–	–	–	–	0·02	0·12	–	–	0·03	–	16
17	0·03	0·67	–	0·01	–	0·04	0·01	0·02	–	–	0·11	–	17
18	–	–	0·61	–	0·01	–	0·01	0·34	–	–	0·01	0·02	18
19	0·14	0·23	0·85	–	–	0·16	0·96	0·41	0·15	–	0·10	0·01	19
20	0·13	0·02	0·47	–	–	–	0·03	0·08	0·02	–	0·10	0·09	20
21	0·04	0·28	0·02	–	–	–	0·37	0·02	0·02	–	0·02	0·09	21
22	–	0·05	–	–	–	–	–	–	0·36	–	–	0·10	22
23	–	–	–	–	–	0·01	–	–	–	0·52	–	0·03	23
24	0·01	–	–	0·07	0·06	0·02	–	–	–	0·38	0·20	0·02	24
25	0·02	–	–	0·06	0·07	0·02	–	0·50	–	–	–	0·02	25
26	–	–	0·08	0·14	–	0·04	–	0·06	0·05	–	–	0·41	26
27	0·15	–	0·03	0·53	–	–	–	0·62	0·01	–	0·02	–	27
28	0·05	–	0·08	–	–	–	–	0·50	–	–	–	0·23	28
29	0·03	–	–	0·14	–	–	–	–	–	0·22	0·08	0·20	29
30	–		–	0·07	–	0·08	–	0·07	–	–	0·10	0·15	30
31	–		0·08		–		–	–		–		–	31
Total	2·73	2·35	4·96	1·83	0·59	0·59	2·70	2·80	2·12	1·47	0·99	2·90	Year's Total
Days with ·01 in. or more	22	11	19	15	11	10	11	13	14	10	17	24	26·02

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

178

Ex. Cab. 5/2/20

2174

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL.

FEB 20

Kept at St Michael's, Tenbury [101]
in the County of Worcester
by Frederick Lowe

Lat. 52° 18 N Long. 2° 36' W
Time of Observations 9h a 21h G.M.T.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 313 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·31	-	0·03	0·05	0·07	-	0·23	-	-	0·09	0·02	0·33	1
2	0·11	-	0·08	-	0·01	-	-	0·01	0·19	-	0·02	0·02	2
3	-	-	0·10	-	0·01	0·05	0·11	-	0·01	-	0·08	0·07	3
4	0·02	0·07	0·28	-	-	-	0·32	0·05	0·23	-	-	0·10	4
5	-	0·27	-	-	0·14	-	-	-	0·06	0·01	-	0·24	5
6	0·08	0·02	0·08	-	0·04	-	-	-	-	-	0·01	0·21	6
7	0·17	-	0·05	0·08	0·01	-	-	-	-	-	0·05	0·01	7
8	0·20	-	0·06	0·01	-	0·07	-	-	-	-	-	-	8
9	0·21	-	-	0·07	-	-	-	-	0·01	-	-	-	9
10	0·03	-	0·67	-	-	-	-	-	-	0·01	0·01	0·13	10
11	-	-	0·99	-	0·05	-	0·60	-	-	0·08	-	0·04	11
12	0·08	-	0·39	0·06	-	0·10	-	-	0·05	0·07	0·03	-	12
13	0·04	-	-	0·20	-	-	-	-	0·49	0·05	……	0·03	13
14	0·23	0·02	-	0·26	-	-	0·04	-	0·47	0·01	-	0·07	14
15	0·52	0·06	0·01	0·08	0·12	-	-	-	-	0·03	-	0·28	15
16	0·13	0·66	-	-	-	-	0·02	0·12	-	-	0·3	-	16
17	0·03	0·67	-	0·01	-	0·04	0·01	0·02	-	-	0·11	-	17
18	-	-	0·61	-	0·01	-	0·01	0·34	-	-	0·01	0·02	18
19	0·14	0·23	0·85	-	-	0·16	0·96	0·41	0·15	-	0·10	0·01	19
20	0·13	0·02	0·47	-	-	-	0·03	0·08	0·02	-	0·10	0·09	20
21	0·04	0·28	0·02	-	-	-	0·37	0·02	0·02	-	0·02	0·09	21
22	-	0·05	-	-	-	-	-	-	0·36	-	-	0·10	22
23	-	-	-	-	-	0·01	-	-	-	0·52	-	0·03	23
24	0·01	-	-	0·07	0·06	0·02	-	-	-	0·38	0·20	0·02	24
25	0·02	-	-	0·06	0·07	0·02	-	0·50	-	-	-	0·02	25
26	-	-	0·08	0·14	-	0·04	-	0·06	0·05	-	-	0·41	26
27	0·15	-	0·03	0·53	-	-	-	0·62	0·01	-	0·02	-	27
28	0·05	-	0·08	-	-	-	-	0·50	-	-	-	0·23	28
29	0·03		-	0·14	-	-	-	-	-	0·22	0·08	0·20	29
30	-	X	-	0·07	-	0·08	-	0·07	-	-	0·10	0·15	30
31	-	X	0·08	X	-	X	-	-	X	-	X	-	31
Total	2·73	2·35	4·96	1·83	0·59	0·59	2·70	2·80	2·12	1·47	0·99	2·90	YEAR'S TOTAL 26·03
Rain Days.	22	11	19	15	11	10	11	13	14	11	17	24	178

Copied from. [101] 3201.

W. 6,500, VII. 18. W W d

2092

Form A.1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Tenbury (St. Michael's) (MO)
in the County of Worcestershire
by Frederick Lowe

Lat. 52° 18' N. Long. 2° 36' W.
Time of Observation 9 h & 21 h G.M.T.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 313 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	0.02	0.15	0.23	0.01	0.24	0.02	0.04	0.14	-	0.33	1
2	0.02	-	0.02	0.07	-	-	0.13	-	0.05	0.12	-	0.21	2
3	0.09	0.02	-	0.20	0.01	-	0.67	0.01	0.10	0.48	-	0.03	3
4	-	-	0.01	0.01	-	.	-	0.51	0.01	0.25	-	-	4
5	-	-	0.09	0.34	0.08	-	0.41	0.01	0.01	0.32	-	-	5
6	-	-	0.20	0.01	0.11	-	0.23	-	-	0.14	-	-	6
7	-	-	0.05	0.09	0.02	-	0.17	-	-	-	-	0.03	7
8	0.26	0.07	-	0.63	0.08	-	0.75	0.11	-	0.01	-	-	8
9	0.38	0.02	-	0.37	-	-	0.04	0.02	-	-	-	-	9
10	0.48	0.04	0.10	0.01	-	0.24	0.05	-	-	-	0.04	-	10
11	0.13	0.01	0.11	0.51	0.27	0.05	0.10	-	-	-	-	-	11
12	0.17	0.01	-	0.27	.	0.72	0.04	0.24	-	0.01	0.09	0.03	12
13	0.05	0.01	0.28	0.18	.	-	-	-	0.01	-	-	0.03	13
14	0.02	0.01	0.66	0.23	-	0.30	0.06	0.02	0.37	0.09	0.29	-	14
15	-	0.11	0.19	1.01	.	0.24	-	-	0.02	-	0.06	-	15
16	-	-	-	0.27	0.30	0.25	0.12	-	0.04	0.82	0.07	-	16
17	0.01	-	-	-	0.17	-	-	0.05	0.65	0.16	-	-	17
18	0.12	-	-	0.02	0.02	0.01	0.06	0.10	0.72	-	-	-	18
19	0.06	0.42	-	0.15	0.03	0.12	-	-	0.06	-	-	-	19
20	0.01	0.30	-	0.25	-	0.10	-	-	0.03	-	-	0.07	20
21	-	-	-	-	-	-	0.30	-	-	0.12	-	0.14	21
22	0.03	-	-	0.08	-	-	0.07	0.15	-	0.02	-	0.08	22
23	-	-	0.02	-	-	-	0.27	0.03	-	0.01	-	0.32	23
24	0.03	-	0.09	-	-	-	-	-	-	-	0.01	0.21	24
25	0.02	0.04	0.19	0.01	-	-	0.48	-	0.01	-	-	-	25
26	0.19	0.01	0.30	-	-	-	0.01	-	-	-	0.07	0.03	26
27	0.24	0.01	0.13	0.01	0.07	0.19	0.09	-	-	-	0.03	0.48	27
28	1.11	-	0.07	-	0.65	0.06	-	-	-	.	-	0.13	28
29	0.17	-	0.09	-	0.36	0.06	0.12	-	-	.	0.06	0.34	29
30	0.01		0.42	0.11	0.06	0.13	0.01	-	0.23	.	0.16	0.14	30
31	0.03		0.05		0.04		0.01	-		0.32		0.02	31
TOTAL	3.63	1.08	3.09	4.98	2.50	2.48	4.43	1.27	2.35	~~3.00~~ 3.01	0.88	2.62	YEAR'S TOTAL ~~32.31~~ 32.32
Days with ·01 in. or more	22	14	20	23	16	14	23	12	15	15	10	14	201
	13	6	16	17	12	12	20	6	9	11	8	11	141

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Copied from 19 3201.

UPTON - ON - SEVERN
THE EADES
WORCESTER

1911 - 1920

FORM A2.
BRITISH RAINFALL.
11 JAN 1912

R

Kept at The Eades
in.
in the County of Wo
ound — ft. 9 in.
Level 100 ft.
by Major. E. W
ame Upton-on-Severn
stance 3/4 mile Direction E.

IMPORTANT N he result entered to the previous day. If an sal rule, he is earnestly requested to add the r in the space provided for it at the end of ent of rain, the selection and pl ish Rainfall Organization are given in "*Rules for Rainfall Observers,*" pplication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·02		0·09	0·08		0·02		0·18			0·04		1
2	0·01			0·09	0·12		0·03	0·13	0·02	0·15	0·07	0·03	2
3	E.J. ~~0·03~~		0·01		0·42						0·05		3
4	0·03 0·08		0·12		0·01				0·08	0·05	0·18	0·33	4
5	0·06		0·04	0·07				0·07			0·06		5
6	0·20		0·04	0·02							0·11	0·78	6
7	0·02										0·20		7
8	0·11		0·14							0·01	0·04	0·25	8
9	0·11		0·08								0·35	0·14	9
10	0·03	0·17	0·35					0·02			0·04	0·20	10
11	0·22		0·01								0·70	0·02	11
12			0·51						0·07		0·15	0·03	12
13			0·02						0·38	0·06		0·47	13
14		0·02										0·74	14
15	0·02	0·03	0·06			0·01			0·01	0·02	0·09	0·05	15
16	0·02					0·13				0·02	0·12	0·12	16
17					0·06	0·15					0·24	0·45	17
18		0·45	0·04	0·07		0·08				0·04	0·01	0·20	18
19	0·02	0·02				0·31			0·15	0·17		0·11	19
20	0·03	0·09				0·01		0·21	0·13			0·55	20
21			0·09	0·07				0·29		0·30		0·19	21
22	0·02	0·22	0·09					0·01		0·15		0·48	22
23		0·07	0·17			0·24			0·19	0·04		0·10	23
24		0·10		0·07		0·41		0·16		0·28		0·10	24
25		0·15		0·05		0·03		0·01	0·01	0·03		0·09	25
26		0·14		0·22	0·22	0·04		0·08		0·19	0·27	0·15	26
27		0·25	0·15	0·08	0·02	E		0·41	0·27	0·02		0·12	27
28		0·04		0·16				0·	0·02		0·16	0·01	28
29				0·09		0·19	0·34	0·04	0·25	0·24			29
30			0·06		0·12	0·03		0·62		0·17	0·02	0·02	30
31			0·01		0·16					0·01		0·01	31
Total	0·92	1·75	2·08	1·07	1·13	1·65	0·37	2·23	1·58	1·95	2·90	5·74	TOTAL for year
No. of Rain Days.	15	13	19	12	8	13	2	13	12	18	19	26	23·37

W. 8,000, X. '11.

170

FORM A2.
BRITISH RAINFALL.
11 JAN 1912

Kept at The Eades, Upton on Severn
in the County of Worcester.
by Major. E. W. Tennant

RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. 9 in.
" " " Sea Level 100 ft.
Time of Observation 9 A.M.
Nearest Railway Station Name Upton on Severn
Distance 3/4 mile Direction E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.02		0.09	0.08		0.02		0.18			0.04		1
2	0.01			0.09	0.12		0.03	0.13	0.02	0.15	0.07	0.03	2
3	Est. ~~0.03~~		0.01		0.42						0.05		3
4	0.03 ~~3~~ 0.08		0.12		0.01				0.08	0.05	0.18	0.33	4
5	0.06		0.04	0.07				0.07			0.06		5
6	0.20		0.04	0.02							0.11	0.78	6
7	0.02										0.20		7
8	0.11		0.14							0.01	0.04	0.25	8
9	0.11		0.08								0.35	0.14	9
10	0.03	0.17	0.35					0.02			0.04	0.20	10
11	0.22		0.01								0.70	0.02	11
12	.		0.51						0.07		0.15	0.03	12
13			0.02						0.38	0.06		0.47	13
14		0.02										0.74	14
15	0.02	0.03	0.06			0.01			0.01	0.02	0.09	0.05	15
16	0.02					0.13				0.02	0.12	0.12	16
17					0.06	0.15					0.24	0.45	17
18		0.45	0.04	0.07		0.08				0.04	0.01	0.20	18
19	0.02	0.02				0.31			0.15	0.17		0.11	19
20	0.03	0.09				0.01		0.21	0.13			0.55	20
21			0.09	0.07				0.29		0.30		0.19	21
22	0.02	0.22	0.09					0.01		0.15		0.48	22
23		0.07	0.17			0.24			0.19	0.04		0.10	23
24		0.10		0.07		0.41		0.16		0.28		0.10	24
25		0.15		0.05		0.03		0.01	0.01	0.03		0.09	25
26		0.14		0.22	0.22	0.04		0.08		0.19	0.27	0.15	26
27		0.25	0.15	0.08	0.02	E		0.41	0.27	0.02		0.12	27
28		0.04		0.16				~~0.~~	0.02		0.16	0.01	28
29				0.09		0.19	0.34	0.04	0.25	0.24			29
30			0.06		0.12	0.03		0.62		0.17	0.02	0.02	30
31			0.01		0.16					0.01		0.01	31
Total	0.92	1.75	2.08	1.07	1.13	1.65	0.37	2.23	1.58	1.95	2.90	5.74	TOTAL for year
No. of Rain Days.	15	13	19	12	8	13	2	13	12	18	19	26	23.37

W. 8,000, X. '11.

170

✓ Eng 87

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
4 JAN 1913

Kept at The Eades. Upton-on-Severn
in the County of Worcester
by Major E. W. Tennant

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Upton on Severn
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 9 in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0·07		0·01	0·37	0·06	0·02	0·03	0·27		0·05	1
2			0·12	0·02		0·44	0·26	0·01					2
3	0·01		0·08		0·05	0·15	0·19	0·50	0·01		0·03	0·06	3
4	0·14		0·47		0·20	0·73	0·01	0·08			0·21		4
5	0·18		0·16		0·09	0·18		0·18	0·07		0·02	0·02	5
6	0·18		0·02		0·07	0·24	0·10	0·40			0·01	0·02	6
7	0·02		0·11		0·05	0·41		0·09				0·03	7
8	0·27	0·43	0·19	0·03		0·66	0·04	0·30	0·08			0·05	8
9	0·05	0·05	0·33	0·04		0·13		0·07			0·01	0·19	9
10	0·16	0·06		0·02		0·03		0·44			0·11	0·01	10
11	0·07	0·03	0·01		0·01	0·11	0·02	0·08			0·03	0·36	11
12	0·07	0·46	0·07	0·02	0·10	0·01	0·02			0·03	0·02	0·07	12
13	0·01	0·02	0·04					0·17		0·01		0·02	13
14	0·07		0·45		0·10			0·05	0·01				14
15	0·15	0·06	0·03		0·31	0·25		0·03				0·15	15
16	0·77	0·01	0·09		0·03	0·02		0·09		0·07	0·01	0·02	16
17	0·70		0·25		0·02	0·63		0·42			0·03	0·40	17
18	0·35	0·02	0·10					0·61		0·01		0·01	18
19	0·00	0·02	0·01		0·02	0·01		0·40		0·02	0·04	0·02	19
20	0·02	0·01	0·37				0·22	0·06		0·39	0·02		20
21		0·02	0·29		0·72		0·18	0·72		0·35			21
22	0·19	0·10	0·07		0·87	0·05	0·02	0·24		0·01		0·03	22
23	0·37	0·37	0·25			0·17	0·45	0·26		0·02	0·04	0·33	23
24	0·08	0·02	0·02			0·21	0·15	0·03			0·01	0·11	24
25	0·01	0·06				0·50	0·02	0·83		0·62	0·32	0·30	25
26		0·01	0·02				0·57	0·69		0·53	0·20	0·17	26
27						0·33	0·40			0·74		0·23	27
28		0·07				0·12	0·55	0·54	0·11	0·24	0·21	0·42	28
29		0·12	0·03			0·24	0·22	0·68	0·28	0·30		0·63	29
30			0·04			0·07	0·10	0·03		0·20			30
31			0·08		0·13		0·51	0·06		0·01		0·02	31
													YEAR'S TOTAL
Total	3·87	1·94	3·77	0·13	2·78	4·86	4·09	7·48	0·59	3·22	1·32	3·12	37·17
Rain Days.	21	19	27	5	16	24	20	29	7	17	17	25	227

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
8 - JAN 1914

Kept at The Eades Upton on Severn
in the County of Worcester
by Major E. W. Tennant

Lat. ______ Long. ______
Time of Observation 9·30 AM
Nearest Railway Station Upton on Severn
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 9 in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
✓

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0·03	0·07	0·16	0·12				0·74	0·01	0·02	0·01	1
2	0·03	0·18	0·03				0·03		0·15	0·61	0·08		2
3	0·10				0·57					0·01	0·02	0·03	3
4	0·78	0·01	0·08	0·01	0·33				0·77	0·67	0·03	0·21	4
5	0·04	0·02	0·01		0·04	0·06	0·08		0·01	0·15	0·06	0·04	5
6	0·03	0·07	0·11		0·21	0·11	0·13			0·25	0·09	0·37	6
7		0·17			0·27	0·04	0·01			0·19	0·20	0·01	7
8		0·06		0·60	0·08	0·03				0·32	0·01		8
9		0·23	0·03		0·11	0·13		0·42	0·34	0·01	0·07	0·02	9
10	0·26			0·15	0·04		0·02	0·05			0·14		10
11	0·72	0·03		0·36	0·07				0·01	0·10	0·70		11
12		0·03			0·44			0·03		0·02	0·42		12
13	0·04		0·09		0·02				0·12		0·33		13
14	0·08		0·46	0·06				0·07		0·11	0·		14
15	0·16	0·10	0·63	0·35					0·08	0·01	0·03	0·01	15
16	0·10	0·01	0·73	0·03		0·14			0·13		0·01		16
17	0·05	0·02	0·08	0·11		0·02	0·16						17
18	0·05		0·25	0·08	0·02				0·01		0·02		18
19	0·05		0·23			0·03	0·11		0·11	0·02			19
20	0·20		0·18	0·09						0·10	0·15		20
21			0·22	0·23	0·12		0·13	0·04			0·21		21
22	0·50		0·50	0·02		0·12		0·07	0·41				22
23			0·05			0·03		0·03	0·01	0·03	0·03	0·06	23
24	0·02			0·02				0·02			0·01		24
25				0·15					0·02			0·02	25
26		0·04		0·69				0·37	0·01	0·02		0·24	26
27	0·02		0·03	0·27	0·90					0·05			27
28	0·35		0·05	0·22	0·04					0·31	0·01		28
29	0·02		0·32	0·48				0·08		0·06			29
30	0·22		0·02							0·43	0·08		30
31	0·01				0·03			0·07		0·02			31
Total	3·83	1·00	4·17	4·08	3·41	0·71	0·67	1·25	2·92	3·50	2·72	1·02	YEAR'S TOTAL 29·28
Rain Days.	22	14	21	19	17	10	8	11	15	22	22	11	192

W.7,000, XI. 13

REGISTER OF RAINFALL IN 19 14

FORM A.
BRITISH RAINFALL.
6 JAN 1915

Kept at The Eades. Upton. on. Severn

in the County of Worcester.

by Major E. W. Tennant.

Lat. ______ Long. ______

Time of Observation 9. A.M.

Nearest Railway Station Upton. on. Severn

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 9 in.

" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0·02		0·09		0·05	1·27	0·35	0·00		0·03	0·14	1
2				0·01	0·03	0·02	0·28	0·09			0·60	0·32	2
3			0·01	0·08	0·16		0·07	0·03			0·02	0·03	3
4	0·18			0·18	0·02		0·12	0·08			0·42	0·55	4
5	0·06	0·06	0·02	0·08	0·20		0·16		~~0·05~~		0·15	0·01	5
6		0·17	0·07	0·01	0·02						0·07	0·10	6
7				0·06	0·18	0·13	0·13	0·12	0·05		0·02	0·07	7
8		0·01			0·04	0·77	0·15	0·07				0·03	8
9	0·12	0·02	0·55	0·40	0·09	1·35		0·04	0·34				9
10	0·04	0·21		0·26	0·04	0·03			0·26			0·02	10
11		0·06	0·21	0·06	0·15	0·39			0·01		0·10	0·50	11
12		0·07	0·18				0·21		0·25		0·07	0·11	12
13		0·13	0·41				0·05		0·14	0·19	0·06	0·43	13
14	0·01	0·08	0·19				0·01			0·32	0·10	0·02	14
15	0·01	0·02	0·17				0·01	0·03	0·03	0·02	0·09		15
16			0·02						0·13		0·01	0·01	16
17		0·15	0·15						0·03			0·16	17
18		0·01					0·21			0·04		0·30	18
19							0·65	0·08			0·06	0·08	19
20		0·44	0·06			0·05						0·22	20
21		0·18				0·61				0·14		0·12	21
22			0·01		0·14	0·02		0·07		0·08		0·02	22
23		0·04	0·16		0·02		0·04			0·12			23
24			0·22	0·04			0·02	0·04		0·08	0·08		24
25	0·11		0·19				0·11	0·16		0·22	0·04	0·06	25
26			0·02					0·02		0·07	0·12	0·33	26
27	0·04									0·02	0·18	0·11	27
28		0·10	0·17		0·07					0·06	0·06	1·12	28
29	0·02		0·10		0·11					0·23	0·10		29
30		✕	0·04	0·01		0·07				0·08	0·60	0·69	30
31	0·07	✕	0·01	✕	0·01	✕	0·24		✕	0·02	✕	0·02	31
Total	0·66	1·77	2·96 ✓	1·28	1·28	3·49	3·73	1·18	1·24	1·69	2·98	5·57	YEAR'S TOTAL 27·83 ✓
Rain Days.	10	17	21	12	15	11	17	13	~~10~~ 9	15	21	26	~~188~~ 187

W. 8,000. X. 14.

✓ Ex 9AX 2424

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

14 JAN 1916

Kept at The Eades. Upton on Severn
in the County of Worcester.
by Major E. W. Tennant.

Lat. Long.
Time of Observation 9. A.M.
Nearest Railway Station Upton on Severn
Diameter of Funnel of Rain Gauge 5. in.
Height of top of Gauge above Ground ✓ ft. 9 in.
" " " " Sea Level 100. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ✓

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·10	0·10	0·06		0·32		0·03	0·16	0·02	0·22	0·03	0·02	1
2	0·22	0·15	0·15	0·21	0·01	0·13		1·76		0·18		0·12	2
3	0·84	0·06	0·03	0·07	0·19		1·53	0·53		0·01		0·21	3
4	0·01	0·03			0·04		0·33	0·01				0·50	4
5		0·42		0·01	0·02		0·23	0·09		0·04		0·39	5
6	0·19	0·01		0·18			0·59	0·02		0·01		0·08	6
7	0·06	0·27		0·04		0·04	0·11	0·10				0·22	7
8	0·21	0·21					0·02	0·05			0·06		8
9	0·18	0·02		0·12				0·02			0·21	0·35	9
10	0·16		0·09	0·05						0·05		0·01	10
11	0·02		0·12	0·06	0·04					0·01	1·15		11
12	0·09	0·04	0·01	0·20	0·38			0·09	0·01	0·08	0·70	0·03	12
13	0·01	0·25		0·01	0·92			0·34	0·02	0·01		0·05	13
14		0·02					0·05	0·10	0·05			0·27	14
15	0·30				0·10			0·10	0·01	0·01	0·04	0·07	15
16	0·03	0·30		0·02	0·40		0·72	0·09				0·04	16
17		0·16			1·30		0·02					0·03	17
18		0·37	0·05		0·01								18
19		0·02	0·01		0·12		0·14						19
20				0·09	0·02		0·01					0·13	20
21		0·07					0·09			0·13		0·05	21
22	0·29	0·02	0·26	0·12			0·22		0·03	0·01		0·20	22
23	0·06	0·05	0·22	0·01		0·02	0·17		0·02	1·17		0·33	23
24	0·13		0·05	0·08			0·70		0·40	0·76		0·17	24
25						0·42	0·06				0·02	0·21	25
26	0·01	0·05					0·48		0·02			0·41	26
27		0·04				0·04	0·14			0·39		0·03	27
28		0·11				0·03	0·01		0·19			0·02	28
29						0·25	0·25	0·13			0·07	0·05	29
30		X				0·04	0·04			0·10	0·08	0·06	30
31	0·08	X		X		X	0·09	0·06	X	0·47	X	0·23	31
Total	2·99	2·77	1·05	1·27	3·87	·97	6·03	365	·77	3·65	2.36	428	YEAR'S TOTAL 3366 ✓
Rain Days.	19	22	11	15	14	8	23	16	10	17	9	27	191 ✓

W. 8,000. X. 15.

2418

FORM A.
BRITISH RAINFALL.

18.
20. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at The Eades.
in the County of Worcester
by Major E. W. Tennant.

Lat. Long.
Time of Observation 9 AM.
Nearest Railway Station Upton on Severn
Diameter of Funnel of Rain Gauge 5. in.
Height of top of Gauge above Ground — ft. 9. in.
" " " " Sea Level 100. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.05	–	0.04	–	0.08	0.05	0.14	–	–	0.10	0.18	–	1
2	0.20	0.03	0.15	–	0.27	0.03	0.04	–	0.04	0.66	0.07	–	2
3	0.02	0.68	0.01	–	0.08	–	–	–	0.03	0.24	0.06	–	3
4	0.25	0.10	–	0.03	0.45	0.37	–	–	0.04	0.01	0.22	–	4
5	0.02	0.01	0.05	–	0.27	0.05	0.06	–	–	0.05	0.08	–	5
6	0.03	0.13	0.04	0.02	0.18	0.16	0.42	–	–	0.38	0.41	–	6
7	–	0.05	0.07	–	0.09	0.02	0.16	–	–	0.14	0.25	0.18	7
8	0.05	–	0.07	–	0.25	0.05	0.01	–	–	0.02	0.04	0.28	8
9	–	–	0.03	–	0.12	0.15	–	–	0.02	0.02	0.02	–	9
10	–	0.45	0.04	0.05	0.01	0.19	0.04	–	–	0.07	0.01	0.02	10
11	0.02	0.04	0.10	0.11	0.03	0.37	0.01	–	–	–	–	0.14	11
12	0.04	0.01	0.04	0.02	0.32	0.01	0.20	0.02	–	0.06	–	0.18	12
13	–	0.27	0.12	–	0.01	–	0.01	0.53	–	–	0.02	–	13
14	–	0.25	0.06	–	0.04	–	–	0.11	–	0.07	–	0.02	14
15	–	0.41	0.27	0.04	0.33	–	–	0.32	–	0.06	–	–	15
16	–	0.04	0.02	0.21	0.05	–	0.09	0.19	–	0.07	–	–	16
17	–	0.15	–	0.09	–	–	–	0.06	0.35	0.49	–	–	17
18	0.02	0.04	0.04	0.02	–	–	–	0.04	0.13	0.04	0.41	–	18
19	0.07	–	0.24	0.12	–	–	–	–	0.01	0.02	0.28	0.16	19
20	0.08	–	0.58	0.08	–	–	–	–	–	–	0.04	0.23	20
21	0.02	–	0.42	0.31	0.14	–	0.14	–	–	–	–	0.26	21
22	0.01	–	–	0.03	0.01	0.06	–	0.02	–	0.10	–	0.64	22
23	–	0.19	0.03	0.03	–	–	–	0.13	–	0.07	0.02	0.18	23
24	–	0.19	0.14	0.02	0.26	0.03	–	0.04	–	0.23	0.01	0.13	24
25	–	0.15	0.14	–	0.01	0.15	–	0.24	–	0.06	0.25	0.01	25
26	0.05	0.13	0.14	–	–	0.08	–	0.03	0.04	0.08	0.10	–	26
27	0.05	0.10	0.94	–	–	–	–	0.26	0.~~37~~ 27 ET	0.35	–	–	27
28	0.01	0.11	0.29	–	0.02	0.13	–	–	0.03	0.09	–	0.12	28
29	–	0.50	0.02	–	–	0.24	–	1.39	–	0.33	–	0.12	29
30	–	✕	–	–	–	0.06	–	0.01	–	0.20	–	~~0.04~~ ET	30
31	–	✕	–	✕	–	✕	–	0.01	✕	0.27	✕	0.04	31
Total	0.99	4.03	4.09	1.18	3.02	2.20	1.32	340 3.49	0.96	4.28	2.47	2.71	YEAR'S TOTAL 3065
Rain Days.	17	22	26	15	21	18	12	16	10	27	18	16	218

W. 8,000, VIII. 16

cnd for auth ~~XI~~ 81 2303

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at The Eades Upton-on-Severn
in the County of Worcester.
by Lt. Col. E. W. Tennant

Lat. .... Long. ....
Time of Observation 9. a. m.
Nearest Railway Station Upton-on-Severn.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 9 in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ✓

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0·11	0·04		0·11		0·90	0·22		0·13		1
2	0·01		0·02	0·12		0·~~73~~31		0·06			0·35		2
3	0·03			0·20		0·01		0·04		0·42			3
4			0·04			0·01		0·21		0·25			4
5	0·15		0·05	0·23		0·02		0·02	0·06	0·15	0·03		5
6	0·02		0·07			0·60				0·04	0·25	0·02	6
7	0·23					0·01	0·20	0·03		0·11		0·01	7
8	0·41			0·12			0·63	0·61		0·49	0·14	0·18	8
9				0·02	0·22			0·46	0·08	0·06	0·04		9
10	0·30		0·52	0·07	0·75			0·16	0·03	0·01			10
11	0·05		0·21	0·15	0·03			0·11		0·09	0·03		11
12	0·03		0·01	0·02	0·26			0·02		0·14	0·02	0·01	12
13	0·02		0·14	0·02	0·04			0·06	0·05				13
14			0·18	0·08				0·02		0·19			14
15					0·04			0·08		0·09	0·02	0·10	15
16				0·17	0·01	0·37	0·05	0·02				0·17	16
17	0·04			0·06	0·48	0·02	0·34	0·03	0·05	0·06		0·02	17
18	0·02				0·03	0·05	0·17	0·08	1·46				18
19	0·02		0·20		0·02				0·05		0·01		19
20	0·01	0·68	0·19		0·80	0·08	0·08	0·02	0·09		0·02		20
21		0·10	0·30		0·07	0·13		0·03		0·04	0·02	0·01	21
22		0·04	0·02		0·01	0·06		0·12	0·01	0·07			22
23		0·27			0·13			0·40	0·01	0·03	0·01		23
24		0·02	0·01			0·08		0·08		0·13	0·05		24
25		0·06	0·06							0·01	0·07		25
26					0·18	0·05		0·22	0·11		0·08		26
27				0·02	1·48	0·08	0·08	0·73	0·01		0·02	0·02	27
28			0·18			0·29		0·10				0·03	28
29			0·04		0·10	0·72	0·13	0·02		0·54		0·31	29
30					0·01		0·21	0·35		0·08	0·01	0·01	30
31			0·08		0·01		0·02	0·04		0·02		0·02.	31
Total	1·34	1·17	2·43	1·32	4·67	3·00	1·91	5·02	2·23 ~~1·23~~	3·02	1·00	0·91	YEAR'S TOTAL 28·02 ~~27·02~~
Rain Days.	14	6	19	14	19	18	10	28	13	21	18	13	1·93

W. 8,000, IX. 17.

136

REGISTER OF RAINFALL IN 19 18

FORM A.
BRITISH RAINFALL.

Kept at The Eades. Upton on Severn

in the County of Worcester

by Lt. Col. E. W. Tennant

Lat. ____ Long. ____

Time of Observation 9. a. m.

Nearest Railway Station Upton on Severn

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 9 in.

" " " " Sea Level 100. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		0·02	0·02	0·03	0·11			0·09	0·07	0·03	0·25		1
2		0·04		0·05				0·52	0·01				2
3		0·03	0·01	0·03	0·23	—		0·09	0·50	—	0·08	0·03	3
4		0·04	0·01					0·03	0·09	0·09	0·43	0·25	4
5		0·01		0·01	0·24	—		0·02	0·08	0·08		0·02	5
6	0·02	0·33	0·02	0·11		0·06				0·17	0·18	0·04	6
7		0·40		0·01	0·22	0·02			0·36	0·04	0·24		7
8		0·05							0·07	0·15	0·02		8
9	0·03	0·07		0·19		0·17	0·13		0·25	0·08	0·01		9
10	0·05			0·10		0·06	0·35		0·04	0·07		0·16	10
11	0·01		0·02	0·05	0·04		0·08		0·04			0·05	11
12			0·23	0·01	0·18		0·10					0·01	12
13				0·02		0·05	0·07		0·08	0·10		0·09	13
14	0·19		0·10				0·02		0·62	0·07		0·03	14
15				0·32			0·35					0·24	15
16	0·75			0·94		0·11	0·02		0·30	0·04		0·02	16
17	0·91		0·02	0·09			0·12	0·05	0·10	0·04		0·07	17
18	0·58		0·01	0·02		0·34	0·15		0·52	0·04		0·52	18
19	0·10	0·03	0·21	0·02			0·11		0·01	0·08		0·01	19
20	0·17	0·07	0·02	0·30		0·04	0·01		0·17	0·03			20
21	0·10	0·01		0·34		0·01	0·07		0·25	0·01		0·15	21
22	0·05				0·05		0·14		0·29			0·16	22
23	0·04	0·14			0·52		0·14		0·02				23
24		0·01			—		0·01	0·02	0·03	0·03			24
25					0·02		0·25	0·47		0·02			25
26							1·16		0·01	0·03	0·20	0·15	26
27		0·02	0·01					0·20	0·07		0·01	0·03	27
28		0·12	0·24	0·04		0·04			0·01			0·05	28
29			0·06		—				1·31	0·01		0·04	29
30		×	0·36						0·01		0·19		30
31		×	0·16	×		×		0·09	×		×	0·04	31
Total	3·00	139	150	268	161	90	328	158	541	121	1·61	216	YEAR'S TOTAL 2633
Rain Days.	13	16	16	19	9	10	18	10	26	20	10	21	188

W. 6,500, VII. 18. w w c

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

JAN 20

Kept at The Eades upton on Severn

in the County of Worcester

by Lt Col E.W. Tennant.

Lat. .... Long. ....

Time of Observation 9·30 A.M.

Nearest Railway Station upton on Severn

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 9 in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·35		0·03	0·10	0·~~14~~ 140		0·13		0·08	0·12		0·40	1
2	0·15				0·02		0·31		0·52		0·05	0·08	2
3	0·73		0·09		0·04	0·02	0·01		0·09		0·13	0·17	3
4	0·14	0·02	0·52		0·02	0·16	0·10	0·03	0·28			0·17	4
5	0·02	0·28	0·20		0·09		00·4		0·24			0·25	5
6	0·02	0·02	0·11		0·24						0·~~08~~ 5	0·05	6
7	0·22		0·35	0·16	0·09						0·10	0·02	7
8	0·17		0·03	0·03									8
9	0·10		0·02	0·09									9
10	~~0·02~~		0·48									0·16	10
11	0·02		0·39	0·03	0·04		0·49			0·02		0·03	11
12			0·23	0·03		0·28				0·12	0·02	0·02	12
13	0·02			0·14					0·05	0·08		0·02	13
14	0·19			0·20			0·13		0·02	0·02		0·03	14
15	0·24	0·09	0·02	0·10	0·27					0·03		0·31	15
16	0·25	1·11		0·01				0·03			0·12	0·01	16
17		0·80		0·02	0·01						0·11		17
18		0·02	0·58				0·04	0·08			0·03	0·05	18
19	0·15	0·30	0·85			0·14	1·37	0·43	0·10		0·08	0·03	19
20	0·35	0·04	0·33				0·01	0·10	0·07		0·15	0·03	20
21	t	0·50	0·03				0·25		0·01		0·01	0·09	21
22		0·07					0·14		0·26		0·02	0·16	22
23						0·04				1·00		0·01	23
24				0·07		0·05				0·76	0·16	0·11	24
25	0·08			0·07		0·08	~~0·25~~	0·13					25
26	0·04		0·16	0·15	0·11	0·04		0·03	0·06			0·30	26
27	0·17			0·72				0·59				0·03	27
28	0·04		0·13	0·02				0·54			0·25	0·35	28
29				0·09				0·01		0·27	0·04	0·~~49~~ 18	29
30		X	0·02	0·15		0·15		0·13		0·05	0·07	0·28	30
31	0·05	X		X		X	0·02		X	0·04	X	0·01	31
Total	3·50	3·25	4·57	2·18	1·07	0·96	3·04	2·10	1·78	2·51	1·39	3·31	Year's Total 29·66
Days with ·01 in. or more	21	11	19	18	11	9	13	11	12	11	16	27	179

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

W WND 2077

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at The Eades . Upton on Severn
in the County of Worcester
by Lt. Col. E. W. Tennant

Lat. Long.
Time of Observation 9·30 a.m.
Nearest Railway Station Upton on Severn
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			0·03	0·15	0·20		0·22	0·03		0·15		0·19	1
2	0·05		0·01	0·11			0·67	0·01	0·05	0·26		0·10	2
3	0·03	0·04		0·17	0·06		0·70	0·04	0·06	0·15			3
4				0·10			0·02	0·18	0·01	0·29			4
5			0·14	0·08	0·20		0·27	0·04		0·25			5
6			0·20		0·14		0·61					0·01	6
7			0·08	0·15			0·06						7
8	0·25	0·07		0·54	0·04		0·57						8
9	0·18			0·20			0·12	0·02					9
10	0·50	0·10	0·03	0·17		0·14	0·13				0·04		10
11	0·24	0·02	0·06	0·28	0·42	0·12	0·06					0·04	11
12	0·15	0·02	0·01	0·17	0·01	0·89	0·03				0·03		12
13	0·01		0·31	0·24								0·05	13
14	0·03		0·66	0·30		0·05			0·45	0·07	0·14		14
15		0·07	0·07	0·59		0·51			0·05	0·03	0·02		15
16				0·10	0·07	0·47	0·21		0·16	0·36	0·02		16
17				0·01	0·12				0·66	0·27			17
18	0·14			0·07	0·10			0·19	0·55				18
19	0·01	0·15		0·50		0·12							19
20	0·03	0·16		0·20		0·22						0·08	20
21				0·01			0·03	0·01		0·01		0·07	21
22	0·01	0·01		0·11				0·05		0·01			22
23		0·01		0·01			0·41	0·03				0·60	23
24	0·01		0·16									0·11	24
25		0·10	0·16	0·01		0·03	0·62						25
26	0·12		0·24				0·01				0·05	0·08	26
27	0·45	0·04	0·08	0·10	0·10	0·28						0·35	27
28	0·81		0·08		0·15	0·01	0·01					0·02	28
29	0·18		0·07		0·10	0·01	0·01				0·06	0·45	29
30	0·03	╳	0·80	0·10		0·09	0·07		0·23		0·24	0·13	30
31	0·10	╳	0·05	╳	0·05	╳	0·04		╳	0·20	╳	0·02	31
Total	3·33	0·79	3·24	4·47	1·76	2·94	4·37	0·60	2·22	2·05	0·60	2·30	Year's Total 28·67 ~~28·64~~
Days with ·01 in. or more	20	12	19	25	14	13	21	10	9	12	8	15	178
Days with ·04 in. or more	12	8	15	21	13	10	15	5	8	9	5	12	133

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

WORCESTER.

BARBOURNE

1913 – 1920

REGIS 13

FORM A.
BRITISH RAINFALL.
4 FEB 1914

Kept at Barbourne
in the County of Worce
by Bertram Brot

ong. 2°. 15"
6.0 p.m.
ion Foregate St.
ge 5 in.
ge above Ground 2 ft. 6 in.
„ Sea Level 92 ft.

IMPORTANT NOTE.- and the result entered to the previous day. If an Obser universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	·02	—	·25	·15	—	—	—	·19	—	—	·10	1
2	·02	·22	·12	·10	·05	—	—	—	·60	—	·07	—	2
3	·05	—	·08	·03	·10	—	·01	—	·03	·45	·07	—	3
4	·50	—	—	—	·73	—	—	—	—	·08	·01	·22	4
5	·42	—	—	—	—	·04	·05	—	·03	·51	·06	·17	5
6	·04	·02	·01	—	·36	·06	·07	—	—	·08	·01	·30	6
7	—	·20	·12	—	·04	·11	·27	—	—	·56	—	·06	7
8	—	—	—	—	·22	·14	—	—	—	·51	·24	—	8
9	·01	·13	·02	—	·09	—	·01	·76	·11	—	—	—	9
10	—	·36	—	·01	·05	·16	·02	—	—	—	·08	—	10
11	1·10	—	—	·51	—	—	—	·05	—	·03	·20	—	11
12	·08	·02	—	·02	·29	—	—	—	—	—	·45	—	12
13	—	—	—	—	—	—	—	—	—	—	·50	—	13
14	—	·01	·48	—	—	—	—	·10	·2	—	·15	—	14
15	·15	·04	·05	·05	—	—	—	—	·24	·12	—	—	15
16	·15	—	·50	·50	—	—	—	—	—	—	·65	—	16
17	·10	·01	·77	·01	—	·02	—	·05	·05	—	—	·82	17
18	·02	—	—	·12	·02	—	·21	—	—	—	·02	—	18
19	·10	—	·25	·02	—	—	·11	—	—	—	—	—	19
20	·11	—	·20	—	—	—	—	—	·11	·01	—	—	20
21	·02	—	·29	·10	·06	—	—	—	—	·01	·30	—	21
22	·40	—	·63	·04	·01	—	·12	·08	·05	—	—	—	22
23	·12	—	·05	—	—	·15	—	·17	·42	—	—	—	23
24	·05	—	·01	—	—	—	—	·02	—	—	·04	—	24
25	—	—	—	·04	—	—	—	—	—	—	—	·02	25
26	—	·04	—	·42	—	—	—	—	·03	·01	—	—	26
27	—	·01	—	·48	·13	—	—	·31	—	—	—	·23	27
28	·18	—	·17	·24	—	—	—	—	—	·05	—	·02	28
29	·05		·3	·01	·05	—	—	·01	—	·15	—	·03	29
30	·03		·07	·47	—	—	—	·02	—	·02	—	—	30
31	·15		—		—		—	—		·53		—	31
Total	3·89	1·08	4·12	3·42	2·35	·68	·87	1·57	2·06	3·12.	2·25	1·17	YEAR'S TOTAL 26·58"
Rain Days.	23	12.	18.	19.	15.	7	9.	10	12.	15.	15.	10	165.

W.7,000, XI. 13

REGIS 13

FORM A.
BRITISH RAINFALL
4 FEB 1914

Kept at Barbourne Worcester
in the County of Worcester 2
by Bertram Brotherton.

Long. 2° 15"
Time of Observation 6.0 p.m.
Nearest Railway Station Foregate St.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level 92 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	·02	—	·25	·15	—	—	—	·19	—	—	·10	1
2	·02	·22	·12	·10	·05	—	—	—	·60	—	·07	—	2
3	·05	—	·08	·03	·10	—	·01	—	·03	·45	·07	—	3
4	·50	—	—	—	·73	—	—	—	—	·08	·01	·22	4
5	·42	—	—	—	—	·04	·05	—	·03	·51	·06	·17	5
6	·04	·02	·01	—	·36	·06	·07	—	—	·08	·01	·30	6
7	—	·20	·12	—	·04	·11	·27	—	—	·56	—	·06	7
8	—	—	—	—	·22	·14	—	—	—	·51	·24	—	8
9	·01	·13	·02	—	·09	—	·01	·76	·11	—	—	—	9
10	—	·36	—	·01	·05	·16	·02	—	—	—	·08	—	10
11	1·10	—	—	·51	—	—	—	·05	—	·03	·20	—	11
12	·08	·02	—	·02	·29	—	—	—	—	—	·45	—	12
13	—	—	—	—	—	—	—	—	—	—	·50	—	13
14	—	·01	·48	—	—	—	—	·10	·2	—	·15	—	14
15	·15	·04	·05	·05	—	—	—	—	·24	·12	—	—	15
16	·15	—	·50	·50	—	—	—	—	—	—	·65	—	16
17	·10	·01	·77	·01	—	·02	—	·05	·05	—	—	·82	17
18	·02	—	—	·12	·02	—	·21	—	—	—	·02	—	18
19	·10	—	·25	·02	—	—	·11	—	—	—	—	—	19
20	·11	—	·20	—	—	—	—	—	·11	·01	—	—	20
21	·02	—	·29	·10	·06	—	—	—	—	·01	·30	—	21
22	·40	—	·63	·04	·01	—	·12	·08	·05	—	—	—	22
23	·12	—	·05	—	—	·15	—	·17	·42	—	—	—	23
24	·05	—	·01	—	—	—	—	·02	—	—	·04	—	24
25	—	—	—	·04	—	—	—	—	—	—	—	·02	25
26	—	·04	—	·42	—	—	—	—	·03	·01	—	—	26
27	—	·01	—	·48	·13	—	—	·31	—	—	—	·23	27
28	·18	—	·17	·24	—	—	—	—	—	·05	—	·02	28
29	·05		·3	·01	·05	—	—	·01	—	·15	—	·03	29
30	·03		·07	·47	—	—	—	·02	—	·02	—	—	30
31	·15		—		—		—	—		·53		—	31
Total	3·89	1·08	4·12	3·42	2·35	·68	·87	1·57	2·06	3·12.	2·25	1·17	YEAR'S TOTAL 26·58"
Rain Days.	23	12.	18.	19.	15.	7	9.	10	12.	15.	15.	10	165

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Kept at Mafeking, "Barbourne", Worcester.

in the County of Worcester. 2

by Bertram Brotherton

Lat. 52° 9' 30 Long. 2° 15"

Time of Observation 9 a.m.

Nearest Railway Station Foregate St.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 92. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·10	·05	·02	—	·01	·94	·24	—	—	·03	·07	1
2	—	—	—	—	—	·01	·16	·17	—	—	·52	·36	2
3	—	—	—	·06	·16	—	·07	·04	—	—	·03	·03	3
4	—	—	·01	·09	·13	—	·15	·24	—	—	·36	·46	4
5	·18	—	·05	·15	·21	—	·38	—	—	—	·17	—	5
6	·12	·05	—	·03	·03	—	—	·09	—	—	·03	·07	6
7	—	·10	·31	·11	·30	·18	·18	·05	·07	—	—	·31	7
8	—	·10	·04	·02	·05	·55	·02	·03	—	—	—	·07	8
9	·01	—	·15	·25	·07	1·10	—	—	·12	—	—	—	9
10	·17	—	·05	·28	·03	·06	—	—	·25	—	—	—	10
11	—	·10	·23	·04	·03	·29	—	—	·01	—	·08	·43	11
12	—	·11	·16	—	—	·01	·50	—	·35	—	·06	·23	12
13	—	·12	·20	—	—	—	·02	—	·05	·16	·08	·36	13
14	—	·08	·12	—	—	—	—	·05	—	·37	·09	·04	14
15	·02	·10	·11	—	—	—	—	—	·04	—	·04	·02	15
16	—	—	·01	—	—	—	—	—	·15	—	—	—	16
17	·02	—	·09	—	—	—	—	—	·04	—	—	·14	17
18	—	·14	—	—	—	·20	·24	—	—	·09	—	·38	18
19	—	—	·04	—	—	—	·50	—	·02	—	·04	·66	19
20	—	·03	·03	—	—	·06	—	—	—	—	—	·26	20
21	—	·32	—	—	—	·08	·05	·12	—	·15	—	·11	21
22	—	·26	·07	—	·26	·03	·04	·10	—	·05	—	—	22
23	—	·01	·08	—	·12	·03	—	—	—	·09	—	—	23
24	—	·02	·27	·01	—	—	·17	·05	—	·11	·04	—	24
25	—	—	·04	·03	—	—	·04	·22	—	·22	·03	·13	25
26	·05	—	·07	—	—	—	—	·10	—	·04	·13	·31	26
27	·02	—	—	—	—	—	—	—	—	—	·12	·12	27
28	·02	—	·17	—	·07	—	—	—	—	·14	·03	1·10	28
29	·01	X	·06	—	·06	—	—	—	—	·15	·09	—	29
30	—	X	·02	—	—	·11	—	—	—	·04	·34	·40	30
31	—	X	—	X	·02	X	·19	—	X	·01	X	—	31
Total	·62	1·64	2·43	1·09	1·54	2·72	3·65	1·50	1·10	1·62	2·31	5·46	YEAR'S TOTAL 25·68 ✓
Rain Days.	10	15	24	12	14	14	16	13	10	13	19.	22	182 ✓

W. 8,000. X. 14.

exd 95

7510

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
3 - JAN 1916

Kept at Mafeking, Barbourne, Worcester
in the County of Worcester
by Bertram Brotherton

Lat. 52° 9′ 30″ Long. 2° 15′ W.
Time of Observation 9 a.m.
Nearest Railway Station Foregate St.
Diameter of Funnel of Rain Gauge 5″ in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 92 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·14	·05	·05	–	·26	–	–	·11	·22	·21	·01	·07	1
2	·06	·11	·14	·16	–	·14	–	1·58	–	·18	–	·08	2
3	·79	·08	·01	·06	·02	–	1·20	·03	–	–	–	·15	3
4	–	·03	–	–	·07	–	·60	·24	–	–	–	·62	4
5	–	·53	–	·02	–	–	·17	·06	–	·03	–	·37	5
6	·13	·02	–	·20	–	–	·67	·03	–	–	–	·14	6
7	·04	·38	–	·04	–	–	·07	·05	–	–	–	·26	7
8	·15	·37	–	·15	–	–	·02	·01	–	–	·09	–	8
9	·15	·12	–	·09	–	–	–	–	–	–	·12	·35	9
10	·21	–	·06	·02	–	–	–	–	–	·02	–	·03	10
11	–	–	–	·02	·10	–	–	–	–	–	·95	·01	11
12	·05	·01	–	·08	·36	–	–	·55	–	·03	·74	–	12
13	·01	·33	–	–	·73	–	–	·05	–	–	–	·03	13
14	–	·02	–	–	–	–	·06	·08	·10	·02	–	·27	14
15	·22	–	–	–	·07	–	·03	·36	–	·01	·05	·09	15
16	·03	·40	–	·03	·39	–	1·28	–	–	–	–	·02	16
17	–	·20	·01	–	·65	–	–	–	–	–	–	·01	17
18	·01	·34	·03	–	–	–	–	–	–	–	·01	–	18
19	–	·02	·01	–	·07	–	·04	–	–	–	–	–	19
20	–	–	–	·03	–	–	–	–	–	–	–	·10	20
21	·07	–	–	–	–	–	·14	–	–	·08	–	·03	21
22	·10	–	·23	·18	–	–	·41	–	·01	–	–	·19	22
23	·04	·05	·06	–	–	–	·15	–	–	1·02	–	·33	23
24	–	–	·02	·02	–	–	·12	–	·37	·60	–	·22	24
25	–	·01	–	–	–	·80	·25	–	–	·03	–	·17	25
26	–	·02	–	–	–	–	·33	–	–	–	–	·42	26
27	–	·06	–	–	–	–	·05	–	–	·31	–	·06	27
28	–	·10	–	–	–	–	–	·08	·12	·04	–	–	28
29	–		–	–	–	·25	·09	·02	–	–	·06	·06	29
30	·05	×	–	–	–	·08	·05	–	–	·30	·06	·15	30
31	–	×	–	×	–	×	·09	·01	×	·70	×	·30	31
Total	2·25″	3·25″	·62″	1·10″	2·72″	1·27″	5·82″	3·26″	·82	3·58	2·09	4·53	YEAR'S TOTAL 31·31
Rain Days.	17	21	10	14	10	4	20	15	5	15	9	26	166

W. 8,000. X. 15.

exr fo

2442

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

2 JAN 1917

Kept at Mafeking, Vine St Worcester
in the County of Worcester.
by Betram Brotherton.

Lat. 52°.1'.30" Long. 2°.15"
Time of Observation 9 a.m.
Nearest Railway Station Foregate St.
Diameter of Funnel of Rain Gauge 5. in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 92 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	–	–	–	·04	·05	·09	–	–	·18	·18	–	1
2	·31	·03	·14	–	·23	–	·06	–	·04	·65	·02	–	2
3	–	·59	–	–	·01	–	·12	–	·03	·22	·07	–	3
4	·17	·13	–	–	·51	·22	·01	–	·01	–	·51	–	4
5	·01	–	·02	–	·21	·05	·02	–	–	·02	·10	–	5
6	–	·35	·05	–	·16	·02	·53	–	–	·04	·44	–	6
7	–	·03	·06	–	·07	–	·16	–	–	·05	·16	·16	7
8	·02	–	·04	–	·17	·04	–	–	–	–	–	·21	8
9	–	–	–	–	·30	·16	–	–	–	·05	·02	–	9
10	–	·35	·05	·02	·02	·09	–	–	–	·02	–	–	10
11	–	·07	·03	·10	–	·23	–	–	–	–	–	·12	11
12	·02	·11	·04	·02	·23	–	·15	–	–	·01	–	·15	12
13	–	·18	·12	·02	–	–	·28	·20	–	–	–	·02	13
14	–	·42	·01	–	·04	–	–	·08	–	–	–	–	14
15	–	·29	·26	·07	·18	–	·04	·30	–	·05	–	–	15
16	–	·08	–	·18	·03	–	·16	·18	–	–	–	–	16
17	·03	·17	–	·07	–	–	–	·02	·35	·30	–	–	17
18	–	·03	·03	·03	–	–	–	·03	·15	–	·43	·20	18
19	·05	–	·26	·24	–	–	–	–	–	–	·23	–	19
20	·05	–	·43	·01	–	–	–	·03	–	–	·06	·16	20
21	·01	–	·25	·04	·12	–	·11	–	–	–	–	·18	21
22	–	–	–	–	–	·02	–	–	–	·13	–	·53	22
23	·01	·31	–	·03	–	–	–	·11	–	·03	·03	·13	23
24	–	·22	·02	–	·25	–	–	·08	–	·19	–	·16	24
25	–	·02	·05	–	–	–	–	·18	–	·04	·22	–	25
26	·03	·05	–	–	–	·07	–	·03	·03	·09	·01	–	26
27	·02	·08	·85	–	–	–	–	–	·20	·25	–	–	27
28	–	·24	·14	–	–	·04	–	–	–	·10	–	–	28
29	–	·13	–	–	–	·20	–	1·11	·02	·60	–	·21	29
30	–	X	–	–	–	·06	–	–	–	·13	–	–	30
31	–	X	–	X	–	X	–	·01	X	·15	X	·02	31
Total	·78	3·88	2·85	·83	2·57	1·25	1·43	2·36	·83	3·30	2·48	2·25	YEAR'S TOTAL 25·11
Rain Days.	13	21	19	12	16	13	12	13	8	21	14	13.	175.

W. 8,000, VIII. 16

2327

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Mafeking Vine St. Worcester
in the County of Worcester.
by Bertram Brotherton

Lat. 52° 9' 30" Long. 2°. 15"
Time of Observation 9 a.m.
Nearest Railway Station Foregate St.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 92. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·08	·07	–	·09	–	·58	·15	–	·04	–	1
2	–	–	–	·07	–	·08	–	·05	–	–	·02	·02	2
3	–	·02	–	·06	–	–	–	·03	–	–	–	–	3
4	–	–	·17	–	–	–	–	·03	–	·37	–	–	4
5	·17	–	·13	·21	–	–	–	–	·03	·09	·09	–	5
6	–	–	·15	–	–	·35	–	–	–	·07	·13	–	6
7	·26	–	–	–	–	–	–	·05	–	–	·03	–	7
8	·41	–	–	·09	–	–	·29	·34	·10	·30	·12	·15	8
9	–	–	·18	·01	·20	–	–	·34	–	·09	·14	–	9
10	·44	–	·30	·06	·55	–	–	·15	–	–	–	–	10
11	·11	–	·09	·13	·03	–	–	·01	–	·11	·02	–	11
12	·09	–	–	·04	·18	–	–	·63	–	·13	·02	–	12
13	–	–	·10	·02	·04	–	–	(·05)	·05	·01	–	–	13
14	–	–	·26	·07	[redacted]	–	–	·58	–	·01	–	·02	14
15	–	–	–	–	·16	–	·78	·07	–	·03	–	·21	15
16	·01	·04	–	·23	[redacted]	–	·02	–	–	·01	–	·37	16
17	–	–	–	·05	·58 ~~·07~~	·47	·35	·23	·07	·06	–	–	17
18	–	·04	–	·01	·07	–	·20	·05	1·13	–	–	–	18
19	·04	·34	·33	–	[redacted]	·19	–	–	·01	–	–	–	19
20	–	·18	·16	–	·48	·05	·28	–	·03	–	–	–	20
21	–	·02	·18	–	·03	·03	–	·05	–	–	·03	–	21
22	–	–	·02	–	–	·01	–	·05	·02	·07	–	–	22
23	–	·22	–	–	·12	–	–	·23	–	·03	–	–	23
24	–	–	–	–	–	·13	·01	·04	–	·13	·09	–	24
25	–	·10	·11	–	–	–	–	–	–	·03	·11	–	25
26	–	–	–	–	–	·05	–	·26	·15	–	·09	–	26
27	–	·01	–	–	1·30	·08	·26	·59	–	–	–	–	27
28	–	–	·09	–	–	·24	–	·09	–	–	–	·05	28
29	–	–	·02	–	–	·20	·07	·04	–	·36	–	·23	29
30	–		–	–	–	–	·07	·26	–	·02	–	–	30
31	–		·08		–		–	·20		–		·01	31
Total	1·53	·97	2·45	1·12	3·74	1·97	2·33	4·40	1·74	1·92	·93	1·06	YEAR'S TOTAL 24·16
Rain Days.	8	9	17	14	12	13.	10	25	10	18	13	8	157

W. 8,000, IX. 17.

Esa C.Y.E. 27

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

13. 1 19

Kept at Mafeking Barbourne Worcester

in the County of Worcester

by Bertram Brotherton

Lat. 52°. 9'. 30" Long. 2°. 15"

Time of Observation 9 a.m.

Nearest Railway Station Foregate St.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 92 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	·01	–	·02	·13	–	–	·07	–	–	·39	–	1
2	–	·02	–	–	–	–	–	·24	–	–	–	·08	2
3	–	·03	–	·02	·25	–	–	·04	·50	·03	·10	–	3
4	–	·03	·01	–	–	–	–	·02	·34	·10	·52	·29	4
5	–	–	–	·01	·32	–	–	·05	·16	·08	–	–	5
6	·03	·31	·01	·08	–	·07	–	–	·04	·15	–	·01	6
7	–	·08	–	–	·15	–	–	–	·37	·04	·13	–	7
8	–	·13	–	–	–	–	–	–	·17	·10	–	·04	8
9	·03	·33	–	·17	–	·16	–	–	·20	·13	–	·03	9
10	·06	·01	–	·09	–	–	·26	–	·04	·07	–	·06	10
11	–	–	–	·05	·05	–	·12	–	·10	–	·01	·02	11
12	·02	–	·15	–	·10	–	·09	–	·09	–	–	–	12
13	–	–	–	–	·11	–	·05	–	·10	·04	–	·04	13
14	·20	–	·04	–	–	–	·06	–	·31	·08	–	·07	14
15	·83	–	–	·19	–	–	·21	–	·02	·01	–	·33	15
16	·15	–	–	·70	–	·08	–	·02	·16	–	–	·05	16
17	·11	–	–	–	·06	·14	·04	–	·07	·06	–	·03	17
18	·31	–	–	–	–	·25	·04	–	·51	–	–	·29	18
19	·08	·63	·18	–	–	–	·05	–	–	·04	–	·03	19
20	·15	·07	–	·49	–	·05	·01	–	·11	–	·01	·06	20
21	·09	–	–	·33	–	·01	·06	–	·37	–	–	·07	21
22	·01	–	–	–	·43	–	·12	–	·02	–	·02	·16	22
23	·02	–	–	–	·45	–	·06	–	·04	–	·11	–	23
24	–	·15	–	–	–	–	·05	–	·04	·02	·01	–	24
25	–	–	–	–	–	·04	·11	·43	–	·01	–	–	25
26	–	–	–	–	–	–	·41	–	·06	·01	·08	·07	26
27	–	·04	–	–	–	–	–	·17	·11	–	·08	·02	27
28	–	·11	·21	–	–	·06	–	–	–	–	·08	·04	28
29	–	–	·08	–	–	–	–	–	·86	·01	·01	·01	29
30	–	X	·35	–	–	–	–	–	·03	=	·06	·04	30
31	–	X	·26	X	–	X	–	·10	X	–	X	–	31
Total	2·09 ✓	1·35 ✓	1·29 ✓	2·15 ✓	2·05 ✓	·86 ✓	1·74 ✓	1·14 ✓	4·82 ✓	·98 ✓	1·61 ✓	1·84 ✓	YEAR'S TOTAL 21·92
Rain Days.	14 ✓	14 ✓	9 ✓	11 ✓	10 ✓	9 ✓	16 ✓	9	25 ✓	17 ✓	14 ✓	22 ✓	170 ✓

W. 6,500, VII. 18. w w o

[illegible] #R/R

2184

JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Mafeking Vine St. Worcester.

in the County of Worcester

by Bertram Brotherton.

Lat. 52° 9′ 30″ Long. 2° 13′ W

Time of Observation 9 a.m.

Nearest Railway Station Foregate St.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, ,, ,, ,, Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·25	·01	·01	–	·06	–	·13	–	·04	·21	·03	·38	1
2	·11	–	–	–	·06	–	·26	–	·10	·10	·05	·07	2
3	·51	–	·09	–	·06	·03	·17	–	·07	–	·09	·10	3
4	·09	·05	·36	–	–	·13	·53	·05	·14	·01	–	·08	4
5	·01	·29	·01	–	·04	–	–	–	·25	–	·01	·15	5
6	–	·01	·07	+	·41	–	–	–	–	–	·02	·19	6
7	·31	–	·20	·15	·10	–	–	–	–	–	·05	·01	7
8	·15	–	·06	·07	–	·04	–	–	–	–	·01	–	8
9	·04	–	·02	·10	–	–	–	–	–	–	–	–	9
10	–	–	·50	·02	–	–	–	–	–	–	–	·20	10
11	–	–	·67	–	·02	–	·44	–	–	·07	–	·02	11
12	·01	–	·12	·02	–	·09	–	–	–	·03	·02	·01	12
13	·11	–	–	·23	–	–	–	–	·09	·14	–	·02	13
14	·18	·03	–	·14	–	–	·04	–	·15	–	–	·07	14
15	·19	·08	·02	·04	·20	–	–	–	–	·03	–	·27	15
16	·18	1·00	–	–	–	–	·02	·17	–	–	·07	–	16
17	·04	·46	–	–	·03	·03	–	–	–	–	·03	·01	17
18	–	·03	·54	–	–	–	·01	·13	–	–	–	·05	18
19	·13	·31	·86	–	–	·15	·95	·16	·09	–	·05	·01	19
20	·33	·02	·35	–	–	–	·03	·25	·02	–	·02	·08	20
21	–	(39) ·08	·02	–	–	–	·29	–	–	–	·02	·07	21
22	–	–	–	–	–	–	·05	–	·30	–	–	·09	22
23	–	–	–	–	–	–	–	·04	–	·78	–	·05	23
24	–	–	–	·04	–	·03	–	–	–	·56	·10	·16	24
25	·09	–	–	·07	·08	·15	–	·15	–	–	–	·03	25
26	–	–	·07	·05	–	·03	·04	·11	·06	–	–	·21	26
27	·20	–	–	·68	–	–	–	·56	–	–	·09	·08	27
28	·07	–	·07	·03	–	–	–	·39	–	–	·21	·24	28
29	·03		–	·11	–	·01	–	–	–	·43	·11	·22	29
30	–	X	–	·12	–	·13	–	·05	–	·04	·05	·25	30
31	–	X	·02	X	–	X	·02	–	X	·02	X	–	31
TOTAL	3·03	2·76	4·06	1·87	1·06	·82	2·98	2·06	1·31	2·42	1·03	3·12	YEAR'S TOTAL 26·52
Days with ·01 in. or more	20	13	19	15	10	11	14	11	11	12	18	27	181

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

17 JAN 1921

Kept at Mafeking Barbourne Worcester
in the County of Worcester
by Bertram Brotherton

Lat. 52° 9′ 30″ Long. 2°. 15″ W
Time of Observation 9 a.m.
Nearest Railway Station Foregate St.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 92 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·01	·25	·24	–	·22	–	·02	·34	–	·24	1
2	·04	–	–	·07	–	–	·34	·04	·07	·05	–	·07	2
3	·05	–	–	·04	·02	·03	2·00	–	·14	·41	–	–	3
4	–	·03	–	·10	–	–	–	·21	·02	·29	–	–	4
5	–	–	·08	–	·10	–	·49	·06	–	·44	–	–	5
6	–	–	·25	·01	·09	–	·10	–	·01	·24	–	·01	6
7	–	–	·04	·10	–	–	·09	–	–	–	–	–	7
8	·17	·04	–	·68	·02	–	·47	·02	–	·01	–	·01	8
9	·26	·01	–	·30	–	–	·05	–	–	–	–	–	9
10	·47	·07	·05	·01	–	·06	·14	–	–	–	·07	–	10
11	·17	–	·04	·25	·31	·36	·08	–	–	–	–	–	11
12	·11	–	–	·31	–	·80	–	·03	–	–	·04	–	12
13	·02	–	·25	·11	–	·02	–	–	–	–	–	·03	13
14	–	–	·59	·24	–	·27	·02	–	·32	·02	·17	–	14
15	–	·12	·20	·42	–	·17	–	–	·01	–	·01	–	15
16	–	–	–	·13	·08	·06	·17	–	·05	·37	–	–	16
17	–	–	–	·04	·07	–	–	–	·67	·09	–	·02	17
18	·16	–	–	·02	·09	–	–	·14	·43	–	–	–	18
19	·03	·39	–	·37	–	·10	·01	–	·01	–	–	·01	19
20	–	–	–	·21	–	·17	–	–	–	–	–	·03	20
21	–	–	–	·01	–	–	·08	·01	–	·01	–	·01	21
22	·05	–	–	·07	–	–	·01	–	–	–	–	–	22
23	–	·01	–	–	–	–	·31	·10	–	–	–	·45	23
24	·03	–	·12	–	–	–	–	–	–	–	–	·13	24
25	–	·04	·06	·03	–	–	·55	–	–	–	–	–	25
26	·11	–	·25	·01	–	–	·03	–	–	–	·10	·10	26
27	·16	·02	·10	·05	·02	·21	–	–	–	–	·02	·44	27
28	·90	–	·13	–	·30	–	·01	–	–	–	–	·03	28
29	·11	–	·20	–	·04	·01	·12	–	–	–	·07	·38	29
30	·02		·37	·10	·02	·07	·04	–	·24	–	·28	·13	30
31	·02		–		–		·02	–		·48		·02	31
TOTAL	2·88	·73	2·74	3·93	1·40	2·33	5·35	·61	1·99	2·75	·76	2·11	YEAR'S TOTAL 24·58
Days with ·01 in. or more	18	9	16	25	13	13	22	8	12	12	8	17	173
Days with ·04 in. or more	13	5	15	19	9	10	16	5	7	9	6	8	122

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

WORCESTER.

HINDLIP HALL.

1916 – 1920

REGISTE 6

FORM A.
BRITISH RAINFALL.

22 JAN 1917

Kept at Hindlip a.m.

in the County of Worc Fern-Hill-Heath

by Hon. C. S. V

in Gauge 8 in.

ove Ground ft. 10 in.

Sea Level 200 ft.

IMPORTANT NOTE.—R d the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0.30

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.18	0.00	trace	0.00	0.04	0.05	0.11	0.00	0.00	0.15	0.01	0.00	1
2	0.30	0.02	0.16	0.00	0.25	0.00	0.10	0.00	0.04	0.67	0.06	0.00	2
3	trace	0.63	0.00	0.00	0.01	trace	trace	0.00	0.00	0.23	0.46	0.00	3
4	0.17	0.10	0.01	0.02	0.59	0.25	0.01	0.00	0.01	0.02	0.15	0.00	4
5	trace	trace	0.03	0.00	0.18	0.04	0.02	0.00	0.00	0.05	0.40	0.00	5
6	0.02	0.30	0.06	0.00	0.20	0.06	0.59	0.00	trace	0.06	0.18	0.20	6
7	0.02	0.02	0.10	0.00	0.10	0.00	0.10	0.00	0.00	0.05	0.00	0.23	7
8	0.03	0.00	0.05	0.00	0.25	0.00	0.00	0.00	0.00	0.00	0.02	0.00	8
9	0.00	0.00	0.02	0.00	0.30	0.10	0.00	0.00	0.02	0.07	0.01	0.00	9
10	0.00	0.38	0.07	0.02	0.04	0.05	trace	0.00	0.01	0.02	0.00	0.15	10
11	0.01	0.08	0.08	0.13	trace	0.26	0.00	0.00	0.00	0.00	0.00	0.00	11
12	0.08 3	0.21	0.05	trace	0.20	0.01	0.20	trace	0.00	0.02	0.01	0.05	12
13	0.01	0.18	0.15	0.00	0.00	0.00	0.15	0.18	0.00	0.01	0.00	0.03	13
14	0.00	0.64	0.05	0.00	0.05	0.00	0.00	0.08	0.00	0.00	0.00	0.00	14
15	0.06	0.30	0.35	0.05	0.18	0.00	0.07	0.24	0.00	0.15	0.00	0.00	15
16	0.00 ~~trace~~	0.08	0.00	0.21	0.05	0.00	0.15	0.18	0.00	0.00	0.00	0.00	16
17	0.06	0.15	0.00	0.06	0.00	0.01	0.01	0.02	0.46	0.30	0.43	0.06	17
18	trace ~~0.01~~	0.04	0.04	0.08	0.00	0.00	0.00	0.03	0.13	0.00	0.27	0.08	18
19	0.06	0.00	0.25	0.36	0.00	0.00	0.00	0.00	0.01	0.00	0.09	0.25	19
20	0.01	0.00	0.52	0.05	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.23	20
21	0.00	0.00	0.30	trace	0.11	trace	0.18	0.00	0.00	0.16	0.00	0.42	21
22	0.90	0.01	trace	0.03	0.05	0.03	0.00	0.00	0.00	0.03	0.04	0.30	22
23	0.00	0.54	0.00	0.03	0.00	0.00	0.00	0.18	0.00	0.23	0.00	0.16	23
24	0.00	0.30	0.00	0.01	0.08	0.01	0.00	0.10	0.00	0.03	0.00	0.00	24
25	0.00	0.02	0.06	0.00	1.10	0.01	0.00	0.21	0.00	0.10	0.00	0.00	25
26	0.05	0.10	trace	0.00	0.00	0.06	0.00	0.09	0.01	0.23	0.00	0.00	26
27	0.00	0.08	1.20	0.00	0.00	0.00	trace	0.02	0.24	0.20	0.00	0.07	27
28	0.00	0.20	0.25	0.00	0.01	0.04	trace	0.00	0.02	0.31	0.00	0.11	28
29	0.00	0.13	0.01	0.00	0.00	0.23	trace	1.56	0.00	0.18	0.00	0.00	29
30	0.00	✕	0.00	0.00	0.00	0.02	trace	0.01	0.00	0.13	0.00	0.02	30
31	0.00	✕	0.00	✕	0.00	✕	0.00	0.01	✕	0.18	✕	0.06	31
Total	0.96	4.41	6 3.81	1.06	3.69	1.23	1.69	2.94	0.95	8 3.4[illegible]	2.13 2.13	2.30	YEAR'S TOTAL ~~28.67~~ 28.63
Rain Days.	13 ~~16~~	22 ~~23~~	21 ~~24~~	12 ~~14~~	19 ~~20~~	16 ~~18~~	12 ~~19~~	15 ~~16~~	10 ~~11~~	24	13	14	~~211~~ 191

W. 8,000, VIII. 16

REGISTE

Long.

FORM A.
BRITISH RAINFALL.
22 JAN 1917

Kept at Hindlip Hall
in the County of Worcester
by Hon. C. S. V. Allsopp.

Time of Observation 9 a.m.
Nearest Railway Station Fern-Hill-Heath
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
0-30

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·18	0,00	trace	0·00	0·04	0·05	0·11	0·00	0·00	0·15	0·01	0·00	1
2	0·30	0·02	0·16	0·00	0·25	0·00	0·10	0·00	0·04	0·67	0·06	0·00	2
3	trace	0·63	0·00	0·00	0·01	trace	trace	0·00	0·00	0·23	0·46	0·00	3
4	0·17	0·10	0·01	0·02	0·59	0·25	0·[illegible]1	0·00	0·01	0·02	0·15	0·00	4
5	trace	trace	0·03	0·00	0·18	0·04	0·02	0·00	0·00	0·05	0·40	0·00	5
6	0·02	0·30	0·06	0·00	0·20	0·06	0·59	0·00	trace	0·06	0·18	0·20	6
7	0·02	0·02	0·10	0·00	0·10	0·00	0·10	0·00	0·00	0·05	0·00	0·23	7
8	0·03	0·00	0,05	0·00	0,25	0·00	0·00	0·00	0·00	0·00	0·02	0·00	8
9	0·00	0·00	0·02	0·00	0·30	0·10	0·00	0·00	0·02	0·07	0·01	0·00	9
10	0·00	0·38	0·07	0·02	0·04	0·05	trace	0·00	0·01	0·02	0·00	0·15	10
11	0·01	0·08	0·08	0·13	trace	0·26	0·00	0·00	0·00	0·00	0·00	0·00	11
12	0·0~~8~~ 3	0·21	0·05	trace	0·20	0·01	0·20	trace	0·00	0·02	0·01	0·05	12
13	0·01	0·18	0·15	0·00	0·00	0·00	0·15	0·18	0:00	0·01	0·00	0·03	13
14	0·00	0·64	0·05	0·00	0·05	0·00	0·00	0·08	0·00	0·00	0·00	0·00	14
15	0·00	0·30	0·35	0·05	0·18	0·00	0·07	0·24	0·00	0·15	0·00	0·00	15
16	0·00 ~~trace~~	0·08	0·00	0·21	0·05	0·00	0·15	0·18	0·00	0·00	0·00	0·00	16
17	0·06	0·15	0·00	0·06	0·00	0·01	0·01	0·02	0·46	0·30	0·43	0·06	17
18	trace ~~0·01~~	0·04	0·04	0·08	0·00	0·00	0·00	0·03	0·13	0·00	0·27	0·08	18
19	0·06	0·00	0·25	0·36	0·00	0·00	0·00	0·00	0·01	0·00	0·09	0·25	19
20	0·01	0·00	0·52	0·05	0·00	0·00	0·00	0·03	0·00	0·00	0·00	0·23	20
21	0·00	0·00	0·30	trace	0·11	trace	0·18	0·00	0·00	0·16	0·00	0·42	21
22	0·00	0·01	trace	0·03	0·05	0·03	0·00	0·00	0·00	0·03	0·04	0·30	22
23	0·00	0·54	0·00	0·03	0·00	0·00	0·00	0·18	0·00	0·23	0·00	0·16	23
24	0·00	0·30	0·00	0·01	0·08	0·01	0·00	0·10	0·00	0·03	0·00	0·00	24
25	0·00	0·02	0·06	0·00	1·10	0·01	0·00	0·21	0·00	0·10	0·00	0·00	25
26	0·05	0·10	trace	0·00	0·00	0·06	0·00	0·09	0·01	0·23	0·00	0·00	26
27	0·00	0·08	1·20	0·00	0·00	0·00	trace	0·02	0·24	0·20	0·00	0·07	27
28	0·00	0·20	0·25	0·00	0·01	0·04	trace	0·00	0·02	0·31	0·00	0·11	28
29	0·00	0·13	0·01	0·00	0·00	0·23	trace	1·56	0·00	0·18	0·00	0·00	29
30	0·00	✕	0·00	0·00	0·00	0·02	trace	0·01	0·00	0·13	0·00	0·02	30
31	0·00	✕	0·00	✕	0·00	✕	0·00	0·01	✕	0·18	✕	0·00	31
Total	0·95	4·41	6 3·~~8~~1	1·06	3·69	1·23	1·69	2·94	0·95	8 3·4	2·13 2·13	2·30	YEAR'S TOTAL ~~25·67~~ 28·63
Rain Days.	13 ~~16~~	22 ~~23~~	21 ~~24~~	12 ~~14~~	19 ~~20~~	16 ~~18~~	12 ~~19~~	15 ~~16~~	10 ~~11~~	24	13	14	~~211~~ 191

W. 8,000, VIII. 16

2227

FORM A.
BRITISH RAINFALL
2 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Hindlip Hall,
in the County of Worcester
by C. S. V. Allsopp, & W. Ford.

Lat. 52·14 N Long. 2·8 W.
Time of Observation 9 A.M.
Nearest Railway Station Fernhill Heath
Diameter of Funnel of Rain Gauge 6½ in.
Height of top of Gauge above Ground — ft. 11½ in.
" " " " Sea Level 200 ft 11½ ins

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·00	0·02	0·08	0·06	0·00	0·08	0·06	0·73	0·00	0·00	0·04	0·02	1
2	0·00	0·00	0·00	0·12	0·00	0·10	0·00	0·10	0·00	0·00	0·04	0·03	2
3	0·03	0·00	0·00	0·10	0·00	0·06	0·00	0·05	0·00	0·28	0·00	0·00	3
4	0·00	0·02	0·00	0·01	0·06	0·00	0.00	0·03	0·00	0·11	0·00	0·06	4
5	0·22	0·00	0·28	0·20	0·00	0·00	0·00	0·06	0·00	0·13	0·10	0·00	5
6	0·00	0·00	0·10	0·00	0·00	0·31	0·00	0·02	000	0·06	0·11	0·01	6
7	0·25	0·00	0·00	0·00	0·00	0·03	0·00	0·03	0·00	0·08	0·01	0·00	7
8	0·43	0·00	0·00	0·10	0·00	0·02	0·00	0.50	~~0·00~~ 0·02	0·30	0·12	0·16	8
9	0·00	0·00	0·30	0·00	0·20	0·06	0·28	0·40	~~1·16~~ 0·04	0·12	0·22	0·00	9
10	0·36	0·00	0·32	0·09	0·02	0·00	0·00	0·17	0·01	0·01	0·00	0·00	10
11	0·28	0·00	0·08	0·14	0·15	0·06	0·00	0·04	0·00	0·12	0·03	0·00	11
12	0·06	0·00	0·00	0·05	0·03	0·00	0.00	0·01	0·00	0·13	0·01	0·00	12
13	0·02	0·00	0·10	0·03	0·03	0·00	0·00	0·09	0·00	0·01	0·00	0·01	13
14	0·00	0·00	0·22	0·07	0·02	0·00	0·00	0·42	0·00	0·00	0·00	0·03	14
15	0·00	0·00	0·00	0·05	0·00	0·00	1·12	0·09	0·00	0·03	0·00	0·16	15
16	0·02	0·00	0·00	0·13	0·00	0·08	0·02	0·00	0·00	0·01	0·00	0·30	16
17	0·00	0·00	0·00	0·05	0·60	0·65	0·36	0·22	0·11	0·09	0·00	0·02	17
18	0·00	0·04	0·00	0·00	0·06	0·00	0·23	0·06	1·16	0·02	0·00	0·06	18
19	0·02	0·33	0·20	0·00	0·00	0·10	0·00	0·00	0·01	0·00	0·02	0·01	19
20	0·02	0·20	0·36	0·00	0·50	0·08	0·16	0·08	0·03	0·00	0·02	0·02	20
21	0·00	0·01	0·10	0·00	0·00	0·02	0·00	0·07	0·08	0·02	0·03	0·00	21
22	0·00	0·00	0·48	0·00	0·05	0·00	0·00	0·16	0·03	0·08	0·00	0·00	22
23	0·00	0·20	0·00	0·00	0·15	0·00	0·00	0·05	0·06	0·06	0·00	0·01	23
24	0·00	0·00	0·00	0·00	0·00	0·16	0·02	0·00	0·00	0·15	0·11	0·00	24
25	0·00	0·07	0·08	0·00	0·00	0·00	0·00	0·23	0·00	0·02	0·09	0·00	25
26	0·00	0·00	0·00	0·00	2·05	0·03	0·00	0·64	0·17	0·00	0·10	0·00	26
27	0·00	0·00	0·02	0·00	0·00	0·07	0·20	0·08	0·00	0·00	0·00	0·00	27
28	0·00	0·00	0·13	0·00	0·00	0·20	0·00	0·07	0·00	0·00	0·00	0·03	28
29	0·00		0·00	0·00	0·00	0·27	0·07	0·35	0·00	0·36	0·00	0·25	29
30	0·00		0·00	0·00	0·00	0·00	0·05	0·04	0·00	0·02	0·01	0·00	30
31	0·00		0·00		0·00		0·00	0·27		0·01		0·02	31
Total	1·71	0·89	2·55	1·20	3·86	2·19	2·51	4·91	1·58	2·22	1·06	1·08	YEAR'S TOTAL 25·76
Rain Days.	11	8	15	14	12	15	10	26	9	23	16	15	174

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

4 . 1 . 19

Kept at Hindlip Hall
in the County of Worcester
by C. S. Allsopp + W. Ford

Lat. 52 14 N Long. 2·10 W
Time of Observation 9 a.m
Nearest Railway Station Fernhill Heath
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 201 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·02	0·00	0·00	0·01	0·16	0·00	0·00	0·25	0·02	0·00	0·28	0·00	1
2	0·00	0·02	0·00	0·03	0·00	0·00	0·00	0·01	0·00	0·00	0·00	0·00	2
3	0·00	0·04	0·02	0·01	0·27	0·00	0·00	0·05	0·00	0·01	0·00	0·09	3
4	0·02	0·06	0·00	0·00	0·00	0·00	0·00	0·01	0·48	0·00	0·54	0·00	4
5	0·00	0·02	0·00	0·02	0·50	0·06	0·00	0·00	0·38	0·09	0·07	0·30	5
6	0·04	0·28	0·00	0·00	0·00	0·04	0·00	0·00	0·13	0·08	0·00	0·00	6
7	0·00	0·11	0·0~~7~~3	0·11	0·15	0·00	0·00	0·00	0·02	0·09	0·00	0·00	7
8	0·00	0·13	0·00	0·00	0·00	0·16	0·00	0·00	0·06	0·03	0·16	0·00	8
9	0·03	0·32	0·00	0·13	0·12	0·00	0·00	0·00	0·15	0·16	0·00	0·06	9
10	0·07	0·01	0·00	0·10	0·13	0·00	0·00	0·00	0·22	0·11	0·00	0·00	10
11	0·01	0·00	0·01	0·04	0·16	0·01	0·00	0·00	0·02	0·07	0·00	0·11	11
12	0·00	0·00	0·16	0·01	0·00	0·00	0·57	0·00	0·11	0·00	0·00	0·02	12
13	0·00	0·02	0·00	0·00	0·00	0·00	0·02	0·00	0·14	0·00	0·00	0·00	13
14	0·25	0·00	0·03	0·26	0·00	0·00	0·00	0·00	0·01	0·05	0·00	0·03	14
15	Snow 0·88	0·00	0·00	0·72	0·00	0·00	0·49	0·00	0·42	0·09	0·00	0·07	15
16	~~Snow~~ 0·40	0·00	0·00	0·00	0·00	0·00	0·01	0·00	0·01	0·02	0·00	0·36	16
17	0·00	0·00	0·00	0·00	0·00	0·00	0·10	0·01	0·18	0·00	0·00	0·03	17
18	0·35	0·00	0·00	0·00	0·00	0·22	0·00	0·00	0·05	0·06	0·00	0·02	18
19	0·15	0·04	0·17	0·05	0·00	0·32	0·09	0·00	0·46	0·08	0·00	0·31	19
20	0·13	0·07	0·00	0·35	0·00	0·06	0·07	0·00	0·02	0·05	0·00	0·00	20
21	0·10	0·00	0·00	0·63	0·59	0·00	0·09	0·00	0·49	0·00	0·00	0·11	21
22	0·04	0·00	0·00	0·00	0·03	0·00	0·14	0·00	0·03	0·00	0·00	0·08	22
23	0·02	0·00	0·00	0·00	0·48	0·00	0·05	0·00	0·43	0·02	0·00	0·18	23
24	0·00	0·18	0·00	0·00	0·00	0·00	Thunder 0·40	0·00	0·00	0·00	0·23	0·00	24
25	0·00	0·00	0·00	0·00	0·01	0·00	0·36	0·01	0·00	0·00	0·03	0·00	25
26	0·00	0·60	0·00	0·00	0·00	0·00	0·30	0·41	0·01	0·00	0·07	0·00	26
27	0·00	0·05	0·00	0·00	0·00	0·00	0·00	0·02	0·10	0·00	0·07	0·09	27
28	0·00	0·15	0·23	0·00	0·00	0·01	0·00	0·18	0·14	0·00	0·13	0·02	28
29	0·00		0·08	0·00	0·00	0·00	0·00	0·00	0·10	0·00	0·00	0·04	29
30	0·00		0·40	0·00	0·00	0·00	0·00	0·00	0·80	0·00	0·07	0·00	30
31	0·00		0·30		0·00		0·10	0·00		0·00		0·06	31
Total	2·~~7~~31	1·60	1·42	2·42	2·60	0·88	2·69	0·94	4·98	1·03	1·65	1·98	YEAR'S TOTAL 24·38
Rain Days.	15	15	10	14	11	8	13	9	26	14	10	17	152

W. 8,000, IX. 17.

corred for WD   Cord for auth

5 JAN 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Hindlip

in the County of Worcester

by C. S. V. Allsopp

Lat. 52° 20' N Long. 2° 10' W

Time of Observation 9 A.M.

Nearest Railway Station Fernhill Heath

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. (–)

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·00	0·00	0·00	0·10	0·17	0·00	0·16	0·00	0·00	0·00	0·10	0·00	1
2	0·20	0·00	0·00	0·00	0·12	0·00	0·17	0·00	0·50	0·34	0·00	0·00	2
3	0·14	0·00	0·00	0·00	0·00	0·00	0·12	0·00	0·15		0·00	0·75	3
4	0·30	0·00	0·00	0·00	0·00	0·10	0·15	0·00	0·12		0·18	0·30	4
5	0·00	0·15	0·14	0·00	0·00	0·11	0·00	0·65	0·12			0·12	5
6	0·00	0·00	0·36	0·00	0·16	0·00	0·00	0·00	0·20			0·00	6
7	0·00	0·00	0·00	0·00	0·52	0·00	0·00	0·00	0·00			0·35	7
8	0·70	0·00	0·15	0·18	0·05	0·00	0·00	0·00	0·00			0·00	8
9	0·16	0·00	0·16	0·06	0·00	0·00	0·00	0·00	0·00			0·00	9
10	0·03	0·00	0·10	0·17	0·00	0·00	0·00	0·00	0·00			0·11	10
11	0·00	0·00	0·34	0·00	0·00	0·00	0·00	0·00	0·00			0·00	11
12	0·00	0·00	0·80	0·00	0·00	0·00	0·50	0·00	0·00			0·00	12
13	0·00	0·00	0·11	0·10	0·00	0·12	0·00	0·00	0·00			0·00	13
14	0·00	0·00	0·00	0·14	0·00	0·00	0·00	0·00	0·10			0·00	14
15	0·30	0·00	0·00	0·12	0·00	0·00	0·09	0·00	0·11	0·14		0·05	15
16	0·20	0·20	0·00	0·03	0·15	0·00	0·00	0·00	0·00	0·04		0·00	16
17	0·15	1·00	0·00	0·00	0·00	0·00	0·00	0·17	0·00	0·00		0·00	17
18	0·02	0·39	0·00	0·00	0·00	0·06	0·00	0·00	0·00	0·00		0·00	18
19	0·00	0·00	0·38	0·00	0·00	0·00	0·00	0·12	0·00	0·00	0·35	0·00	19
20	0·20	0·32	1·07	0·00	0·00	0·15	1·00	0·23	0·10	0·00	0·00	0·00	20
21	0·32	0·00	0·40	0·00	0·00	0·00	0·50	0·00	0·00	0·00	0·00	0·12	21
22	0·00	0·44	0·00	0·00	0·00	0·00	0·00	0·00	0·33	0·00	0·00	0·20	22
23	0·00	0·08	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·15	0·00	23
24	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·07	0·00	1·50		0·45	24
25	0·00	0·00	0·00	0·00	0·10	0·03	0·00	0·00	0·00			0·00	25
26	0·11	0·00	0·00	0·10	0·00	0·01	0·00	0·79	0·00			0·00	26
27	0·00	0·00	0·11	0·10	0·00	0·04	0·00	0·10	0·00			0·00	27
28	0·00	0·00	0·00	0·60	0·00	0·00	0·60	0·00	0·00			0·45	28
29	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·88	0·00			0·00	29
30	0·00		0·00	0·10	0·00	0·00	0·00	0·01	0·00			0·50	30
31	0·00		0·00		0·00		0·00	0·03				0·00	31
TOTAL	2·83	2·58	4·32 ·10 4.42	1·86 ·17 1.87	1·27 1.10	0·62 ·16 ·78	3·29 3.13	1·79	1·73	2·02 ·10 2.12	0·78 ·68	3·40	YEAR'S TOTAL 26·43
Days with ·01 in. or more	13	16	~~12~~ 13	12	~~7~~ 6	~~8~~ 9	~~7~~ 8	10	9	~~4~~ 5	~~4~~ 3	11	~~105~~

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

3 JAN 1921

Kept at Hindlip Hall

in the County of Worcester

by C. S. V. Allsopp

Lat. 52°25' N Long 2° 15' W.

Time of Observation 7 A.M.

Nearest Railway Station Fernhill Heath (G.W.R.)

Diameter of Funnel of Rain Gauge 6 in.

Height of top of Gauge above Ground – ft. 11 in.

" " " " Sea Level 201 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	0.05	–	0.05	0.22	–	–	–	0.02	0.26	–	0.25	1
2	–	–	–	0.20	0.24	–	0.17	0.01	–	0.28	–	0.10	2
3	–	–	–	0.03	–	–	0.25	0.03	0.24	0.35	–	–	3
4	–	0.12	–	0.07	0.17	–	0.45	0.07	–	–	–	0.30	4
5	–	–	–	–	0.06	–	0.56	0.04	–	–	–	–	5
6	–	0.20	0.10	0.10	–	–	0.30	0.23	–	–	–	–	6
7	–	–	0.25	0.07	–	–	0.35	–	–	–	–	–	7
8	–	–	–	0.16	–	–	0.09	0.02	–	–	–	–	8
9	0.20	–	–	0.35	0.15	–	0.15	0.01	–	–	–	–	9
10	0.45	0.15	–	0.40	0.12	–	0.10	–	–	–	0.02	–	10
11	0.35	–	–	0.20	0.20	–	0.09	–	–	–	–	–	11
12	–	–	–	0.17	–	0.47	–	0.29	–	–	–	–	12
13	–	–	–	0.12	0.07	0.35	0.14	–	0.12	–	–	–	13
14	–	–	0.25	0.11	–	–	0.03	–	–	–	0.34	–	14
15	0.10	–	–	0.03	0.45	–	0.04	–	0.54	–	–	–	15
16	–	0.10	Snow 0.50	0.10 ~~[illegible]~~	–	–	0.01	–	0.10	0.12	–	–	16
17	–	–	0.10	0.13	0.10	–	–	–	0.58	–	–	–	17
18	–	–	–	0.07	0.22	–	0.20	–	–	–	–	–	18
19	–	0.15	0.12	0.10	–	–	–	0.16	–	–	–	0.09	19
20	–	Snow 0.35	– ~~0.12~~	0.45	–	–	0.01	0.01	–	–	–	–	20
21	–	–	0.05	–	–	–	–	–	–	–	–	–	21
22	–	–	– ~~0.05~~	–	–	–	0.10	–	–	–	–	0.05	22
23	–	–	–	–	–	–	–	0.02	–	–	–	0.12	23
24	–	–	0.10	–	–	–	–	–	–	–	–	0.32	24
25	–	0.10	–	–	–	–	0.50	0.10	–	–	–	0.13	25
26	–	–	0.12	–	–	0.10	0.45	–	–	–	–	–	26
27	–	–	0.20	–	–	0.02	0.02	–	–	–	–	0.05	27
28	–	–	0.17	–	–	–	–	–	–	–	–	0.55	28
29	0.30	–	–	–	–	0.07	–	–	–	–	0.19	0.03	29
30	–		0.60	–	–	–	0.14	–	0.14	–	–	0.45	30
31	–		–		–		–	–		0.75		0.13	31
TOTAL	1.40	1.22	2.56	2.90	2.00	1.01	4.12	0.99	1.54	1.76	0.55	2.57	YEAR'S TOTAL 22.62
Days with ·01 in. or more	5 ~~0~~	8 ~~0~~	12 ~~0~~	19 ~~2~~	~~0~~ 11	5 ~~1~~	~~5~~ 21	12 ~~6~~	~~1~~	~~0~~ 5	~~1~~ 3	~~1~~ 13	~~17~~ 121
Days with ·04 in. or more	5 ✓	8 ✓	12 ✓	17 ✓	11 ✓	4 ✓	16 ✓	6 ✓	6 ✓	5 ✓	2 ✓	12 ✓	104

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

✓

REGIST

WORCESTER

HAWFORD LODGE

1911 - 1917

FORM A2.
BRITISH RAINFALL.
6 JAN 1912

Kept at Hawford Lod

in the County of Worceste

by Frederick Ames

…i & Zambra

5 in.

…ve Ground 1 ft. 1½ in.

Sea Level 70 ft.

a.m

Name Fernhill Heath

Distance 2 mil Direction E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0·08	0·03				0·07			0·03		1
2				0·04				0·03		0·12	0·06	0·06	2
3					0·31			0·03			0·02	0·03	3
4			0·11			0·44		0·06	0·16	0·07	0·15	0·41	4
5	0·09										0·02		5
6	0·26										0·09	0·43	6
7	0·02										0·24		7
8	0·10		0·31								0·03	0·31	8
9											0·44	0·22	9
10	0·02	0·16	0·38								0·02	0·33	10
11	0·34								0·14		0·48	0·02	11
12			0·42								0·12	0·03	12
13									0·15		0·03	0·56	13
14												0·96	14
15											0·09	0·03	15
16											0·11	0·09	16
17				0·02		0·08					0·21	0·22	17
18		0·29				0·15						0·30	18
19						0·20			0·32	0·34	0·05	0·09	19
20		0·10	0·03	0·03				0·17	0·15			0·61	20
21		0·14						0·49	0·04	0·23		0·12	21
22			0·17							0·08		0·39	22
23		0·12	0·23			0·19			0·20	0·12		0·10	23
24		0·08				0·41		0·14		0·09		0·11	24
25		0·09		0·04								0·15	25
26		0·17		0·12	0·06			0·02		0·27	0·21	0·12	26
27		0·11	0·15	0·14				0·37	0·16			0·14	27
28		0·21		0·21							0·31		28
29				0·15		0·16	0·15		0·23	0·17			29
30			0·08	0·03		0·03	0·02	0·23		0·16	0·04	0·04	30
31	0·03				0·03					0·09		0·02	31
Total	0·86	1·47	1·96	0·81	0·40	1·66	0·17	1·61	1·55	1·74	2·75	5·89	TOTAL for year 20·87
No. of Rain Days.	7	10	10	10	3	8	2	10	9	11	20	26	125

W. 8,000, X. '11.

✓

REGIS

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912

Kept at Hawford Lodge

2

in the County of Worcester

by Frederick Ames Esqr.

RAIN GAUGE
Pattern Negretti & Zambra
Diameter of top 5 in.
Height of top above Ground 1 ft. 1½ in.
" " " Sea Level 70 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Fernhill Heath
Distance 2 mile Direction E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0·08	0·03				0·07			0·03		1
2				0·04				0·03		0·12	0·06	0·06	2
3					0·31			0·03			0·02	0·03	3
4			0·11			0·44		0·06	0·16	0·07	0·15	0·41	4
5	0-09										0·02		5
6	0-26										0·09	0·43	6
7	0·02										0·24		7
8	0-10		0·31								0·03	0·31	8
9											0·44	0·22	9
10	0·02	0·16	0·38								0·02	0·33	10
11	0·34								0·14		0·48	0·02	11
12			0·42								0·12	0·03	12
13									0·15		0·03	0·56	13
14												0·96	14
15											0·09	0·03	15
16											0·11	0·09	16
17				0·02		0·08					0·21	0·22	17
18		0·29				0·15						0·30	18
19						0·20			0·32	0·34	0·05	0·09	19
20		0·10	0·03	0·03				0·17	0·15			0·61	20
21		0·14						0·49	0·04	0·23		0·12	21
22			0·17							0·08		0·39	22
23		0·12	0·23			0·19			0·20	0·12		0·10	23
24		0·08				0·41		0·14		0·09		0·11	24
25		0·09		0·04								0·15	25
26		0·17		0·12	0·06			0·02		0·27	0·21	0·12	26
27		0·11	0·15	0·14				0·37	0·16			0·14	27
28		0·21		0·21							0·31		28
29				0·15		0·16	0·15		0·23	0·17			29
30			0·08	0·03		0·03	0·02	0·23		0·16	0·04	0·04	30
31	0-03				0·03					0·09		0·02	31
Total	0-86	1·47	1·96	0·81	0·40	1·66	0·17	1·61	1·55	1·74	2·75	5·89	TOTAL for year 20·87
No. of Rain Days.	7	10	10	10	3	8	2	10	9	11	20	26	125

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

4 JAN 1913

Kept at Hawford Lodge

in the County of Worcester 2

by Frederick Ames Esq.

Lat.

Long.

Time of Observation 9 a m

Nearest Railway Station Fernhill Heath

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1½ in.

" " " " Sea Level 70 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1			0·16		0·02	0·59	0·11	0·02	0·04	0·04		0·10	1
2			0·14		0·02	0·46	0·38	0·03					2
3			0·09		0·24	0·11	0·03	0·61	0·03			0·07	3
4	0·10		0·40		0·19	0·72		0·02			0·19		4
5	0·23		0·41		0·13	0·09		0·66			0·03	0·02	5
6	0·26	0·28	0·04		0·13	0·09	0·81	0·61				0·15	6
7		0·29			0·03	0·85		0·15				0·03	7
8	0·36	0·09	0·23			0·13	0·10	0·24				0·03	8
9	0·03		0·38	0·03		0·31		0·17				0·29	9
10	0·07		0·02			0·05		0·04			0·16		10
11		0·05				0·09		0·03			0·19	0·50	11
12	0·07	0·30	0·14		0·16		0·03					0·03	12
13		0·09						0·04				0·04	13
14	0·10		0·67		0·15	0·05		0·08					14
15	0·25	0·12	0·03		0·35	0·26		0·04				0·13	15
16	0·82		0·09	0·05	0·09			0·18		0·06	0·03		16
17	0·61		0·12			0·04		0·63			0·05	0·31	17
18	0·96		0·06					0·15		0·02		0·05	18
19	0·12						0·16	0·67		0·02			19
20	0·02		0·21				0·08	0·04		0·25			20
21			0·42		0·82			0·59		0·44			21
22		0·16			0·58	0·28	0·29	0·31				0·08	22
23	0·46	0·20	0·33			0·09	0·32	0·23		0·03	0·05	0·15	23
24	0·16					0·22	0·47	0·04				0·20	24
25		0·06				0·59		0·46			0·29	0·44	25
26							0·23	0·79		0·71	0·22	0·48	26
27						0·26	0·34			0·72		0·33	27
28		0·16				0·16	0·48	0·48	0·08	0·26	0·31	0·33	28
29		0· 8				0·54	0·22	0·03	0·67	0·14	0·03	0·06	29
30					0·03	0·12	0·10	0·04		0·16			30
31					0·25		0·41	0·04		0·04		0·03	31
Total	4·62	1-88	3-94	0·08	3·19	6·10	4·56	7-42	0·82	2·89	1·55	3.85	YEAR'S TOTAL 40-90
Rain Days.	16	12	18	2	15	22	17	29	4	13	11	22	181

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

6 - JAN 1914

Kept at Hawford Lodge

in the County of Worcester 2

by Frederick Ames Eyre

Lat. 52.14 Long. 2.15

Time of Observation 9 a.m.

Nearest Railway Station Fernhill Heath

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1½ in.

" " " " Sea Level 70 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0.13	0.09	0.15				0.69		0.06		1
2	0.04	0.21		0.17					0.06	0.55	0.10		2
3	0.05		0.07		0.83							0.10	3
4	1.03				0.35					0.45	0.03	0.15	4
5	0.03				0.03	0.09	0.18			0.27	0.07	0.11	5
6	0.04	0.08	0.13		0.34		0.31			0.36		0.52	6
7		0.18			0.13	0.05				0.54	0.26		7
8		0.13			0.10	0.10				0.56			8
9	0.14	0.42	0.04		0.08	0.16		0.38			0.12		9
10				0.09	0.04			0.11			0.18		10
11	1.07			0.57				0.16		0.05	0.64		11
12					0.25						0.46		12
13										0.02	033		13
14	1.17		0.67	0.05		0.03			0.29	0.14			14
15	0.16		0.51	0.53					0.21		0.10		15
16	0.04		0.74	0.14				0.09					16
17	0.03		0.11	0.15			0.24						17
18	0.02	0.03		0.05									18
19	0.21		0.31				0.15		0.12				19
20	0.10		0.24	0.10	0.14						0.20		20
21	0.56		0.32	0.07				0.10			0.26		21
22	0.02		0.68					0.12	0.48				22
23		0.02	0.05			0.10					0.10		23
24	0.04	0.02		0.06		0.02							24
25				0.03					0.06				25
26				0.75				0.39		0.07		0.26	26
27				0.24	0.15								27
28	0.37		0.23	0.26	0.06					0.32		0.03	28
29	0.01		0.44	0.56						0.07			29
30	0.30									0.54	0.12		30
31			0.17							0.06			31
Total	5.43	1.09	4.84	3.91	2.65	0.55	0.88	1.35	1.91	4.00	3.03	1 17	YEAR'S TOTAL 30.81
Rain Days.	20	8	16	17	13	7	4	7	7	14	15	6	134

W.7,000, XI. 13

Exc DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
18 JAN 1915

Kept at Hawford Lodge
in the County of Worcester 2
by Frederick Ames Esqre

Lat. .... Long. ....
Time of Observation 9 a. m
Nearest Railway Station Fernhill Heath
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1½ in.
" " " " Sea Level 70 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							0-91	0-27			0-05	0-06	1
2							0-16	0-16			0-48	0-46	2
3				0-14	0-18			0-15				0-04	3
4	0-16			0-03	0-13		0-19	0-14			0-41	0-58	4
5	0-09	0-12	0-05	0-18	0-33		0-37				0-32	0-07	5
6			0-10									0-27	6
7		0-25	0-39	0-03	0-24	0-18	0-24						7
8				0-10	0-10	0-55			0-07				8
9	0-31	0-04	0-03	0-22	0-07	1-32		0-19	0-07				9
10		0-10	0-19	0-32	0-05				0-29		0-03		10
11		0-09	0-26	0-04					0-03			0-61	11
12		0-08	0-19				0-52		0-34	0-19	0-10	0-29	12
13		0-29	0-19						0-04	0-45	0-15	0-43	13
14		0-14	0-11				0-03				0-11	0-09	14
15			0-16						0-06		0-05		15
16									0-11				16
17			0-10								0-03	0-18	17
18						0-27	0-31			0-10		0-41	18
19			0-03				0-59				0-07		19
20		0-51	0-07			0-05						0-33	20
21		0-25				0-03		0-25		0-24			21
22		0-06	0-04		0-34	0-13		0-13		0-10			22
23			0-16		0-14					0-05			23
24			0-26				0-05	0-06		0-19	0-09		24
25	0-12		0-06	0-06				0-32		0-23	0-04	0-29	25
26			0-06					0-21		0-16	0-16	0-35	26
27	0-09		0-04								0-11	0-16	27
28			0-21							0-03		1-28	28
29		0-09	0-15		0-03					0-27	0-12	0-04	29
30		✕	0-03		0-10	0-12				0-05	0-34	0-46	30
31	0-10	✕		✕		✕	0-19		✕		✕	0-04	31
Total	0-87	2-02	2-88	1-12	1-71	2-65	3-56	1-88	1-01	2-06	2-66	6-44	YEAR TOTAL 28-86
Rain Days.	6	12	22	9	11	8	11	10	8	12	17	20	146

W. 8,000. X. 14.

ex + 75 2513

FORM A.
BRITISH RAINFALL.
3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Hawford Lodge
in the County of Worcester
by Frederick Ames Esq.

Lat. Long.
Time of Observation 9. a. m
Nearest Railway Station Fernhill Heath
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1/2 in.
" " " " Sea Level 70 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·35	0·09			0·31			0·09	0·26	0·26		0·04	1
2	0·14	0·08	0·26	0·14		0·12		1·03		0·23		0·13	2
3	0·91	0·10		0·24			1·28	0·24				0·18	3
4		0·03					0·51	0·33				0·77	4
5		0·61					0·05	0·07				0·38	5
6	0·15	0·03	0·09	0·19			0·65	0·06				0·14	6
7	0·04	0·34		0·07			0·05	0·04				0·31	7
8	0·19	0·41		0·10			0·06				0·09		8
9	0·18	0·15		0·09				0·02			0·09	0·39	9
10	0·28											0·03	10
11				0·04	0·10			0·03			1·16	0·05	11
12	0·15			0·11	0·48					0·11	0·76		12
13		0·43			0·77			0·12					13
14							0·03	0·09	0·11			0·34	14
15	0·32				0·20			0·19			0·11	0·11	15
16	0·05	0·40			0·47		1·54						16
17		0·22			0·76								17
18		0·27											18
19							0·06						19
20	0·05			0·05								0·13	20
21	0·15						0·16			0·11		0·03	21
22	0·11		0·24	0·22			0·26				0·03	0·22	22
23	0·04		0·07				0·94			1·09		0·37	23
24							0·12		0·45	0·67		0·26	24
25						0·81	0·25					0·21	25
26		0·10					0·39					0·42	26
27		0·13	0·05				0·03			0·37		0·09	27
28		0·18					0·02	0·10	0·14			0·02	28
29						0·31	0·39					0·08	29
30	0·11	×				0·11	0·12			0·39	0·13	0·16	30
31		×		×		×	0·11		×	0·64	×	0·31	31
Total	3.22	3.57	0·71	1·25	3.09	1·35	7·02	2·41	0·96	3.87	2·37	5·17	YEAR'S TOTAL 34·99
Rain Days.	16	16	5	10	7	4	20	13	4	9	7	24	135

W. 8,000. X. 15.

2447

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

Kept at Hawford Lodge
in the County of Worcester
by Frederick Ames Esqre

Lat. Long.
Time of Observation 9 a.m. Greenwich time
Nearest Railway Station Fernhill Heath
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1½ in.
" " " " Sea Level 70 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·09				0·06	0·06	0·09			0·24	0·12		1
2	0·33	0·06	0·15				0·12		0·07	0·79	0·02		2
3		0·60			0·60		0·03			0·23	0·04		3
4	0·14	0·12			0·02	0·20	0·07				0·60		4
5					0·18		0·08			0·04	0·09		5
6		0·32			0·17		0·59			0·06	0·45		6
7			0·22		0·17		0·05			0·07	0·17	0·20	7
8	0·05		0·03		0·27		0·05					0·22	8
9			0·05		0·25				0·03		0·02		9
10		0·37				0·19			0·04				10
11		0·11	0·08	0·10		0·25	0·10					0·29	11
12	0·09	0·14			0·18								12
13		0·19	0·17				0·18	0·26					13
14		0·58	0·04					0·15		0·06			14
15		0·33	0·27	0.04	0·21		0·08	0·27		0·08			15
16		0·08	0.03	0·20	0·05	0·04	0·17	0·19					16
17	0·08	0·18							0·47	0·34			17
18	0·03	0·05	0·07	0·10				0·06	0·13		0.42	0·26	18
19			0·32	0·52							0·24	0·04	19
20	0·08		0·62	0·05							0·08	0·13	20
21			0·26	0·04	0·19		0·23					0·20	21
22						0·04				0·15		0·34	22
23		0·41		0·02				0·12				0·21	23
24		0·20			0·21			0·13		0·24		0·19	24
25		0·02				0·02		0·20		0·07	0·24		25
26		0·20			0·07	0·05		0·11		0·16		0·03	26
27	0·03	0·08	1,12					0·04	0·22	0·21			27
28	0·04	0 22	0·27			0·03				0·12		0·07	28
29		0·15	0·04			0·25		1·24		0·58		0·11	29
30		X				0·04				0·17		0·03	30
31		X		X		X			X	0 18	X	0·02	31
Total	0·96	4.41	3.74	1.07	2.63	1,17	1.84	2.77	0 96	3.79	2.49	2.54	YEAR'S TOTAL 28-37
Rain Days.	10	20	16	8	14	11	13	11	6	18	12	15	154

W. 8,000, VIII. 16.

3330

FORM A.
BRITISH RAINFALL.
JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at *Hawford Lodge*
in the County of *Worcester*
by *Frederick Ames Esqre*

Lat. Long.
Time of Observation 9-a.m
Nearest Railway Station Fernhill Heath
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1½ in.
" " " " Sea Level 70 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept	Oct.	Nov.	Dec.	*Date.*
1			0.15			0.10		0.67	0.25				1
2								0.08			0.05		2
3				0.41				0.03			0.04		3
4			0.25							0.38			4
5	0.26		0.16	0.24						0.13	0.06		5
6			0.23			0.32				0.04	0.10		6
7	0.18			0.03				0.48		0.08			7
8	0.61						0.32	0.30		0.22	0.11	0.23	8
9			0.35	0.14	0.15				0.08	0.15	0.17		9
10	0.59		0.41	0.15	0.71			0.18					10
11	0.09		0.09	0.04				0.03		0.09			11
12	0.18		0.11	0.10	0.22			0.05		0.17			12
13			0.23										13
14								0.46					14
15		0.10					0.22	0.12		0.04		0.29	15
16				0.26	0.04		0.04					0.47	16
17		0.05			0.61	1.61	0.38	0.26	0.09	0.11			17
18		0.04	0.21		0.11		0.17	0.27	1.19				18
19	0.08	0.37	0.54			0.24							19
20		0.19	0.05		0.57	0.09	0.25						20
21			0.19		0.04	0.04		0.04			0.04		21
22	0.04									0.09			22
23		0.19			0.13			0.20		0.08			23
24						0.03		0.06		0.15	0.14		24
25		0.09									0.14		25
26			0.14					0.42	0.20		0.10		26
27		0.03			1.61	0.10	0.34	0.67					27
28			0.15			?		0.09					28
29						0.37		0.08		0.50		0.31	29
30		X						0.31			0.03		30
31		X		X		X		0.09	X	0.04	X		31
Total	2-03	1.06	3.26	1.37	4.19	2.90	1.72	4.89	1.81	2.27	0.98	1.30	YEAR'S TOTAL 27-78
Rain Days.	8	8	15	8	10	9	7	21	5	15	11	4	121

W. 8,000, IX. 17.

88/ ✓

2404
380

FORM A2.
BRITISH RAINFALL.

26 JAN 1912

WORC~~H~~ESTER
BEVERE LOCK
WORCESTER
1911-1920

RE

Kept at Bevere

in the County of Wor

by A. J. Fox

in.

e Ground ft. in.

Sea Level ft.

Name

Distance Direction

IMPORTANT NO … d the result entered to the previous day. If an … niversal rule, he is earnestly requested to add the r… year in the space provided for it at the end of … ement of rain, the selection and plac… British Rainfall Organization are given in "*Rules for Rainfall Observers*," … application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·07	·04				·11			·02		1
2				·04	·03			·05		·08	·04	·05	2
3					·27				·06			·02	3
4			·15	·05				·03	·08	·04	·13	·36	4
5	·16		·05					·07		·02			5
6	·17		·04								·07	·37	6
7											·23		7
8	·12		·18								·04	·26	8
9	·05		·02								·40	·20	9
10	·02	·14	·30									·28	10
11	·20										·41	·02	11
12			·37						·09		·11	·05	12
13									·16			·38	13
14			·02									·83	14
15		·03	·05								·10	·06	15
16						·06					·11	·10	16
17			·03		·15	·07					·18	·21	17
18		·28		·09		·08				·09		·29	18
19		·02				·18	·03		·35	·22	·05	·11	19
20		·08						·12	·05	·05		·50	20
21		·13	·05	·02				·46	·03	·17		·10	21
22	·02		·08							·09		·37	22
23		·14	·20			·22			·18	·06		·10	23
24		·07		·06		·35		·14		·09		·11	24
25		·09		·03		·02						·13	25
26		·16		·17	·05					·23	·18	·10	26
27		·10	·15	·10				·35	·15		·04	·12	27
28		·17		·20							·22		28
29				·16		·14	·27		·20	·15	·02		29
30			·06	·03	·02	·02	·03	·17		·17			30
31					·02					·05		·03	31
Total	·74	1·41	1·82	·99	·54	1·14	·33	1·50	1·35	1·51	2·35	5·15	TOTAL for year 18·83
No. of Rain Days	7	12	16	12	6	9	3	9	10	14	17	25	140

9,000, IX. '10.

88/ ✓

2404
380

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

RI

Kept at Bevere Lock

in the County of Worcestershire 2

by A. J. Fox

RAIN GAUGE
Diameter of top ______ in.
Height of top above Ground ______ ft. ______ in.
" " " Sea Level ______ ft.

Time of Observation ______

Nearest Railway Station
Name ______
Distance ______ Direction ______

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·07	·04				·11			·02		1
2				·04	·03			·05		·08	·04	·05	2
3					·27				·06			·02	3
4			·15	·05				·03	·08	·04	·13	·36	4
5	·16		·05					·07		·02			5
6	·17	—	·04								·07	·37	6
7											·23		7
8	·12		·18								·04	·26	8
9	·05		·02								·40	·20	9
10	·02	·14	·30									·28	10
11	·20										·41	·02	11
12			·37						·09		·11	·05	12
13									·16			·38	13
14			·02									·83	14
15		·03	·05								·10	·06	15
16						·06					·11	·10	16
17			·03		·15	·07					·18	·21	17
18		·28		·09		·08				·09		·29	18
19		·02				·18	·03		·35	·22	·05	·11	19
20		·08						·12	·05	·05		·50	20
21		·13	·05	·02				·46	·03	·17		·10	21
22	·02		·08							·09		·37	22
23		·14	·20			·22			·18	·06		·10	23
24		·07		·06		·35		·14		·09		·11	24
25		·09		·03		·02						·13	25
26		·16		·17	·05					·23	·18	·10	26
27		·10	·15	·10				·35	·15		·04	·12	27
28		·17		·20							·22		28
29				·16		·14	·27		·20	·15	·02		29
30			·06	·03	·02	·02	·03	·17		·17			30
31					·02					·05		·03	31
Total	·74	1·41	1·82	·99	·54	1·14	·33	1·50	1·35	1·51	2·35	5·15	TOTAL for year 18·83
No. of Rain Days	7	12	16	12	6	9	3	9	10	14	17	25	140

9,000, IX. '10.

8L

2404
35

FORM A2.
BRITISH RAINFALL.
25 JAN 1913

Eoc. H.

REGISTER OF RAINFALL IN 1912

Kept at Bevere Lock

in the County of Worcestershire 2

by A. J. Fox

RAIN GAUGE { Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station { Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·18			·79	·07	·03	·05	·05		·08	1
2			·15			·74	·26						2
3			·07		·24	·11	·02	·60	·02		·02	·06	3
4	·12		·53		·20	·66		·03			·15		4
5	·21	·10	·14		·04	·07		·54			·02		5
6	·22	·12	·03		·02	·09	·65	·54				·12	6
7		·25	·02		·05	·64		·12				·03	7
8	·27	·10	·16	·02		·16	·10	·14	·04			·04	8
9			·35	·03		·33		·15				·24	9
10	·11			·05		·05		·04			·20		10
11	·03	·06				·08		·02			·15	·45	11
12	·02	·28	·10		·15	·02						·02	12
13		·03				·03		·03				·03	13
14	·07		·60			·07		·09					14
15	·13	·07	·03	·04	·33	·20		·03				·11	15
16	·70		·09		·12			·12		·09			16
17	1·06		·11			·05		·60			·04	·28	17
18	·12		·04					·14					18
19	·12				·03		·14	·57		·03		·02	19
20	·03		·20			·05	·03	·04		·19			20
21		·03	·39		·81			·55		·40			21
22	·36	·13			·35	·31	·26	·26				·08	22
23	·15	·13	·29			·07	·29	·25		·02	·06	·04	23
24	·12					·20	·15	·05				·12	24
25						·66		·53			·27	·57	25
26		·06	·02				·23	·76		·64	·20	·35	26
27						·31	·24			·65		·32	27
28		·10				·16	·42	·48	·10	·25	·31	·29	28
29		·07	·02			·26	·19	·04	·53	·14	·03	·07	29
30			·02		·03	·09	·08	·04		·16			30
31			·06		·24		·38	·07		·03		·03	31
Total	3·84	1·53	3·60	·14	2·61	6·20	3·51	6·86	·74	2·65	1·45	3·35	TOTAL for year 36·48
No. of Rain Days.	17	14	22	4	13	25	16	28	5	12	11	21	188

W. 8,000, X. '11.

2404
393

FORM A.
BRITISH RAINFALL.

28 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Bevere Lock

in the County of Worcestershire 2

by A. J. Fox

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03		·14	·12	·11				·65		·06		1
2	·05	·18		·15			·02		·06	·50	·10		2
3	·92		·06		·72							·10	3
4	·04				·23					·57	·03	·29	4
5	·04		·02			·08	·15		·08	·24	·08	·02	5
6		·08	·12		·37	·11	·30			·33		·35	6
7		·17			·12	·06	·03			·43	·23		7
8		·12			·11	·07		·08		·46			8
9		·38	·04		·09	·17	·04	·42	·12		·09		9
10	·11			·22	·06			·07		·03	·08		10
11	·99			·31	·03			·07		·04	·54		11
12					·23						·40		12
13			·09						·16		·26		13
14	·15		·45	·05				·12	·04	·12	·02		14
15	·13	·07	·45	·48					·21		·07		15
16	·04		·67	·05				·10					16
17	·05		·13	·07		·03	·21		·03				17
18			·21	·06	·06		·08				·03		18
19	·11		·08				·08		·10				19
20	·10		·26	·10						·05	·18		20
21			·22	·06	·09		·11	·10			·13		21
22	·53		·65			·15		·09	·43				22
23			·03			·05		·08	·05		·06	·04	23
24	·06			·03				·03					24
25				·10					·04				25
26		·06		·65				·35		·03		·21	26
27				·27	·19					·04	·02		27
28	·24		·21	·25	·06					·22		·04	28
29			·40	·44				·04		·06			29
30	·18									·56	·13		30
31	·03		·15		·10			·03		·05			31
Total	3·80	1·06	4·38	3·41	2·57	·72	1·02	1·58	1·97	3·73	2·51	1·05	YEAR'S TOTAL 27·80
Rain Days.	18	7	19	17	15	8	9	13	12	16	18	7	159

88

cod by own stats 1.IV.15

REGISTER OF RAINFALL IN 1914

~~2404~~ 377

FORM A.
BRITISH RAINFALL.

28 JAN 1915

Kept at Bevere

in the County of Worcestershire 2

by A. J. Fox

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·03			·82	·23			·04	·05	1
2					·03		·15	·16			·46	·29	2
3				·07	·16		·08	·05			·02	·03	3
4	·16		·03	·09	·10		·12	·29			·41	·45	4
5	·08		·07	·18	·36		·38				·28		5
6	·08	·07		·05	·03	·03					·03	·07	6
7		·19	·37	·09	·24	·16	·22	·14	·09			·23	7
8			·05		·09	·47	·04	·02	·02			·10	8
9	·14		·14	·20	·07	1·18		·04	·08				9
10	·04	·09		·30	·03	·05			·27				10
11		·07	·28	·03	·02	·15					·12	·41	11
12		·16	·19				·42		·35		·05	·24	12
13		·12	·15				·03		·06	·02	·10	·36	13
14		·10	·12							·32	·10	·06	14
15	·02		·12					·02	·04		·05		15
16			·03						·14				16
17		·12	·10				·09		·09			·17	17
18						·11	·29			·16		·42	18
19			·03				·55				·06	·06	19
20		·31	·04			·06						·26	20
21		·26				·05		·13		·15		·11	21
22		·08	·08		·27	·13		·09		·10			22
23			·12		·14	·03				·11			23
24		·09	·19	·05			·11	·06		·13	·05		24
25	·08		·05				·04	·30		·24	·04	·16	25
26			·04					·20		·05	·14	·29	26
27	·05										·05	·14	27
28		·06	·19		·11					·07	·09	(1·13)	28
29			·07		·07					·18	·07		29
30			·03			·13				·04	·30	·41	30
31	·08				·03		·20			·02		·02	31
Total	·73	1·72	2·49	1·09	1·75	2·55	3·47	1·73	1·14	1·59	2·46	5·46 ✓	YEAR'S TOTAL 26·18
Rain Days.	9	13	22	10	15	12	16	13	9	13	19	22	172

W.7,000, XI. 13

8L

2572 2404
~~369~~

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Bevere Lock
in the County of Worcestershire
by A. J. Fox

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·16	·06	·06		·31			·12	·25	·21		·05	1
2	·10	·11	·16	·15		·14		1·03		·20		·08	2
3	·80	·07	·02	·10	·02		1·15	·07				·19	3
4		·03			·07		·75	·22				·60	4
5		·52					·14	·07		·03		·37	5
6	·14			·18			·60					·15	6
7	·04	·30		·07			·06	07				·29	7
8	·16	·38		·12			·03				·08		8
9	·11	·14		·09				·02			·14	·32	9
10	·23		·07	·02						·04			10
11				·03	·11		·03				96	·04	11
12	·07			·10	·42			·03		·07	·79		12
13		·38			·72			·12				·04	13
14							·03	·20	·11			·28	14
15	·27				·09		·04	·17		·02	·09	·10	15
16	·04	·35		·03	·43		1·35					·03	16
17		·26	·03		·66								17
18	·02	·23	·02							·02	·02		18
19		·02			·07		·04						19
20	·07			·06								·11	20
21	·12						·17					·03	21
22	·11		·25	·14			·41		·03	21		·20	22
23	·04	·06	·05			·02	65			·91		·34	23
24			·03				·12		·40	·69		·23	24
25						·73	·24			·02	·02	·17	25
26		·02					·31					·38	26
27		·09	·02				·04			·33		·05	27
28		·17					·04	·09	·13	·05			28
29						·21	·23				·06	·07	29
30	·09	X				·10	·12			·32	·06	·17	30
31		X		X		X	·10	·03	X	·62	X	·28	31
Total	2·57	3·19	·71	1·09	2·90	1·20	6·65	2·24	·92	3·74	2·22	4·57	YEAR'S TOTAL 32·00
Rain Days.	17	17	10	12	10	5	22	13	5	15	9	24	159

W. 8,000. X. 14.

2404 2403 ~~330~~

FORM A.
BRITISH RAINFALL.

30 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Bevere Lock

in the County of Worcestershire

by A. J. Fox

Lat. ______ Long. ______

Time of Observation ______

Nearest Railway Station ______

Diameter of Funnel of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05				·03	·07	·10			·21	·16		1
2	·31	·04	·13		·21		·06		·07	·76	·04		2
3		·61			·05		·05		·05	·20	·11		3
4	·15	·13		·02	·45	·20	·06				·54		4
5	·02		·04		·21	·03	·04			·04	·08		5
6		·30	·08		·16	·03	·52			·07	·41		6
7		·03	·06		·06		·07			·07	·15	·21	7
8	·03		·02		·24	·04						·19	8
9					·20	·11				·06	·02		9
10		·35	·05	·02	·03	·08			·03	·03			10
11		·09	·04	·11		·16						·25	11
12	·04	·12		·02	·26		·14						12
13		·17	·16	·03			·20	·29					13
14		·42	·03		·05			·14		·08		·03	14
15		·26	·24	·07	·21		·06	·17		·05			15
16		·07	·02	·20	·03		·15	·20					16
17	·04	·18		·07					·38	·31			17
18		·05	·05	·03				·04	·15		·40	·20	18
19	·04		·27	·45							·21		19
20	·05		·46	·06				·03			·07	·14	20
21			·24	·05	·16		·20					·21	21
22						·04				·14		·57	22
23	·02	·28		·04				·13		·04	·04	·20	23
24		·16			·24			·11		·19		·18	24
25		·02	·07		·04			·19		·10	·23		25
26	·04	·07				·07		·07	·04	·14			26
27	·03	·09	·67						·20	·21			27
28		·19	·04			·04			·03	·11		·10	28
29		·14				·23		·97		·59		·08	29
30		X				·04				·13			30
31		X		X		X			X	·20	X	·02	31
Total	·82	3·77	2·67	1·17	2·63	1·14	1·65	2·34	·95	3·73	2·46	2·38	YEAR'S TOTAL 25·71
Rain Days.	12	21	18	13	17	13	12	11	8	21	13	13	172

W. 8,000. X. 15.

8L

2404 2329 314

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Bevere Lock

in the County of Worcestershire

by A. J. Fox

Lat.………… Long.…………

Time of Observation…………

Nearest Railway Station…………

Diameter of Funnel of Rain Gauge………… in.

Height of top of Gauge above Ground………… ft.………… in.

" " " " Sea Level………… ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·09	·08		·09		·53	·32		·06	·02	1
2				·06		·03		·07			·03	·02	2
3		·06		·10				·03		·27			3
4			·24	·02				·02		·12			4
5	·18		·14	·18					·03	·11	·07		5
6			·17			·33				·05	·11		6
7	·28									·05	·03		7
8	·45			·12			·28	·40	·02	·25	·10	·14	8
9			·19	·02	·20			·26	·17	·14	·15		9
10	·53		·25	·07	·54			·17	·03				10
11	·11		·08	·12	·03					·12	·03		11
12	·09			·03	·24					·12			12
13			·09	·04	·02			·05	·04				13
14			·22	·11				·33					14
15					·07		·22	·05		·04		·21	15
16	·02	·10		·13						·02		·43	16
17				·05	·53	·84	·36	·26	·08	·08			17
18		·05			·08		·18	·18	1·06				18
19	·06	·35	·33			·26			·02		·02		19
20		·18	·16		·49	·06	·35		·04				20
21		·02	·19		·04	·02		·06			·02		21
22			·02					·04	·02	·08			22
23		·19			·12			·21		·05			23
24		·02				·07	·04	·02		·13	·09		24
25		·10	·08							·03	·11		25
26					·03	·03		·34	·12	·03	·09		26
27					1·31	·11	·35	·65					27
28			·11			·25		·09				·03	28
29			·03			·10	·04	·06		·46		·22	29
30		X					·05	·32		·02	·04		30
31		X	·14	X		X		·07	X		X		31
Total	1·72	1·07	2·53	1·13	3·70	2·19	1·87	4·21	1·95	2·17	·95	1·07	YEAR'S TOTAL 24·56
Rain Days.	8	9	17	14	13	12	9	22	12	19	14	7	156

W. 8,000, VIII. 16

81

2404

FORM A.
BRITISH RAINFALL.

30. 1 19

REGISTER OF RAINFALL IN 1918

Kept at Bevere Lock
in the County of Worcestershire
by A. J. Fox

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.03			.14			.06			.45		1
2								.17		.02		.07	2
3		.03			.23			.04	.52		.12		3
4		.03						.03	.41	.12	.52	.30	4
5				.03	.37			.04	.16	.06			5
6	.04	.32	.02	.13		.06			.05	.24		.03	6
7		.05			.14	.02			.67	.11	.13		7
8		.11							.21	.13		.05	8
9	.02	.35		.17		.16			.23	.11			9
10	.05			.08			.27		.05	.04		.12	10
11				.04	.04		.03		.07		.02	.03	11
12			.15		.12		.15		.19				12
13					.07		.06		.11	.04		.04	13
14	.24		.02				.06		.37	.11		.08	14
15	.85			.29			.23		.02	.02		.30	15
16	.13			.59		.04		.02	.20			.05	16
17	.14				.39	.16	.18		.19	.07		.03	17
18	.31					.26	.10		.63			.27	18
19	.10	.04	.15				.05		.05	.04		.02	19
20	.12	.07		.60					.14			.08	20
21	.09			.30			.07		.32	—		.07	21
22					.53		.10		.02			.18	22
23	.03				.45		.07		.02		.06		23
24		.16					.16		.03		.15		24
25						.03	.12	.37		.02	.03		25
26							.48		.08		.07	.06	26
27		.04						.19	.14		.07	.03	27
28		.15	.20			.03					.05	.03	28
29			.09		—			—	.86	.04			29
30		X	.36								.06	.03	30
31		X	.19	X		X		.04	X		X		31
Total	2.12	1.38	1.18	2.23	2.48	.76	2.13	.96	5.74	1.17	1.73	1.87	YEAR'S TOTAL 23.75
Rain Days.	12	12	8	9	10	8	15	9	25	15	12	20	155

W. 8,000, IX. 17.

82

2404

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Bevere Lock

in the County of Worcestershire

by A. J. Fox

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·24	·04	·03	·05	·12		·13		·04	·20	·04	·37	1
2	·11				·03		·30		·07	·07	·08	·03	2
3	·46		·10		·05	·10	·21		·05		·10	·11	3
4	·11	·06	·32			·07	·55	·05	·13			·12	4
5		·28	·04		·08				·30			·17	5
6			·11		·28							·18	6
7	·28		·18	·10	·06						·09		7
8	·14		·06	·08		·05							8
9	·03		·04	·11							·02		9
10			·50	·02						·04		·17	10
11			·76		·02		·46						11
12	·03		·13	·03		·09				·11			12
13	·09			·15					·13	·13		·03	13
14	·19	·03		·09			·05		·13	·03			14
15	·21	·06	·03	·03	·19					·03		·28	15
16	·18	·97					·02	·27			·07		16
17	·02	·49			·02	·04					·06		17
18			·57					·13				·08	18
19	·16	·31	·86			·15	·82	·27	·06		·05		19
20	·30	·02	·33			·03		·07	·03		·02	·07	20
21		·43				·02	·30				·02	·09	21
22		·06					·04		·28			·10	22
23								·02		·76		·05	23
24				·04		·05				·54	·13	·13	24
25	·09			·08	·08	·12		·20					25
26			·08	·10		·05	·05	·10	·04			·27	26
27	·21			·64				·40			·04		27
28	·07		·06	·02				·57			·02	·23	28
29				·12						·41	·25	·20	29
30				·10		·13		·05		·03	·05	·19	30
31							·02						31
Total	2·92	2·75	4·20	1·76	·93	·90	2·95	2·13	1·26	2·35	1·04	2·87	YEAR'S TOTAL 26·06
Rain Days.	18	11	17	16	10	12	12	11	11	11	15	19	163

26 06
74

352 cordly observer 2404

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Worcester, Bevere Lock

in the County of Worcestershire

by E. J. Bradley A. J. Fox

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·02	·19	·20		·21		·03	·17		·26	1
2				·08			·19	·02	·07	·05		·07	2
3	·09	·03		·03	·03	·03	1·52	·03	·13	·45			3
4				·09			·03	·22	·03	·27			4
5			·08		·09		·52	·04	·02	·40			5
6			·15	·02	·11		·08			·33			6
7			·06	·11	·03		·10					·02	7
8	·18	·05		·67	·04		·38	·02				·04	8
9	·25	·02		·35			·05	·05					9
10	·48	·07	·05	·02		·11	·17				·04		10
11	·13		·05	·25	·31	·36	·08	·02					11
12	·12			·26		·67		·03			·05	·03	12
13	·02		·24	·12		·13						·03	13
14		·02	·80	·24		·18	·02		·25	·05	·16		14
15		·09	·05	·27		·15	·02		·02				15
16				·14	·05	·06	·17		·05	·36			16
17	·02			·21	·06				·58	·10			17
18	·16			·06	·12		·04	·14	·58			·02	18
19	·03	·30		·19		·13			·05				19
20		·19		·20		·16						·05	20
21				·02			·11	·02				·02	21
22	·04			·07			·02	·07		·03		·11	22
23							·26	·02				·30	23
24			·12								·03	·14	24
25	·02	·04	·07	·05			·53						25
26	·09		·24	·02			·03				·08	·05	26
27	·16	·02	·08	·04	·04	·24						·45	27
28	·96		·11		·36							·03	28
29	·10		·20		·06	·02	·09				·09	·40	29
30	·02	×	·53	·16	·02	·08	·04		·25		·23	·16	30
31	·02	×		×	·02	×	·02		×	·54	×	·03	31
TOTAL	~~2·99~~ 2·89	·83	2·85	3·86	1·54	2·32	4·68	·68	2·06	~~2·85~~ 2·75	·68	2·21	YEAR'S TOTAL ~~27·55~~ 27·35
Days with ·01 in. or more	18	10	16	25	15	13	23	12	12	11	7	18	180
·04	12	6	15	20	11	11	17	5	8	10	6	11	132

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

SS

REGIS ... 11

WORCESTER.

BROMWICH HOUSE.

1911– 1920

FORM A2.
BRITISH RAINFALL.
2 - JAN 19

... warden

Kept at Hagley Rectory

Bromwich House, Wa...

in the County of Worc...

by Rev. Manley...

...pp 5 in.

... above Ground 1 ft. - in.

„ Sea Level 700 ft. at Hagley

... 9 a.m.

...tion { Name Hagley Worcester
Distance 2 m. 1½ · Direction W. N.W.

IMPORTANT NOTE.—Rain should be measured ... , and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov. Worcester	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.01		0.02					0.05			0.03		1
2	0.01				0.17		0.06	0.21		0.08	0.05	0.04	2
3		0.01	0.01		0.28			0.01		0.02	0.03	0.01	3
4	0.01		0.14					0.05	0.13	0.06	0.16	0.30	4
5	0.09		0.07	0.05				0.15		0.03	0.06	0.03	5
6	0.27		0.05	0.01				0.03			0.06	0.43	6
7	0.02			0.02							0.24		7
8	0.18		0.18								0.05	0.24	8
9	0.03		0.03								0.39		9
10	0.02	0.10	0.30										10
11	0.11										0.41	0.53	11
12			0.42						0.11		0.12		12
13			0.02					0.30	0.10		0.01	0.52	13
14		0.05	0.01									0.72	14
15		0.03	0.05								0.10	0.05	15
16			0.04			0.05					0.11	0.06	16
17			0.01			0.36				0.01	0.22	0.34	17
18	0.01					0.15				0.09		0.31	18
19		0.28		0.02		0.26		0.01	0.31	0.49	0.04	0.13	19
20	0.01	0.08		0.03				0.37	0.09	no record for these 6 days owing to accident.		0.50	20
21	0.01	0.16	0.06					0.40				0.08	21
22			0.01	0.02		0.06						0.40	22
23		0.14	0.16		0.04	0.20			0.35				23
24		0.08		0.06		0.46		0.11	0.01				24
25		0.03	0.01	0.10	0.06	0.04		0.06	0.01			0.44	25
26		0.14		0.19		0.02				0.18	0.21		26
27		0.14	0.17	0.16				0.65	0.28			0.12	27
28		0.16		0.20							0.23		28
29				0.01		0.12	0.23	0.02	0.26	0.29			29
30				0.09		0.08		0.34			0.01	0.02	30
31			0.16		0.06					0.03		0.01	31
Total	0.78	1.40	1.92	0.96	0.61	1.80	0.29	2.76	1.65	× ~~1.28~~	2.53	5.28	TOTAL for year ~~21.26~~
No. of Rain Days	13	13	20	13	5	11	2	15	10	× 11	20	26	~~159~~

000, IX. '10.

× no record Oct: 20-25.

SS

REGI 11

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Hagley Rectory to Oct: 19 1911
Bromwich House Worcester Oct: 27 - Dec: 31 1911
in the County of Worcester 2

by Rev. Manley Power

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 700 ft. at Hagley

Time of Observation 9 a.m.

Nearest Railway Station
Name Hagley / Worcester
Distance 2m / 1½ Direction W / N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov. Worcester	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.01		0.02					0.05			0.03		1
2	0.01				0.17		0.06	0.21		0.08	0.05	0.04	2
3		0.01	0.01		0.28			0.01		0.02	0.03	0.01	3
4	0.01		0.14					0.05	0.13	0.06	0.16	0.30	4
5	0.09		0.07	0.05				0.15		0.03	0.06	0.03	5
6	0.27		0.05	0.01				0.03			0.06	0.43	6
7	0.02			0.02							0.24		7
8	0.18		0.18								0.05	0.24	8
9	0.03		0.03								0.39		9
10	0.02	0.10	0.30									} 0.53	10
11	0.11										0.41		11
12			0.42						0.11		0.12		12
13			0.02					0.30	0.10		0.01	0.52	13
14		0.05	0.01									0.72	14
15		0.03	0.05								0.10	0.05	15
16			0.04			0.05					0.11	0.06	16
17			0.01			0.36				0.01	0.22	0.34	17
18	0.01					0.15				0.09		0.31	18
19		0.28		0.02		0.26		0.01	0.31	0.49	0.04	0.13	19
20	0.01	0.08		0.03				0.37	0.09	} No record for these 6 days owing to removal.		0.50	20
21	0.01	0.16	0.06					0.40				0.08	21
22			0.01	0.02		0.06						0.40	22
23		0.14	0.16		0.04	0.20			0.35			} 0.44	23
24		0.08		0.06		0.46		0.11	0.01				24
25		0.03	0.01	0.10	0.06	0.04		0.06	0.01				25
26		0.14		0.19		0.02				0.18	} 0.21		26
27		0.14	0.17	0.16				0.65	0.28			0.12	27
28		0.16		0.20							0.23		28
29				0.01		0.12	0.23	0.02	0.26	} 0.29			29
30				0.09		0.08		0.34			0.01	0.02	30
31			0.16		0.06					0.03		0.01	31
Total	0.78	1.40	1.92	0.96	0.61	1.80	0.29	2.76	1.65	x ~~1.28~~	2.53	5.28	TOTAL for year ~~21.26~~
No. of Rain Days	13	13	20	13	5	11	2	15	10	x 11	20	26	~~159~~

000, IX. '10.

x No record Oct: 20-25.

copy ours stats 7/11/13 4. 7. 6

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

3 - JAN 1913

Kept at Berwick House Worcester

in the County of Worcester

by Rev. Manley Power

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Worcester

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1			0.06		0.01	0.65	0.11		0.03	0.08		0.06	1
2			0.20 (.10)	0.02	0.03	0.23	0.27	0.01				0.02	2
3			0.04		0.02	0.10	0.01	0.55	0.03		0.01	0.06	3
4	0.17		0.69		0.18	0.64		0.02			0.15		4
5	0.30	0.15	0.22		0.04	0.06		0.35			0.02	0.02	5
6	0.13	0.15	0.06		0.03	0.10	0.27	0.74				0.06	6
7		0.21	0.07		0.03	0.46		0.27				0.03	7
8	0.22	0.08	0.19	0.03		0.14	0.06	0.21	0.08			0.04	8
9	0.10		0.35	0.03		0.22		0.12				0.22	9
10	0.07	0.02	0.01	0.01		0.04		0.06			0.22	0.01	10
11	0.04	0.05	0.01			0.07	0.01	0.07			0.11	0.47	11
12	0.02	0.30	0.08	0.01	0.10						0.01	0.01	12
13	0.03	0.02						0.13				0.02	13
14	0.05		0.44		0.08	0.11		0.06					14
15	0.15	0.05	0.03	0.02	0.28	0.17		0.02				0.20	15
16	0.65		0.09		0.10			0.09		0.05		0.01	16
17	1.11		0.19		0.01	0.03		0.43			0.05	0.34	17
18	0.17		0.03					0.13			0.01	0.01	18
19	0.10	0.02	0.01		0.02		0.13	0.57				0.02	19
20	0.02	0.02	0.19			0.05	0.26	0.12		0.22	0.01		20
21		0.01	0.17		0.88			0.65		0.40			21
22	0.35	0.11	0.01		0.22	0.10	0.26	0.27		0.01		0.07	22
23	0.20	0.15	0.32		0.01	0.10	0.28	0.34		0.01	0.03	0.14	23
24	0.08					0.29	0.01	0.03				0.25	24
25		0.02				0.24		0.86		0.01	0.34	0.44	25
26		0.16	0.02			0.04	0.36	0.80		0.50	0.25	0.21	26
27						0.22	0.23	0.01		0.65		0.19	27
28		0.09				0.07	0.65	0.53	0.07	0.30	0.27	0.35	28
29		0.12				0.22	0.19	0.03	0.37	0.21			29
30	0.02		0.03		0.03	0.06		0.02	0.01	0.15		0.01	30
31			0.05		0.38		0.45	0.03		0.03		0.05	31
Total	3.98	1.73	3.46	0.12	2.45	4.41	3.55	7.52	0.59	2.62	1.48	3.31	YEAR'S TOTAL ~~34.82~~ 35.22
Rain Days.	20	18	25	6	18	24	16	29	6	13	13	26	214

W. 7,500, XI. '12

Ex DL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

Kept at Bromwich House St Johns

in the County of + City Worcester

by Rev. Manley Power

Lat. 52° 12′ Long. 2° 14′
Time of Observation 9.30 a.m.
Nearest Railway Station Henwick G.W.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0.12	0.07	0.22				0.81		0.04		1
2	0.02	0.26	0.02	0.11			0.01		0.10	0.55	0.09		2
3	0.06	0.01	0.05		0.65							0.10	3
4	0.88	0.01	0.01		0.40				0.13	0.35	0.02	0.21	4
5	0.05	0.02			0.02	0.06	0.11		0.02	0.38	0.09	0.01	5
6		0.05	0.15		0.22	0.11	0.29			0.28	0.02	0.32	6
7	0.01	0.18			0.13	0.04	0.03			0.90	0.26	0.01	7
8		0.13			0.07	0.08	0.01						8
9		0.33	0.02		0.09	0.17		0.28	0.16		0.09		9
10	0.20			0.18	0.04			0.04		0.01	0.05		10
11	0.77	0.01		0.29	0.02			0.01		0.02	0.60	0.01	11
12		0.01			0.26						0.41		12
13		0.01	0.11	0.01	0.02	0.01	0.02		0.12		0.21		13
14	0.15		0.48	0.02				0.10	0.03	0.11	0.02		14
15	0.15	0.06	0.53	0.59					0.13		0.14		15
16	0.07		0.53	0.03				0.67	0.01				16
17	0.07	0.01	0.30	0.14		0.04	0.20		0.06				17
18	0.02		0.23	0.05	0.01		0.09		0.01		0.01		18
19	0.09		0.09		0.01				0.11				19
20	0.14		0.23	0.08					0.01	0.03	0.20		20
21			0.28	0.12	0.10		0.08	0.03			0.12		21
22	0.46		0.57					0.17	0.47				22
23	0.01		0.07			0.14		0.03	0.02		0.04		23
24	0.03			0.02						0.01	0.01		24
25				0.08					0.03		0.01	0.04	25
26	0.01	0.03		0.59				0.38	0.01	0.01		0.26	26
27		0.02	0.08	0.17	0.20					0.02			27
28	0.23		0.10	0.23	0.04					0.15			28
29	0.01		0.32	0.47				0.03		0.05			29
30	0.26									0.60	0.06	0.03	30
31	0.05		0.13		0.01			0.02		0.02			31
Total	3.74	1.14	4.42	3.25	2.51	0.65	0.84	1.76	2.23	3.49	2.49	0.99	YEAR'S TOTAL 27.51
Rain Days.	22	16	21	18	18	8	9	11	17	17	20	9	186

W.7,000, XI. 13

EX MX

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Bromwich House, Worcester
in the County of Worcester
by Rev. Stanley Power

Lat. 52° 12′ Long. 2° 14′
Time of Observation 9.30 a.m.
Nearest Railway Station Henwick G.W.R.
Diameter of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0.02	0.03	0.03			1.14	0.26			0.03	0.06	1
2			0.01				0.21	0.13			0.52	0.46	2
3				0.06	0.19		0.06					0.04	3
4	0.20			0.09	0.05		0.12	0.17			0.39	0.54	4
5	0.06		0.05	0.21	0.10		0.37				0.18		5
6	0.05	0.07		0.02	0.02		0.02				0.04	0.09	6
7		0.14	0.26	0.19	0.23	0.11	0.18				0.01	0.24	7
8		0.01	0.07	0.02	0.04	0.50	0.01	0.13	0.02			0.06	8
9	0.15	0.01	0.15	0.27		1.12		0.03	0.16			0.01	9
10	0.01	0.13	0.02	0.32	0.08	0.02			0.22			0.01	10
11		0.11	0.26	0.05	0.08	0.24					0.08	0.40	11
12		0.11	0.18				0.52		0.32		0.08	0.17	12
13		0.13	0.26						0.07	0.16	0.09	0.38	13
14	0.01	0.08	0.15							0.33	0.10	0.03	14
15	0.02		0.13				0.02	0.06	0.02	0.03	0.04	0.01	15
16									0.19				16
17	0.06	0.16	0.11						0.04		0.02	0.17	17
18		0.01	0.01			0.04	0.21			0.06		0.35	18
19		0.01	0.04				0.31		0.01		0.05	0.08	19
20		0.37	0.03				0.01					0.29	20
21		0.18				0.24	0.03	0.13		0.13		0.13	21
22		0.05	0.01		0.20	0.02	0.06	0.10					22
23		0.01	0.15		0.12					0.08			23
24		0.06	0.20				0.10	0.04		0.11			24
25	0.07		0.09	0.05			0.10	0.18		0.25	0.06	0.12	25
26		0.01	0.09				0.01	0.07			0.15	0.33	26
27	0.05										0.12	0.14	27
28		0.06	0.13		0.04					0.11	0.07	1.32 Snow	28
29	0.01		0.07		0.05					0.20	0.11		29
30		×	0.03			0.06				0.04	0.39	0.40	30
31	0.11	×		×	0.01	×	0.18		×	0.02	×	0.02	31
Total	0.80	1.73	2.53	1.31	1.21	2.35	3.66	1.30	1.05	1.52	2.53	5.85	YEAR'S TOTAL 25.84
Rain Days.	12	20	24	11	13	9	19	11	9	12	19	25	184

2496

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

5
JAN 1916

Kept at Bromwich House, Worcester
in the County of Worcester
by Rev. Manley Power

Lat. 52° 12' Long. 2° 14'
Time of Observation 9.30 a.m.
Nearest Railway Station Henwick G.W.R.
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 200 ft. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.10	0.06	0.08		0.24			0.09	0.14	0.20	0.02	0.07	1
2	0.07	0.21	0.11	0.19		0.13		1.53		0.15		0.07	2
3	0.79	0.09	0.01	0.06	0.03		1.01	0.06				0.18	3
4	0.02	0.03			0.06		0.83	0.72		0.04		0.70	4
5	0.01	0.49		0.03			0.19	0.07				0.37	5
6	0.15	0.01		0.22			0.67	0.02				0.15	6
7	0.08	0.34		0.04			0.16	0.02			0.02	0.28	7
8	0.17	0.40		0.11			0.03	0.01			0.10	0.36	8
9	0.17	0.08		0.11				0.01			0.15		9
10	0.25		0.08	0.02									10
11			0.01	0.02	0.09						1.23	0.05	11
12	0.05	0.06	0.01	0.12	0.38			0.25		0.06	0.85	0.03	12
13	0.01	0.26			0.85			0.05				0.04	13
14		0.02						0.07	0.10			0.29	14
15	0.27				0.08		0.08	0.20			0.04	0.11	15
16	0.03	0.38		0.03	0.40		1.10					0.02	16
17		0.21	0.02		0.66								17
18	0.02	0.42	0.05								0.01		18
19		0.01			0.07		0.08						19
20	0.07			0.04								0.16	20
21	0.10						0.14					0.04	21
22	0.09		0.24	0.15			0.36			0.10		0.20	22
23	0.04	0.08	0.07				0.25			1.16		0.26	23
24			0.02	0.03			0.16		0.44	0.67		0.21	24
25						0.84	0.20			0.07		0.19	25
26		0.03					0.36					0.43	26
27		0.07					0.05			0.33		0.06	27
28		0.09				0.03	0.44		0.14				28
29						0.18		0.09			0.08	0.06	29
30	0.07	×				0.06	0.04			0.36	0.06	0.14	30
31	0.01	×		×		×			×	0.83	×	0.35	31
Total	2.57	3.34	0.70	1.17	2.86	1.24	6.15	3.19	0.82	3.97	2.56	4.82	YEAR'S TOTAL 33.39
Rain Days.	21	20	11	14	10	5	18	14	4	11	10	25	163

W. 8,000. X. 15.

2429

FORM A.
BRITISH RAINFALL.
3 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Bramwich House Worcester

in the County of Worcester

by Rev. Manley Power

Lat. 52° 12′ Long. 2° 14′

Time of Observation 9.30 a.m.

Nearest Railway Station Henwick G.W.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.05		0.01		0.08	0.08	0.13			0.26	0.15		1
2	0.50	0.04	0.16		0.21		0.03	0.04		0.73	0.02		2
3		0.58						0.03			0.04		3
4	0.18	0.12			0.52	0.27		0.02			0.43		4
5	0.01		0.05		0.23	0.06	0.08			0.04	0.05		5
6	0.01	0.22	0.06		0.18	0.04	0.54			0.06	0.41		6
7			0.09		0.08	0.07	0.05			0.07	0.15	0.20	7
8	0.03		0.01		0.24	0.07				0.05		0.21	8
9					0.17	0.15					0.02		9
10		0.42	0.05	~~0.05~~	0.01	0.19	0.01		0.01	0.04			10
11			0.04	0.13	0.01							0.28	11
12	0.01	0.15	0.03		0.33		0.15						12
13		0.22	0.10				0.27	0.19				0.02	13
14		0.70	0.02	0.03	0.03			0.05			0.01		14
15			0.26	0.07	0.20		0.04	0.08		0.04			15
16		0.03		0.19	0.03		0.30	0.21					16
17		0.15		0.06				0.01	0.33	0.32			17
18	0.06	0.03	0.03	0.03				0.03	0.15		0.46	0.20	18
19	0.05		0.25	0.32							0.25		19
20	0.03		0.47	0.01				0.01			0.07	0.16	20
21	0.01		0.27	0.29	0.12		0.21						21
22	0.01			0.02		0.03				0.13		0.54	22
23		0.29		0.02				0.14		0.02	0.03	0.25	23
24			0.03		0.39	0.02		0.09		0.12		0.15	24
25		0.02	0.15					0.19		0.03	0.20		25
26	0.04	0.04	0.06			0.07			0.02				26
27	0.03	0.10	0.56				0.22	0.01	0.24			0.02	27
28		0.33	0.09		0.03	0.11			0.01	0.10		0.07	28
29		0.15				0.19		1.20		0.51		0.11	29
30						0.01		0.01		0.20			30
31								0.01		0.18		0.02	31
Total	1.02	3.59	2.79	1.17	2.86	1.36	2.03	2.32	0.76	2.90	2.29	2.23	YEAR'S TOTAL 25.32
Rain Days.	14	19	21	11	17	14	12	17	6	18	14	13	176

W. 8,000, VIII. 16

231

FORM A.
BRITISH RAINFALL.

2. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Bromwich House Worcester
in the County of Worcester
by Rev. Stanley Power

Lat. 52° 12' Long. 2° 14'
Time of Observation 9.30 a.m.
Nearest Railway Station Henwick
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		0.04	0.07	0.04		0.11		0.64	0.06		0.05		1
2			Snow	0.10		0.05		0.05			0.03		2
3	0.02			0.12				0.03		0.32			3
4		0.03	0.04	0.02				0.04		0.05			4
5	0.15		0.20	0.22					0.02	0.12	0.13		5
6			0.08			0.36				0.05	0.15		6
7	0.31						0.14			0.15	0.03		7
8	0.36			0.11		0.02	0.33	0.36		0.23	0.10		8
9		Snow	0.14 S	0.03	0.20			0.42	0.10	0.05	0.10	0.18	9
10	0.37		0.30	0.07	0.40			0.16					10
11	0.12		0.11 S	0.14	0.04			0.04		0.15	0.03		11
12	0.07			0.04	0.19					0.18	0.01		12
13	0.01		0.10	0.03	0.12			0.04	0.05	0.03		0.01	13
14			0.25	0.09	0.06			0.50					14
15							0.34	0.05		0.02		0.19	15
16				0.12			0.04			0.05		0.32	16
17	0.02			0.05	0.62	0.25	0.33	0.16	0.10				17
18					0.05		0.21	0.01	1.20				18
19	0.04	0.38	0.44			0.15							19
20		0.27	0.08		0.40	0.06	0.10		0.09		0.01		20
21		0.02	S 0.16		0.05	0.06		0.04			0.02		21
22			0.01			0.10		0.05	0.01	0.08			22
23		0.14			0.13			0.14		0.07		0.02	23
24						0.07		0.06		0.16	0.04		24
25		0.17	0.08							0.04	0.11		25
26			0.01		0.05	0.05		0.26	0.16		0.07		26
27					1.27	0.11	0.20	0.55					27
28			0.17			0.20		0.12		0.33		0.04	28
29			0.01			0.36	0.07	0.01				0.24	29
30		X					0.10	0.21				0.01	30
31		X	S 0.06	X		X		0.15	X	0.06	X		31
Total	1.47	1.05	2.31	1.18	3.78	1.95	1.86	4.09	1.79	2.14	0.88	1.01	YEAR'S TOTAL 23.51
Rain Days.	10	7	18	14	13	14	10	23	9	18	14	8	158

W. 8,000, IX. 17.

89

Exd. E.F.E

13

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL

2. 1. 19

Kept at Bromwich House Worcester

in the County of Worcestershire

by Rev. Manley Power

Lat. 52° 12′ Long. 2° 14′

Time of Observation 9.30 a.m

Nearest Railway Station Henwick G.W.R.

Diameter of Funnel of Rain Gauge 6 in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.02	.13			.05		.01	.33		1
2		.04		.07				.25		.01		.11	2
3		.04	.01	.01	.23			.06	.58		.07		3
4		.03						.01	.32	.12	.55	.32	4
5		.01		.02	.27			.05	.12	.08			5
6	.05	.29		.06		.05			.05	.20		.02	6
7	S.02	.10		.01	.15				.38	.05	.19		7
8	S.01	.13							.15	.12	.02	.03	8
9	.02	.30		.15		.19			.21	.10		.01	9
10	.08	.01		.19			.20		.04	.05		.10	10
11			.01	.06	.02		.23		.12			.05	11
12	.01		.16	.02	.11		.15		.01				12
13							.05		.10	.05			13
14	S.18		.04				.07		.27	.03		.08	14
15	S1.26			.24	.01		.20		.02			.36	15
14 16	S.14			.78		.11			.19	.06		.06	16
17	.15			.01		.07	.08		.04			.05	17
33 18	.33					.28	.03		.54			.32	18
19	.10	.04	.20	.03			.07		.01			.01	19
20	.15	.06		S.50		.04			.10	.06		.06	20
21	.09			.33	.15		.07		.47			.07	21
22	.02				.44		.09		.04	.01		.14	22
23	.03						.09		.01		.07		23
24		.11					.10	.02	.04	.02	.09		24
25						.06	.19	.37		.01			25
26							.20		.12	.02		.09	26
27		.03				.01		.14	.17		.25 }	.03	27
28		S.12	.21			.07						.05	28
29			.07						.99				29
30		X	.31						.01		.06	.08	30
31		X	.16	X		X		.03	X		X		31
Total	2.64	1.31	1.17	2.50	1.51	.88	1.82	.98	5.10	1.00	1.63	2.04	YEAR'S TOTAL 22.58
Rain Days.	16	14	9	16	9	9	15	9	26	17	10	20	170

W, 6,500, VII. 18. w w c

2168

9 JAN 20

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Bromwich House Worcester
in the County of Worcester
by Rev. M. Power

Lat. 52° 12" Long. 2° 14"
Time of Observation 9.30 a.m
Nearest Railway Station Henwick
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft 10 in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.28	.01	.03	.02	.19	.13	.11		.04	.24	.01	.37	1
2	.12				.05		.36		.13		.07	.13	2
S. 3	.65		.11				.09		.06		.10	.07	3
4			.37			.14	.42		.16			.06	4
5		S-32	.05		.16				.22			.15	5
6			.15		.31							.13	6
7	.27		.24	.17	.03						.06	.03	7
8	.16		.06	.08		.04							8
9	.05		.04	.11									9
10			.55	.01						.01		.19	10
11			.69		.01		.59					.02	11
12	.06		.06	.07		.11				.10			12
13	.09			.15					.09		.02	.02	13
14	.20	.05		.20			.04		.04	.11			14
15	.38		.02	.04	.22					.08		.30	15
16	.02	1.03						.11			.07	.02	16
17	.04	S.56				.04					.04		17
18			.54				.02	.11			.02	.05	18
19	.18	.28	.92			.15	1.29	.25	.09			.01	19
20	.27	.01	.30				.02	.21	.02		.02	.06	20
21	.01	.41	.01			.02	.30				.01	.08	21
22		.05					.01		.30			.09	22
23						.01		.02		.79		.07	23
24				.08		.05				.60	.09	.13	24
25	.10			.03	.04	.15		.20					25
26	.01		.09	.07		.05		.05	.06			.32	26
S 27	.27			S.74				.44			.07		27
28			S.09	.02				.36		.01	S .40	.24	28
29	.03			.12						.42		.26	29
30		╳		.12		.17		.06		.05	.05	.34	30
31		╳	.62	╳		╳	.02		╳		╳	.01	31
Total	3.19 ✓	2.72 ✓	4.34 ✓	2.03 ✓	1.01 ✓	1.06 ✓	3.27 ✓	1.81 ✓	1.21 ✓	2.41 ✓	1.03 ✓	3.15 ✓	Year's Total 27.23 ✓
Days with ·01 in. or more	21 ✓	9 ✓	19 ✓	16 ✓	8 ✓	12 ✓	12 ✓	10 ✓	11 ✓	10 ✓	15 ✓	24 ✓	167 ✓

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

2080

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

3 JAN 1921

Kept at Bromwich Hand Worcester

in the County of Worcestershire

by Rev. M. Power

Lat. 52° 11" Long. 2° 14"

Time of Observation 9.30 a.m

Nearest Railway Station Henwick G.W.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 65 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.02	.19	.28		.22		.04	.21		.24	1
2	.06			.08			.27	.02	.05	.05		.07	2
3		.04		.05	.02	.02	1.84		.14	.35			3
4				.09			.05	.19	.02	.25			4
5		.11		.01	.18		.36	.04		.52			5
6	~~.16~~		.30	.02	.08		.10			.28		.03	6
7	~~.20~~		.08	.11			.13						7
8	.~~53~~ 14	.06		.49	.06		.44						8
9	.~~22~~ 24	.01		.37			.04					.01	9
10	.53	.10	.06	.01		.13	.14				.05		10
11	.22		.05	.22	.32	.22	.08	.02					11
12	.13			.28		.90	.01	.01			.03		12
13	.01		.28	.12					.02			.03	13
14			.81	.18		.43	.03		.30	.05	.18		14
15		.14	.03	.50		.08			.07	.04	.02		15
16	.01			.10	.06	.10	.20		.07	.35	.04		16
17				.06	.10				.85	.08	.02		17
18	.18			.03	.10			.09	.60				18
19	.05	5.21		.35		.10	.01		.01				19
20	.02	5.20		.24		.16						.05	20
21							.06			.01		.01	21
22	.03			.07			~~[illegible]~~	.06		.01		.17	22
23							.23	.06				.32	23
24			.15								.01	.13	24
25		.06	.05	.03			.61						25
26	.14	.03	.29	.01			.05				.09	.06	26
27	.18	.01	.13	.04	.07	.19			.01			.44	27
28	.45		}		.25		.03					.04	28
29	.07		} .23		.05		.08				.08	.48	29
30	.01	╳	.07	.10	.01	.07	.17		.22		.24	.11	30
31	.03	╳		╳	.02	╳	.02		╳	.36	╳	.01	31
TOTAL	3.04	.97	2.55	3.75	1.60	2.40	5.17	.49	2.40	2.56	.76	2.20	YEAR'S TOTAL 27.89
Days with ·01 in. or more	18	11	15	25	14	11	23	8	13	13	10	16	177
Days with ·04 in. or more	12	8	12	19	12	10	18	5	9	11	6	11	133

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.

BRITISH RAINFALL.

17 JAN 1912

12

WORCESTER.

— BELMONT RD, 11

~~SEVERUS MOUNT.~~

1911– 1917.

REGIST

Kept at Severus Mount-

in the County of

by G B Wetherall F.R.M.

5 in.

e Ground 1 ft. 6 in.

Sea Level 180 ft.

am & eveng.

Name Shrub Hill

Distance 1 mile Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			05	.1				.7			.1		1
2				.5	.3			.3		.7	.6	.2	2
3					.31				.7	.1	.1	.1	3
4	.1		14	.5		20			.7	.3	.14	.30	4
5	.8		.3					.6		.1	.5	.2	5
6	.26		.2								.6	4	6
7				2							20	.1	7
8	.11		.15								.3	.26	8
9	.8		.1								.42	20	9
10	.1	.13	.32									-3	10
11	.13										40	.3	11
12			.36						.4		.8		12
13									.25		.1	55	13
14			1									82	14
15		.1	.3								10	4	15
16						.7					.10	4	16
17	.1		.1			.10					.18	.28	17
18		31	.1	.4		.7				.4		28	18
19		.1				.27	25		.22	.22	.3	5	19
20	+ .1	.6	.1	1				.29	.13	.1		54	20
21		.13	.3	≠				.30	05 05	.30		11	21
22	+ 1	.1	.6	.1						.4	.1	.41	22
23	+ 1	.9	.18			20			.20	.3		.11	23
24		.6		.5		.43		.12		.5		.11	24
25		.11	1	.2		.2						14	25
26		.11		14	.8			.1		.20	16	10	26
27		.10	12	5				.35	10		.4	.10	27
28		20		14							.21	.1	28
29				1		.10	.27	.3	14	.11	.1		29
30			8	8		.1	2	.11		16		.1	30
31			1							.4			31
Total	~~.62~~ .72	1.33	1.64	-68	.42	1.47	0.54	1.37	1.30	1.32	2.31	4.62	TOTAL for year. 17.72
No. of Rain Days.	11	13	20	14	3	10	3.	10	10	15	21	27	157

✓

FORM A2.
BRITISH RAINFALL.
~~17 JAN 1912~~

REGIST 11

Kept at Severus Mount - Worcester

in the County of do 2

by G B Wetherell F.R.Met.S. F.R.H.S

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 180 ft.

Time of Observation 9.am & evening.

Nearest Railway Station
Name Shrub Hill
Distance 1 mile Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			05	.1				.7			.1		1
2				.5	.3			.3		.7	.6	.2	2
3					.31				.7	.1	.1	.1	3
4	.1		14	.5		20			.7	.3	.14	.30	4
5	.8		.3					.6		.1	.5	.2	5
6	.26		.2								.6	4	6
7				2							20	.1	7
8	.11		.15								.3	.26	8
9	.8		.1								.42	20	9
10	.1	.1.3	.32									-3	10
11	.13										40	.3	11
12			.36						.4		.8		12
13									.25.		.1	55	13
14			1									82	14
15		.1	.3								10	4	15
16						.7					.10	4	16
17	.1		.1			.10					.18	.28	17
18		31	.1	.4		.7				.4		28	18
19		.1				.27	25		.22	.22	.3	5	19
20	+ .1	.6	.1	1				.29	.13	.1		54	20
21		.13	.3	≠				.30	05 05	.30		11	21
22	+ 1	.1	.6	.1						.4	.1	.41	22
23	+ 1	.9	.18			20			.20	.3		.11	23
24		.6		.5		.43		.12		.5		.11	24
25		.11	1	2		.2						14	25
26		.11		14	.8			.1		.20	16	10	26
27		.10	12	5				.35	10		.4	.10	27
28		20		14							.21	.1	28
29				1		.10	.27	.3	14	.11	.1		29
30			8	8		.1	2	.11		16		.1	30
31			1							.4			31
Total	~~.62~~ .72	1.33	1.64	-68	.42	1.47	0.54	1.37	1.30	1.32	2.31	4.62	TOTAL for year. 17 72
No. of Rain Days.	11	13	20	14	3	10	3.	10	10	15	21	27	157

W. 8,000, X. '11.

Exc DL

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

19 FEB 1913

Kept at ~~Severus~~ ~~rd~~ Mount Worcester
in the County of do 2
by Geo Baynes Wetherall FR Met Soc FRHS

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground ~~180~~ ft. in.
" " " Sea Level 180 ft.
Time of Observation 9 am
Nearest Railway Station
Name Shrub Hill
Distance 1 Direction SSE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.6			.75	.11	.1	.3	.7	.3	.7	1
2			.11		.2	.33	.28	1				.1	2
3			.1		.3	.9		.63	⊕ .2		.1	.5	3
4	.13		.65		.23	.64					.16		4
5	.23	.11	.19		.4	.5		.48			.2	.1	5
6	.24	.19	+ 4		.1	.5	.56	.58	⊕ .1			.7	6
7		.21	4		5	.42		20				2	7
8	.27	8	22			.6	.7	21	.3			2	8
9	.4		35	.1		.23		12				24	9
10	.3	.01		.4		.5		.1			.14		10
11	.5	.3	.1			8		.1			.16	45	11
12	0.01	~~.27~~ 30	.7		.1						.1	1	12
13		.01						.2				.2	13
14	.8		42		.3	.4		.12					14
15	.14	6	1	1	.3	.16		.1				.14	15
16	.80		7		.32			.10		.4			16
17	.58		16		.11	.4		.48				.32	17
18			.2					.12		.1	.3		18
19	.18	.1	.1		.1		.13	64		.1		.1	19
20	.2		.19			.9	.21	.7		.18			20
21	1	.1	.16		** .75			.63		.43			21
22	41	.10			.32	.7	.27	21				.6	22
23	.14	.13	.30			8	45	23		.2	.3	12	23
24	10					.17	.35	.3				17	24
25		.1				22	1	.60			32	.40	25
26		.7	1				.26	.87		59	.19	.20	26
27						26	30			66		.17	27
28		0.07				.1	55	.50	.6	26	28	.35	28
29		0.11				.29	22	.2	57	19		.2	29
30			1		.3	.6	5	7		15			30
31			3		.23	~~4~~	40	5				.3	31
Total	3.46	1.51	3.14	0.06	2.22	4.24	4.22	7.03	0.72	2.61	1.38	296	TOTAL for year 33.55
No. of Rain Days	18	17 16	23	3	16 14	23	16	27 28	4 6	10 12	12	23	~~189~~ 197

9,000, IX. '10.

+ read 0:04 | ** 13½ Contin Rain | ⊕ Condensation only no rain

FORM A.
BRITISH RAINFALL.
-2 FEB 1914

REGISTER OF RAINFALL IN 1913

Kept at Worcester

in the County of do

by Geo Baynes Wetherall

2

Lat. Long.
Time of Observation 9 - A M
Nearest Railway Station 1 mile
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		1	.11	.12	10	1			.78		32		1
2		19	.1	.8					1	53	78		2
3	.5		.6		70		1					1	3
4	.86				40					37	2	27	4
5	4		5		2	6	9		.3	24	76	1	5
6	3	5	12		28	13	25			29	54	36	6
7		16			17~~6~~	2	3	6		53	25~~25~~		7
8		12			10	5	1	~~[illegible]~~		52			8
9		35	1		8	13	2	46	13		9		9
10	15			.18	10			4		2	6		10
11	96	deo 1		32	2					2	65		11
12	~~13~~				30						41		12
13	~~[illegible]~~		9						.15		24		13
14	13	1	42	2				11	.1	12			14
15	14	.6	41	53					.30		6	1	15
16	4		65	5				8	1				16
17	6		13	11		1	21		.4			1	17
18	3		19	5	1		7				1		18
19	.10		9				2		10				19
20	12		24	7							15		20
21		1	24	6	11		10	3		2	15		21
22	49		54		~~3~~	5		12	47		1		22
23			4	2	~~[illegible]~~	10		1	2	7	2		23
24	4			9						1	1	2	24
25				60					2	1	1		25
26		4		20				39	1	.1		25	26
27	.1		5	22	9					3			27
28	23	1	15	49	4					14		5	28
29	1		35					2		4			29
30	20									60	9		30
31	2		12		1			1	~~2.08~~	1			31
Total	3.71	1.02	4.07	3.21	2.53	0.56	0.81	1.33	2.08	3.58	2.45	0.99	YEAR'S TOTAL 26.34
Rain Days.	20	12	21	[illegible]	16	9	10	11	14	19	20	9	178

W.7,000, XI. 13

Ex DL

FORM A.
BRITISH RAINFALL
15 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Severus mount Worcester
in the County of Worcester 2
by Geo Baynes Wetherall

Lat. Long.
Time of Observation 9 am
Nearest Railway Station one mile
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 184 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.1	.1	.1			1.15	.26			.3	6	1
2							.18	.14			.53	42	2
3				.6	.16		.7	.1				.3	3
4	.19			.9	08		.16	.20			.37	48	4
5	.6		.5	15	.148		37				.16		5
6	.3	.5		.1	~~.14~~ 2	.1					.2	.7	6
7	.2	14	31	.12	.25	.18	.12	.4	.5		.1	.26	7
8			4	.2	.5	50	4	.8				.5	8
9	.14		.13	.26	.7	1.17		.2	.12				9
10	.2	.11	.4	30	.2	.7			28				10
11		.8	.24	.5	.2	.3					.8	.43	11
12		.10	17				.56		.36		.5	.22	12
13		10	23				.1		.5	.17	.8	.39	13
14		.8	16							.36	.10	.6	14
15	.3		11					.7	.4		.3		15
16			.1						.17				16
17	3		10						.2			.13	17
18	.3					15	.20			.6		35	18
19			.2				.49		.1		.6	.8	19
20		.37	.2			4						.28	20
21		18				.12	.5	.17		.15		.12	21
22		.4	5		.22	.2	.4	.8		.4			22
23			8		13	.1				.9			23
24		5	.28	.7			.5	.4		.17	.4		24
25	.7		.5	.1			.2	18		26	.3	.12	25
26			12					.7		.4	17	.31	26
27	.4											.12	27
28		5	13		.6					.11	20	1-11	28
29			8		.3					.15	9	1	29
30		✕	1			.12				.3	38	.38	30
31	.11	✕		✕	2	✕	.19		✕	.1	✕	.6	31
Total	0.77	1.36	2.64	1.15	1.27	2.42	3.70	1.36	1.10	1.64	2.43	5.54	YEAR'S TOTAL 25.18
Rain Days.	12	13	23	13 12	14	12	16	13	8 9	13	18	23	178

W. 8,000. X. 14.

I made

W M L cooly rain stats 27.III.16

2508

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL. 13 JAN 1916 07

Kept at Severus Mount Worcester

in the County of do

by Geo Baynes Wetherall

Lat. Long.

Time of Observation 9. am + 7 pm

Nearest Railway Station one mile

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground ft. 24 in.

" " " " Sea Level Circa 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.3	(.01)	.04		25			.5	14	.20	no rain 1	.5	1
2	.12	5	12	.11		.13		1.60		.18		.7	2
3	.75	.18		.7	1		1.18	.2	–			.13	3
4	1	11			8		.63	.24				.67	4
5		.53					.38	.7		.02	no rain .1	35	5
6	.14	03		.24			.61	.2				12	6
7	.5	.32		.02	–		.6	5				25	7
8	16	35		12			.2	.1			.10		8
9	18	.9		.9				.1			.11	.34	9
10	16		07	1								.2	10
11	–			2	.9					.1	1.02	melted Snow 2	11
12	.6			7	.40			.25			77		12
13		33			.64			.4		.3		.3	13
14							.4	.5	.10	? ~~.1~~		.27	14
15	20				.9		1	.40		.1	.4	.9	15
16	03	.40		4	.39		1.18					.1	16
17		.16	.1		.67							.2	17
18		.32	snow .2										18
19					8		.4						19
20	.8			2							no rain 1	+ .11	20
21	10						.24			.8		.2	21
22	.3		.21	21			22			? ~~.7~~		.20	22
23	(.07)	snow 6	.6				.16			1.01		.27	23
24			02	3			12		.38	.65		.22	24
25						77	.18		dew no rain 1	.2		19	25
26		.03	.1				34			.1		.38	26
27		.13	snow .1				2			.31		.4	27
28		.11						.9	13	.6			28
29						.34	21	1		7	.6	5	29
30	.6	X				.06	2			25	5	.10	30
31		X		X		X	.8	1	X	74	X	.25	31
Total	2.23 ✓	3.21 ✓	.57	1.05	2.70	1.30	5.74	2.92	0.76	3.65 ✓	2.18	4.27	YEAR'S TOTAL 30.58
Rain Days.	~~23~~ 17 ✓	10	10	13	10	4	20	16	5 day	16 ✓	~~7~~ 10	26	164

W. 8,000. X. 15.

Exd 2440

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.
3 JAN 1917

Kept at Severns Mount. Worcester

in the County of Worc

by Geo Baynes Wetherall

Lat. Long.

Time of Observation 9 am & 6 & 7 pm

Nearest Railway Station One mile

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	7	4			7	4	8			18	17		1
2	35	21			24		5		3	62			2
3		55	1		2					21			3
4	16	10			52	25					52		4
5	1				21	6	1			2			5
6		23			23	2	57			4	41		6
7		1	6		7	1	5			4	2	×	7
8	1		1		26	2				4		×21	8
9			1		16	11							9
10		35	5		1	10			2	1			10
11		6	4	10		20						+ 30	11
12	1	9	3	1	30		15					×	12
13		19	11	1			30	19					13
14		45	1		2			8		2		×	14
15		27	26	5	20		5	10		4			15
16		4		16	5		15	20	32				16
17	2	15		6					12	32			17
18		2	4	2				2			40	+ ×30	18
19	3		25	30							30		19
20	4		41					1				20	20
21	1		27	2	10		12					20	21
22					1	1				13		51	22
23		15		2	~~4~~			11		3		19	23
24		19	1		17	1		7		18		18~~14~~	24
25		1	7					19		3	22		25
26	4	7	1		1	5			~~1~~	9			26
27	2	9	80						21	28			27
28		3	5		1	1			1	20		6	28
29		1				17		1.27		31		10	29
30		X				1				15			30
31		X		X		X			X	14	X	1	31
Total	0.44	3.07	2.50	.75	2.66	1.07	1.53	2.24	.72	3.08	2.04	2.46	YEAR'S TOTAL 22.89
Rain Days.	12	21	~~18~~ 19	10	19	15	10	10	7	21	7.	14	165

W. 8,000, VIII. 16

× on 11 + 18 melted Snow ~~ad~~ mainly

2325

FORM A.

BRITISH RAINFALL 6 FEB 1918

REGISTER OF RAINFALL IN 1917

Kept at Worcester Severn St

in the County of Worcs.

by C. B. Wetherall

Lat. ...... Long. ......

Time of Observation 9 am

Nearest Railway Station 1 mile distant

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1		.8	4		.8		.68	.10	~~25~~	.5		1
2			–	7		.3		.7		~~16~~	.2		2
3				6				2		23 ~~14~~			3
4		.2	23					2		15 ~~4~~			4
5	17		15	23					4	11 ~~2~~	.12		5
6			14			.31				4 ~~30~~	11		6
7						.1	.2	15		2	.1	.1	7
8	.41			10		.1	.3	30		30	11	15	8
9	26		17		16			33	3	7	12		9
10	47		30	6	61			.13					10
11	10		13	13	2			.3		10	.1		11
12	5			4	16			.1		15	.1		12
13	2		8	1	11			.3	2	1			13
14			25	7				.54		2			14
15	1				18		1.08	.5		2		15	15
16		3		12			2					snow 30	16
17				3	60	.28	.35	.17	5	5			17
18		4			6		.20		1·41				18
19	2	35	31			.12			.1		.1		19
20		17	13		43	.5	41		.1				20
21		1	1		2	.2		.4		1	2		21
22						.2		.5		4			22
23		17			12			.7		2		5	23
24		1				.7		5		8	.6	10	24
25		11	8			~~4~~				1	8		25
26						05 ~~5~~		24	.14		7		26
27					1·40	.5	.20	.62					27
28			15			.25		.8					28
29						.30	6	3		33		23	29
30		✕					.7	37		2		1	30
31		✕	5	✕		✕		7	✕		✕		31
Total	1·52	·91	2·26	·96	3·87	1·65	2·44	4·45	1·81	1·78	·80	1·00	YEAR'S TOTAL 23·15
Rain Days.	10	9	15	12	12	15	10	24	9	20	14	8	158

W. 8,000, IX. 17.

WORCESTER.

ST. JOHNS BOYS SCHOOL

1918–1920

FORM A.
BRITISH RAINFALL

9. 1.

REGISTER

Kept at St John's Boys' School Wor

in the County of Worcest

by Edmund R Bow

33" W

a.m.

enwick G.W.

Gauge Five in.

Ground 1 ft. – in.

Sea Level 100 ft.

IMPORTANT NOTE.—Rain … e result entered to the previous day. If an Observer pre… to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	·01	–	·02	·11	–	–	·04	–	–	·39	–	1
2	–	·03	–	·05	–	–	–	·24	–	·02	–	·11	2
3	–	·02	·01	·01	·25	–	–	·07	·46	–	·07	–	3
4	–	·05	–	–	–	–	–	·01	·39	·09	·53	·33	4
5	–	–	–	·01	·25	–	–	·06	·15	·10	–	–	5
6	·06	·29	·01	·07	–	–	–	·01	·05	·17	–	·03	6
7	·02	·09	–	–	·14	·04		–	·55	·10	·17	–	7
8	·01	·11	–	–	–	–	–	–	·15	·08	·02	·03	8
9	·03	·30	–	·15	–	·20	–	–	·21	·14	–	·01	9
10	·06	·02	–	·19	–	–	·18	–	·04	·05	–	·09	10
11	·01	–	–	·06	·02	–	·22	–	·08	–	·01	·06	11
12	–	–	·16	–	·10	–	·13	–	·01	–	–	–	12
13	–	–	–	·01	·10	–	·05	–	·06	·01	–	·03	13
14	·19	–	·03	–	–	–	·08	–	·29	·06	–	·06	14
15	·86	–	–	·12	–	–	·20	–	–	–	–	·34	15
16	·28	–	–	·72	–	·10	–	–	·20	–	–	·06	16
17	·22	–	–	·02	·05	·08	·04	–	·04	·06	–	·05	17
18	·36	–	–	–	–	·25	·05	–	·58	–	–	·30	18
19	·09	·04	·17	·01	–	–	·05	–	–	·05	–	–	19
20	·17	·05	–	·53	–	·03	–	–	·10	–	–	·03	20
21	·10	–	–	·27	–	–	·06	–	·46	–	–	·13	21
22	·02	–	–	–	·33	–	·10	–	·04	–	–	·12	22
23	·02	–	–	–	·41	–	·07	–	·01	–	·04	–	23
24	–	·10	–	–	–	–	·08	·01	·03	–	·07	–	24
25	–	–	–	–	·01	·05	·06	·40	–	–	·02	–	25
26	–	–	–	–	–		·27	–	·10	·05	·08	·08	26
27	–	·03	·20	–	–	·07	–	·13	·13	–	·06	·02	27
28	–	·12	–	–	–	–	–	–	–	–	·10	·05	28
29	–		·06	–	–	–	–	–	·91	·01	–	·03	29
30	–	×	·32	–	–	–	–	–	·01	–	·06	·05	30
31	–	×	·19	×	–	×	–	·02	×	–	×	–	31
Total	2·50	1·26	1·15	2·24	1·77	·82	~~1·54~~ 1·64	·99	5·05	·99	1·62	2·01	~~21·94~~ 22·04
Rain Days.	16	14	9	15	11	8	15	10	24	14	13	21	170

W, 6,500, VII. 18. W W C

REGISTER

FORM A.
BRITISH RAINFALL.

9. 1.

Boys School
Kept at St Johns Worcester
in the County of Worcester
by Edmund R Bowen

Long. 2 33" W
Time of Observation 9 a.m.
Nearest Railway Station Henwick G.W.R.
Diameter of Funnel of Rain Gauge Five in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	·01	–	·02	·11	–	–	·04	–	–	·39	–	1
2	–	·03	–	·05	–	–	–	·24	–	·02	–	·11	2
3	–	·02	·01	·01	·25	–	–	·07	·46	–	·07	–	3
4	–	·05	–	–	–	–	–	·01	·39	·09	·53	·33	4
5	–	–	–	·01	·25	–	–	·06	·15	·10	–	–	5
6	·06	·29	·01	·07	–	–	–	·01	·05	·17	–	·03	6
7	·02	·09	–	–	·14	·04	–	–	·55	·10	·17	–	7
8	·01	·11	–	–	–	–	–	–	·15	·08	·02	·03	8
9	·03	·30	–	·15	–	·20	–	–	·21	·14	–	·01	9
10	·06	·02	–	·19	–	–	·18	–	·04	·05	–	·09	10
11	·01	–	–	·06	·02	–	·22	–	·08	–	·01	·06	11
12	–	–	·16	–	·10	–	·13	–	·01	–	–	–	12
13	–	–	–	·01	·10	–	·05	–	·06	·01	–	·03	13
14	·19	–	·03	–	–	–	·08	–	·29	·06	–	·06	14
15	·86	–	–	·12	–	–	·20	–	–	–	–	·34	15
16	·28	–	–	·72	–	·10	–	–	·20	–	–	·06	16
17	·22	–	–	·02	·05	·08	·04	–	·04	·06	–	·05	17
18	·36	–	–	–	–	·25	·05	–	·58	–	–	·30	18
19	·09	·04	·17	·01	–	–	·05	–	–	·05	–	–	19
20	·17	·05	–	·53	–	·03	–	–	·10	–	–	·03	20
21	·10	–	–	·27	–	–	·06	–	·46	–	–	·13	21
22	·02	–	–	–	·33	–	·10	–	·04	–	–	·12	22
23	·02	–	–	–	·41	–	·07	–	·01	–	·04	–	23
24	–	·10	–	–	–	–	·08	·01	·03	–	·07	–	24
25	–	–	–	–	·01	·05	·06	·40	–	–	·02	–	25
26	–	–	–	–	–		·27	–	·10	·05	·08	·08	26
27	–	·03	·20	–	–	·07	–	·13	·13	–	·06	·02	27
28	–	·12	–	–	–	–	–	–	–	–	·10	·05	28
29	–		·06	–	–	–	–	–	·91	·01	–	·03	29
30	–	✕	·32	–	–	–	–	–	·01	–	·06	·05	30
31	–	✕	·19	✕	–	✕	–	·02	✕	–	✕	–	31
Total	2·50	1·26	1·15	2·24	1·77	·82	~~1·54~~ 1·64	·99	5·05	·99	1·62	2·01	YEAR'S TOTAL ~~21·94~~ 22·04
Rain Days.	16	14	9	15	11	8	15	10	24	14	13	21	170

W, 6,500, VII. 18. W W G

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

REGISTER OF RAINFALL IN 1919.

8 JAN 20

Kept at St Johns Boys' School.
in the County of Worcester
by E. R. Bowen Head Master

Lat. 52° 11′ 17″·94 Long 2° 13′ 9″·88 W Lat.
Time of Observation 9 a.m
Nearest Railway Station Henwick Worcester
Diameter of Funnel of Rain Gauge Five in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 82 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·28	—	·03	·01	·16	—	·12	—	·03	·22	·02	·38	1
2	·11	—	—	—	·07	—	·26	—	·17	—	·05	·05	2
3	·54	—	·10	—	·04	—	·09	—	·05	—	·11	·17	3
4	·10	—	·35	—	—	·13	·35	·05	·14	—	—	·07	4
5	·01	·35	—	—	·02	—	—	—	·23	—	—	·15	5
6	—	—	·13	—	·36	—	—	—	—	—	—	·14	6
7	·28	—	·28	·10	·07	—	—	—	—	—	·06	·02	7
8	·17	—	·47	·14	—	·03	—	—	—	—	—	—	8
9	·06	—	·03	·10	—	—	—	—	—	—	·01	—	9
10	·01	—	·52	·02	—	—	—	—	—	·02	—	·21	10
11	·01	—	·65	—	·01	—	·53	—	—	—	—	·02	11
12	·03	—	·11	·02	—	·11	—	—	·01	—	·01	·02	12
13	—	—	—	·17	—	—	—	—	·10	·18	—	·02	13
14	·27	·05	—	·25	—	—	·02	—	·03	·01	—	·04	14
15	·16	·04	·01	·04	·23	—	—	—	—	·09	—	·30	15
16	·20	·99	—	—	—	—	—	·10	—	—	·05	—	16
17	·01	·57	—	—	—	·03	—	—	—	—	·05	—	17
18	—	—	·53	—	—	—	·02	·12	—	—	—	·05	18
19	·19	·29	·89	—	—	·10	1·13	·34	·12	—	·04	·01	19
20	·36	·02	·34	—	—	·04	·01	·10	·02	—	·02	·06	20
21	·02	·39	—	—	—	·02	·24	—	—	—	·01	·07	21
22	—	·08	—	—	—	—	·06	—	·28	—	—	·09	22
23	—	—	—	—	—	—	—	—	—	·70	—	·05	23
24	—	—	—	·05	—	·03	—	—	—	·61	·08	·11	24
25	·09	—	—	—	·06	·12	—	·18	—	—	—	—	25
26	·02	—	·07	·03	—	·03	—	·05	—	—	—	·40	26
27	·23	—	—	·78	—	—	—	·55	—	—	·08	—	27
28	·10	—	·07	·02	—	—	—	·26	—	—	·18	·29	28
29	·04		—	·10	—	—	—	—	—	·40	·35	·24	29
30	—		—	·11	—	·15	—	·05	—	·03	·10	·30	30
31	—		—		—		·01	—		—		—	31
TOTAL	3·29	2·78	4·58	1·94	1·02	·79	2·84	1·80	1·18	2·26	1·22	3·26	YEAR'S TOTAL 26·96
Days with ·01 in. or more	23	9	16	15	9	11	12	10	11	9	16	24	165

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920

12 JAN 1921

Kept at St John's Boys' School, Worc.
in the County of Worcester
by E R Bowen. Head Master.

N. Lat 52° 11' 17"·94 Long 2° 13' 9"·88 W.
Time of Observation 9 a.m.
Nearest Railway Station Henwick G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " " Sea Level 82 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·21	·28		·25		·02	·27		·25	1
2				·09			·25	·01	·07	·07		·06	2
3	·07	·03		·04	·03	·02	1·82		·14	·35		·01	3
4	·01			·09				·19	·01	·27			4
5			·10	·02	·12		·37	·03		·43			5
6			·30	·02	·09		·10			·37		·01	6
7			·07	·09			·13						7
8	·16	·04		·48	·05		·42						8
9	·25	·01		·36			1·04						9
10	·61	·07	·05	·01			·15				·05		10
11	·08		·05	·24	·30	·35	·09						11
12	·09			·29		·81		·01			·04		12
13	·01		·25	·11					·01			·01	13
14			·60	·14		·40	·02		·27	·03	·19		14
15		·12	·08	·49		·09			·07	·02	·05		15
16				·12	·09	·10	·16		·05	·36	·02		16
17	·01		·01	·05	·10				·74	·08			17
18	·14			·04	·09			·12	·61			·05	18
19	·08	·29		·50		·10						·01	19
20	·03	·11		·12		·15						·02	20
21				·01			·06			·01			21
22	·03			·05								·19	22
23							·27	·12				·32	23
24			·14									·13	24
25	·01	·06	·05	·02			·51						25
26	·13	·03	·35	·01			·03					·05	26
27	·19	·02	·13	·04	·04	·20					·10	·46	27
28	·94		·09		·34							·04	28
29	·11		·13		·05	·04	·12				·08	·45	29
30		×	·05	·10		·04	·08		·21		·26	·12	30
31	·04	×		×	·03	×			×	·40	×		31
TOTAL	2·99	·78	2·45	3·74	1·61	2·30	5·87	·48	2·20	2·66	·79	2·18	YEAR'S TOTAL 28·05
Days with ·01 in. or more	19	10	16	26	13	11	18	6	11	12	8	16	166
Days with ·04 in. or more	13	6	15	20	11.	10	16	3.	8	9	7	11	129

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

WD ent. 27.11.12

RE

WORCESTER

W. W.

1911-1920

FORM A2.
BRITISH RAINFALL.

2 JAN 1912

Kept at Worceste

in the County of Wo

by Thomas Cain
City Eng

Negretti & Zambra

5 in.

Ground — ft. 9 in.

Sea Level 56 ft.

a.m.

Name Foregate Street G.W.R.

Distance 1 mile Direction S.S.E.

IMPORTANT NOT the result entered to the previous day. If an Ob versal rule, he is earnestly requested to add the rea year in the space provided for it at the end of th ment of rain, the selection and placi British Rainfall Organization are given in application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
0·00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·00	0·00	0·22	0·01	0·13	0·01	0·01	0·00	0·00	0·00	0·15	0·00	1
2	0·00	0·00	0·06	0·00	0·01	0·00	0·00	0·13	0·00	0·00	0·02	0·00	2
3	0·00	0·00	0·00	0·00	0·03	0·00	0·00	0·01	0·00	0·08	0·05	0·03	3
4	0·00	0·00	0·00	0·01	0·34	0·00	0·00	0·02	0·00	0·00	0·02	0·00	4
5	0·00	0·00	0·14	Snow 0·06	0·00	0·10	0·00	0·01	0·12	0·03	0·16	0·35	5
6	0·03	0·00	0·04	0·00	0·00	0·00	0·00	0·06	0·00	0·01	0·02	0·00	6
7	0·28	0·00	0·06	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·04	0·35	7
8	0·02	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·22	0·03	8
9	0·11	0·00	0·15	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·03	0·24	9
10	0·08	0·00	0·01	0·01	0·00	0·00	0·00	0·00	0·00	0·00	0·32	0·07	10
11	0·02	0·12	0·30	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·04	0·52	11
12	0·14	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·40	0·02	12
13	0·00	0·00	0·35	0·00	0·00	0·00	0·00	0·00	0·04	0·00	0·10	0·00	13
14	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·21	0·00	0·01	0·41	14
15	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·81	15
16	0·00	0·00	0·06	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·10	0·06	16
17	0·00	0·00	0·00	0·00	0·00	0·06	0·00	0·00	0·00	0·00	0·10	0·06	17
18	0·00	0·01	0·02	0·00	0·01	0·08	0·00	0·00	0·00	0·00	0·20	0·26	18
19	0·00	0·35	0·01	0·06	0·00	0·07	0·00	0·00	0·00	0·05	0·00	0·29	19
20	0·00	0·01	0·00	0·00	0·00	0·23	0·19	0·00	0·21	0·23	0·03	0·03	20
21	0·00	0·06	0·00	0·00	0·00	0·00	0·00	0·10	0·04	0·02	0·00	0·60	21
22	0·00	0·12	0·03	0·00	0·00	0·00	0·00	0·35	0·00	0·20	0·00	0·14	22
23	0·00	0·00	0·03	0·00	0·00	0·00	0·00	0·02	0·00	0·06	0·00	0·42	23
24	0·00	0·10	0·20	0·00	0·00	0·19	0·00	0·00	0·18	0·02	0·00	0·12	24
25	0·00	0·05	0·00	0·03	0·00	0·37	0·00	0·14	0·00	0·05	0·00	0·11	25
26	0·00	0·11	0·00	0·04	0·00	0·01	0·00	0·00	0·00	0·00	0·00	0·14	26
27	0·00	0·05	0·00	0·13	0·05	0·00	0·00	0·00	0·00	0·22	0·17	0·10	27
28	0·00	0·17	0·12	0·06	0·00	0·00	0·00	0·36	0·11	0·00	0·04	0·11	28
29	0·00		0·00	0·23	0·00	0·00	0·00	0·00	0·00	0·00	0·24	0·00	29
30	0·00		0·00	0·02	0·00	0·11	0·24	0·00	0·15	0·11	0·01	0·00	30
31	0·00		0·04		0·00		0·02	0·20		0·18		0·01	31
	-	·22	·01	·13	·01	·01	-	-	-	·15	-	-	
Total	~~0·68~~	~~1·15~~	~~1·84~~	~~0·66~~	~~0·57~~	~~1·23~~	~~0·46~~	~~1·40~~	~~1·06~~	~~1·26~~	~~2·47~~	~~5·28~~	TOTAL for year ~~18·06~~
	·68	1·37	1·63	·78	·45	1·23	·45	1·40	1·06	1·41	2·32	5·28	18·06
No. of Rain Days.	7	~~11~~ 12	17	11	6	10	~~4~~ 3	11	8	~~13~~ 14	~~22~~ 21	24	144

W. 8,000, X. '11.

WD end. 27.10.12

RE

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at Worcester (Waterworks)

in the County of Worcester 2

by Thomas Caink A. M. Inst. C. E. City Engineer.

RAIN GAUGE
Pattern Negretti & Zambra
Diameter of top 5 in.
Height of top above Ground — ft. 9 in.
„ „ „ Sea Level 56 ft.

Time of Observation 8. a. m.

Nearest Railway Station
Name Foregate Street G.W.R.
Distance 1 mile Direction S. S. E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
0·00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·00	0·00	0·22	0·01	0·13	0·01	0·01	0·00	0·00	0·00	0·15	0·00	1
2	0·00	0·00	0·06	0·00	0·01	0·00	0·00	0·13	0·00	0·00	0·02	0·00	2
3	0·00	0·00	0·00	0·00	0·03	0·00	0·00	0·01	0·00	0·08	0·05	0·03	3
4	0·00	0·00	0·00	0·01	0·34	0·00	0·00	0·02	0·00	0·00	0·02	0·00	4
5	0·00	0·00	0·14	Snow } 0·06	0·00	0·10	0·00	0·01	0·12	0·03	0·16	0·35	5
6	0·03	0·00	0·04	0·00	0·00	0·00	0·00	0·06	0·00	0·01	0·02	0·00	6
7	0·28	0·00	0·06	0·00	0·00	0·00	0·00	0·00	0·00	0 00	0·04	0·35	7
8	0·02	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·22	0·03	8
9	0·11	0·00	0·15	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·03	0·24	9
10	0·08	0·00	0·01	0·01	0·00	0·00	0·00	0·00	0·00	0·00	0·32	0·07	10
11	0·02	0·12	0·30	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·04	0·52	11
12	0·14	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·40	0·02	12
13	0·00	0·00	0·35	0·00	0·00	0·00	0·00	0·00	0·04	0·00	0·10	0·00	13
14	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·21	0·00	0·01	0·41	14
15	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·81	15
16	0·00	0·00	0·06	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·10	0·06	16
17	0·00	0·00	0·00	0·00	0·00	0·06	0·00	0·00	0·00	0·00	0·10	0·06	17
18	0·00	0·01	0·02	0·00	0·01	0·08	0·00	0·00	0·00	0·00	0·20	0·26	18
19	0·00	0·35	0·01	0·06	0·00	0·07	0·00	0·00	0·00	0·05	0·00	0·29	19
20	0·00	0·01	0·00	0·00	0·00	0·23	0·19	0·00	0·21	0·23	0·03	0·03	20
21	0·00	0·06	0·00	0·00	0·00	0·00	0·00	0·10	0·04	0·02	0·00	0·60	21
22	0·00	0·12	0·03	0·00	0·00	0·00	0·00	0·35	0·00	0·20	0·00	0·14	22
23	0·00	0·00	0·03	0·00	0·00	0·00	0·00	0·02	0·00	0·06	0·00	0·42	23
24	0·00	0·10	0·20	0·00	0·00	0·19	0·00	0·00	0·18	0·02	0·00	0·12	24
25	0·00	0·05	0·00	0·03	0·00	0·37	0·00	0·14	0·00	0·05	0·00	0·11	25
26	0·00	0·11	0·00	0·04	0·00	0·01	0·00	0·00	0·00	0·00	0·00	0·14	26
27	0·00	0·05	0·00	0·13	0·05	0·00	0·00	0·00	0·00	0·22	0·17	0·10	27
28	0·00	0·17	0·12	0·06	0·00	0·00	0·00	0·36	0·11	0·00	0·04	0·11	28
29	0·00		0·00	0·23	0·00	0·00	0·00	0·00	0·00	0·00	0·24	0·00	29
30	0·00		0·00	0·02	0·00	0·11	0·24	0·00	0·15	0·11	0·01	0·00	30
31	0·00		0·04		0·00		0·02	0·20		0·18		0·01	31
	-	·22	·01	·13	·01	·01	-	-	-	·15	-	-	
Total	~~0·68~~	~~1·15~~	1·84	0·66	~~0·57~~	~~1·23~~	~~0·46~~	~~1·40~~	~~1·06~~	1·26	~~2·47~~	~~5·28~~	TOTAL for year ~~18·06~~
	·68	1·37	1·63	·78	·45	1·23	·45	1·40	1·06	1·41	2·32	5·28	18·06
No. of Rain Days.	7✓	~~11~~ 12	17✓	11	6	10	~~4~~3	11	8	~~13~~ 14	~~22~~ 21	24	144✓

W. 8,000, X. '11.

✓ cwd fwd 7.III.13 Ex f. 6

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL. 2 JAN 1913 B.R.

Kept at Worcester Water Works

in the County of Worcester 2

by Thomas Caink A.M.Inst.C.E.
City Engineer

Lat. 52°. 12′ Long. 2°. 13′ West

Time of Observation 9 a.m.

Nearest Railway Station Foregate Street, G.W.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 9 in.

" " " " Sea Level 56 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. 0·05

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.00	0.00	0.15	0.08	0.00	0.18	0.07	0.42	0.06	0.00	0.03	0.09	1
2	0.00	0.00	0.09	0.00	0.00	0.87	0.12	0.00	0.03	0.07	0.00	0.06	2
3	0.00	0.00	0.08	0.00	0.00	0.30	0.22	0.01	0.00	0.00	0.00	0.00	3
4	0.00	0.00	0.01	0.00	0.04	0.10	0.00	0.49	0.02	0.00	0.00	0.07	4
5	0.15	0.00	0.66	0.00	0.21	0.65	0.00	0.10	0.00	0.00	0.14	0.00	5
6	0.12	Snow} 0.08}	0.20	0.00	0.03	0.05	0.01	0.52	0.00	0.00	0.01	0.00	6
7	0.33	0.18	0.07	0.00	0.01	0.03	0.63	0.52	0.00	0.00	0.00	0.15	7
8	0.00	0.26	0.00	0.00	0.00	0.50	0.00	0.23	0.00	0.00	0.00	0.03	8
9	0.24	0.12	0.28	0.00	0.00	0.09	0.05	0.22	0.04	0.00	0.00	0.02	9
10	0.07	0.01	0.35	0.01	0.00	0.24	0.00	0.11	0.00	0.00	0.00	0.23	10
11	0.03	0.00	0.00	0.04	0.00	0.04	0.00	0.02	0.00	0.00	0.10	0.01	11
12	0.07	0.03	0.00	0.00	0.00	0.06	0.00	0.00	0.00	0.00	0.19	0.46	12
13	0.00	0.28	0.08	0.00	0.12	0.02	0.00	0.00	0.00	0.00	0.00	0.01	13
14	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.02	14
15	0.07	0.00	0.36	0.00	0.00	0.04	0.00	0.09	0.00	0.00	0.00	0.01	15
16	0.16	0.07	0.05	0.02	0.32	0.16	0.00	0.02	0.00	0.00	0.00	0.12	16
17	0.48	0.01	0.07	0.00	0.12	0.01	0.00	0.09	0.00	0.05	0.00	0.00	17
18	Snow} 0.98}	0.01	0.14	0.00	0.00	0.03	0.00	0.42	0.00	0.00	0.03	0.28	18
19	0.17}	0.01	0.01	0.00	0.00	0.00	0.00	0.11	0.00	0.00	0.00	0.01	19
20	0.13	0.01	0.00	0.00	0.02	0.01	0.11	0.58	0.00	0.00	0.00	0.01	20
21	0.00	0.00	0.19	0.00	0.00	0.06	0.15	0.10	0.00	0.16	0.01	0.00	21
22	0.01	0.01	0.26	0.00	0.72	0.00	0.00	0.61	0.00	0.38	0.00	0.00	22
23	Snow} 0.34}	0.12	0.00	0.00	0.42	0.18	0.26	0.12	0.00	0.01	0.00	0.07	23
24	0.15	0.11	0.30	0.00	0.00	0.04	0.24	0.27	0.00	0.00	0.03	0.10	24
25	0.12	0.01	0.00	0.00	0.00	0.13	0.11	0.08	0.00	0.00	0.00	0.17	25
26	0.00	0.00	0.00	0.00	0.00	0.28	0.00	0.46	0.00	0.00	0.35	0.34	26
27	0.00	0.04	0.01	0.00	0.00	0.00	0.30	0.55	0.00	0.55	0.17	0.31	27
28	0.00	0.00	0.00	0.00	0.00	0.26	0.20	0.00	0.00	0.73	0.00	0.17	28
29	0.00	0.07	0.00	0.00	0.00	0.02	0.25	0.55	0.07	0.28	0.29	0.34	29
30	0.00		0.00	0.00	0.00	0.21	0.48	0.04	0.46	0.16	0.02	0.03	30
31	0.00		0.00		0.04		0.01	0.06		0.14		0.00	31
	-	.15	.08	-	.18	.07	.42	.06	-	.03	.09	.05	YEAR'S TOTAL
Total	~~3.62~~	~~1.49~~	~~3.36~~	~~0.15~~	~~2.05~~	~~4.52~~	~~3.21~~	~~7.22~~	~~0.68~~	~~2.53~~	~~1.34~~	~~3.11~~	~~33.35~~
	3.62	1.64	3.29	.07	2.23	4.45	3.56	6.86	.62	2.56	1.43	3.07	33.40
Rain Days.	17	~~19~~ 20	19	~~4~~ 5	~~11~~ 12	26	16	27	~~6~~ 5	~~10~~ 11	12	24	192

FORM A.
BRITISH RAINFALL.

4 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Worcester Waterworks

in the County of Worcester 2

by Worcester Corporation

Thomas Caink. AMICE

Lat. Long.

Time of Observation 9 Am

Nearest Railway Station Foregate St.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground nil ft. — in.

" " " " Sea Level 53 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·05	0·02	—	0·12	—	—	—	—	0·03	—	0·02	0·08	1
2	0·00	0·01	0·12	0·12	0·16	—	—	—	0·66	—	0·04	—	2
3	0·01	0·23	0·01	0·13	—	—	0·01	—	0·08	0·46	0·05	—	3
4	0·04	0·00	0·07	—	0·59	—	—	—	—	0·00	—	0·08	4
5	0·89	0·00	—	—	0·35	—	—	—	0·04	0·26	0·01	0·23	5
6	0·04	0·00	0·01	—	0·02	0·04	0·09	—	0·02	0·34	0·06	0·84	6
7	0·03	0·04	0·14	—	0·36	0·12	0·19	—	—	0·23	0·02	0·34	7
8	0·00	0·15	—	—	0·13	0·03	0·07	—	—	0·53	0·22	0·01	8
9	0·00	0·13	—	—	0·11	0·12	0·01	0·03	—	0·59	0·03	—	9
10	0·00	0·35	—	—	0·09	0·15	0·02	0·83	0·10	—	0·08	—	10
11	0·03	0·01	—	0·17	0·03	—	—	0·04	—	0·02	0·07	—	11
12	1·10	0·00	—	0·29	0·01	—	—	—	—	0·03	0·56	—	12
13	0·00	0·00	—	—	0·24	—	—	—	—	—	0·44	—	13
14	Snow. 0·01	0·00	0·09	—	—	—	—	—	0·14	—	0·20	—	14
15	0·13	0·00	0·43	0·02	—	—	—	0·08	0·03	0·11	0·01	—	15
16	0·15	0·05	0·47	0·45	—	—	—	0·01	0·20	—	0·06	0·01	16
17	0·05	0·00	Snow 0·55	0·09	—	—	—	0·08	0·01	—	0·00	—	17
18	0·06	0·01	0·13	0·10	—	0·01	0·19	—	0·04	—	—	—	18
19	0·03	0·00	0·17	0·05	0·01	—	0·04	—	—	—	0·03	—	19
20	0·11	0·00	0·13	—	—	—	0·04	—	0·10	—	—	—	20
21	0·12	0·00	0·31	0·07	—	—	—	—	—	—	0·12	—	21
22	0·00	0·00	0·26	0·08	0·07	—	0·11	0·01	—	—	0·17	—	22
23	Snow 0·53	0·00	0·59	—	—	0·03	—	0·15	0·41	—	—	—	23
24	0·00	0·00	0·04	—	—	0·11	—	0·03	0·05	—	0·04	—	24
25	0·04	0·00	—	0·02	—	—	—	—	—	—	—	—	25
26	0·00	0·00	—	0·08	—	—	—	—	0·03	—	—	—	26
27	0·00	0·00	—	0·54	—	—	—	0·35	0·01	0·02	—	0·28	27
28	0·00	0·03	—	0·17	0·09	—	—	—	—	0·05	—	—	28
29	0·22		0·17	0·22	0·03	—	—	—	—	0·18	—	Snow 0·03	29
30	0·02		0·35	0·47	0·02	—	—	0·03	—	0·05	—	—	30
31	0·19		—		—		—	—		0·52		—	31
	·02	—	·12	—	—	—	—	·03	—	·02	·08	—	YEAR'S TOTAL
Total	~~3·85~~ 3·82	~~1·03~~ 1·01	~~4·04~~ 4·16	~~3·19~~ 3·07	~~2·31~~ 2·31	~~0·61~~ ·61	~~0·77~~ ·77	~~1·64~~ 1·67	~~1·95~~ 1·92	~~3·39~~ 3·41	~~2·23~~ 2·29	~~1·10~~ 1·02	~~26·11~~ 26·06
Rain Days.	21	~~11~~ 10	~~18~~ 19	~~18~~ 17	16	8	10	~~11~~ 12	~~16~~ 15	~~15~~ 16	19	~~9~~ 8	~~172~~ 171

W.7,000, XI. 13

cand for WD. 1.IV.15

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

7 - JAN 1915

Kept at Worcester Waterworks

in the County of Worcester 2

by Corporation of Worcester

Lat. Long.

Time of Observation 8 A.M.

Nearest Railway Station Foregate St: Worcester

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground Same ft. as in.

" " " " Sea Level last year ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0·08	0·04				·11	·17			·02	·35	1
2		0·01	0·01	·02			1·03	·19			·02	·07	2
3							·12	·18			·54	·41	3
4				·06	·15		·10	·14			·01	·03	4
5	0·18			·09	·11		·13	·16			·35	·47	5
6	0·03		0·05	0·17	·16		·39				·18	·01	6
7	0·09	0·05		·03	·02						·02	·08	7
8		0·15	0·28	·12	·26	·15	·15	·05			·01	·25	8
9			0·04		·03	·45	·04	·07	·03			·07	9
10	0·12		0·14	·28	·05	1·15		·02	0·13				10
11	0·05	0·08	0·03	·21	·04	·04			·24		·08	·42	11
12		0·09	0·22	·07	·03	·30					·03	·22	12
13		0·13	0·17				·49				·11	·36	13
14		0·11	0·22				·01			·16	·09	·03	14
15		0·09	0·12							·37	·04	·02	15
16		0·01	0·11					·05	·04	·01			16
17			0·07						·15			~~·13~~	17
18	0·15	0·14	0·09						·04			·13	18
19						·02	·22			·09	·05	·39	19
20			0·03			·04	·44		·01			·07	20
21		0·36	0·01									·26	21
22		0·22	0·02			·13	·04	·13		·14		·12	22
23		0·05	0·04		·28	·02	·03	·08		·05			23
24			0·08		·14	·02				·08			24
25		0·02	0·28				·04	·04		·10	·03		25
26	0·06		0·06	·04			·03	·17			·04	·11	26
27			0·06					·10		·04	·13	·36	27
28	0·05	~~0·04~~									·01	·10	28
29			0·09		·04					·16	·17	·98	29
30		X	0·12		·04					·16	·10		30
31		X		X	·02	X			X	·04	X	·39	31
	·08	·04	–	–		·11	·17	–	–	·02	·35	–	YEAR'S TOTAL
Total	~~0·73~~ ·81	~~1·59~~ 1·55	~~2·32~~ ~~1·59~~ 2·28	~~1·09~~ ~~2·32~~ 1·09	~~1·34~~ ~~1·09~~ 1·37	~~2·32~~ 2·43	~~3·37~~ 3·48	~~1·55~~ 1·38	~~0·64~~ ·64	~~1·40~~ 1·42	~~2·03~~ 2·36	~~5·70~~ 5·35	24·11
Rain Days.	~~8~~ 9	15	~~21~~ 23	10	14	~~10~~ 11	16	~~14~~ 13	7	~~12~~ 13	20	~~24~~ 23	174

W. 8,000. X. 14.

2509

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Worcester Water Works

in the County of Worcester

by Corporation of Worcester

Lat. Long.

Time of Observation 9 AM.

Nearest Railway Station Foregate St. G.W.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. — in.

" " " " Sea Level 53 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15	·06	·05	·00	·23	·00	·00	·16	·17	·17	·10	·11	1
2	·04	·12	·12	·06	·00	·13	·00	1·55	·00	·22	·00	·07	2
3	·84	·07	·01	·15	·01	·00	·97	·04	·00	·00	·00	·17	3
4	·00	·03	·00	·00	·07	·00	·85	·37	·00	·00	·00	·66	4
5	·00	·55	·00	·00	·00	·00	·27	·07	·00	·04	·00	·37	5
6	·14	·03	·00	·22	·00	·00	·61	·04	·00	·00	·00	·20	6
7	·05	·37	·00	·04	·00	·00	·05	·05	·00	·00	·00	·27	7
8	·15	·38	·00	·08	·00	·00	·02	·01	·00	·00	·06	·00	8
9	·14	·12	·00	·09	·00	·00	·00	·00	·00	·00	·16	·35	9
10	·2	·00	·07	·02	·00	·00	·00	·00	·00	·03	·00	·04	10
11	·00	·00	·00	·02	·10	·00	·01	·00	·00	·01	1·02	·01	11
12	·05	·00	·00	·07	·30	·00	·00	·43	·00	·02	·75	·02	12
13	·01	·34	·00	·00	·76	·00	·00	·07	·00	·00	·00	·00	13
14	·00	·02	·00	·00	·00	·00	·06	·08	·09	·01	·00	·25	14
15	·21	·00	·00	·00	·07	·00	·01	·28	·01	·01	·04	·14	15
16	·02	·36	·00	·03	·38	·00	1·28	·00	·00	·00	·00	·03	16
17	·00	·25	·01	·00	·64	·00	·00	·00	·00	·00	·00	·01	17
18	·02	·33	·01	·00	·00	·00	·00	·00	·00	·01	·00	·00	18
19	·00	·01	·00	·00	·07	·00	·03	·00	·00	·00	·00	·00	19
20	·08	·00	·00	·03	·00	·00	·00	·00	·00	·03	·00	·12	20
21	·09	·00	·00	·00	·00	·00	·15	·00	·00	·05	·00	·05	21
22	·06	·00	·23	·14	·00	·00	·36	·00	·00	·00	·00	·17	22
23	·08	·07	·06	·00	·00	·00	·16	·00	·01	·97	·00	·27	23
24	·00	·00	·01	·02	·00	·00	·13	·00	·00	·75	·06	·30	24
25	·00	·00	·00	·00	·00	·72	·17	·00	·38	·02	·00	·18	25
26	·00	·01	·00	·00	·00	·00	·33	·00	·00	·00	·06	·33	26
27	·00	·12	·00	·00	·00	·00	·03	·00	·00	·32	·06	·13	27
28	·00	·12	·00	·00	·00	·00	·00	·09	·13	·04	·06	·01	28
29	·00		·00	·00	·00	·14	·23	·02	·00	·00	·05	·06	29
30	·05		·00	·00	·00	·08	·03	·00	·00	·25	·04	·11	30
31	·01		·00		·00		·09	·01		·79		·32	31
Total	2·39	3·36	0·57	0·97	2·63	1·04	5·84	3·27	0·79	3·74	2·22	4·75	YEAR'S TOTAL 31·60
Rain Days.	19	19	9	13.	10	4	21	15	6	18	8	27	169

W. 8,000. X. 15.

2441

FORM A.
BRITISH RAINFALL.

4 JAN 191

REGISTER OF RAINFALL IN 1916

Kept at Worcester Water Works

in the County of Worcester

by Thomas Caink AM ICE
City Engineer

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 53 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·32	·00	·17	·00	·00	·00	·07	·00	·00	·09	·20	·00	1
2	·08	·00	·00	·00	·05	·04	·05	·00	·03	·75	·01	·00	2
3	·36	·02	·13	·00	·23	·00	·09	·00	·05	·25	·08	·00	3
4	·01	·56	·00	·00	·01	·00	·01	·00	·00	·01	·38	·00	4
5	·17	·14	·00	·00	·51	·21	·02	·00	·00	·02	·22	·00	5
6	·01	·01	·02	·00	·21	·06	·45	·00	·00	·06	·49	·00	6
7	·00	·29	·04	·00	·15	·03	·23	·00	·00	·05	·16	·16	7
8	·00	·01	·08	·00	·06	·00	·00	·00	·00	·00	·00	·21	8
9	·00	·00	·04	·00	·11	·05	·00	·00	·00	·05	·00	·01	9
10	·00	·00	·01	·00	·32	·06	·00	·00	·01	·02	·01	·00	10
11	·00	·28	·04	·01	·03	·12	·00	·00	·00	·00	·00	·18	11
12	·00	·13	·03	·09	·00	·20	·14	·00	·00	·00	·00	·06	12
13	·02	·11	·04	·03	·23	·00	·34	·19	·00	·00	·00	·00	13
14	·00	·20	·12	·03	·01	·00	·00	·08	·00	·01	·00	·03	14
15	·00	·13	·00	·00	·03	·00	·05	·19	·00	·06	·00	·00	15
16	·00	·40	·27	·02	·10	·00	·20	·17	·00	·00	·00	·00	16
17	·00	·08	·02	·20	·15	·00	·00	·02	·32	·32	·00	·00	17
18	·03	·15	·00	·09	·01	·00	·00	·01	·12	·00	·36	·30	18
19	·00	·06	·01	·03	·00	·00	·00	·00	·00	·00	·26	·00	19
20	·00	·00	·28	·34	·00	·00	·00	·01	·00	·00	·08	·10	20
21	·07	·00	·39	·00	·00	·00	·11	·00	·00	·00	·00	·26	21
22	·10	·00	·28	·03	·07	·00	·00	·00	·00	·16	·00	·40	22
23	·00	·00	·00	·01	·06	·01	·00	·11	·00	·04	·04	·28	23
24	·00	·28	·00	·01	·00	·00	·00	·09	·00	·19	·01	·17	24
25	·00	·16	·01	·01	·11	·01	·00	·18	·00	·05	·20	·00	25
26	·00	·03	·06	·00	·17	·00	·00	·01	·01	·08	·00	·00	26
27	·03	·05	·01	·00	·00	·09	·00	·00	·22	·24	·00	·00	27
28	·03	·09	·75	·00	·00	·00	·00	·00	·02	·07	·00	·09	28
29	·00	·22	·16	·00	·00	·08	·00	1·04	·00	·65	·00	·08	29
30	·00	X	·00	·00	·00	·20	·00	·00	·00	·15	·00	·04	30
31	·00	X	·00	X	·00	X	·00	·00	X	·16	X	·02	31
Total	1·23	340	296	·90	2·62	176	1·76	2·10	·78	348	2·50	2·39	YEAR'S TOTAL 25·28
Rain Days.	12	21	22	~~14~~ 13	20	~~14~~ 13	12	12	8	22	14	16	~~187~~ 185

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

3. JAN 1918

Kept at Waterworks Leicester

in the County of Leicester

by Thomas Cank A.M.I.C.E City Engineer

Lat. ________ Long. ________

Time of Observation 9.0 a.m

Nearest Railway Station ________

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ____ft. ____in.

" " " " Sea Level 53 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ________

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·00	·06	·04	·00	·07	·00	·50	·25	·00	·01	·00	1
2	·00	·00	·00	·06	00	·10	·00	·06	·00	·00	·05	·00	2
3	·00	·00	·00	·05	·00	·01	·00	·02	·00	·27	·02	·00	3
4	·00	·00	·12	·02	·00	·00	·00	·02	·00	·07	·01	·00	4
5	·15	·00	·15	·17	·00	·00	·00	·00	·01	·10	·09	·00	5
6	·00	·00	·11	·00	00	·33	·00	·00	·00	·01	·12	·00	6
7	·27	·00	·00	·00	00	·00	·01	·03	·00	·02	·01	·00	7
8	·42	·00	·00	·10	00	·01	·23	·32	·00	·29	·10	·14	8
9	·00	·00	·04	·01	·15	·00	·01	·33	·10	·07	·09	·00	9
10	·42	·00	·40	·05	·60	·00	·00	·15	·00	·00	·00	·00	10
11	·12	·00	·10	·11	·01	·00	·00	·01	·01	·10	·01	·00	11
12	·00	·00	·00	·03	·22	·00	·00	·03	·00	·12	·01	·00	12
13	·00	00	·08	·02	·02	·00	·00	·03	·04	·01	·00	·00	13
14	·01	·00	·25	·07	·01	·00	·00	·58	·00	·04	·00	·01	14
15	·00	·00	·00	·00	·12	·00	·90	·03	·00	·01	00	·08	15
16	·01	·01	·00	·05	·00	·00	·02	·00	·00	·02	·00	·44	16
17	·00	·00	·00	·02	·00	·35	·28	·21	·02	·06	·00	·00	17
18	·00	·01	·00	·01	·04	·00	·23	·03	1·11	00	·00	·00	18
19	·01	·33	·40	·60	·01	·18	·00	·00	·01	·00	·00	·00	19
20	·02	·28	·09	·00	·42	·04	·24	·00	·02	·00	00	00	20
21	·01	·02	·18	·00	·03	·02	·00	·03	·00	·00	·01	·00	21
22	·00	·00	·01	·60	·00	·02	·00	·02	·00	·04	·00	·00	22
23	·00	·17	·00	00	·11	·00	·00	·15	·00	·01	·00	·01	23
24	00	·01	·00	·00	·00	·03	·00	·02	·00	·13	·05	·00	24
25	00	·12	·10	·00	·00	·07	·00	·00	·00	·01	·10	·00	25
26	·00	·01	·00	·00	·00	·06	·00	·23	·15	·00	·06	·00	26
27	·00	·00	·00	·00	1·33	·04	·21	·53	·00	·00	·00	00	27
28	·00	·00	·00	·00	·01	·20	·00	·08	·00	·00	00	·00	28
29	·00		·01	·00	·00	·19	·06	·02	·00	·29	·00	·24	29
30	·00	X	·00	·00	·00	·00	·05	·22	·00	·02	·00	·00	30
31	·00	X	·06	X	·00	X	·00	·04	X	·00	X	·00	31
Total	1·45	·96	2·16	·81	3·08	1·72	2·24	3·69	1·72	1·69	·74	·92	YEAR'S TOTAL 21·18
Rain Days.	11	9	16	15	14	16	11	25	10	20	15	6	168

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Worcester Water Works
in the County of Worcester
by Thomas Caink AMICE
City Engineer

Lat. .... Long. ....
Time of Observation 9 :
Nearest Railway Station as before
Diameter of Funnel of Rain Gauge .... in. 1
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·00	·01	·00	·02	·12	·00	·00	·03	·00	·00	·40	·01	1
2	·00	·02	·00	·01	·00	·00	·00	·21	·00	·01	·00	·08	2
3	·00	·01	·00	·00	·19	·00	·00	·02	·39	·00	·08	·00	3
4	·00	·00	·00	·00	·00	·00	·00	·00	·41	·02	·51	·37	4
5	·00	·00	·00	·01	·28	·00	·00	·00	·13	·15	·00	·00	5
6	·03	·29	·00	·06	·00	·04	·00	·00	·03	·08	·00	·00	6
7	·00	·06	·00	·00	·14	·02	·00	·00	·48	·12	·13	·00	7
8	·00	·10	·00	·00	·00	·00	·00	·00	·12	·07	·00	·03	8
9	·01	·30	·00	·15	·00	·17	·00	·00	·20	·14	·00	·01	9
10	·06	·01	·00	·10	·00	·00	·22	·00	·07	·06	·00	·07	10
11	·01	·00	·00	·04	·02	·00	·17	·00	·10	·00	·01	·02	11
12	·00	·00	·15	·00	·10	·00	·07	·00	·08	·00	·00	·01	12
13	·00	·00	·01	·00	·16	·00	·03	·00	·09	·02	·00	·03	13
14	·17	·00	·02	·00	·00	·00	·05	·00	·07	·07	·00	·04	14
15	1·10	·00	·00	·15	·01	·00	·21	·00	·23	·00	·00	·30	15
16	·15	·00	·00	·12	·00	·05	·01	·00	·16	·00	·00	·04	16
17	·13	·00	·00	·01	·06	·05	·03	·00	·05	·05	·00	·02	17
18	·30	·00	·00	·00	·00	·25	·02	·00	·52	·01	·00	·25	18
19	·08	·02	·16	·00	·00	·00	·04	·00	·00	·03	·00	·01	19
20	·13	·05	·00	·33	·00	·03	·01	·00	·09	·00	·00	·05	20
21	·08	·00	·00	·96	·00	·00	·04	·00	·40	·00	·00	·04	21
22	·01	·00	·00	·00	·49	·00	·05	·00	·03	·00	·00	·16	22
23	·01	·00	·00	·00	·41	·00	·05	·00	·03	·00	·02	·00	23
24	·00	·13	·00	·00	·00	·00	·18	·00	·03	·00	·06	·00	24
25	·00	·00	·00	·00	·00	·10	·11	·44	·00	·00	·03	·00	25
26	·00	·00	·00	·00	·00	·00	·53	·00	·06	·02	·08	·08	26
27	·00	·01	·00	·00	·00	·01	·00	·13	·11	·00	·05	·02	27
28	·00	·12	·18	·00	·00	·05	·00	·00	·00	·00	·10	·05	28
29	·00		·02	·00	·00	·00	·00	·00	·90	·02	·00	·01	29
30	·00	X	·38		·00	·00	·00	·00	·01	·00	·05	·03	30
31	·00	X	·24	X		X	·00	·11	X	·00	X	·00	31
Total	2·27	1·13	1·16	1·96	1·98	·77	1·85	·94	4·79	·87	1·52	1·73	YEAR'S TOTAL. 20·97
Rain Days.	14	13	8	12	11	10	17	6	25	15	12	23	166

W. 6,500, VII. 18. W W C

2183

JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Worcester Waterworks

in the County of Worcester

by T. Caink A.M.I.C.E
City Engineer

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station as before
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·22	·00	·00	·00	·10	·00	·10	·00	·02	·19	·02	·37	1
2	·11	·00	·01	·00	·05	·00	·25	·00	·09	·01	·06	·03	2
3	·47	·00	·07	·00	·03	·00	·16	·00	·05	·00	·10	·12	3
4	·12	·00	·33	·00	·01	·12	·50	·01	·11	·00	·00	·06	4
5	·02	·32	·03	·00	·02	·00	·01	·00	·22	·00	·00	·14	5
6	·00	·00	·07	·00	·38	·00	·00	·00	·00	·00	·00	·16	6
7	·30	·00	·22	·05	·06	·00	·00	·00	·00	·00	·03	·00	7
8	·16	·00	·04	·14	·00	·04	·00	·00	·00	·00	·00	·00	8
9	·03	·00	·02	·08	·00	·00	·00	·00	·00	·00	·01	·00	9
10	·00	·00	·50	·02	·00	·00	·00	·00	·00	·00	·00	·21	10
11	·00	·00	·64	·00	·00	·00	·46	·00	·00	·02	·00	·01	11
12	·00	·00	·11	·01	·00	·06	·00	·00	·00	·04	·00	·02	12
13	·06	·00	·00	·20	·00	·00	·00	·00	·07	·12	·00	·01	13
14	·21	·02	·00	·14	·00	·00	·02	·00	·14	·00	·00	·02	14
15	·12	·06	·01	·02	·21	·00	·00	·00	·00	·03	·00	·30	15
16	·21	1·02	·00	·00	·00	·00	·00	·14	·00	·00	·05	·01	16
17	·03	·53	·00	·01	·01	·02	·00	·00	·00	·00	·05	·01	17
18	·00	·00	·56	·00	·00	·00	·00	·12	·00	·00	·00	·03	18
19	·14	·30	·94	·00	·00	·13	·99	·18	·09	·00	·00	·01	19
20	·32	·02	·33	·00	·00	·03	·01	·20	·01	·00	·01	·06	20
21	·02	·40	·01	·00	·00	·00	·25	·00	·00	·00	·01	·07	21
22	·00	·08	·00	·00	·00	·00	·05	·00	·25	·00	·00	·08	22
23	·00	·00	·00	·00	·00	·01	·00	·06	·00	·44	·00	·06	23
24	·00	·00	·00	·06	·00	·01	·00	·00	·00	·57	·10	·16	24
25	·08	·00	·00	·06	·07	·13	·00	·12	·00	·00	·00	·04	25
26	·01	·00	·08	·04	·00	·03	·01	·07	·00	·00	·00	·22	26
27	·13	·00	·00	·69	·00	·00	·00	·07	·00	·00	·16	·06	27
28	·14	·00	·06	·01	·00	·00	·00	·81	·00	·00	·03	·23	28
29	·01		·00	·10	·00	·00	·00	·00	·00	·42	·26	·20	29
30	·00		·00	·12	·00	·12	·00	·03	·00	·02	·05	·25	30
31	·00		·00		·00		·01	·00		·01		·00	31
TOTAL	2·91	2·45	4·06	1·45	·94	·70	2·82	1·81	1·05	2·17	·94	2·94	YEAR'S TOTAL 24·84
Days with ·01 in. or more	21	9	18	16	10	11	13	11	10	11	14	27	~~162~~ 171

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at the Worcester Water Works

in the ~~County~~ City of Worcester

by Thomas Caink

Lat. 52° 12′ Long 2° 13′

Time of Observation 9 a m

Nearest Railway Station Foregate St G W R

Diameter of Funnel of Rain Gauge 8 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 52 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·18	·23		·18		·03	·29		·26	1
2				·05			·28	·03	·07	·02		·06	2
3	·08	·02		·02	·05	·02	2·01		·13	·44			3
4	·01			·08			·05	·17	·01	·25			4
5			·07	·01	·08		·46	·02	·01	·46			5
6			·28	·02	·08		·05			·33		·01	6
7			·02	·08			·10						7
8	·16	·04		·55	·02		·52			·005			8
9	·24	·01		·36			·04					·005	9
10	·50	·07	·04	·01		·15	·10				·05		10
11	·19		·05	·24	·30	·26	·07	·005			·005		11
12	·11			·24		·85		·01			·02		12
13	·01		·23	·09		·01						·03	13
14			·74	·24		·39	·02		·33	·02	·17		14
15		·10	·09	·38		·17					·005		15
16		·01	·01	·12	·09	·05	·17		·05	·34	·01		16
17	·01		·01	·04	·08				·65	·08		·01	17
18	·12			·15	·07			·13	·59				18
19	·02	·16		·21		·14							19
20	·01	·19		·19		·12	·005					·03	20
21				·02			·07			·005		·01	21
22	·01			·06			·02	·08		·005		·16	22
23							·24	·02				·31	23
24	·01		·11	·01			·01					·13	24
25		·02	·05	·03			·59						25
26	·11	·02	·24	·01			·03				·09	·05	26
27	·15	·01	·07	·04	·02	·20			·005			·47	27
28	·90		·13		·31		·01					·05	28
29	·11		·18		·04	·02	·11				·08	·39	29
30	·01	✕	·35	·09	·01	·08	·02		·23		·21	·12	30
31	·02	✕	·03	✕	·01	✕	·01		✕	·41	✕		31
TOTAL	2·78	0·65	2·70	3·52	1·39	2·46	5·165	0·465	2·105	2·655	0·64	2·095	YEAR'S TOTAL 26·625
Days with ·01 in. or more	20	11	18	27	14	13	24	7	11	~~10~~ 11	~~1~~8	15	17~~7~~9
Days with ·04 in. or more	11	5	14	19	10	10	16	3	7	8	4	10	~~112~~ 117

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

[illegible]

FORM A2.
BRITISH RAINFALL.

10 APR 1911

REGIST

WORCESTER

BOUGHTON PARK.

1911

Kept at Boughton Park

in the County of Worcest

by W. Isaac

5 in Guage

5 in.

Ground 1 ft. — in.

Sea Level 82 ft.

a.m.

Name Henwick G.W.R.

Distance 1 mile Direction E by N.

IMPORTANT NOTE.—Rain l the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2			·04										2
3													3
4			·17										4
5	·08		·04										5
6	·08		·05										6
7													7
8	·06		·20										8
9	·11		·02										9
10	·03	·13	·33										10
11	·16												11
12		·01	·37										12
13													13
14	·01		·01										14
15		·02	·09										15
16	·01		..										16
17			·01										17
18		·35											18
19	·01	·02											19
20	·01	·09											20
21		·15	·04										21
22		·02	·02										22
23	·01	·13	·18										23
24		·07											24
25		·12	·01										25
26		·14											26
27		·12	·18										27
28		·21											28
29													29
30			·07										30
31													31
Total	57	1·58	1·85										TOTAL for year
No. of Rain Days	11	14	17										

T

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

10 APR 1911

REGIST

Kept at Boughton Park . Worcester

in the County of Worcester

by W. Isaac

RAIN GAUGE
Pattern [illegible] 5 in Guage
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 82 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Henwick G. W. R.
Distance 1 mile Direction E by N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2			·06										2
3													3
4			·17										4
5	·08		·04										5
6	·08		·05										6
7													7
8	·06		·20										8
9	·11		·02										9
10	·03	·13	·33										10
11	·16												11
12		·01	·37										12
13													13
14	·01		·01										14
15		·02	·09										15
16	·01		··										16
17			·01										17
18		·35											18
19	·01	·02											19
20	·01	·09											20
21		·15	·04										21
22		·02	·02										22
23	·01	·13	·18										23
24		·07											24
25		·12	·01										25
26		·14											26
27		·12	·18										27
28		·21											28
29													29
30			·07										30
31													31
Total	·57	1·58	1·85										TOTAL for year
No. of Rain Days	11	14	17										

9,000, IX. '10.

Dl

379

FORM A2.
BRITISH RAINFALL.

26 JAN 1912

WO~~RC~~ESTER

DIGLIS LOCK
WORCESTER
1911 - 1920

F

Kept at Diglis

in the County of Wo

by E. J. Bra

in.

round ft. in.

a Level ft.

ame

istance Direction

IMPORTANT N the result entered to the previous day. If an ersal rule, he is earnestly requested to add the r in the space provided for it at the end of ent of rain, the selection and p ish Rainfall Organization are give pplication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01		·05	·03	·02			·07			·02	·01	1
2			·01	·08	·03		·01	·01		·05	·03		2
3				·01	·31			·02			·03	·03	3
4			·17	·01	·01	·04		·01	·05	·02	·16	·30	4
5	·10		·04	·01				·01		·01	·03		5
6	·26		·05	·02							·05	·40	6
7	·03										·19		7
8	·07		·16								·03	·24	8
9	·10			·01							·45	·17	9
10	·03	·11	·31					·01			·02	·28	10
11	·12										·42	·03	11
12	·01	·01	·36								·10	·01	12
13			·01						·25		·02	·43	13
14			·01								·01	·74	14
15		·02	·07								·10	·05	15
16						·08					·11	·14	16
17		·01	·01			·17					·21	·26	17
18		·29	·01	·05		·05						·29	18
19		·01	·01	·01		·16	·02		·20	·26	·03	·06	19
20		·07	·01					·24	·10	·02		·56	20
21		·16	·01					·20	·02	·31		·06	21
22	02	·02	·03			·01		·02		·06		·42	22
23	·01	·10	·15	·03		·30		·02	·14	·04		·12	23
24		·06		·05		·39		·07	·01	·06		·05	24
25		·05	·01	·03		·02				·01		·16	25
26		·15		·14	·04					·22	·19	·09	26
27		·10	·14	·08				·36	·13		·03	·11	27
28		·17		·07		·01		·01			·20	·01	28
29		X		·05		·10	·27	·06	·17	·12			29
30		X	·06	·24	·05	·03	·03	·22		·17	·02		30
31		X		X		X	·02		X	·03	X	·03	31
Total	·76	1·33	1·68	·92	·46	1·36	·35	1·33	1·07	1·38	2·45	5·05	TOTAL for year 18·14
No. of Rain Days	11	15	21	17	6	12	5	15	9	14	22	26	173

9,000, IX. '10.

Dl

379

FORM A2.
BRITISH RAINFALL.

26 JAN 1912

Kept at Diglis Lock

in the County of Worcestershire

by E J Bradley

RAIN GAUGE
Diameter of top .... in.
Height of top above Ground .... ft.
" " " Sea Level .... ft.

Time of Observation ....

Nearest Railway Station
Name ....
Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01		·05	·03	·02			·07			·02	·01	1
2			·01	·08	·03		·01	·01		·05	·03		2
3				·01	·31			·02			·03	·03	3
4			·17	·01	·01	·04		·01	·05	·02	·16	·30	4
5	·10		·04	·01				·01		·01	·03		5
6	·26		·05	·02							·05	·40	6
7	·03										·19		7
8	·07		·16								·03	·24	8
9	·10			·01							·45	·17	9
10	·03	·11	·31					·01			·02	·28	10
11	·12										·42	·03	11
12	·01	·01	·36								·10	·01	12
13			·01						·25		·02	·43	13
14			·01								·01	·74	14
15		·02	·07								·10	·05	15
16						·08					·11	·14	16
17		·01	·01			·17					·21	·26	17
18		·29	·01	·05		·05						·29	18
19		·01	·01	·01		·16	·02		·20	·26	·03	·06	19
20		·07	·01					·24	·10	·02		·56	20
21		·16	·01					·20	·02	·31		·06	21
22	02	·02	·03			·01		·02		·06		·42	22
23	·01	·10	·15	·03		·30		·02	·14	·04		·12	23
24		·06		·05		·39		·07	·01	·06		·05	24
25		·05	·01	·03		·02				·01		·16	25
26		·15		·14	·04					·22	·19	·09	26
27		·10	·14	·08				·36	·13		·03	·11	27
28		·17		·07		·01		·01			·20	·01	28
29		×		·05		·10	·27	·06	·17	·12			29
30		×	·06	·24	·05	·03	·03	·22		·17	·02		30
31		×		×		×	·02		×	·03	×	·03	31
Total	·76	1·33	1·68	·92	·46	1·36	·35	1·33	1·07	1·38	2·45	5·05	TOTAL for year 18·14
No. of Rain Days	11	15	21	17	6	12	5	15	9	14	22	26	173

9,000, IX. '10.

8L ✓ Ex 9HL 376

FORM A2.
BRITISH RAINFALL.
25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Diglis Lock

in the County of Worcestershire

by E. J. Bradley

RAIN GAUGE { Pattern ____ Diameter of top ____ in. Height of top above Ground ____ ft. ____ in. „ „ „ Sea Level ____ ft.

Time of Observation ____

Nearest Railway Station { Name ____ Distance ____ Direction ____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·06			·66	·11	·01	·04	·07		·04	1
2			·15		·02	·26	·22	·01				·02	2
3			·03		·03	·10	·01	·59	·07		·02	·05	3
4	·14		·71		·15	·67	·01	·03	·04		·15	·01	4
5	·20	·11	·18		·07	·08		·39	·01		·03	·02	5
6	·24	·15	·05		·03	·25	·25	·77	·01		·01	·04	6
7		·19	·05		·05	·51	·07	·31				·02	7
8	·22	·08	·20			·18	·01	·12				·05	8
9	·12	·01	·34			·23	·02	·11				·18	9
10	·01	·03	·01	·01		·03	·01	·06			·15	·03	10
11	·07	·02	·01			·02		·10			·15	·43	11
12		·28	·04		·07	·04						·01	12
13		·02	·02			·01		·04		·01	·02	·02	13
14	·10		·52		·05	·03		·14				·01	14
15	·13	·05	·02		·30	·27		·03				·18	15
16	·70	·01	·08		·10			·10		·04		·01	16
17	1·20		·20		·02	·04		·45			·05	·31	17
18	·17		·02					·16			·01	·01	18
19	·10	·01	·01		·01		·12	·71				·02	19
20	·02		·20			·04	·18	·10		·25		·01	20
21	·01	·01	·16		·74		·01	·61		·40		·01	21
22	·37	·10	·01		·32	·10	·29	·20		·01	·01	·04	22
23	·18	·15	·30			·08	·30	·43		·01	·01	·15	23
24	·08	·01	·01			·20	·02	·05			·02		24
25	·01	·01				·21	·02	·77			·31	·21	25
26		·13					·41	·84		·55	·19	·67	26
27		·01				·24	·09			·76		·18	27
28	—	·10				·10	·76	·50	·14	·27	·25	·34	28
29		·10				·27	·20	·04	·34	·22	·03	·01	29
30		×			·01	·09	·06	·01		·14			30
31		×	·08	×	·37	×	·40	·02	×	·02	×	·05	31
Total	4·07	1·58	3·46	·01	2·34	4·71	3·57	7·70	·65	2·75	1·41	3·13	TOTAL for year 35·38
No. of Rain Days.	19	21	25	1	16	25	22	29	7	13	16	29	223

W. 8,000, X. '11.

82 ✓

388

FORM A.
BRITISH RAINFALL.

28 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Diglis Lock
in the County of Worcestershire
by E. J. Bradley

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·02	·05	·06	·13				·73		·06	·01	1
2	01	·23	·10	·08					·08	·60	·11		2
3	05	·01	·06		·70					·02		·10	3
4	85	·01			·31				·15	·45	·03	·18	4
5	04	·02	·02		·01	·04	·05		·01	·18	·09	·01	5
6	03	·04	·14		·31	·11	·32			·17	·04	·31	6
7	01	·16			·16	·03	·03			·46	·26		7
8		·02	·02		·09	·07	·01	·02		·47		·01	8
9		·41	·05		·09	·16		·25	·15		·10		9
10	19			·18	·09			·06	—	·02	·08		10
11	·81			·29	·02			·02			·64		11
12					·22			·01			·40		12
13	·02		·03	·01				·01	·11		·20		13
14	·10		·45	·01				·10	·02	·12	·02		14
15	·14	·09	·46	·53				·01	·13		·03		15
16	·07		·70	·03				·32	·03		·03		16
17	·06	·02	·10	·11			·21		·11				17
18	·04		·21	·05			·07						18
19	·06		·09		·01	·01	·03		·11	·01			19
20	·13		·21	·07						·03	·16		20
21			·22	·13				·03			·15		21
22	·46		·54			·05		·09	·43				22
23	·01		·06			·05			·02	·01	·03		23
24	·03												24
25		·01		·09					·02		·01	·02	25
26				·57				·39	·01	·02		·23	26
27	·01		·03	·18	·09					·03		·04	27
28	·25		·18	·22	·01					·15		·02	28
29	·01	×	·34	·45				·03		·05		·01	29
30	·25	×	·01		·02					·63	·05		30
31	·06	×	·11	×		×		·02	×	·03	×		31
Total	3·69	1·04	4·20	3·06	2·26	·52	·72	1·36	2·11	3·45	2·49	·94	YEAR'S TOTAL 25·84
Rain Days.	20	12	23	17	15	8	7	14	15	18	19	11	183

W. 7,500, XI. ·12

DL/ 372

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1914

28 JAN 1915

Kept at Diglis Lock
in the County of Worcestershire
by E. J. Bradley

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·01	·03	·04		·05	1·01	·33			·03	·13	1
2							·19	·05			·52	·40	2
3				·07	·27		·13	·04				·03	3
4	·18			·10	·04		·11	·02			·42	·48	4
5	·05		·05	·19	·11		·33				·19	·03	5
6				·03	·02						·05	·05	6
7	·01	·15	·23	·17	·03	·10		·22			·02	·22	7
8	·01	·02	·04		·04	·50	·05		·07			·02	8
9	·10		·15	·22	·19	1·14		·06	·16				9
10		·12	·02	·33	·08	·25			·26				10
11		·08	·26		·07				·03		·07	·44	11
12		·11	·17				1·01		·30		·08	·18	12
13		·11	·29						·07	·20	·05	·37	13
14	·01	·08	·16							·26	·09	·03	14
15	·03	·01	·11						·04		·03	·02	15
16			·01						·03			·03	16
17		·16	·12						·11			·07	17
18			·01				·22		·03			·35	18
19			·03				·32		·05	·05	·02	·20	19
20		·38										·09	20
21		·19				·29		·14		·14		·14	21
22		·05			·26		·05	·10		·14		·02	22
23		·01	·14							·09	·05		23
24		·06	·20							·08			24
25			·09	·01			·05	·19		·24	·06	·09	25
26	·07		·09							·02	·11	·30	26
27	·05		·01							·03	·06	·11	27
28	·01	·03	·11		·05					·02	·08	·86	28
29		X	·17		·05					·20	·08	·02	29
30		X	·05							·04	·30	·37	30
31	·08	X		X		X	·15		X	·06	X	·02	31
Total	·61	1·57	2·54	1·16	1·21	2·33	3·62	1·15	1·15	1·57	2·31	5·07	YEAR'S TOTAL 24·20
Rain Days.	~~11~~ 12	16	23	9	12	6	12	9	11	14	19	27	170

W.7,000, XI. 13

82

[illegible] 8.IV.16

2495
362

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

11 APR.1916

Kept at Diglis Lock
in the County of Worcestershire
by E. J. Bradley

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.09	.05	.12		.05		.01	.20	.18	.09	.03	.20	1
2	.14	.18	.11		.22	.12	.03	2.00		.27		.12	2
3	.70	.09	.03	.11	.05		.91	.14			.01	.26	3
4	.02	.04	.01	.01	.07		.87	.35				.68	4
5	.03	.53					.09	.08				.36	5
6	.14	.01		.38			.81	.02				.17	6
7	.07	.32		.05			.17	.03			.01	.28	7
8	.10	.38		.10				.02			.09		8
9	.22	.06		.01				.02			.03	.32	9
10	.20		.09	.07				.01			.05	.02	10
11			.02	.08	.09			.03			1.10	.01	11
12	.06		.01	.10	.40			.03			.90	.03	12
13		.32	.01	.01	.83		.01	.11	.01		.02	.08	13
14					.01		.08	.07	.07	.05		.24	14
15	.23				.11		.02	.31			.04	.11	15
16	.02	.38			.34		.98	.01			.01	.03	16
17		.20			.62		.01	.01			.01	.01	17
18		.40	.03	.01	.01		.01	.01					18
19				.01	.08		.01	.02			.01	.01	19
20	.09				.01		.03					.14	20
21	.08			.11	.01		.17			.10		.04	21
22	.08		.30	.15			.35					.21	22
23	.02	.03	.08	.02			.21			1.15		.24	23
24				.05		.80	.19		.44	.89		.23	24
25							.41			.09		.09	25
26							.42					.42	26
27		.01					.02			.31	.01	.04	27
28		.26				.02	.03		.12	.03		.01	28
29		✕				.30	.42				.01	.05	29
30	.02	✕		.01		.05	.02			.26	.05	.10	30
31		✕		✕		✕	.01		✕	.80	✕	.24	31
Total	2.31	3.26	.81	1.28	2.90	1.29	6.29	3.47	.82	4.04	2.38	4.74	YEAR'S TOTAL 33.59 ~~33.69~~
Rain Days.	18	16	11	17	15	5	26	19	5	11	16	29	188

W. 8,000. X. 14.

Dh

2428

~~325~~

cntly own sts

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
30 JAN 1917

Kept at Diglis Lock

in the County of Worcestershire

by E. J. Bradley

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.08		.10		.07	.06	.04			.15	.18		1
2	.42	.04	.03		.20	.01	.13		.03	.64	.03		2
3	.01	.56			.04	.01	.06		.02	.16	.02		3
4	.18	.12			.46	.23	.05			.02	.51		4
5	.04	.01	.01		.21	.09	.06			.03	.03		5
6	.02	.01	.12		.18	.03	.57			.06	.07		6
7	.01		.17		.12	.05	.01			.07	.49		7
8	.01		.02		.29	.15	.03			.03	.02	.51	8
9	.01		.01		.12	.02				.02	.01	.03	9
10		.62	.04		.01	.20	.01				.01		10
11	.01		.08	.11	.13	.15	.05			.01		.28	11
12	.03	.11	.01	.01	.07		.13	.54					12
13		.22	.10	.02	.05		.18	.06		.02		.01	13
14		.51	.03	.05	.09		.01	.21		.02			14
15		.28	.28	.04	.20			.16		.10			15
16	.01	.02		.14	.01			.05	.02	.08			16
17	.04	.17	.02	.04		.01		.23	.29	.29	.02		17
18	.01	.04	.10	.12				.03	.15	.02	.51	.19	18
19	.04		.25	.38				.01	.02		.15		19
20			.46	.02							.07	.29	20
21			.30	.10	.14		.06	.02		.03		.02	21
22		.01		.07				.05		.12		.64	22
23		.01		.14		.01		.06		.03	.06	.07	23
24		.30	.01		.20	.02		.01		19	.02	.04	24
25	.01	.14	.18		.10	.02		.08	.01	.04	.09	.02	25
26	.06	.05	.06			.01		.01		.07	.05		26
27	.03	.16	.53			.04	.09	.02	.27	.26	.01	.11	27
28	.01	.30	.03			.06		.03		.07	.01	.36	28
29		.06	.01			.22		1.14		.43		.04	29
30						.02				.22		.03	30
31					.01					.13			31
Total	1.03	3.74	2.95	1.24	2.70	1.41	1.48	2.71	.81	3.31 ✓	2.36	2.64	YEAR'S TOTAL 26.38 ✓
Rain Days.	19	21	24	13	20	20	16	17	8	27	20	15	219

W. 8,000. X. 15.

2312
309

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

Kept at Diglis Lock

in the County of Worcestershire

by E. J. Bradley

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01			·06		·08		·92			·06	·02	1
2			·03	·08				·05		·53	·01	·03	2
3				·04				·01		·07	·02		3
4	·06		·15	·08	·03	·01		·03		·03	·03	·01	4
5	·07	·01	·21	·19		·04			·05	·01	·29		5
6	·09		·08	·02		·31				·04	·03		6
7	·24	·01	·01	·04			·49			·25	·01		7
8	·25		·02	·06	·18		·03	·38		·28			8
9	·01		·19	·03	·62		·12	·40		·13	·18	·18	9
10	·35		·35	·08				·03		·05		·01	10
11	·10		·07	·12	·03			·02		·20	·05	·01	11
12	·07		·01	·06	·18				·17	·11	·03	·01	12
13	·01		·06	·03	·06			·08	·01				13
14	·01		·26	·06	·01			·30	·03			·06	14
15	·01		·01	·07	·04			·10	·04	·05			15
16				·17			·43	·04	·07	·01		·50	16
17				·02	·60	·03	·13	·10	·09	·05			17
18	·01	·09			·03	·08	·04	·08	1·13	·05			18
19	·03	·33	·38		·09		·18		·03				19
20	·04	·01	·03		·33		·02		·07	·01			20
21	·01	·17	·25		·03	·08	·01		·03	·03	·02		21
22		·16				12			·04	·04	·01		22
23		·12			·15			·20	·01	·07	·05		23
24		·05	·02					·06	·01	·22	·03		24
25		·11	·06				·01	·05		·05	·05		25
26		·01	·06		·28			·26	·01	·01	·06		26
27		·02			·15	·03		·57	·01	·02	·01		27
28			·04	·01		·26		·10		·01	·18	·05	28
29		X	·03					·04		·27	·01	·21	29
30	·01	X						·03		·04		·02	30
31	·01	X		X		X		·26	X	·02	X		31
Total	1·39 ~~1·44~~	1·09	2·32 ~~2·12~~	1·22	2·81	1·04?	1·46	4·11	1·80 ~~1·81~~	2·65 ~~2·66~~	1·13	1·11	YEAR'S TOTA 22.13 ~~22.00~~
Rain Days.	19	12	21	18 ~~19~~	·16	10	10	23	16	27	19	12	203

W. 8,000, VIII. 16

DL

and G mm stats

292

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

30.1.19

Kept at Diglis Lock
in the County of Worcestershire
by E. J. Bradly

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.01		.01	.14			.05	.03	.01	.10	.02	1
2		.01		.11				.01		.01	.15	.03	2
3		.01		.01	.25			.25	.59	.01	.20	.06	3
4		.05						.06	.30	.12	.31	.31	4
5		.03		.01	.25				.12	.06	.02	.02	5
6	.08	.28		.06		.01			.07	.20		.01	6
7	.05	.10			.12				.20	.02	.15	.02	7
8	.03	.15		.01		.02			.42	.10		.01	8
9		.28		.02		.17	.01		.20	.01	.03	.05	9
10	.13	.03		.20			.28		.06		.01	.09	10
11		.01		.06	.11		.20		.16	.02	.03	.02	11
12	.01		.16	.01	.02		.10		.05	.01		.04	12
13				.03	.12		.06		.09	.01		.04	13
14	.14						.08		.05	.16		.05	14
15	.69			.17		.01	.18		.29	.05		.27	15
16	.18			.85		.02	.01	.05	.22	.01		.05	16
17	.14			.01		.12	.09		.05	.05		.05	17
18	.31			.01		.26	.14		.46	.01		.32	18
19	.18		.21	.01		.01	.09		.02	.01		.01	19
20	.09	.05		.63			.01		.14	.02		.02	20
21	.09	.05		.35			.02		.44	.01		.01	21
22	.03	.01			.05	.01	.03		.15	.01		.22	22
23	.04	.01			.40		.21		.05	.01	.06	.01	23
24	.01	.11			.07		.06		.04		.13	.01	24
25	.01				.01		.03	.36	.06	.05	.03		25
26					~~.01~~		.33	.05	.19	.03	.07	.08	26
27							.01	.11	.09	.01	.09	.01	27
28		.12	.20						.02		.05	.08	28
29		X	.06						.91			.01	29
30		X	.35						.02	.01	.07	.05	30
31		X	.13	X		X		.03	X		X		31
Total	2.21	1.31	1.11	2.56	1.54	.63	1.94	.97	5.49	1.02	1.50	1.97	YEAR'S TOTAL 22.25
Rain Days.	17	17	6	18	12	9	19	9	29	26	16	29	207

W. 8 000, IX. 17.

82

[illegible] cord per auth

2167
271

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Diglis Lock

in the County of Worcestershire

by N. Bradley

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01			·01	·05	·30	·11		·05	·07		·38	1
2	·02	·01	·02		·29	·01	·07	·01	·07		·08	·08	2
3	·97	·04	·07		·07		·08	·02	·13		·10	·12	3
4	·05	·02	·42		·01	·14	·61	·14	·14			·05	4
5	·01	·16	·01		·06						·02	·07	5
6	·04	·01	·15		·36					·01		·31	6
7	·26		·23	·04	·08								7
8	·15		·05	·03	·01								8
9	·05		·17	·34									9
10	·01		·29	·01	·01							·17	10
11	·03		·61	·01	·02	·02	·54			·01		·04	11
12	·03		·05			·09	·01		·02	·10			12
13	·06			·26					·08	·09		·01	13
14	·21	·04		·19					·01			·03	14
15	·32	·05		·05	·21		·01				·01		15
16	·12	·90		·01				·07			·11	·29	16
17	·04	·45				·05		·04				·01	17
18		·09	·56				·01	·14			·04	·07	18
19	·19	·08	·98			·15	1·17	·28	·11		·07	·01	19
20	·25	·25	·41			·01	·04	·22	·09			·07	20
21	·01	·38	·02			·03	·30	·01	·20			·03	21
22		·03					·01		·01			·02	22
23	·01							·01		·93		·05	23
24						·06			·01	·58		·27	24
25	·09				·09	·09		·06		·01	·07	·04	25
26	·08		·04	·14		·03		·21			·02	·31	26
27	·11		·01	·49			·02	·51				·04	27
28	·10		·11	·11				·22		·01	·12	·14	28
29			·01	·01				·04	·03	·33	·30	·29	29
30			·01	·02		·10			·15		·08	·39	30
31			·02									·01	31
Total	3·22	2·51	4·24	1·72 ~~1·73~~	1·26 ~~1·36~~	1·08 ~~·97~~	2·98 ~~2·97~~	1·98	1·10	2·14	1·02	3·30	YEAR'S TOTAL 26·55 ~~26·44~~
Rain Days.	25	14	21	15	12	13 ~~14~~	13	15	14	10	12	26	190

2654
54

W, 6,500, VII. 18. W W C

346 W III

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Worcester, Diglis Lock

in the County of Worcestershire

by E. J. Bradley A. Bradley

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·01		·05	·01		·30		·03	·02		·08	1
2	·02	·01		·11	·01		·19	·16	·06	·11		·05	2
3				·05	·02	·03	1·90		·12	·36		·01	3
4				·06			·03	·17		·25		·01	4
5			·04	·09	·10		·40	·05		·41			5
6			·40	·02	·11		·80	·02		·27		·01	6
7	·04	·01	·06	·13	·01		·11						7
8	·07	·08		·52			·44						8
9	·30	·01		·28			·02	·01					9
10	·55	·09	·02	·05		·05	·12				·05		10
11	·12	·01	·07	·17	·26	·37	·05						11
12	·06	·01	·01	·28	·01	·85	·04	·02			·07		12
13	·02	·01	·26	·12							·02		13
14		·02	·74	·18		·32	·02		·37	·05	·03		14
15	·02	·10	·04	·41	·01	·12	·05		·02	·07	·04		15
16	·01	·01	·02	·15	·05	·08	·15		·08	·23	·02		16
17	·01			·06	·01				·77	·19			17
18	·64			·02					·57				18
19	·01	·31		·38		·07			·01			·05	19
20	·07	·08		·26	·01	·20	·04					04	20
21				·01			·07	·06					21
22				·01	·02		·04	·14				·12	22
23	·01			·02			·20					·35	23
24	·03			·09			·01					·13	24
25	03		·05	·02			·62					·01	25
26	09		·27	·09			·04				·01	·07	26
27	16	·01	·10	·02		·20					·07	·47	27
28	89	·06	·07	·04	·29		·01				·05	·05	28
29	09	·01	·13	·05	·23		·12				·07	·38	29
30	01	✕	·11	·11	·03	·06	·02	·02	·31		·31	·11	30
31	23	✕	·01	✕		✕			✕	·37	✕	·11	31
TOTAL	2·78 ~~2·08~~	·84	2·40	3·85	1·18	2·35	5·79 ~~6·89~~	·65 ~~·66~~	2·34	2·33	·74	2·05	YEAR'S TOTAL 27·30 ~~27·57~~
Days with ·01 in. or more	23 ~~22~~	17	17	30	16	11	25	9	10	11	11	17	197

(44,283). Wt. 21,958—218. 7500. 10/19. Gp.132. A.&E.W.

12 8 13 6 10 19 8 7 10 7 13 13